## Steel Crane Mats - 20 Square Feet

# CM 20-100K




## RAPTOR

### TECH

### **Technical Specifications**

Model Number: CM 20-100K Mat Size: 5' x 4' x 4" Mat Bearing Area: 20 sq. feet Crane Mat Weight: 575 lbs. Max Outrigger Load: 100 Kips Min Float Size: 14 in2 or 16 in DIA

Manufacturing: Made in the U.S.A.



### **Product Features**

■ Lifetime Customer Support

20-Year Corrosion Warranty

Low Profile and Narrow Design

Lightweight and High Strength

High Visibility Identification Labels

■ Near-Zero Deflection at 125% Capacity

Tire-Friendly Profile

Tested and Certified

Slip-Resistant Surface

Serial Numbered

Crosby Pivot Links

### **Performance**

- \*Additional Data and Details
- Capital Asset Investment Eliminate recurring mat expenses and invest in your business
  - Only mat in the industry with a profile design that prevents sidewall damage
  - Available for you today and tomorrow
  - You'll replace your crane before you need to replace our mats
  - Performance beyond the capabilities of any mat in the industry
  - Proof load tested and certified for guaranteed performance
  - Easy to setup and fits where most mats won't
  - Reducing transportation costs and the strength of steel
  - Prevent slips, trips and falls
  - Easily identifiable load and square footage information for safe operation
  - Product traceability compliant
  - Industry standard recognized worldwide

### **Additional Options**

Custom Colors and Finishes

### **Performance**

Reduce site setup time

\*Additional Option Details

Fork-Lift Compatible

Lifting Options

Military Grade

- Rack Stack and Lift System Complete stacking and lifting system for quick and safe transportation and lifting
- Swing Radius Protection Improved work area control
  - Custom colors and finishes to match fleet or brand image
- UHMW Bottom Plate (Freeze/Frost Proof) Prevents buildup of frozen debris
  - Trunions, shackles, and lashing points customizable to your specifications
- ISO Container Corner Fittings Great versatility and transportation, setup and use
  - Constructed to meet the needs of specific military applications globally

Raptor Tech, Inc. 5411 Walnut Avenue Downers Grove, IL 60515



## Steel Crane Mats - 25 Square Feet

# CM 25-135K



### **Technical Specifications**

Model Number: CM 25-135K Mat Size: 5' x 5' x 5-1/4" Mat Bearing Area: 25 sq. feet Crane Mat Weight: 750 lbs. Max Outrigger Load: **135 Kips** Min Float Size: 14 in2 or 16 in DIA

Manufacturing: Made in the U.S.A.





















CM 72-400K











Only mat in the industry with a profile design that prevents sidewall damage





\*Additional Data and Details

**Product Features** Capital Asset Investment

■ Lifetime Customer Support

20-Year Corrosion Warranty

Low Profile and Narrow Design

Lightweight and High Strength

High Visibility Identification Labels

Tire-Friendly Profile

Tested and Certified

### **Performance**

- Eliminate recurring mat expenses and invest in your business
- Available for you today and tomorrow
- You'll replace your crane before you need to replace our mats
- Performance beyond the capabilities of any mat in the industry ■ Near-Zero Deflection at 125% Capacity
  - Proof load tested and certified for guaranteed performance
  - Easy to setup and fits where most mats won't
  - Reducing transportation costs and the strength of steel
  - Prevent slips, trips and falls
  - Easily identifiable load and square footage information for safe operation
  - Product traceability compliant
  - Industry standard recognized worldwide

### Serial Numbered

■ Slip-Resistant Surface

Crosby Pivot Links

### **Performance**

\*Additional Option Details

- Fork-Lift Compatible
- Rack Stack and Lift System
- Swing Radius Protection

**Additional Options** 

- Custom Colors and Finishes UHMW Bottom Plate (Freeze/Frost Proof)
- Lifting Options
- ISO Container Corner Fittings
- Military Grade

- Reduce site setup time
- Complete stacking and lifting system for quick and safe transportation and lifting
- Improved work area control
- Custom colors and finishes to match fleet or brand image
- Prevents buildup of frozen debris
- Trunions, shackles, and lashing points customizable to your specifications
- Great versatility and transportation, setup and use
- Constructed to meet the needs of specific military applications globally

Raptor Tech, Inc. 5411 Walnut Avenue Downers Grove, IL 60515



## Steel Crane Mats - 30 Square Feet

# CM 30-175K



### **Technical Specifications**

Model Number: CM 30-175K
Mat Size: 6' x 5' x 6-1/4"

Mat Bearing Area: 30 sq. feet
Crane Mat Weight: 900 lbs.


Max Outrigger Load: 175 Kips
Min Float Size: 16 in² or 18 in DIA

Manufacturing: Made in the U.S.A. with High Grade U.S. Steel





CM 90-500K



### **Product Features**

■ Lifetime Customer Support

20-Year Corrosion Warranty

Low Profile and Narrow Design

Lightweight and High Strength

High Visibility Identification Labels

■ Near-Zero Deflection at 125% Capacity

Tire-Friendly Profile

Tested and Certified

Slip-Resistant Surface

Serial Numbered

Lifting Options

Military Grade

Crosby Pivot Links

CM 84-450K

CM 80-450K

### Performance

- \*Additional Data and Details
- Capital Asset Investment
  Eliminate recurring mat expenses and invest in your business
  - Only mat in the industry with a profile design that prevents sidewall damage

CM 112-560K

Available for you today and tomorrow

CM 96-480K

- You'll replace your crane before you need to replace our mats
- Performance beyond the capabilities of any mat in the industry
- Proof load tested and certified for guaranteed performance
- Easy to setup and fits where most mats won't
- Reducing transportation costs and the strength of steel
- Prevent slips, trips and falls
- Easily identifiable load and square footage information for safe operation
- Product traceability compliant
- Industry standard recognized worldwide

### **Additional Options**

Custom Colors and Finishes

### **Performance**

Reduce site setup time

\*Additional Option Details

- Fork-Lift Compatible
- Rack Stack and Lift System
  Complete stacking and lifting system for quick and safe transportation and lifting
- Swing Radius Protection
  Improved work area control
  - Custom colors and finishes to match fleet or brand image
- UHMW Bottom Plate (Freeze/Frost Proof) Prevents buildup of frozen debris
  - Trunions, shackles, and lashing points customizable to your specifications
- ISO Container Corner Fittings Great versatility and transportation, setup and use
  - Constructed to meet the needs of specific military applications globally

Raptor Tech, Inc. 5411 Walnut Avenue Downers Grove, IL 60515 USA



## Steel Crane Mats - 36 Square Feet

# CM 36-200K




# RAPTOR

### TECH

### **Technical Specifications**

Model Number: CM 36-200K Mat Size: 6' x 6' x 6-1/4" Mat Bearing Area: 36 sq. feet Crane Mat Weight: 1300 lbs. Max Outrigger Load: 200 Kips Min Float Size: 16 in2 or 18 in DIA Manufacturing:

Made in the U.S.A.



### **Product Features**

■ Lifetime Customer Support

20-Year Corrosion Warranty

Low Profile and Narrow Design

Lightweight and High Strength

High Visibility Identification Labels

■ Near-Zero Deflection at 125% Capacity

Tire-Friendly Profile

Tested and Certified

Slip-Resistant Surface

Serial Numbered

Crosby Pivot Links

### **Performance**

- \*Additional Data and Details
- Capital Asset Investment Eliminate recurring mat expenses and invest in your business
  - Only mat in the industry with a profile design that prevents sidewall damage
  - Available for you today and tomorrow
  - You'll replace your crane before you need to replace our mats
  - Performance beyond the capabilities of any mat in the industry
  - Proof load tested and certified for guaranteed performance
  - Easy to setup and fits where most mats won't
  - Reducing transportation costs and the strength of steel
  - Prevent slips, trips and falls
  - Easily identifiable load and square footage information for safe operation
  - Product traceability compliant
  - Industry standard recognized worldwide

### **Additional Options**

### **Performance**

Reduce site setup time

\*Additional Option Details

- Fork-Lift Compatible
- Rack Stack and Lift System Complete stacking and lifting system for quick and safe transportation and lifting
- Swing Radius Protection
- Improved work area control

Trunions, shackles, and lashing points customizable to your specifications

- Custom Colors and Finishes
- Custom colors and finishes to match fleet or brand image
- UHMW Bottom Plate (Freeze/Frost Proof)

Lifting Options

- Prevents buildup of frozen debris
- ISO Container Corner Fittings
- Great versatility and transportation, setup and use

Military Grade

Constructed to meet the needs of specific military applications globally

Raptor Tech, Inc. 5411 Walnut Avenue Downers Grove, IL 60515



## Steel Crane Mats - 48 Square Feet

# CM 48-275K



### TECH

### **Technical Specifications**


Model Number: CM 48-275K
Mat Size: 8' x 6' x 6-1/4"

Mat Bearing Area: 48 sq. feet
Crane Mat Weight: 1700 lbs.

Max Outrigger Load: 275 Kips
Min Float Size: 16 in² or 18 in DIA

Manufacturing: Made in the U.S.A. with High Grade U.S. Steel





CM 80-450K




CM 84-450K



CM 30-175K









CM 128-520K

\*Additional Data and Details

Product Features

Capital Asset Investment

■ Lifetime Customer Support

20-Year Corrosion Warranty

Low Profile and Narrow Design

Lightweight and High Strength

High Visibility Identification Labels

Tire-Friendly Profile

Tested and Certified

Slip-Resistant Surface

Serial Numbered

Crosby Pivot Links

### Performance

- Eliminate recurring mat expenses and invest in your business
- Only mat in the industry with a profile design that prevents sidewall damage
- Available for you today and tomorrow
- You'll replace your crane before you need to replace our mats
- Near-Zero Deflection at 125% Capacity Performance beyond the capabilities of any mat in the industry
  - Proof load tested and certified for guaranteed performance
  - Easy to setup and fits where most mats won't
  - Reducing transportation costs and the strength of steel
  - Prevent slips, trips and falls
  - Easily identifiable load and square footage information for safe operation
  - Product traceability compliant
  - Industry standard recognized worldwide

### **Additional Options**

### **Performance**

Reduce site setup time

\*Additional Option Details

- Fork-Lift Compatible
- Rack Stack and Lift System
  Complete stacking and lifting system for quick and safe transportation and lifting
- Nack Glack and Ent Gysten
- Swing Radius Protection Improved work area control
- Custom Colors and Finishes
- Custom colors and finishes to match fleet or brand image
- UHMW Bottom Plate (Freeze/Frost Proof)
- Prevents buildup of frozen debris
- Lifting Options
- Trunions, shackles, and lashing points customizable to your specifications
- ISO Container Corner Fittings
- Great versatility and transportation, setup and use

Military Grade

Constructed to meet the needs of specific military applications globally

Raptor Tech, Inc. 5411 Walnut Avenue Downers Grove, IL 60515 USA



## Steel Crane Mats - 54 Square Feet

# CM 54-275K



CM 60-350K

### **Technical Specifications**

RAPTOR

Model Number: CM 54-275K Mat Size: 9' x 6' x 6-1/4" Mat Bearing Area: 54 sq. feet Crane Mat Weight: 1950 lbs. Max Outrigger Load: **275 Kips** Min Float Size: 16 in2 or 18 in DIA

Manufacturing: Made in the U.S.A.

CM 64-350K





CM 80-450K







CM 30-175K





CM 48-275K



CM 54-275K







\*Additional Data and Details

\*Additional Option Details

CM 72-400K

**Product Features** 

Tire-Friendly Profile

- Capital Asset Investment
- Lifetime Customer Support
- 20-Year Corrosion Warranty
- Near-Zero Deflection at 125% Capacity
- Tested and Certified
- Low Profile and Narrow Design
- Lightweight and High Strength
- Slip-Resistant Surface
- High Visibility Identification Labels
- Serial Numbered
- Crosby Pivot Links

Fork-Lift Compatible

Lifting Options

Military Grade

### **Performance**

CM 36-200K

- Eliminate recurring mat expenses and invest in your business
- Only mat in the industry with a profile design that prevents sidewall damage
- Available for you today and tomorrow
- You'll replace your crane before you need to replace our mats
- Performance beyond the capabilities of any mat in the industry
- Proof load tested and certified for guaranteed performance
- Easy to setup and fits where most mats won't
- Reducing transportation costs and the strength of steel
- Prevent slips, trips and falls
- Easily identifiable load and square footage information for safe operation
- Product traceability compliant
- Industry standard recognized worldwide

### **Additional Options**

Rack Stack and Lift System

Custom Colors and Finishes

■ ISO Container Corner Fittings

### **Performance**

- Reduce site setup time
- Complete stacking and lifting system for quick and safe transportation and lifting
- Swing Radius Protection Improved work area control
  - Custom colors and finishes to match fleet or brand image
- UHMW Bottom Plate (Freeze/Frost Proof) Prevents buildup of frozen debris
  - Trunions, shackles, and lashing points customizable to your specifications
  - Great versatility and transportation, setup and use
  - Constructed to meet the needs of specific military applications globally

Raptor Tech, Inc. 5411 Walnut Avenue Downers Grove, IL 60515



## Steel Crane Mats - 60 Square Feet

# CM 60-350K



# RAPTOR

### TECH

### **Technical Specifications**

Model Number: CM 60-350K Mat Size: 10' x 6' x 8-1/2" Mat Bearing Area: 60 sq. feet Crane Mat Weight: 2700 lbs. Max Outrigger Load: **350 Kips** Min Float Size: 20 in2 or 24 in DIA

> Manufacturing: Made in the U.S.A.



### **Product Features**

■ Lifetime Customer Support

20-Year Corrosion Warranty

Low Profile and Narrow Design

Lightweight and High Strength

High Visibility Identification Labels

■ Near-Zero Deflection at 125% Capacity

Tire-Friendly Profile

Tested and Certified

■ Slip-Resistant Surface

Serial Numbered

Crosby Pivot Links

### **Performance**

- \*Additional Data and Details
- Capital Asset Investment Eliminate recurring mat expenses and invest in your business
  - Only mat in the industry with a profile design that prevents sidewall damage
  - Available for you today and tomorrow
  - You'll replace your crane before you need to replace our mats
  - Performance beyond the capabilities of any mat in the industry
  - Proof load tested and certified for guaranteed performance
  - Easy to setup and fits where most mats won't
  - Reducing transportation costs and the strength of steel
  - Prevent slips, trips and falls
  - Easily identifiable load and square footage information for safe operation
  - Product traceability compliant
  - Industry standard recognized worldwide

### **Additional Options**

Custom Colors and Finishes

### **Performance**

Reduce site setup time

\*Additional Option Details

Fork-Lift Compatible

Lifting Options

Military Grade

- Rack Stack and Lift System Complete stacking and lifting system for quick and safe transportation and lifting
- Swing Radius Protection Improved work area control
  - Custom colors and finishes to match fleet or brand image
- UHMW Bottom Plate (Freeze/Frost Proof) Prevents buildup of frozen debris
  - Trunions, shackles, and lashing points customizable to your specifications
- ISO Container Corner Fittings Great versatility and transportation, setup and use
  - Constructed to meet the needs of specific military applications globally

Raptor Tech, Inc. 5411 Walnut Avenue Downers Grove, IL 60515



## Steel Crane Mats - 64 Square Feet

# CM 64-350K



### TECH


### **Technical Specifications**

Model Number: CM 64-350K Mat Size: 8' x 8' x 8-1/2" Mat Bearing Area: 64 sq. feet Crane Mat Weight: 3650 lbs. Max Outrigger Load: **350 Kips** Min Float Size: 20 in2 or 24 in DIA Manufacturing:

Made in the U.S.A.

CM 64-350K





CM 80-450K



CM 25-135K



CM 30-175K




CM 48-275K



CM 54-275K



CM 60-350K



\*Additional Data and Details

CM 72-400K

**Product Features** Capital Asset Investment

■ Lifetime Customer Support

20-Year Corrosion Warranty

Low Profile and Narrow Design

Lightweight and High Strength

High Visibility Identification Labels

■ Near-Zero Deflection at 125% Capacity

Tire-Friendly Profile

Tested and Certified

Slip-Resistant Surface

Serial Numbered

Crosby Pivot Links

### **Performance**

- Eliminate recurring mat expenses and invest in your business
- Only mat in the industry with a profile design that prevents sidewall damage
- Available for you today and tomorrow
- You'll replace your crane before you need to replace our mats
- Performance beyond the capabilities of any mat in the industry
- Proof load tested and certified for guaranteed performance
- Easy to setup and fits where most mats won't
- Reducing transportation costs and the strength of steel
- Prevent slips, trips and falls
- Easily identifiable load and square footage information for safe operation
- Product traceability compliant
- Industry standard recognized worldwide

### **Additional Options**

\*Additional Option Details

- Fork-Lift Compatible
- Rack Stack and Lift System
- Swing Radius Protection
- Custom Colors and Finishes
- UHMW Bottom Plate (Freeze/Frost Proof)
- Lifting Options
- ISO Container Corner Fittings
- Military Grade

- **Performance**
- Reduce site setup time
- Complete stacking and lifting system for quick and safe transportation and lifting
- Improved work area control
- Custom colors and finishes to match fleet or brand image
- Prevents buildup of frozen debris
- Trunions, shackles, and lashing points customizable to your specifications
- Great versatility and transportation, setup and use
- Constructed to meet the needs of specific military applications globally

Raptor Tech, Inc. 5411 Walnut Avenue Downers Grove, IL 60515



## Steel Crane Mats - 72 Square Feet

# CM 72-400K



# RAPTOR

### TECH

### **Technical Specifications**

Model Number: CM 72-400K
Mat Size: 12' x 6' x 8-1/2"
Mat Bearing Area: 72 sq. feet
Crane Mat Weight: 4200 lbs.
Max Outrigger Load: 400 Kips

Min Float Size: **20 in<sup>2</sup> or 24 in DIA**Manufacturing: **Made in the U.S.A.** 



### **Product Features**

■ Lifetime Customer Support

20-Year Corrosion Warranty

Low Profile and Narrow Design

Lightweight and High Strength

High Visibility Identification Labels

■ Near-Zero Deflection at 125% Capacity

Tire-Friendly Profile

Tested and Certified

Slip-Resistant Surface

Serial Numbered

Crosby Pivot Links

### Performance

- \*Additional Data and Details
- Capital Asset Investment
  Eliminate recurring mat expenses and invest in your business
  - Only mat in the industry with a profile design that prevents sidewall damage
  - Available for you today and tomorrow
  - You'll replace your crane before you need to replace our mats
  - Performance beyond the capabilities of any mat in the industry
    - Proof load tested and certified for guaranteed performance
    - Easy to setup and fits where most mats won't
    - Reducing transportation costs and the strength of steel
    - Prevent slips, trips and falls
    - Easily identifiable load and square footage information for safe operation
    - Product traceability compliant
    - Industry standard recognized worldwide

### **Additional Options**

### **Performance**

Reduce site setup time

Improved work area control

\*Additional Option Details

Fork-Lift Compatible

Military Grade

- Rack Stack and Lift System
  Complete stacking and lifting system for quick and safe transportation and lifting
- Swing Radius Protection
- Custom colors and finishes to match fleet or brand image
- Custom Colors and FinishesUHMW Bottom Plate (Freeze/Frost Proof)
- Prevents buildup of frozen debris
- Lifting Options
- Trunions, shackles, and lashing points customizable to your specifications
- ISO Container Corner Fittings Great versatility and transportation, setup and use
  - Constructed to meet the needs of specific military applications globally

Raptor Tech, Inc. 5411 Walnut Avenue Downers Grove, IL 60515 USA



## Steel Crane Mats - 80 Square Feet

# CM 80-450K




# RAPTOR

### TECH

### **Technical Specifications**

Model Number: CM 80-450K Mat Size: 10' x 8' x 10-1/2" Mat Bearing Area: 80 sq. feet Crane Mat Weight: 4550 lbs. Max Outrigger Load: **450 Kips** Min Float Size: 20 in2 or 24 in DIA

> Manufacturing: Made in the U.S.A.



### **Product Features**

■ Lifetime Customer Support

20-Year Corrosion Warranty

Low Profile and Narrow Design

Lightweight and High Strength

High Visibility Identification Labels

■ Near-Zero Deflection at 125% Capacity

Tire-Friendly Profile

Tested and Certified

■ Slip-Resistant Surface

Serial Numbered

Crosby Pivot Links

### **Performance**

- \*Additional Data and Details
- Capital Asset Investment Eliminate recurring mat expenses and invest in your business
  - Only mat in the industry with a profile design that prevents sidewall damage
  - Available for you today and tomorrow
  - You'll replace your crane before you need to replace our mats
  - Performance beyond the capabilities of any mat in the industry
  - Proof load tested and certified for guaranteed performance
  - Easy to setup and fits where most mats won't
  - Reducing transportation costs and the strength of steel
  - Prevent slips, trips and falls
  - Easily identifiable load and square footage information for safe operation
  - Product traceability compliant
  - Industry standard recognized worldwide

### **Additional Options**

Custom Colors and Finishes

### **Performance**

Reduce site setup time

\*Additional Option Details

Fork-Lift Compatible

Military Grade

- Rack Stack and Lift System
  - Complete stacking and lifting system for quick and safe transportation and lifting
- Swing Radius Protection Improved work area control
  - Custom colors and finishes to match fleet or brand image
- UHMW Bottom Plate (Freeze/Frost Proof)
  - Prevents buildup of frozen debris
- Lifting Options
- Trunions, shackles, and lashing points customizable to your specifications
- ISO Container Corner Fittings Great versatility and transportation, setup and use
  - Constructed to meet the needs of specific military applications globally

Raptor Tech, Inc. 5411 Walnut Avenue Downers Grove, IL 60515



## Steel Crane Mats - 84 Square Feet

# CM 84-450K



# RAPTOR

### TECH


### **Technical Specifications**

Model Number: CM 84-450K
Mat Size: 14' x 6' x 10-1/2"

Mat Bearing Area: 84 sq. feet
Crane Mat Weight: 5200 lbs.

Max Outrigger Load: 450 Kips
Min Float Size: 20 in² or 24 in DIA

Manufacturing: Made in the U.S.A. with High Grade U.S. Steel



### **Product Features**

■ Lifetime Customer Support

20-Year Corrosion Warranty

Low Profile and Narrow Design

Lightweight and High Strength

High Visibility Identification Labels

■ Near-Zero Deflection at 125% Capacity

Tire-Friendly Profile

Tested and Certified

Slip-Resistant Surface

Serial Numbered

Crosby Pivot Links

### Performance

- \*Additional Data and Details
- Capital Asset Investment Eliminate recurring mat expenses and invest in your business
  - Only mat in the industry with a profile design that prevents sidewall damage
  - Available for you today and tomorrow
  - You'll replace your crane before you need to replace our mats
  - Performance beyond the capabilities of any mat in the industry
  - Proof load tested and certified for guaranteed performance
  - Easy to setup and fits where most mats won't
  - Reducing transportation costs and the strength of steel
  - Prevent slips, trips and falls
  - Easily identifiable load and square footage information for safe operation
  - Product traceability compliant
  - Industry standard recognized worldwide

### **Additional Options**

### **Performance**

\*Additional Option Details

- Fork-Lift Compatible
   Reduce site setup time
- Rack Stack and Lift System
  Complete stacking and lifting system for quick and safe transportation and lifting

Improved work area control

- Swing Radius Protection
- Custom colors and finishes to match fleet or brand image
- Custom Colors and Finishes
- Custom colors and limsnes to mater neet or brand imag
- UHMW Bottom Plate (Freeze/Frost Proof)
- Prevents buildup of frozen debris
- Lifting Options
- Trunions, shackles, and lashing points customizable to your specifications
- ISO Container Corner Fittings
- Great versatility and transportation, setup and use

Military Grade

Constructed to meet the needs of specific military applications globally

Raptor Tech, Inc. 5411 Walnut Avenue Downers Grove, IL 60515 USA



## Steel Crane Mats - 90 Square Feet

# CM 90-500K



# RAPTOR

### TECH

### **Technical Specifications**

Model Number: CM 90-500K Mat Size: 15' x 6' x 10-1/2" Mat Bearing Area: 90 sq. feet Crane Mat Weight: 5700 lbs. Max Outrigger Load: 500 Kips Min Float Size: 20 in2 or 24 in DIA

> Manufacturing: Made in the U.S.A.



### **Product Features**

■ Lifetime Customer Support

20-Year Corrosion Warranty

Low Profile and Narrow Design

Lightweight and High Strength

High Visibility Identification Labels

■ Near-Zero Deflection at 125% Capacity

Tire-Friendly Profile

Tested and Certified

Slip-Resistant Surface

Serial Numbered

Crosby Pivot Links

### **Performance**

- \*Additional Data and Details
- Capital Asset Investment Eliminate recurring mat expenses and invest in your business
  - Only mat in the industry with a profile design that prevents sidewall damage
  - Available for you today and tomorrow
  - You'll replace your crane before you need to replace our mats
    - Performance beyond the capabilities of any mat in the industry
    - Proof load tested and certified for guaranteed performance
    - Easy to setup and fits where most mats won't

    - Reducing transportation costs and the strength of steel

    - Prevent slips, trips and falls
    - Easily identifiable load and square footage information for safe operation
    - Product traceability compliant
    - Industry standard recognized worldwide

### **Additional Options**

### **Performance**

Reduce site setup time

Improved work area control

\*Additional Option Details

- Fork-Lift Compatible
- Rack Stack and Lift System

Custom Colors and Finishes

- Complete stacking and lifting system for quick and safe transportation and lifting
- Swing Radius Protection
- Custom colors and finishes to match fleet or brand image
- UHMW Bottom Plate (Freeze/Frost Proof)
- Prevents buildup of frozen debris
- Lifting Options
- Trunions, shackles, and lashing points customizable to your specifications
- ISO Container Corner Fittings

Military Grade

Great versatility and transportation, setup and use

Constructed to meet the needs of specific military applications globally

Raptor Tech, Inc. 5411 Walnut Avenue Downers Grove, IL 60515



## Steel Crane Mats - 96 Square Feet

# CM 96-480K




# RAPTOR

### TECH

### **Technical Specifications**

Model Number: CM 96-480K Mat Size: 12' x 8' x 10-1/2" Mat Bearing Area: 96 sq. feet Crane Mat Weight: 5950 lbs. Max Outrigger Load: **480 Kips** 

> Min Float Size: 20 in2 or 24 in DIA Manufacturing: Made in the U.S.A.



### **Product Features**

■ Lifetime Customer Support

20-Year Corrosion Warranty

Low Profile and Narrow Design

Lightweight and High Strength

High Visibility Identification Labels

■ Near-Zero Deflection at 125% Capacity

Tire-Friendly Profile

Tested and Certified

Slip-Resistant Surface

Serial Numbered

Crosby Pivot Links

### **Performance**

- \*Additional Data and Details
- Capital Asset Investment Eliminate recurring mat expenses and invest in your business
  - Only mat in the industry with a profile design that prevents sidewall damage
    - Available for you today and tomorrow
  - You'll replace your crane before you need to replace our mats
  - Performance beyond the capabilities of any mat in the industry
  - Proof load tested and certified for guaranteed performance
  - Easy to setup and fits where most mats won't
  - Reducing transportation costs and the strength of steel
  - Prevent slips, trips and falls
  - Easily identifiable load and square footage information for safe operation
  - Product traceability compliant
  - Industry standard recognized worldwide

### **Additional Options**

### **Performance**

Reduce site setup time

Improved work area control

\*Additional Option Details

- Fork-Lift Compatible
- Rack Stack and Lift System

Custom Colors and Finishes

- Complete stacking and lifting system for quick and safe transportation and lifting
- Swing Radius Protection
- Custom colors and finishes to match fleet or brand image
- UHMW Bottom Plate (Freeze/Frost Proof)
- Prevents buildup of frozen debris

Lifting Options

- Trunions, shackles, and lashing points customizable to your specifications
- ISO Container Corner Fittings
- Great versatility and transportation, setup and use

Military Grade

Constructed to meet the needs of specific military applications globally

Raptor Tech, Inc. 5411 Walnut Avenue Downers Grove, IL 60515



# CM 112-560K



# RAPTOR

### TECH

### **Technical Specifications**

Model Number: CM 112-560K


Mat Size: 14' x 8' x 10-1/2"

Mat Bearing Area: 112 sq. feet
Crane Mat Weight: 6950 lbs.

Max Outrigger Load: 560 Kips

Min Float Size: 20 in² or 24 in DIA

Manufacturing: Made in the U.S.A. with High Grade U.S. Steel



### **Product Features**

■ Lifetime Customer Support

20-Year Corrosion Warranty

Low Profile and Narrow Design

Lightweight and High Strength

High Visibility Identification Labels

■ Near-Zero Deflection at 125% Capacity

Tire-Friendly Profile

Tested and Certified

Slip-Resistant Surface

Serial Numbered

Crosby Pivot Links

### Performance

- \*Additional Data and Details
- Capital Asset Investment
  Eliminate recurring mat expenses and invest in your business
  - Only mat in the industry with a profile design that prevents sidewall damage
  - Available for you today and tomorrow
  - You'll replace your crane before you need to replace our mats
  - Performance beyond the capabilities of any mat in the industry
  - Proof load tested and certified for guaranteed performance
  - Easy to setup and fits where most mats won't
  - Reducing transportation costs and the strength of steel
  - Prevent slips, trips and falls
  - Easily identifiable load and square footage information for safe operation
  - Product traceability compliant
  - Industry standard recognized worldwide

### **Additional Options**

### **Performance**

Reduce site setup time

\*Additional Option Details

- Fork-Lift Compatible
- Rack Stack and Lift System Complete stacking and lifting system for quick and safe transportation and lifting
- Nack Otack and Ent Oystem
- Improved work area control
- Swing Radius ProtectionCustom Colors and Finishes
- Custom colors and finishes to match fleet or brand image
- UHMW Bottom Plate (Freeze/Frost Proof)
- Prevents buildup of frozen debris

Lifting Options

- Trunions, shackles, and lashing points customizable to your specifications
- ISO Container Corner Fittings
- Great versatility and transportation, setup and use

Military Grade

Constructed to meet the needs of specific military applications globally

Raptor Tech, Inc. 5411 Walnut Avenue Downers Grove, IL 60515 USA



# CM 120-540K




### TECH

### **Technical Specifications**

Model Number: CM 120-540K Mat Size: 15' x 8' x 10-1/2" Mat Bearing Area: 120 sq. feet Crane Mat Weight: 7600 lbs. Max Outrigger Load: **540 Kips** Min Float Size: 20 in2 or 24 in DIA

> Manufacturing: Made in the U.S.A.





### **Product Features**

■ Lifetime Customer Support

20-Year Corrosion Warranty

Low Profile and Narrow Design

Lightweight and High Strength

High Visibility Identification Labels

■ Near-Zero Deflection at 125% Capacity

Tire-Friendly Profile

Tested and Certified

■ Slip-Resistant Surface

Serial Numbered

Crosby Pivot Links

### **Performance**

\*Additional Data and Details

CM 72-400K

- Capital Asset Investment Eliminate recurring mat expenses and invest in your business
  - Only mat in the industry with a profile design that prevents sidewall damage
  - Available for you today and tomorrow
  - You'll replace your crane before you need to replace our mats
  - Performance beyond the capabilities of any mat in the industry
  - Proof load tested and certified for guaranteed performance
  - Easy to setup and fits where most mats won't
  - Reducing transportation costs and the strength of steel
  - Prevent slips, trips and falls
  - Easily identifiable load and square footage information for safe operation
  - Product traceability compliant
  - Industry standard recognized worldwide

### **Additional Options**

### **Performance**

Reduce site setup time

\*Additional Option Details

- Fork-Lift Compatible
- Rack Stack and Lift System Complete stacking and lifting system for quick and safe transportation and lifting
- Swing Radius Protection
  - Improved work area control
- Custom Colors and Finishes
- Custom colors and finishes to match fleet or brand image
- UHMW Bottom Plate (Freeze/Frost Proof)
- Prevents buildup of frozen debris
- Lifting Options
- Trunions, shackles, and lashing points customizable to your specifications
- ISO Container Corner Fittings
- Great versatility and transportation, setup and use

Military Grade

Constructed to meet the needs of specific military applications globally

Raptor Tech, Inc. 5411 Walnut Avenue Downers Grove, IL 60515



# CM 128-520K



### TECH

### **Technical Specifications**

Model Number: CM 128-520K Mat Size: 16' x 8' x 10-1/2" Mat Bearing Area: 128 sq. feet Crane Mat Weight: 8106 lbs. Max Outrigger Load: **520 Kips** Min Float Size: 20 in2 or 24 in DIA

> Manufacturing: Made in the U.S.A.



CM 30-175K



CM 80-450K



CM 84-450K







CM 48-275K






CM 54-275K



CM 60-350K



\*Additional Data and Details

**Product Features** 

■ Lifetime Customer Support

20-Year Corrosion Warranty

Low Profile and Narrow Design

Lightweight and High Strength

High Visibility Identification Labels

■ Near-Zero Deflection at 125% Capacity

Tire-Friendly Profile

Tested and Certified

■ Slip-Resistant Surface

Serial Numbered

Crosby Pivot Links

**Performance** 

CM 36-200K

- Capital Asset Investment Eliminate recurring mat expenses and invest in your business
  - Only mat in the industry with a profile design that prevents sidewall damage
  - Available for you today and tomorrow
  - You'll replace your crane before you need to replace our mats
  - Performance beyond the capabilities of any mat in the industry
  - Proof load tested and certified for guaranteed performance
  - Easy to setup and fits where most mats won't
  - Reducing transportation costs and the strength of steel
  - Prevent slips, trips and falls
  - Easily identifiable load and square footage information for safe operation
  - Product traceability compliant
  - Industry standard recognized worldwide

### **Additional Options**

### **Performance**

\*Additional Option Details

- Fork-Lift Compatible
- Rack Stack and Lift System
- Swing Radius Protection
- Custom Colors and Finishes
- UHMW Bottom Plate (Freeze/Frost Proof)
- Lifting Options
- ISO Container Corner Fittings
- Military Grade

- Reduce site setup time
- Complete stacking and lifting system for quick and safe transportation and lifting
- Improved work area control
- Custom colors and finishes to match fleet or brand image
- Prevents buildup of frozen debris
- Trunions, shackles, and lashing points customizable to your specifications
- Great versatility and transportation, setup and use
- Constructed to meet the needs of specific military applications globally

Raptor Tech, Inc. 5411 Walnut Avenue Downers Grove, IL 60515

