

## 800-01

**Make:** Demag

**Model:** AC700 Hydraulic Boom All Terrain Crane

**S/N:** 87046

<b>Year</b>	2004
<b>Condition</b>	Good
<b>Dimensions</b>	n/a
<b>Boom</b>	197' (60m) Main Boom
	315' (96m) Luffing Boom
<b>Jib</b>	164' (50m) Fixed Jib
	118' (36m) Main Boom Extension (off settable 0/20/40 Degrees)
<b>Winches</b>	Main & Aux
<b>Blocks</b>	312 Ton, 13 Sheave Block
	141 Ton, 5 Sheave Block
	40 Ton, Single Sheave Block
	Ball
<b>Counterweight</b>	352,800 lbs
<b>Engine</b>	Upper: Mercedes-Benz OM 906 LA
	Lower: Mercedes-Benz OM 502 LA
<b>Tires</b>	17.5R25
<b>Hours</b>	Upper: 12,797 as of June, 2016
	Lower: 6,032 as of June, 2016
<b>Carrier Miles/KM</b>	100525 as of June, 2016
<b>Additional Information</b>	Boom Launching System; Quick Disconnect Upper; Sideways Super-Lift Attachment, Removable Outriggers





















**TEREX**

**Differential locks**  
Use only when necessary.  
Use only on level ground.  
Use only on dry, firm surfaces.  
Use only on straight roads.  
Use only on roads with a maximum grade of 10%.

**Wheel nuts**  
Check wheel nuts regularly.  
Tighten wheel nuts to the correct torque.  
Use the correct size wrench.

**Grab steering**  
Use only when necessary.  
Use only on level ground.  
Use only on dry, firm surfaces.  
Use only on straight roads.  
Use only on roads with a maximum grade of 10%.











