

S510 - S530 - S550 - S570 - S590 - T590

Product Range



THE NEW GENERATION...


Power meets comfort!

With the new Bobcat loaders, there's a difference you can see – and a difference you'll experience on the job.

They have a completely re-engineered cab that keeps you comfortable, with superior power and hydraulic performance that will help you do more, do it faster and better.

Add to this simplified maintenance and serviceability; and a completely new engineering design coupled with improved durability that further increases uptime.





The best is now even better!

Premium cab for more operator comfort

Bobcat already has the best cabs on the market with the largest cab space in the industry, but when we re-engineered our loaders, we went even further. The new cab, with new positioning and design for better visibility, is the best one yet.

Bobcat increased the cab space by 10% – with more room for your arms, legs, shoulders, head and feet. It's not just bigger; it's quieter. The sound within the cab is reduced by more than 60% for a more comfortable working environment.

Cab-Forward design: The new cab-forward design moves the operator area closer to the attachment, and gives you a better vantage point for your work area.

Better visibility: Visibility has been significantly increased in all directions. The rear window is 14% larger and the top window 43% larger.





Push it to the next level

Superior performance

If you want big performance in a smaller package, this is the loader for you. And, we've further enhanced the machine with 20% stronger hydraulics for improved attachment performance. Increased fuel capacity, more powerful and brighter lighting and many other features will save you time and effort on the job.

Durability

Bobcat loaders are known the world over for their rugged durability. Thanks to heavy-duty construction, component protection and a superior design, the Bobcat loader outperforms others, maximizes uptime, offers more comfort and is still the easiest and fastest to service.





... shift your perspective!

New cab-forward design

- Larger cab and larger door glass
- Overall improved visibility
- Less noise in the cab



Productivity and protection from back to front

It's not just the operator area that's changed for the better. Operation, maintenance and machine design is greatly enhanced – delivering superior performance in a smaller package. New features keep you running longer, increase your uptime and make it easier to do routine maintenance.

Stronger hydraulics:

The hydraulic systems have been re-engineered to outperform larger loaders – working faster and more efficiently to increase overall performance. The higher standard flow combined with lower backpressure and high hydraulic pressure results in 20% improved hydraulic efficiency.

Increased tractive effort:

The new loaders feature more tractive effort.

That means you can push more and dig harder than ever before

Stronger hydraulics and better tractive effort result in faster cycle times.

Adjustment-free belts:

There are no belt adjustments needed on these loaders – including the drive and alternator belts.

Increased cooling capacity with easier cleaning:

The re-engineered cooling system gives you more efficient, higher-capacity cooling for better performance and longer machine life. Additionally, the swing-up cleaning access feature makes removing dust and debris easy and ensures peak performance from your cooling system.

Increased fuel capacity:

Work longer between refuelling stops and increase your productivity.



Simple machine tie-downs:

Secure your loader quickly, without searching for hard-to-reach tie-downs. The new tie-downs are easy to find and easy to reach.





Easy access to routine maintenance points – so daily maintenance is done quickly and easily. The swing-open tailgate and the transverse mounted engine provide one-sided serviceability. Cab tilt provides easy access to the hydraulics. All result in unmatched access to routine and long term maintenance points.









Comfort Cab

As soon as you open the door of the new Bobcat loader, you can see the difference – even before the dome and work lights turn on. In this machine, premium features surround you:

Pressurized cab

Bobcat loaders with enclosed cabs have a best-in-class, pressurized interior space that helps keep dust to a minimum.

A new design ensures that the one-piece seal around the cab door is compressed for a tight fit. Cab pressurization provides a more comfortable working environment.

Improved seat adjustment: The adjustable seat features five additional centimetres of forward/backward movement to accommodate different operators.



Flexible Joystick positioning: Joystick mounts on our SJC-equipped machines slide forward and backward independent of the seat, adjusting to the individual preference of the operator.

Seat mounted joysticks: On machines with Selectable Joystick Controls (SJC), the joysticks are mounted to the seat. As the suspension seat moves up and down, the joysticks move with the seat. This helps reduce arm movement and fatigue.

Quiet operation

Keep sound levels new Bobcat loader over 60% for more improved jobsite coproductivity. New and vibration.



Easy-pull, easy-se new window knob

lockable positions.
want it to get cons

Extra elbow roo

mounted on the or Structure (ROPS) – the cab, and make



More suspension increased by 33% f

comfort.

down considerably with the quieter s. Sound levels are reduced by enjoyable, comfortable operation, ommunications and better engine mounts better isolate noise



to slide window: Simply pull the to slide the side window to five The window stays exactly where you istent air flow.

t, easier cleaning: The windows are utside of the Roll-Over Protection which provides extra elbow room in window cleaning much faster.



The seat travel, up and down, is or a softer ride, giving you more







Full-colour Deluxe instrumentatio

This intelligent Bobcat option helps you with keyless start and enables better of monitoring and interactive functions. full-colour LED screen with easy-to-regauges allows you to quickly see and operation levels.

Control your productivity

Attachments with new Attachment Co (ACD) have:

- Hourmeter with memory in ACD
- 2 job clocks / resetable



Heating and A/C: Heating and air corare mounted down in the front for corease of operation. They are also lighter quickly see your temperature settings conditions. The directional ducts point wherever you need it (optional on cer



panel:

ou prevent theft operation thanks to A new 7" (18 cm) ad virtual sweep understand

ontrol Device





nvenience and ed – so you can in low-light at the air flow to tain models).



Radio-ready and 12-Volt power accessory: All our loaders can be easily equipped with a stereo radio. The radio features an auxiliary audio input jack that is ready for an MP3 player or similar devices. And, because your cab is your office, we've installed a 12-Volt power accessory for charging your mobile phone, MP3 player or other accessories.



Convenient engine speed control: The engine speed control is in front of the operator, on the right-hand corner post of the cab. Easy to reach and to control.

Improved visibility. Operator switches are located on the cab corner posts. This puts important controls right in front of you and allows a larger top window for superior visibility to the raised lift arms.

Convenient storage:

New storage bins are located throughout the machine.
Store items wherever it's convenient – on your righthand side or to the left.






Counterweight-ready:

The new Bobcat loaders come with pre-drilled holes to mount counterweights – so you can increase lifting performance with certain attachments.

Powerful lighting:



Bobcat

Protected tailgate:

The lower rear frame protrudes the tailgate – protecting it from obstacles, scrapes and bumps on the worksite.

Removable hose guide:

When you're changing attachments, it's easy to get the hydraulic hoses routed correctly for better protection.

Protected quick couplers:

The integrated, pressure-release quick couplers are mounted directly into the front plate of the lift arm – with no hoses exposed to damage. The couplers are also protected with a guard that extends out beyond the coupler.

Maximizing uptime

No other manufacturer provides so many job-proven features to give you more uptime in the field. Features such as automatic shutdown and battery rundown protection, onboard diagnostics and sealed connectors. Uptime protection not only means you can stay in the field longer, it protects your investment thanks to a higher resale value.

Maintenance-free chaincase

The rugged Bobcat chaincase is the only maintenance-free chaincase in the industry, with an exclusive bow-tie drive train design, fixed axle tubes, stronger axles and fully sealed bearings. Bobcat loaders have pre-stressed #80 high-strength oval chains (HSOC) with no master link, thick side-link plates and hardened pins.

These chains are 38% stronger than those used by other manufacturers. The result? No adjustments – ever.





Easy maintenance, less downtime

Minimizing downtime gives you the edge when it comes to productivity. Routine maintenance makes a big difference, so we make sure you have easy access to the key hydraulic and hydrostatic components.

Roller Suspension™

The durable, all-steel Roller Suspension™ option provides a more comfortable ride and stands up to extreme conditions and materials – maximizing uptime and reducing costly repairs.





Forged steel rollers and idlers

Triple-flange rollers and single-flange idlers minimize de-tracking. Single-flange idlers are also more tolerant of debris than dual-flange idlers. Permanently sealed and lubricated, Bobcat rollers and idlers require no routine maintenance.





Bobcat	®	™					
		S510	S530	S550	S570	S590	T590
LOADER			- M				
Loader serie Lift arm path		M-series Radius	M-series Vertical	M-series Radius	M-series Vertical	M-series Vertical	M-series Vertical
Rated operating capacity (ISO 14397-1)	kg	810	869	894	944	998	956 / 992 ††
Tipping load (ISO 14397-1)	kg	1620	1737	1788	1888	1996	2732 / 2834 ††
Height to hinge pin	mm	2908	3023	2908	3023	3023	3023
SIZE & SPEED Operating weight*	l.o.	2696	2015	2841	2000	3054	2757 / 2570 ++
Shipping weight	kg	2686 2343	2815 2476	2503	2900 2650	2710	3757 / 3570 †† 3418 / 3252 ††
Length with standard bucket	mm	3378	3378	3378	3378	3378	3378
Bucket width	mm	1727	1727	1727	1727	1727	1727
Cab height	mm km/h	1972 11.8	1972 11.8	1972 11.8	1972 11.8	1972 11.6	1972 11.8
Travel speed (low) Travel speed (high**)	km/h	17.3	17.3	17.3	17.3	17.3	- 11.8
ENGINE	, .1						
Туре			Naturally aspirated		Turbo	Turbo	Turbo
Fuel / Cooling	11111111	Diesel / Liquid					
Maximum power at RPM (SAE J1995) Torque at RPM (SAE J1995)	kW/HP Nm	36.4 / 48.8 (at 2800 RPM) 150.0 (at 1700 RPM)	36.4 / 48.8 (at 2800 RPM) 150.0 (at 1700 RPM)	45.5 / 61.0 (at 2700 RPM) 201.0 (at 1425 RPM)	45.5 / 61.0 (at 2700 RPM) 201.0 (at 1425 RPM)	49.2 / 66.0 (at 2700 RPM) 218.0 (at 1425 RPM)	49.2 / 66.0 (at 2700 RPM) 218.0 (at 1425 RPM)
Number of cylinders / Displacement	cm ³	4 / 2196	4 / 2196	4 / 2600	4 / 2600	4 / 2600	4 / 2600
Fuel tank capacity	I	93.7	93.7	93.7	93.7	93.7	93.7
TRACTION							
Standard tyres		10 x 16.5, 10-ply,	N/A				
Track width standard / optional	mm	heavy duty N/A	320 / 400				
UPTIME PROTECTION	1111111	IN/A	IN/A	IN/A	IN/A	IN/A	3207 400
Axle grease	T	Never	Never	Never	Never	Never	N/A
Axle seal protection		Std	Std	Std	Std	Std	N/A
Required chain adjustment		Never	Never	Never	Never	Never	N/A
Bobcat SmartFAN™ Dual Path cooling system		Std Std	Std Std	Std Std	Std Std	Std Std	Std Std
Machine shutdown protection		Std	Std	Std	Std	Std	Std
CONTROL OPTIONS							
Bobcat Standard (foot pedals/steering levers)		Std	Std	Std	Std	Std	Std
Advanced Hand Controls (AHC)		Opt	Opt	Opt	Opt	Opt	Opt
Advanced Control System (ACS) Selectable Joystick Controls (SJC)	+	Opt Opt	Opt Opt	Opt Opt	Opt Opt	Opt Opt	Opt Opt
MACHINE FEATURES & OPTIONS		Орі	Орг	Орг	Орі	Ορί	Орі
Air ride seat	T	Opt	Opt	Opt	Opt	Opt	Opt
Back-up alarm		Opt	Opt	Opt	Opt	Opt	Opt
Horn		Std †	Std				
Bobcat Interlock Control System (BICS™) Cab enclosure with heating		Std Opt	Std Opt	Std Opt	Std Opt	Std Opt	Std Opt
Cab enclosure with heating and air conditioning	t	Орі -	- Opt	Opt	Opt	Opt	Opt
Deluxe Instrumentation (includes keyless start)		Opt	Opt	Opt	Opt	Opt	Opt
Hydraulic bucket positioning	1	Std †					
Mechanical suspension seat Front and rear work lights	\vdash	Std †	Std Std				
Radio	t	Opt	Opt	Opt	Opt	Opt	Opt
ROPS/FOPS approved cab structure		Std	Std	Std	Std	Std	Std
Sound reduction package		Std †	Std				
2nd speed Engine block heater	+	Opt Opt	Opt Opt	Opt Opt	Opt Opt	Opt Opt	- Ont +
Beacon or strobe	+	Opt	Opt	Opt	Opt	Opt	Opt† Opt
Wax coat treatment		Std	Std	Std	Std	Std	Std
Fire extinguisher		Opt	Opt	Opt	Opt	Opt	Opt
Road option	NIC	Opt	Opt	Opt	Opt	Opt	Opt
ATTACHMENTS FEATURES & OPTIO Bob-Tach™ mounting system	142	Std	Std	Std	Std	Std	Std
Power Bob-Tach™	+	Opt	Opt	Opt	Opt	Opt	Opt
Fingertip auxiliary hydraulics control		Std	Std	Std	Std	Std	Std
Hydraulic system pressure	MPa	23.8	23.8	23.8	23.8	23.8	24.1
Pump capacity std flow / optional high flow at RPM***	l/min	64.7 / - at 3167		64.7 / 111.0 at 3167			64.7 / 111 at 3167
Pressure release hydraulic quick couplers Speed management	+	Std (w/ SJC)					
ENVIRONMENTAL		3 EG (W/ 33C)	JEG (W/ 3JC)	Jea (w/ JJC)		J Sta (W/ 33C)	364 (W/ 37C)
Bystander noise level - L _{WA} (EU Directive 2000/14/EC)	dB	102	101	101	101	101	103
Operator position noise level - L _{PA} (EU Directive 2006/42 /EC)	dB	87.2	85.4	84.7	83.8	83.4	81.9
Whole body vibration (ISO 2631–1)	m/s ²	0.82	0.71	0.59	0.70	0.70	0.84
Hand-arm vibration (ISO 5349–1)	m/s ²	1.44	1.19	2.14	1.22	0.84	2.29

^(*) Base machine with bucket, operator and full fuel tank (**) See 2nd speed feature, optional depending on models

	S510	S530	S550	S570	S590	T590
TYRE OPTIONS						
Heavy Duty	Std	Std	Std	Std	Std	N/A
Heavy Duty Offset	Opt	Opt	Opt	Opt	Opt	N/A
Heavy Duty Poly Filled		op:		- Opt	j opt	N/A
Superfloat	Opt	Opt	Opt	Opt	Opt	N/A
Superfloat Offset	Ορί	Ορι	Орг	Ορί	j Opt	N/A
Severe Duty	Opt	Opt	Opt	Opt	Opt	N/A
Severe Duty Poly Filled	Opt	Opt	Opt	Opt	Opt	N/A
•	Ορι	Ορί	Орг		орт	14/74
ATTACHMENTS						
Angle Broom	X	X	X	X	X	X
Augers	X	X	Х	X	X	X
Backhoes	X	X	X	X	X	X
Bale Fork	X	X	Х	X	X	X
Box Blade	X	X	X	X	X	X
Brush Saw	X	X	X	X	X	X
Brushcat™ Rotary Cutter	X	X	X	X	X	X
Bucket, Construction	X	X	X	X	X	X
Bucket, Fertilzer	X	X	Х	X	X	X
Bucket, General purpose	X	X	Х	X		
Bucket, Low Profile	X	X	Х	X	Х	X
Bucket, Snow	X	X	X	X	Х	X
Bucket Adapter	X	X	Х	X	Х	X
Combination Bucket	X	X	X	X	Х	X
Concrete Pump				X	Х	X
Digger	X	X	X	Х	X	X
Dozer Blade	X	Х	X	X	X	X
Dumping Hopper	X	X	X	X	X	X
Flail Cutter	X	Х	X	X	X	X
Forks, Utility	X	Х	X	X	X	X
Grader	X	X	X	X	X	X
Grapple, Farm/Utility	X	X	X	X	X	X
Grapple Industrial	X	Х	X	X	X	X
Hydraulic Breaker	X	X	X	X	X	X
Landplane	X	X	X	X	X	X
Landscape Rake	X	X	X	X	X	X
Mixing Bucket			X	X	X	X
Pallet Forks	X	X	X	X	X	X
Pallet Forks, Hydraulic	X	Х	X	X	X	X
Planer	X	X	X	X	X	X
Salt & Sand Spreader	X	Х	X	X	X	X
Scarifier	X	X	X	X	X	X
Scraper	Х	Х	Х	Х	Х	Х
Snow Blade	Х	X	X	Х	X	Х
Snow V-Blade	Х	Х	X	Х	Х	X
Snowblower	X	X	X	Х	Х	X
Sod Layer	X	X	Х	Х	Х	X
Soil Conditioner	X	X	X	Х	Х	X
Stabilizers, Rear	Х	Х	Х	Х	Х	Х
Steel Tracks	Х	X	X	Х	X	N/A
Stump Grinder			X	X	X	X
Sweeper	Х	X	X	Х	X	Х
Tiller	Х	Х	X	X	Х	Х
Tilt-Tatch	Х	X	X	Х	X	Х
Tree Transplanter	X	Х	Х	Х	X	Х
Trench Compactor	Х	X	Х	Х	X	Х
Trencher	X	Х	X	X	X	X
Utility Frame	Х	Х	X	Х	Х	X
Vibratory Roller	Х	Х	X	X	Х	X
Water Kit	Х	Х	X	Х	Х	X
Wheel Saw			X	X	X	X
Whisker Broom	X	Х	X	X	X	X
	,					
Wood Chipper			X	X	X	X

www.bobcat.eu



