



We reach for the sky.

YOUR WAY  
— TO THE —  
**TOP**  
REALISE THE POTENTIAL



**Crawler Crane**




36.00m



2,400kg



250kg  
23.00m



29m



kg



Bi-metal



RC

- Radio remote control with a colour display
- Crawler chassis with 2 speeds: creep mode 2.4 km/h and fast mode 4.5 km/h
- Multiflex outrigger system with auto-levelling
- Diesel and/or electric drive



# The Böcker Crane RK 36 / 2400 on crawler chassis


The compact crawler chassis of the RK 36 / 2400 crane ensures a particularly safe traction and grip as well as an equal pressure distribution on any ground. This feature allows working on gravel, sand or wet and soft lawn areas with payloads of up to 2,400 kilograms without any problem.

Thanks to a powerful Diesel engine the crane on crawler chassis has got sufficient power reserves in any situation. It can be equipped with an additional electric motor with the same performance data as the Diesel engine to enable it to work with a low noise level and emission-free, e.g. in closed spaces.

It can be used as a crane and as well as an access platform. The transformation from crane to platform mode takes very short time thanks to the EASY-LOCK system.



## Duty chart



## Technical specifications

Extension length max. [m]	34.00 (36.00 opt.)
Payload max. [kg]	1,500 (2,400 opt.)
Gross vehicle weight [kg]	4,500
Main boom angle approx. [degrees]	85
Jib length [m]	11.05
Jib extended incl. extension [m]	13.05
Jib retracted [m]	4.85
Jib variable/hydraulic [degrees]	0 – 165
Lifting speed approx. [m/min]	60
Footprint with outriggers on both sides (L x W) [m]	5.40 x 5.40
Footprint with outriggers on one side (L x W) [m]	7.20 x 3.60
Vehicle dimensions (L x B x H) [m]	8.44 x 2.11 x 2.82

**Böcker – made in  
GERMANY**



**DENSEST  
SERVICE-NETWORK  
IN EUROPE**

**Böcker Belgium NV**

Boomsesteenweg 101 · B-2630 Aartselaar  
Fon +32 (0) 3 / 45 76 241  
Fax +32 (0) 3 / 45 76 242  
Mail [belgium@boecker-group.com](mailto:belgium@boecker-group.com)

**Böcker France SAS**

Zac du TEC · F-30320 Marguerittes  
Fon +33 (0) 4 6620 9364  
Fax +33 (0) 4 6620 9926  
Mail [france@boecker-group.com](mailto:france@boecker-group.com)

**Böcker Italia srl**

Corso Porta Nuova 11 · I-37122 Verona (VR)  
Fon +39 045 / 87 80 399  
Fax +39 045 / 87 80 420  
Mail [italia@boecker-group.com](mailto:italia@boecker-group.com)

**Böcker Nederland B.V.**

De Geerden 22 · NL-5334 LE Velddriel  
Fon +31 (0) 418 / 571 444  
Fax +31 (0) 418 / 635 222  
Mail [nederland@boecker-group.com](mailto:nederland@boecker-group.com)

**Böcker Schweiz AG**

Striegelstraße 1 · CH-4665 Oftringen  
Fon +41 (0) 62 / 797 62 62  
Fax +41 (0) 62 / 797 62 68  
Mail [schweiz@boecker-group.com](mailto:schweiz@boecker-group.com)

**Branch office north**

Farmers Ring 8 · D-25337 Koelln-Reisiek  
Fon +49 (0) 4121 / 57 10 00  
Fax +49 (0) 4121 / 57 10 01  
Mail [nl nord@boecker-group.com](mailto:nl nord@boecker-group.com)

**Branch office east**

Freiheit 20–21 · D-13597 Berlin-Spandau  
Fon +49 (0) 30 / 3 39 39 04-0  
Fax +49 (0) 30 / 3 39 39 04-29  
Mail [nl east@boecker-group.com](mailto:nl east@boecker-group.com)

**Branch office middle**

Kasseler Str. 62 · D-34277 Fuldabrück  
Fon +49 (0) 561 / 5 85 46 73  
Fax +49 (0) 561 / 5 85 46 74  
Mail [nl mitte@boecker-group.com](mailto:nl mitte@boecker-group.com)

**Branch office south-west**

Bussardstr. 16 · D-68753 Waghäusel  
Fon +49 (0) 72 54 / 9 58 85-0  
Fax +49 (0) 72 54 / 9 58 85-29  
Mail [nlsuedwest@boecker-group.com](mailto:nlsuedwest@boecker-group.com)

**Branch office south**

Kirchweg 4 · D-82239 Alling  
Fon +49 (0) 81 41 / 888 601  
Fax +49 (0) 81 41 / 53 72 707  
Mail [nlsued@boecker-group.com](mailto:nlsued@boecker-group.com)



We reach for the sky.

**Böcker Maschinenwerke GmbH**

Lippestraße 69–73 · D-59368 Werne  
Fon +49 (0) 23 89 / 79 89-0  
Fax +49 (0) 23 89 / 79 89-9000  
Mail [info@boecker-group.com](mailto:info@boecker-group.com)