Load handling chart book

LTM 1250-6.1

070983

EPROM: 21.12.2012

Courtesy of Crane.Market

Address

Address: LIEBHERR-WERK EHINGEN GMBH
Postfach 1361
D-89582 Ehingen / Donau
Tel.(07391)502-0
Telex 71763-0 le d
Fax (07391)502-399

Product identification

Manufacturer: LIEBHERR-WERK EHINGEN GMBH

Product group:

Type: LTM 1250-6.1

Machine number: 070983

EPROM: 21.12.2012

Courtesy of Crane.Market

Contents

I. INFORMATION FOR USING THE LOAD CAPACITY TABLES

DANGER: Risk of accident!

The guidelines in the operating instructions are definitive for operation of the crane.

! Observe the notes and details in the operating instructions!

1. Explanations . . . . . page I - 3
2. Crane operating mode "Crane supported" . . . . . page I - 3
3. There is a danger of tipping or a risk of overloading load-bearing components if. . . . . page I - 4
4. Telescopic boom . . . . . page I - 4
5. Rope winches . . . . . page I - 5
6. Hoisting rope reeving . . . . . page I - 5
7. Changing between material handling and installation operation . . . page I - 6
8. LICCON Overload safety device and Limit switch . . . . . page I - 7
9. Hook blocks and load hooks . . . . . page I - 8
   - 9.1 Load capacity, rope pulleys and operating weight . . . . . page I - 8
   - 9.2 Distance between hook and pulley set in the boom head. . . page I - 9
10. Load capacity reduction . . . . . page I - 10
   - 10.1 Load capacity reduction with folding jib mounted (12.2 m - 36.0 m) . . . . . page I - 10
   - 10.2 Load capacity reduction with folding jib mounted (3.4 m) . page I - 14
   - 10.3 Load capacity reduction with mounted fixed lattice jib . . . . page I - 15
   - 10.4 Load reduction with mounted roller head . . . . . page I - 18
11. Maximum turning speed of the crane's superstructure with a nominal load. . . . . page I - 19
12. Explanation of symbols . . . . . page I - 20
   - Hoisting rope reeving . . . . . page I - 20
   - Load capacity in metric tons [t] . . . . . page I - 20
   - Operating mode . . . . . page I - 20
   - Additional jib mode with folding jib . . . . . page I - 21
   - Additional jib mode with fixed lattice fly jib . . . . . page I - 22
   - Additional jib mode with luffing lattice fly jib . . . . . page I - 23
   - Additional jib modes with hydraulically adjustable folding jib . . . page I - 23

Courtesy of Crane.Market

Contents

Operating types that can only be operated with accessories . . . page I - 24
Working radius symbols . . . . . page I - 25
Telescopic boom length/units of measurement . . . . . page I - 26
Short code. . . . . page I - 26
Hoisting rope reeving . . . . . page I - 26
Main Boom Angle . . . . . page I - 26
Extension conditions of the telescopic boom sections . . . . . page I - 26
Counterweight. . . . . page I - 26
Crane operations "Crane supported" . . . . . page I - 27
Crane operation "Crane supported, asymmetric support base" . page I - 27
Crane assembly "Crane supported at front, rear on tyres" . . . . . page I - 27
Slewing range . . . . . page I - 28
Permissible wind speed . . . . . page I - 28
13.Observation of wind conditions . . . . . page I - 29
13.1 Wind influence on the LICCON-overload safety device . . . page I - 29
13.2 Permissible wind speed and surface susceptibility to wind. page I - 30

II. LOAD CAPACITY TABLES

Courtesy of Crane.Market

1. Explanations

1.1 The load capacity values in the tables are stated in metric tons [t].

1.2 The working radius is the horizontal gravity center distance of the load from the rotational axis of the crane superstructure measured at the ground. The radius stated is valid under load conditions, i.e. including boom flexure.

1.3 Boom positions differing from those given in the load capacity tables are not permissible.

1.4 Even without a load, the boom may only be moved inside those areas for which load capacity values are stated, otherwise there is a danger of tilting. In normal operation, this hazard is prevented by the overload safety device. After switching to "Assembly" mode (with the "assembly" key-operated switch), the boom must not be lowered or topped outside the range of the working radius.

1.5 The stated load capacities contain the weights of the load bearing, lifting and slinging tackle. The possible weight for the load to be lifted is therefore reduced according to the weights of the afore-mentioned tackle.

1.6 If the boomnose is mounted on the jib head during crane operation, then the possible load is reduced further corresponding the weight of the boomnose (0,128 t).

2. Crane operating mode "Crane supported"

2.1 Before the crane is raised on its supports, the axle suspension must be blocked.

2.2 The sliding arms of the hydraulic support jack must be extended (to a uniform length on both sides) to the extent stated in the applirope load capacity table.

2.3 The sliding arms must be secured by pins.

2.4 It is necessary to place stable underlay material under the support pads of the support jacks over a large surface area according to ground conditions.

2.5 All wheels must be raised clear of the ground.

2.6 The crane is to be horizontally aligned via the support control unit. Additionally, the horizontal position of the crane must be checked from time to time during crane operation and adjusted as required.

Courtesy of Crane.Market

3. There is a danger of tipping or a risk of overloading load-bearing components if:

3.1 the slewing platform of an upright crane is turned away from the forward driving direction of the vehicle. Before turning the superstructure, the crane must be supported.

3.2 the four hydraulic supports of the crane are not properly supported and in vertical position.

3.3 the sliding rods are not slid out to the exact measurement specified in the load capacity charts (on both sides).

3.4 the sliding rods are not secured with pins.

3.5 the support pads are not supported with the appropriate base material (surface area too small) for the soil conditions.

3.6 the loads and / or the working radi in the load capacity charts corresponding to the jib length are exceeded or not met.

3.7 cranes are operated too close to landfills, basements and slopes.

3.8 the hook load begins swinging due to improper handling.

3.9 pulling at an angle is executed. Pulling at an angle is most dangerous when it goes against the jib length direction. Pulling at an angle is not allowed.

4. Telescopic boom

4.1 The lifting capacity of the telescopic boom with its 5 extendable telescopic sections is limited. The loads stated in the load capacity tables must not be exceeded.

4.2 The specifications for the telescopic sections to be extended according to load and required boom length must be observed under all circumstances.

4.3 As a general rule, the boom should first be extended to the required length, and then loaded. However, it is possible to extend and retract the boom under partial load. The weight of this partial load is dependent on bearing pad lubrication and the available useable lengths of the telescopic sections.

4.4 Even without a load, the telescopic boom may only be moved within the working radius ranges for which values are listed in the load capacity table.

Courtesy of Crane.Market

5. Rope winches

5.1 Winch 1

Winch 1 is designed for a maximum rope tension of 105 kN. This rope tension must not be exceeded under any circumstances. Accordingly, the minimum number of hoisting rope lines (rope reeving) should be selected according to the weight of the load to be lifted (see Table "Hoisting rope reeving" in Chapter II).

5.2 Winch 2

Winch 2 is designed for a maximum rope tension of 105 kN. This rope tension must not be exceeded under any circumstances. Accordingly, the minimum number of hoisting rope lines (rope reeving) should be selected according to the weight of the load to be lifted (see Table "Hoisting rope reeving" in Chapter II).

5.3 Prevention of rope slack formation:

5.3.1 When retracting the telescopic boom, the winch must be operated in the direction of lifting simultaneously, in order to prevent the hook block from descending to the ground and creating rope slack. The speed of the hoisting rope movement should matched to that used for retraction!

5.3.2 The rope guides on the winches must be supervised by a member of the workforce when additional equipment is being mounted!

6. Hoisting rope reeving

6.1 The hoisting rope must be reeved in between boom head and hook block in accordance with the maximum rope tension of the winch and the weight of the load to be lifted.

6.2 If several hoisting rope lines are reeved in, the effeciency of the hook block is reduced due to pulley friction and rope flexure.
In consequence, with a rope tension of e.g. 105 kN, only 986 kN (99.2 t) can be pulled with a 10-fold line reeving, instead of 1050 kN (106.0 t).

6.3 Consult the table "Hoisting rope reeving" in Chapter II of this manual for the maximum loads in dependence on the number of hoisting rope lines.

6.4 The number of hoisting rope lines reeved must be set on the control and display unit of the LICCON overload safety device according to the current hoisting rope reeving total.

6.5 If the block hook is operated with a higher reeve number than necessary for the respective boom lenght loads, then the block hook weight will not be sufficient and can slacken the cable when lowering, which can lead to damage to the cable.

Courtesy of Crane.Market

7. Changing between material handling and installation operation

7.1 Load carrying capacity of the crane

The load carrying members of the crane have been designed according to the load criteria for installation /set up operations (load collective classification = "light" = Q1 or L1). Stress collective S1 according to DIN 15018 Part 3 and stress margin range N1 according to DIN 15018 Part 1 or ISO 4301, group A1.

If an installation / set up crane is used material handling, the stress margin rangs increases. Therefore the loads must be reduced since a higher stress group now be applicable. This is especially true if the calculated loads are limited by strength values.

CAUTION: **For crane value calculation, it has been assumed that the crane will be utilized as an installation crane** (load collective classification = "light" = Q1 or L1)**. If the crane is also used in material handling application, premature wear of all drive sections must be expected, and cracksmay occur in load carrying steel members. We therefore strongly recommend, that if the crane is utilized in material handling application, the load values are reduced by 50 %, as compared to the data given in the corresponding load carrying capacity chart.**

For details, have material handling data ready and then contact your Liebherr Service Dept.

The size of the cables as well as drive sections of hoist gears are configured according to the load collectives applicable for installation operation (load collective classification = "light" = Q1 or L1):

ISO 4301/2 or 4308/2
Group A1
Hoist gears M3
Intake gears M2

If an installation / set up crane is used material handling (load collective classification = "light" = Q1 or L1), the stress margin range increases, the rope runs must therefore be reduced. If this in not assured, then the hoist rope wear out rate will be reached much earlier, and / or the hoist gear must be rebuilt / serviced much earlier.

Please refer to the information regarding wear out criteria for ropes according to DIN 15020, part 2 or ISO 4309 in chapter 8.01 "Repeat crane inspections" in the crane's Operating Instructions.

COMMENT: **In order to keep wear out rate of hoist ropes as low as possible during material handling operation (load collective classification = "medium" or higher) , we recommend the use of a special length rope, so that during material handling operation the rope is rolled onto drum of the hoist winch in only one rope layer**
If several layers are on the rope drum, the wear rate increases. In addition, the winch drive will run cooler, if the crane is operated with only one rope layer.

Courtesy of Crane.Market

8. LICCON Overload safety device and Limit switch

If the permissible load moment is exceeded, the electronic LICCON overload safety device shuts down the hoisting and boom topping movements. It is possible to decrease the load by means of movements in the opposite direction. The LICCON overload safety device must be checked for correct operation on each occasion before operating the crane.

8.1 The LICCON overload safety device must be set to the current equipment mode of the crane by means of function keys or by entering the corresponding 4-digit code.

8.2 The LICCON overload limit switch is a safety device and must not be used as a shutdown device for operating purposes. The crane operator must assure himself of the weight of a load before attempting to lift it. The fact that the crane is equipped with the LICCON overload safety device does not free the operator from responsibility with regard to operating safety.

8.3 The control and display unit of the LICCON overload safety device indicates among other things the working radius, boom length, pulley height, load and degree of crane load utilization. This provides the operator with a constant overview of the working range and crane utilization.

8.4 The end of stroke switch fastened to the jib heads (lattice boom jib, auxilliary jib) should prevent the hook block from running into the jib head. The hoisting limit switches must be checked for correct operation on each occasion before the crane is operated.

8.5 Gear cam limit switches on the cable winches ensure that 3 safety turns remain on the rope drums. When the final cable layer is reached, a visual check is also necessary to ensure that the 3 safety turns are available. If the hoisting gears have been overturned in the lifting direction, or if the hoisting cable has been changed, then the corresponding limit switch must be reset before resuming operation.

8.6 The crane operator must check correct operation of the LICCON overload safety device on each occasion before operating the crane. The crane manufacturer will accept no liability for damage to the crane and consequential damage resulting from non-function or disactivation of the LICCON overload safety device.

Courtesy of Crane.Market

9. Hook blocks and load hooks

9.1 Load capacity, rope pulleys and operating weight

Load [t]	Number of rope pulleys	Strings	Weight [t]	Dead weight with mounted additional weight [t]
183.3	12	20	3.400	-
176.0	9	19	2.000	-
135.0	7	14	1.500	-
108.3	5	11	1.450	1.960
108.3	5	11	1.300	2.000
71.0	3	7	1.040	1.365
31.3	1	3	0.870	1.125
31.3	1	3	0.840	1.125
10.6	-	1	0.500	-

CAUTION: **Damage to ropes due to insufficient weight of the load hook!**

If the hook block features insufficient weight to attain sufficient tension in the hoist rope, winding problems could occur at the winches as a result of the formation of slack rope during lifting and lowering of the hook block. This may in turn cause damage to the ropes!

! **To avoid these winding problems at the winches, the weight of the hook block can be increased using additional weights or conversion kits wherever required. It should be noted here that the additional weights must be removed again if problems arise during the assembly and set-up conditions as a result of the increase in the dead weight!**

Courtesy of Crane.Market

9.2 Distance between hook and pulley set in the boom head

To determine the hook height, the hoist height must be reduced by the distance between the hook and the centre of the pulley set in the boom head.

The distances for the hook blocks being used can be obtained from the following table.

Load [t]	Distance [H]	
	at the pulley head from the telescopic boom [m]	at the pulley head of the tip [m]
183.3	4.2	-
176.0	4.1	-
135.0	4.0	-
108.3	3.9	-
71.0	3.8	3,8
31.3	3.6	3,6
10.6	3.4	3,4





Courtesy of Crane.Market

10. Load capacity reduction

10.1 Load capacity reduction with folding jib mounted (12.2 m - 36.0 m)

10.1.1 The load capacity values stated for the telescopic boom in the load capacity tables apply to the boom without installation of a folding fly jib for transport or operating purposes.

10.1.2 When operating the crane, the folding jib is mounted at an angle from **0**° to the telescopic jib, the possible load capacities of the telescopic jib are reduced according to the chart below.
The weight of the hook block for TK operation of 0.500 t and 0.840 t respectively, must be considered.

Position of the folding jib.	[m]	T-15.5	T-20.7	T-25.9	T-31.3	T-36.3	T-41.5
Entire folding jib sideways on the jib pivoting section	[t]	1.38	1.03	0.83	0.68	0.59	0.51
K-12.2 m on the jib head, the rest on the jib pivoting section	[t]	4.10	5.80	5.80	5.80	5.80	3.80
K-19.2 m on the jib head	[t]	4.70	7.60	4.80	7.60	7.60	4.60
K-22.0 m on the jib head	[t]	4.90	8.10	8.10	8.10	8.10	4.80
K-26.2 m on the jib head	[t]	6.40	11.10	11.10	11.10	11.10	6.20
K-29.0 m on the jib head	[t]	6.70	11.70	11.70	11.70	11.70	6.50
K-36.0 m on the jib head	[t]	8.70	16.00	16.00	16.00	16.00	8.40

Courtesy of Crane.Market

Position of the folding jib.	[m]	T-46.7	T-51.9	T-57.1	T-62.3	T-67.5	T-72.0
Entire folding jib sideways on the jib pivoting section	[t]	0.46	0.41	0.37	0.34	0.32	0.30
K-12.2 m on the jib head, the rest on the jib pivoting section	[t]	3.80	3.50	3.30	3.20	3.20	2.70
K-19.2 m on the jib head	[t]	4.60	4.20	3.90	3.70	3.70	3.70
K-22.0 m on the jib head	[t]	4.80	4.40	4.10	3.90	3.90	3.80
K-26.20 m on the jib head	[t]	6.20	5.60	5.10	4.90	4.90	4.80
K-29.0 m on the jib head	[t]	6.50	5.80	5.30	5.00	5.00	4.90
K-36.0 m on the jib head	[t]	8.40	7.40	6.70	6.30	6.30	6.10

Courtesy of Crane.Market

10.1.3 When operating the crane, the folding jib is mounted at an angle from **20°** to the telescopic jib, the possible load capacities of the telescopic jib are reduced according to the chart below.
The weight of the hook block for TK operation of 0.500 t and 0.840 t respectively, must be considered.

Position of the folding jib.	[m]	T-15.5	T-20.7	T-25.9	T-31.3	T-36.3	T-41.5
K-12.2 m on the jib head, the rest on the jib pivoting section	[t]	4.20	6.00	6.00	6.00	6.00	4.30
K-19.2 m on the jib head	[t]	5.50	8.40	4.80	8.60	8.60	5.70
K-22.0 m on the jib head	[t]	5.80	9.00	9.30	9.30	9.30	6.10
K-26.2 m on the jib head	[t]	8.00	13.00	13.50	13.50	13.50	8.40
K-29.0 m on the jib head	[t]	8.40	13.70	14.30	14.30	14.30	8.90
K-36.0 m on the jib head	[t]	11.40	19.50	20.50	20.50	20.50	20.20

Position of the folding jib.	[m]	T-46.7	T-51.9	T-57.1	T-62.3	T-67.5	T-72.0
K-12.2 m on the jib head, the rest on the jib pivoting section	[t]	4.30	4.00	3.30	3.20	3.20	2.70
K-19.2 m on the jib head	[t]	5.70	5.10	4.80	4.50	4.50	4.40
K-22.0 m on the jib head	[t]	6.10	5.50	5.00	4.70	4.70	4.60
K-26.2 m on the jib head	[t]	8.40	7.40	6.80	6.30	6.30	6.10
K-29.0 m on the jib head	[t]	8.90	7.80	7.10	6.60	6.60	6.40
K-36.0 m on the jib head	[t]	12.20	10.60	9.50	8.70	8.70	8.40

Courtesy of Crane.Market

10.1.4 When operating the crane, the folding jib is mounted at an angle from **40°** to the telescopic jib, the possible load capacities of the telescopic jib are reduced according to the chart below.
The weight of the hook block for TK operation of 0.500 t and 0.840 t respectively, must be considered.

Position of the folding jib.	[m]	T-15.5	T-20.7	T-25.9	T-31.3	T-36.3	T-41.5
K-12.2 m on the jib head, the rest on the jib pivoting section	[t]	5.10	7.80	8.50	8.50	8.50	5.50
K-19.2 m on the jib head	[t]	6.80	11.20	6.70	12.40	12.40	7.60
K-22.0 m on the jib head	[t]	7.30	12.10	13.50	13.50	13.50	8.20
K-26.2 m on the jib head	[t]	10.20	17.60	19.90	19.90	19.90	11.60
K-29.0 m on the jib head	[t]	10.70	18.80	21.10	21.10	21.10	12.20
K-36.0 m on the jib head	[t]	14.90	26.80	30.50	30.50	30.50	17.20

Position of the folding jib.	[m]	T-46.7	T-51.9	T-57.1	T-62.3	T-67.5	T-72.0
K-12.2 m on the jib head, the rest on the jib pivoting section	[t]	5.50	4.90	4.50	4.30	4.30	3.40
K-19.2 m on the jib head	[t]	7.60	6.70	6.00	5.60	5.60	5.40
K-22.0 m on the jib head	[t]	8.20	7.10	6.40	5.90	5.90	5.70
K-26.2 m on the jib head	[t]	11.60	10.00	8.80	8.10	8.10	7.80
K-29.0 m on the jib head	[t]	12.20	10.50	9.30	8.50	8.50	8.20
K-36.0 m on the jib head	[t]	17.20	14.60	12.80	11.60	11.60	11.10

Courtesy of Crane.Market

10.2 Load capacity reduction with folding jib mounted (3.4 m)

10.2.1 The load capacity values stated for the telescopic boom in the load capacity tables apply to the boom without installation of a folding fly jib for transport or operating purposes.

10.2.2 When operating the crane, the folding jib is mounted at the telescopic jib, the possible load capacities of the telescopic jib are reduced according to the chart below.
The weight of the hook block for TK operation of 1.040 t must be considered.

Position of the folding jib	[m]	T-15.5	T-20.7	T-25.9	T-31.3	T-36.3	T-41.5
K-3.4 m on the jib head	[t]	2.10	2.60	2.60	2.60	2.60	2.20

Position of the folding jib	[m]	T-46.7	T-51.9	T-57.1	T-62.3	T-67.5	T-72.0
K-3.4 m on the jib head	[t]	2.20	2.10	2.00	1.70	1.70	1.30

Courtesy of Crane.Market

10.3 Load capacity reduction with mounted fixed lattice jib

10.3.1 The load capacity values stated for the telescopic boom in the load capacity tables apply to the boom without installation of a fixed jib for transport or operating purposes.

10.3.2 When operating the crane, the fixed lattice jib is mounted at an angle from **0°** to the telescopic jib, the possible load capacities of the telescopic jib are reduced according to the chart below.
The weight of the hook block for TF operation of 0.500 t and 0.840 t respectively, must be considered.

Fixed lattice jib	[m]	T-15.5	T-20.7	T-25.9	T-31.3	T-36.3	T-41.5
F-14	[t]	5.70	9.00	9.00	9.00	9.00	5.60
F-21	[t]	7.70	13.10	13.10	13.10	13.10	7.50
F-28	[t]	8.70	15.50	15.50	15.50	15.50	8.40
F-35	[t]	11.10	20.60	20.60	20.60	20.60	10.70
F-42	[t]	13.40	25.90	25.90	25.90	25.90	12.90

Fixed lattice jib	[m]	T-46.7	T-51.9	T-57.1	T-62.3	T-67.5	T-72.0
F-14	[t]	5.60	5.10	4.80	4.60	4.10	4.10
F-21	[t]	7.50	6.70	5.60	5.30	5.30	5.20
F-28	[t]	8.40	7.50	6.90	6.50	6.50	6.40
F-35	[t]	10.70	9.40	8.50	8.00	8.00	7.80
F-42	[t]	12.90	11.20	10.10	-	-	-

Courtesy of Crane.Market

10.3.3 When operating the crane, the fixed lattice jib is mounted at an angle from **20**° to the telescopic jib, the possible load capacities of the telescopic jib are reduced according to the chart below.
The weight of the hook block for TF operation of 0.500 t and 0.840 t respectively, must be considered**.**

Fixed lattice jib	[m]	T-15.5	T-20.7	T-25.9	T-31.3	T-36.3	T-41.5
F-14	[t]	6.70	10.20	10.50	10.50	10.50	7.00
F-21	[t]	9.70	15.70	16.50	16.50	16.50	10.30
F-28	[t]	11.40	19.10	20.10	20.10	20.10	12.20
F-35	[t]	15.00	26.10	27.80	27.80	27.80	16.30
F-42	[t]	18.80	33.50	33.50	33.50	33.80	20.60

Fixed lattice jib	[m]	T-46.7	T-51.9	T-57.1	T-62.3	T-67.5	T-72.0
F-14	[t]	7.00	6.40	5.90	5.60	4.90	4.80
F-21	[t]	10.30	9.10	7.30	6.80	6.80	6.60
F-28	[t]	12.20	10.70	9.60	8.90	8.90	8.60
F-35	[t]	16.30	14.10	12.60	11.50	11.50	11.10
F-42	[t]	20.60	17.60	15.60	-	-	-

Courtesy of Crane.Market

10.3.4 When operating the crane, the fixed lattice jib is mounted at an angle from **40°** to the telescopic jib, the possible load capacities of the telescopic jib are reduced according to the chart below.
The weight of the hook block for TF operation of 0.500 t and 0.840 t respectively, must be considered**.**

Fixed lattice jib	[m]	T-15.5	T-20.7	T-25.9	T-31.3	T-36.3	T-41.5
F-14	[t]	8.20	13.30	14.70	14.70	14.70	9.10
F-21	[t]	12.20	21.00	23.70	23.70	23.70	13.90
F-28	[t]	14.50	25.70	29.20	29.20	29.20	16.70
F-35	[t]	19.50	35.60	40.70	40.70	40.70	22.70
F-42	[t]	24.70	46.00	46.00	46.00	52.80	29.00

Fixed lattice jib	[m]	T-46.7	T-51.9	T-57.1	T-62.3	T-67.5	T-72.0
F-14	[t]	9.10	8.00	7.30	6.80	5.90	5.70
F-21	[t]	13.90	12.00	9.30	8.60	8.60	8.20
F-28	[t]	16.70	14.30	12.60	11.50	11.50	11.00
F-35	[t]	22.70	19.20	16.80	15.20	-	-
F-42	[t]	29.00	24.40	21.10	-	-	-

Courtesy of Crane.Market

10.4 Load reduction with mounted roller head

With mounted roller head for integrated folding jib K-5.4 m, the specified loads are reduced by 0.2 t.

Courtesy of Crane.Market

11. Maximum turning speed of the crane's superstructure with a nominal load

DANGER: Risk of accident!

The boom system could become overloaded if the maximum permissible turning speeds are not adhered to. This could lead to serious accidents.

! It is imperative that the max. permissible turning speeds for the operating modes and boom lengths are adhered to!

boom [m]	permissible slewing speed in $\left[\frac{1}{min}\right]$	
	75%-ISO-DIN load charts	**85%** load charts
T-15,5	0,38	0,23
T-20,7	0,38	0,23
T-25,9	0,38	0,23
T-31,1	0,38	0,23
T-36,3	0,23	0,23
T-41,5	0,23	0,23
T-46,7	0,23	0,23
T-51,9	0,23	0,23
T-57,1	0,23	0,23
T-62,3	0,23	0,23
T-67,5	0,23	0,23
T-72,0	0,23	0,23
TK-operation	0,23	0,23
TF-operation	0,23	0,23
TN-operation	0,23	0,23

*****85%-capacity load charts are marked in the upper left-hand area of the corresponding pages of the tables with the symbol **"85%"**.

With 85% capacity load charts, nominal loads may only be moved with the slowest lifting or luffing speeds.

Courtesy of Crane.Market

12. Explanation of symbols



Hoisting rope reeving

This symbol appears on the hoisting rope reeving table (1st table of chapter II) and indicates the required number of hoisting rope reevings to achieve a certain load capacity.

Load capacity in metric tons [t]

This symbol appears on the hoisting rope reeving table (1st table of chapter II) and indicates the max. permissible load capacity depending on hoisting rope reeving.

Operating mode



2part symbol
left side = Main boom mode
example:
- Main boom type — ex.: T = Telescopic boom



left side = Main boom mode
example:
- Main boom type — ex.: T = Telescopic boom
  z.B.: I-II--I = Crane supported, asymmetric support base

Courtesy of Crane.Market

Additional jib mode with folding jib



right side = Additional jib mode
example:
- Additional jib type ex.: K = folding fly jib
- Additional jib length ex.: 3.4 m



right side = Additional jib mode
example:
- Additional jib type ex.: K = folding fly jib
- Angle of the additional jib ex.: 20° = 20 deg. offset from main boom
- Additional jib length ex.: 5.4 m



right side = Additional jib mode
example:
- Additional jib type ex.: K = folding fly jib
- Angle of the additional jib ex.: 0° = 0 deg. offset from main boom
- Additional jib length ex.: 12.2 m



right side = Additional jib mode
example:
- Additional jib type ex.: K = folding fly jib
- Angle of the additional jib ex.: 20° = 20 deg. offset from main boom
- Additional jib length ex.: 22.0 m



right side = Additional jib mode
example:
- Additional jib type ex.: K = folding fly jib
- Angle of the additional jib ex.: 40° = 40 deg. offset from main boom
- Additional jib length ex.: 29.0 m

Courtesy of Crane.Market

Additional jib mode with fixed lattice fly jib



right side = Additional jib mode
example:

- Additional jib type — ex.: F = lattice fly jib
- Angle of the additional jib — ex.: 0° = 0 deg. offset from main boom
- Additional jib length — ex.: 14.0 m



right side = Additional jib mode
example:

- Additional jib type — ex.: F = lattice fly jib
- Angle of the additional jib — ex.: 20° = 20 deg. offset from main boom
- Additional jib length — ex.: 35.0 m



right side = Additional jib mode
example:

- Additional jib type — ex.: F = lattice fly jib
- Angle of the additional jib — ex.: 40° = 40 deg. offset from main boom
- Additional jib length — ex.: 42.0 m

Courtesy of Crane.Market

Additional jib mode with luffing lattice fly jib



left side = Main boom mode
example:

- Main boom angle — ex.: xx° = telescopic boom at rigid angle to horizontal, calculated from the angle value in the xx line of the appropriate load capacity chart.
- Main boom type — ex.: T = crane operation with telescopic boom.

right side = Additional jib mode
example:

- Additional jib typ — ex.: N = luffing lattice jib
- Additional jib length — ex.: 17.5 m



left side = Main boom mode
example:

- Main boom angle — ex.: xx° = telescopic boom at rigid angle to horizontal, calculated from the angle value in the xx line of the appropriate load capacity chart.
- Main boom type — ex.: T = crane operation with telescopic boom.

right side = Additional jib mode
example:

- Additional jib typ — ex.: N = luffing lattice jib
- Additional jib length — ex.: 49.0 m

Additional jib modes with hydraulically adjustable folding jib



right side = Additional jib mode
example:

- Additional jib typ — ex.: NZK = hydraulically adjustable folding jib
- Angle of the additional jib — ex.: xx° = hydraulically adjustable folding jib at rigid angle to horizonztal, calculated from the angle value in the xx of the appropriate load capacity chart.
- Additional jib length — ex.: 22.0 m

Courtesy of Crane.Market

Operating types that can only be operated with accessories

DANGER: **Risk of accident!**

If the crane is operated without the required auxiliary device in operating modes designated with *), load-bearing structural members will become over-loaded!

! **The auxiliary device required for crane operation must be mounted on the crane in compliance with the manufacturer's instructions!**

T	--
250t *	)

- Max. load capacity ex.: 250 t

Courtesy of Crane.Market

Working radius symbols

The working radius is the horizontal distance of the center of gravity of the load to the slewing axis of the crane superstructure as measured from the ground beneath the load.

Radius symbol for main boom operating modes.



Radius symbol for additional jib mode with folding jib.



Radius symbol for additional jib mode with fixed lattice fly jib.



Radius symbol for additional jib mode with luffing lattice fly jib.



Radius symbol for additional jib mode with hydraulically adjustable folding jib.



Courtesy of Crane.Market

m > < t

Telescopic boom length/units of measurement

In the row beneath this symbol the different boom lengths of the crane are indicated in columns. The letters next to the symbol indicate the units of measurement in the actual load chart, for example “ m> <t“ means that all lengths are given in meters [m] and all weights are given in metric tons [t].

CODE > 0001 <

Short code

4-digit short code; specifies in coded form the set operating mode / current set-up stage. The short code can be entered directly into the LICCON-overload safety device to call up the respective load capacity table.

*** n ***

Hoisting rope reeving

Appears in the load charts as a line below the load capacity values. Indicates the number of hoisting rope reevings required to hoist the maximum load in the corresponding load chart column. If a load capacity value in the column exceeds the load which can be lifted with the maximum reeving, then an exclamation mark (!) is next to the reeving number to signify that special equipment is required to lift this load.

- Loads exceeding 135 t with auxiliary blocks only
- Loads exceeding 176 t with auxiliary device only

xx

Main Boom Angle

Only appears as line under the hoist cable reeving value during modes of operation with luffing fly jib. The columns contain the main boom angles, one after another, that must be set in order to be able to lift the load of the corresponding load column.

%

Extension conditions of the telescopic boom sections

Indications i percent for the individual telescopic sections (Tele 1 / Tele 2 / Tele 3 / Tele 4 / Tele 5).
Indication 0 = completely retracted, 100 = completely extended.
Extension conditions other than those specified in the load charts are prohibited.
A + symbol after a percentage entry means that the corresponding telescope parts are pinned down.
A - symbol after a percentage entry means that the corresponding telescopic section can be telescoped out under load to the extension condition value shown in percentages (according to the load capacity chart).

Counterweight

In this symbol, the size of the counterweight is indicated in metric tons [t] which must be on the crane superstructure in order to achieve the values of the given load chart.

Courtesy of Crane.Market



Crane operations "Crane supported"

Indication of the support base (ex.: 8,85 m x 8,5 m = length x width). The hydraulic supports of the crane must be extended to the dimensions specified in this symbol and pinned when the corresponding load chart is being worked with.



Crane operation "Crane supported, asymmetric support base"

The hydraulic supports of the crane must be extended to the dimensions specified in this symbol and pinned when the corresponding load chart is being worked with.
With "Crane supported, asymmetric support base" crane operation, unlimited rotation is possible.

Example:
- 50% = Hydraulic support base, right-hand side of the crane 8,85 m x 5,59 m
- 100% = Hydraulic support base, left-hand side of the crane 8,85 m x 8,5 m

DANGER: **Danger of tipping!**

When the set support base no longer corresponds with the actual support base, it could cause the crane to topple.

! **The set support base must correspond with the actual support base and the travel direction (the crane symbol in the asymmetric support base is pointing downwards in the travel direction!).**



Crane assembly "Crane supported at front, rear on tyres"

Specifications for support base (e.g. 10.0 m x _][_ m = Length x support base).

_][_ = Special support base

- Working range to the rear
- Reduced support base front 5.59 m
- Support at rear on tyres: 16.00-25 (10 bar) or 20.50-25 (8 bar)
- without counterweight (0 t)

Courtesy of Crane.Market

Slewing range

Slewing range data of the crane superstructure for the corresponding load capacity table:

- 360° = unlimited slewing permissible
- 0° = working range to the rear

Permissible wind speed

Indication of wind speed in [m/s] up to which crane operation is permissible depending on boom length. If the wind speed exceeds the indicated value, crane operations must be terminated, and if necessary, equipment must be removed from the crane.

Courtesy of Crane.Market

13. Observation of wind conditions

13.1 Wind influence on the LICCON-overload safety device

When working in operation modes involving long boom systems and steeper boom positions in particular, the wind can either increase or ease additional duress on the crane system. The load will then be incorrectly displayed, and the LMB can shut down too early or too late.

13.1.1 Wind from the rear

With wind from the rear the boom system will be under increased duress. The load being displayed is too high. LMB-shutdown occurs with loads smaller than the max. load.

13.1.2 Wind from the front

With wind from the front the boom system will be eased of duress. The load being displayed is too low. LMB-shutdown will only occur with loads greater than the max. load.

DANGER: Risk of accident!

Wind from the front will not relieve duress from the hook, hoist cable, cable pulleys or the hoisting winch. These units can become overloaded through lifting to the point of LMB-shutdown with wind from the front!

The entire crane can become overloaded when wind from the front eases, if it has previously been loaded to the point of LMB-shutdown!

! The operator must therefore be aware of the load weight and may not then exceed the max. load!

Courtesy of Crane.Market

13.2 Permissible wind speed and surface susceptibility to wind

13.2.1 Crane operation is permissible up to the wind velocity stated in the load capacity table corresponding to the current boom length.

DANGER: Risk of accident!

The crane operator must consult the local meterological office for information on the expected wind velocity prior to commencing operations. If unacceptable wind velocities are forecast, it is not permissible to lift a load.

13.2.2 The wind surface A_W of the load must not exceed certain values. These values are stated in Diagram 1 (see next page).
If the wind surface of the load exceeds the diagram values, the wind velocity up to which crane operation is permissible is reduced correspondingly (note example below).

DANGER: Risk of accident!

Even if the wind surface of the load is smaller than the reference surface, it is prohibited to operate the crane if wind velocity exceeds the limits stated in the load capacity tables

13.2.3 Example:

- Weight of load according to load capacity chart:	m	=	50,0 t
- Permissible wind velocity acc. to load capacity table:	v	=	9,0 m/s
- Permiss. load wind surface acc. to Diag. 1:	A_{Wz}	=	55,0 m^2
- Actual wind surface of load:	A_{Wr}	=	100,0 m^2
- Diagram 2 yields for v = 9 m/s the impact pressure:	p	=	50,0 N/m^2

Hence a load with the permissible wind surface A_{Wz} = 55 m^2 is influenced by a force F:

F = impact pressure p x wind sureface A_{Wz} = 50 N/m^2 x 55 m^2 = 2750 N

For the actual wind surface A_{Wr} = 100 m^2, a permissible impact pressure p results for the same force F:

$$p = \frac{F}{A_{Wr}} = \frac{2750N}{100m^2} = 27,5\frac{N}{m^2}$$

For p = 27,5 N/m^2, Diagram 2 yields a maximum permissible wind velocity of v = 6,7 m/s.

Courtesy of Crane.Market

Diagramm 1



Courtesy of Crane.Market

Diagramm 2



Courtesy of Crane.Market



Courtesy of Crane.Market

T	K 40° 22m	230
T	NZK xx° 12.2m	238
T	NZK xx° 22m	280
T	F 0° 14m	319
T	F 0° 21m	328
T	F 0° 28m	337
T	F 0° 35m	344

Courtesy of Crane.Market

T	F 0° 42m	352
T	F 20° 14m	359
T	F 20° 21m	365
T	F 20° 28m	371
T	F 20° 35m	376
T	F 20° 42m	382
T	F 40° 14m	387

Courtesy of Crane.Market

T	F 40° 21m	393
T	F 40° 28m	399
T	F 40° 35m	404
T	F 40° 42m	410
xx° T	N 17.5m	414
xx° T	N 21m	426
xx° T	N 28m	440

Courtesy of Crane.Market

xx° T	N 35m	454
xx° T	N 42m	468
xx° T	N 49m	482
xx° T	N 56m	489
xx° T	N 63m	496
xx° T	N 70m	502
T 250t *	--)	508

Courtesy of Crane.Market

nx	t
1	10,6
2	21,0
3	31,3
4	41,5
5	51,4
6	61,3
7	71,0
8	80,5
9	89,9
10	99,2
11	108,3
12	117,2
13	126,1
14	135,0

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.20

m	m >< t	CODE > 0001 <					B131 0000							
m	**15,5**	**20,7**	**20,7**	**20,7**	**20,7**	**25,9**	**25,9**	**25,9**	**25,9**	**20,7**	**25,9**	**20,7**	**25,9**	**20,7**
3,0	22,5													
3,5	17,7													
4,0	14,0													
*** n ***	3	0	0	0	0	0	0	0	0	0	0	0	0	0
1	0+	0+	0+	0+	0+	46+	0+	0+	0+	0+	46-	0+	0+	0+
2	0+	46+	0+	0+	0+	46+	46+	0+	0+	46-	46+	0+	46-	0+
3	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	0+	46-	46+	0+
4	0+	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	0+	0+	46-
5 %	0+	0+	0+	0+	46+	0+	0+	46+	92+	0+	0+	0+	0+	0+
m/s	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	14,3	12,8	14,3	12,8	14,3
TAB ***	1009	---	---	---	---	---	---	---	---	---	---	---	---	---

	T	--	0,0 t	8,85 x 2,66 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.20

m	m >< t	CODE > 0001 < B131 0000												
m	**20,7**	**25,9**	**25,9**											
3,0														
3,5														
4,0														
*** n ***	0	0	0											
1	0+	0+	0+											
2	0+	0+	0+											
3	0+	0+	0+											
4	0+	46-	0+											
5	46-	46+	92-											
%														
m/s	14,3	12,8	12,8											
TAB ***	---	---	---											

	T	--	0,0 t	8,85 x 2,66 m	360°	

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.20

m	m >< t	CODE > 0002 <												
	15,5	**20,7**	**20,7**	**20,7**	**20,7**	**25,9**	**25,9**	**25,9**	**25,9**	**20,7**	**25,9**	**20,7**	**25,9**	**20,7**
3,5	31,0	27,3								27,3				
4,0	27,2	22,9	24,3	25,4	26,4	18,8				22,9	18,8	24,3		25,4
4,5	23,0	19,4	20,7	21,8	22,7	15,9	18,0			19,4	15,9	20,7	18,0	21,8
5,0	19,5	16,5	17,7	18,8	19,7	13,4	15,5	19,0	19,1	16,5	13,4	17,7	15,5	18,8
6,0	14,3	12,0	13,2	14,2	15,1		11,5	14,9	14,9	12,0		13,2	11,5	14,2
7,0	10,6		9,8	10,9	11,7			11,8	11,9			9,8		10,9
8,0					9,1			9,4	9,5					
*** n ***	3	3	3	3	3	2	2	2	2	3	2	3	2	3
1	0+	0+	0+	0+	0+	46+	0+	0+	0+	0+	46-	0+	0+	0+
2	0+	46+	0+	0+	0+	46+	46+	0+	0+	46-	46+	0+	46-	0+
3	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	0+	46-	46+	0+
4	0+	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	0+	0+	46-
5 %	0+	0+	0+	0+	46+	0+	0+	46+	92+	0+	0+	0+	0+	0+
m/s	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	14,3	12,8	14,3	12,8	14,3
TAB ***	1008	1008	1008	1008	1008	1008	1008	1008	1008	1008	1008	1008	1008	1008

	T	--	10,0 t	8,85 x 2,66 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.20

m	m >< t	CODE > 0002 < B131 0100												
m	**20,7**	**25,9**	**25,9**											
3,5														
4,0	26,4													
4,5	22,7													
5,0	19,7	19,0	19,1											
6,0	15,1	14,9	14,9											
7,0	11,7	11,8	11,9											
8,0	9,1	9,4	9,5											
*** n ***	3	2	2											
1	0+	0+	0+											
2	0+	0+	0+											
3	0+	0+	0+											
4	0+	46-	0+											
5	46-	46+	92-											
%														
m/s	14,3	12,8	12,8											
TAB ***	1008	1008	1008											

	T	--	10,0 t	8,85 x 2,66 m	360°	

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t	CODE > 0003 <					B131 0400							
	15,5	**20,7**	**20,7**	**20,7**	**20,7**	**25,9**	**25,9**	**25,9**	**25,9**	**26,8**	**31,1**	**31,1**	**31,1**	**31,1**
3,0	100,0													
3,5	74,0	59,0	61,0	64,0	56,0									
4,0	58,0	47,5	49,5	52,0	53,0	38,5	42,0	48,0	48,0	47,0				
4,5	47,0	39,0	41,0	43,0	44,5	32,0	35,0	40,5	41,0	40,0				
5,0	39,0	32,5	34,5	36,5	38,0	26,9	29,7	35,0	35,0	35,0	22,2	25,0	25,7	31,5
6,0	27,9	23,7	25,3	27,1	28,3	19,4	22,1	26,9	27,0	26,8	15,9	18,6	19,2	24,4
7,0	20,8	17,6	19,1	20,7	21,9	14,2	16,7	21,3	21,4	21,3	11,4	14,0	14,5	19,5
8,0	15,8	13,2	14,7	16,2	17,3	10,5	12,8	17,2	17,2	17,2		10,5	11,1	15,8
9,0	12,1	9,9	11,3	12,8	13,9		9,8	14,0	14,1	14,1		7,8	8,4	13,0
10,0	9,3	7,4	8,7	10,1	11,2		7,5	11,5	11,6	11,6				10,7
11,0	7,2		6,7	8,0	9,0			9,5	9,5	9,6				8,8
12,0	5,5			6,3	7,3			7,8	7,9	7,9				7,3
14,0										5,4				
*** n ***	11	6	6	7	6	4	5	5	5	5	3	3	3	4
% 1	0+	0+	0+	0+	0+	46+	0+	0+	0+	0+	92+	46+	0+	0+
% 2	0+	46+	0+	0+	0+	46+	46+	0+	0+	0+	46+	46+	92+	0+
% 3	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	0+	46+	46+	46+
% 4	0+	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	0+	0+	46+
% 5	0+	0+	0+	0+	46+	0+	0+	46+	92+	100+	0+	0+	0+	46+
m/s	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8
TAB ***	1339	1339	1339	1339	1339	1339	1339	1339	1339	1339	1339	1339	1339	1339

	T	--	0,0 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m >< t CODE > 0003 < B131 0400

m	31,1	31,1	36,3	36,3	36,3	36,3	36,3	36,3	38,1	41,5	41,5	41,5	41,5	41,5
3,0														
3,5														
4,0														
4,5														
5,0	31,5	33,0												
6,0	24,7	26,0	15,2	16,6	18,2	21,4	21,9	24,1	23,5					
7,0	19,7	21,0	11,2	12,5	14,0	17,1	17,5	19,6	19,2		11,4	14,2	14,8	17,0
8,0	16,0	17,2		9,5	10,9	13,8	14,2	16,2	16,0		8,6	11,3	11,9	13,9
9,0	13,1	14,3			8,4	11,2	11,6	13,6	13,4			9,0	9,5	11,6
10,0	10,9	12,0				9,2	9,5	11,4	11,3			7,1	7,6	9,6
11,0	9,0	10,1				7,5	7,8	9,7	9,6					8,0
12,0	7,4	8,5				6,0	6,4	8,2	8,1					6,6
14,0		6,0						5,8	5,8					
*** n ***	4	4	2	2	2	3	3	3	3	0	2	2	2	2
1	0+	0+	92+	46+	46+	0+	0+	0+	0+	92+	92+	46+	0+	0+
2	0+	0+	46+	92+	46+	46+	0+	0+	0+	92+	46+	46+	92+	46+
3	0+	0+	46+	46+	46+	46+	92+	0+	0+	46+	46+	46+	46+	46+
4	92+	46+	0+	0+	46+	46+	46+	92+	100+	0+	46+	46+	46+	46+
5 %	46+	92+	0+	0+	0+	46+	46+	92+	100+	0+	0+	46+	46+	92+
m/s	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1
TAB ***	1339	1339	1339	1339	1339	1339	1339	1339	1339	1339	1339	1339	1339	1339

	T	--	0,0 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t	CODE > 0003 < B131 0400												
	41,5	**41,5**	**46,7**	**46,7**	**46,7**	**46,7**	**46,7**	**46,7**	**46,7**	**49,4**	**51,9**	**51,9**	**51,9**	**51,9**
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	16,9	18,3												
8,0	13,9	15,3		10,1	11,8	11,2	12,5	13,5	13,9					
9,0	11,5	12,8		8,0	9,6	9,1	10,4	11,3	11,7				9,5	9,0
10,0	9,5	10,9			7,8	7,3	8,6	9,4	9,8				7,8	7,3
11,0	7,9	9,2			6,4		7,1	7,9	8,3				6,4	
12,0	6,5	7,8						6,6	7,0					
14,0		5,6												
*** n ***	2	2	0	1	2	2	2	2	2	0	0	0	1	1
1	0+	0+	92+	46+	46+	0+	0+	0+	0+	0+	92+	46+	46+	0+
2	0+	0+	46+	92+	46+	92+	46+	46+	0+	0+	92+	92+	46+	92+
3	92+	46+	46+	46+	46+	92+	92+	46+	92+	100+	46+	92+	46+	92+
4	92+	92+	46+	46+	46+	46+	92+	92+	92+	100+	46+	46+	92+	92+
5 %	46+	92+	46+	46+	92+	46+	46+	92+	92+	100+	46+	46+	92+	46+
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1
TAB ***	1339	1339	1339	1339	1339	1339	1339	1339	1339	1339	1339	1339	1339	1339

	T	--	0,0 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t	CODE > 0003 <												
	51,9	**57,1**	**57,1**	**57,1**	**57,1**	**60,7**	**62,3**	**62,3**	**67,5**	**72,0**	**20,7**	**25,9**	**31,1**	**20,7**
3,0														
3,5											46,5			49,5
4,0											46,5	38,5		49,0
4,5											39,0	32,0		41,0
5,0											32,5	26,9	22,2	34,5
6,0											23,7	19,4	15,9	25,3
7,0											17,6	14,2	11,4	19,1
8,0											13,2	10,5		14,7
9,0	10,6										9,9			11,3
10,0	8,9				7,5						7,4			8,7
11,0	7,5				6,2									6,7
12,0	6,3													
14,0														
*** n ***	1	0	0	0	1	0	0	0	0	0	5	4	3	5
1	0+	92+	46+	46+	0+	0+	92+	46+	92+	100+	0+	46-	92-	0+
2	46+	92+	92+	46+	92+	100+	92+	92+	92+	100+	46-	46+	46+	0+
3	92+	92+	92+	92+	92+	100+	92+	92+	92+	100+	0+	0+	0+	46-
4	92+	46+	92+	92+	92+	100+	92+	92+	92+	100+	0+	0+	0+	0+
5 %	92+	46+	46+	92+	92+	100+	46+	92+	92+	100+	0+	0+	0+	0+
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	14,3	12,8	12,8	14,3
TAB ***	1339	1339	1339	1339	1339	1339	1339	1339	1339	1339	1339	1339	1339	1339

	T	--	0,0 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t	CODE > 0003 <												
	25,9	**31,1**	**36,3**	**20,7**	**36,3**	**41,5**	**31,1**	**36,3**	**41,5**	**20,7**	**25,9**	**31,1**	**36,3**	**41,5**
3,0														
3,5				53,0						55,0				
4,0	42,0			52,0						53,0	48,0			
4,5	35,0			43,0						44,5	40,5			
5,0	29,7	25,0		36,5			25,7			38,0	35,0	31,5		
6,0	22,1	18,6	15,2	27,1	18,2		19,2	16,6		28,3	26,9	24,4	21,4	
7,0	16,7	14,0	11,2	20,7	14,0	11,4	14,5	12,5		21,9	21,3	19,5	17,1	14,2
8,0	12,8	10,5		16,2	10,9	8,6	11,1	9,5		17,3	17,2	15,8	13,8	11,3
9,0	9,8	7,8		12,8	8,4		8,4			13,9	14,0	13,0	11,2	9,0
10,0	7,5			10,1						11,2	11,5	10,7	9,2	7,1
11,0				8,0						9,0	9,5	8,8	7,5	
12,0				6,3						7,3	7,8	7,3	6,0	
14,0														
*** n ***	5	3	2	6	2	2	3	2	0	6	5	4	3	2
1	0+	46-	92-	0+	46-	92-	0+	46-	92-	0+	0+	0+	0+	46-
2	46-	46+	46+	0+	46-	46+	92-	92+	92+	0+	0+	0+	46-	46+
3	46+	46+	46+	0+	46-	46+	46+	46+	46+	0+	0+	46-	46+	46+
4	0+	0+	0+	46-	46+	46+	0+	0+	0+	0+	46-	46+	46+	46+
5	0+	0+	0+	0+	0+	0+	0+	0+	0+	46-	46+	46+	46+	46+
%														
m/s	12,8	12,8	11,1	14,3	11,1	11,1	12,8	11,1	11,1	14,3	12,8	12,8	11,1	11,1
TAB ***	1339	1339	1339	1339	1339	1339	1339	1339	1339	1339	1339	1339	1339	1339

	T	--	0,0 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m >< t CODE > 0003 < B131 0400

m	46,7	25,9	31,1	41,5	46,7	41,5	46,7	51,9	36,3	41,5	46,7	51,9	36,3	46,7
3,0														
3,5														
4,0		42,0												
4,5		40,0												
5,0		35,0	33,0											
6,0		27,0	26,0						24,1				21,9	
7,0		21,4	21,0	17,0		14,8			19,6	18,3			17,5	
8,0		17,2	17,2	13,9	11,8	11,9	10,1		16,2	15,3	13,5		14,2	11,2
9,0		14,1	14,3	11,6	9,6	9,5	8,0		13,6	12,8	11,3	9,5	11,6	9,1
10,0		11,6	12,0	9,6	7,8	7,6			11,4	10,9	9,4	7,8	9,5	7,3
11,0		9,5	10,1	8,0	6,4				9,7	9,2	7,9	6,4	7,8	
12,0		7,9	8,5	6,6					8,2	7,8	6,6		6,4	
14,0			6,0						5,8	5,6				
*** n ***	0	5	4	2	2	2	1	0	3	2	2	1	3	2
1	92-	0+	0+	0+	46-	0+	46-	92-	0+	0+	0+	46-	0+	0+
2	46+	0+	0+	46-	46+	92-	92+	92+	0+	0+	46-	46+	0+	92-
3	46+	0+	0+	46-	46+	46+	46+	46+	0+	46-	46+	46+	92-	92+
4	46+	0+	46-	46+	46+	46+	46+	46+	92-	92+	92+	92+	46+	46+
5 %	46+	92-	92+	92+	92+	46+	46+	46+	92+	92+	92+	92+	46+	46+
m/s	11,1	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1
TAB ***	1339	1339	1339	1339	1339	1339	1339	1339	1339	1339	1339	1339	1339	1339

	T	--	0,0 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m >< t CODE > 0003 < B131 0400

m	51,9	57,1	46,7	51,9	57,1	31,1	41,5	46,7	51,9	57,1	62,3	57,1	62,3	67,5
3,0														
3,5														
4,0														
4,5														
5,0						31,5								
6,0						24,7								
7,0						19,7	16,9							
8,0			13,9			16,0	13,9	12,5						
9,0			11,7	10,6		13,1	11,5	10,4	9,0					
10,0			9,8	8,9		10,9	9,5	8,6	7,3			7,5		
11,0			8,3	7,5		9,0	7,9	7,1				6,2		
12,0			7,0	6,3		7,4	6,5							
14,0														
*** n ***	0	0	2	1	0	4	2	2	1	0	0	1	0	0

%														
1	46-	92-	0+	0+	46-	0+	0+	0+	0+	46-	92-	0+	46-	92-
2	92+	92+	0+	46-	46+	0+	0+	46-	92-	92+	92+	92-	92+	92-
3	92+	92+	92-	92+	92+	0+	92-	92+	92+	92+	92+	92+	92+	92-
4	46+	46+	92+	92+	92+	92-	92+	92+	92+	92+	92+	92+	92+	92-
5	46+	46+	92+	92+	92+	46+	46+	46+	46+	46+	46+	92+	92+	92-
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1
TAB ***	1339	1339	1339	1339	1339	1339	1339	1339	1339	1339	1339	1339	1339	1339

	T	--	0,0 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t	CODE > 0003 < B131 0400												
m	**72,0**													
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
14,0														
*** n ***	0													
1	100-													
2	100-													
3	100-													
4	100-													
5	100-													
%														
m/s	11,1													
TAB ***	1339													

	T	--	0,0 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t	CODE > 0004 <												B131 0500
	15,5	**20,7**	**20,7**	**20,7**	**20,7**	**25,9**	**25,9**	**25,9**	**25,9**	**26,8**	**31,1**	**31,1**	**31,1**	**31,1**
3,0	141,0													
3,5	106,0	86,0	88,0	76,0	56,0									
4,0	84,0	70,0	72,0	74,0	56,0	58,0	61,0	56,0	54,0	51,0				
4,5	69,0	58,0	60,0	62,0	57,0	49,0	52,0	56,0	54,0	51,0				
5,0	58,0	49,5	51,0	53,0	55,0	42,0	45,0	50,0	50,0	50,0	36,0	39,0	39,5	45,5
6,0	43,0	37,5	39,0	40,5	42,0	32,0	34,5	39,5	39,5	39,0	27,5	30,0	31,0	36,0
7,0	33,0	29,0	30,5	32,0	33,5	24,8	27,3	32,0	32,0	32,0	21,3	23,9	24,5	29,5
8,0	26,4	23,1	24,5	26,1	27,2	19,7	22,0	26,4	26,5	26,4	16,8	19,2	19,8	24,6
9,0	21,4	18,6	20,0	21,5	22,6	15,7	18,0	22,2	22,2	22,2	13,2	15,6	16,1	20,7
10,0	17,6	15,1	16,5	17,9	18,9	12,6	14,8	18,8	18,9	18,9	10,4	12,7	13,2	17,7
11,0	14,4	12,3	13,6	15,0	16,1	10,0	12,2	16,1	16,2	16,2	8,1	10,3	10,8	15,2
12,0	11,6	10,1	11,4	12,7	13,7	8,0	10,1	13,9	14,0	14,0	6,1	8,3	8,8	13,1
14,0		6,6	7,9	9,1	10,1		6,8	10,5	10,5	10,6			5,7	9,9
16,0			5,3	6,3	7,1			7,9	8,0	8,0				7,4
18,0			3,2	4,2	4,9			6,0	6,0	6,1				5,6
20,0								4,3	4,3	4,5				4,1
22,0								3,0	3,0	3,2				
24,0										2,1				
*** n ***	14!	9	9	8	6	6	6	6	6	5	4	4	4	5
1	0+	0+	0+	0+	0+	46+	0+	0+	0+	0+	92+	46+	0+	0+
2	0+	46+	0+	0+	0+	46+	46+	0+	0+	0+	46+	46+	92+	0+
3	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	0+	46+	46+	46+
4	0+	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	0+	0+	46+
5 %	0+	0+	0+	0+	46+	0+	0+	46+	92+	100+	0+	0+	0+	46+
m/s	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8
TAB ***	1338	1338	1338	1338	1338	1338	1338	1338	1338	1338	1338	1338	1338	1338

	T	--	10,0 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t	CODE > 0004 < B131 0500												
	31,1	**31,1**	**36,3**	**36,3**	**36,3**	**36,3**	**36,3**	**36,3**	**38,1**	**41,5**	**41,5**	**41,5**	**41,5**	**41,5**
3,0														
3,5														
4,0														
4,5														
5,0	45,5	47,0												
6,0	36,5	37,5	26,0	27,4	29,0	32,0	32,5	35,0	34,0					
7,0	29,7	31,0	20,6	21,9	23,4	26,5	26,9	29,0	28,4	19,2	20,2	23,1	23,7	25,8
8,0	24,7	25,9	16,4	17,7	19,1	22,1	22,5	24,5	24,1	15,4	16,4	19,2	19,7	21,8
9,0	20,9	22,1	13,1	14,4	15,8	18,6	19,0	21,0	20,7	12,4	13,4	16,1	16,6	18,6
10,0	17,8	19,0	10,5	11,7	13,1	15,8	16,2	18,1	17,9	9,9	10,9	13,5	14,0	16,0
11,0	15,3	16,4	8,3	9,5	10,9	13,6	13,9	15,8	15,6	7,9	8,9	11,4	11,9	13,9
12,0	13,3	14,3	6,5	7,7	9,0	11,6	12,0	13,8	13,7	6,2	7,2	9,7	10,2	12,1
14,0	10,0	11,1			6,0	8,6	8,9	10,7	10,6			6,9	7,3	9,2
16,0	7,6	8,6				6,3	6,6	8,3	8,3			4,7	5,2	7,0
18,0	5,7	6,7				4,6	4,9	6,5	6,5					5,2
20,0	4,2	5,2						5,1	5,1					3,9
22,0		4,0						3,9	3,9					
24,0														
*** n ***	5	5	3	3	3	4	4	4	4	2	2	3	3	3
% 1	0+	0+	92+	46+	46+	0+	0+	0+	0+	92+	92+	46+	0+	0+
% 2	0+	0+	46+	92+	46+	46+	0+	0+	0+	92+	46+	46+	92+	46+
% 3	0+	0+	46+	46+	46+	46+	92+	0+	0+	46+	46+	46+	46+	46+
% 4	92+	46+	0+	0+	46+	46+	46+	92+	100+	0+	46+	46+	46+	46+
% 5	46+	92+	0+	0+	0+	46+	46+	92+	100+	0+	0+	46+	46+	92+
m/s	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1
TAB ***	1338	1338	1338	1338	1338	1338	1338	1338	1338	1338	1338	1338	1338	1338

	T	--	10,0 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t	CODE > 0004 <												B131 0500
	41,5	**41,5**	**46,7**	**46,7**	**46,7**	**46,7**	**46,7**	**46,7**	**46,7**	**49,4**	**51,9**	**51,9**	**51,9**	**51,9**
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	25,8	27,2												
8,0	21,7	23,1	16,6	17,6	19,3	18,7	20,0	21,0	21,4					
9,0	18,5	19,9	13,8	14,7	16,4	15,8	17,1	18,0	18,4	17,9	12,8	14,1	16,0	15,5
10,0	15,9	17,3	11,5	12,4	14,0	13,5	14,7	15,6	16,0	15,6	10,7	12,0	13,8	13,3
11,0	13,8	15,1	9,6	10,5	12,0	11,5	12,7	13,6	14,0	13,7	8,9	10,1	11,9	11,4
12,0	12,0	13,3	7,9	8,8	10,3	9,8	11,0	11,9	12,3	12,0	7,3	8,6	10,3	9,8
14,0	9,1	10,3	5,3	6,2	7,6	7,1	8,3	9,1	9,5	9,3		6,1	7,8	7,3
16,0	6,9	8,1			5,6	5,1	6,3	7,0	7,4	7,3			5,8	5,3
18,0	5,2	6,4					4,6	5,4	5,7	5,6			4,2	
20,0		5,0						4,1	4,4	4,3				
22,0		3,8												
24,0														
*** n ***	3	3	2	2	2	2	2	2	3	2	2	2	2	2
1	0+	0+	92+	46+	46+	0+	0+	0+	0+	0+	92+	46+	46+	0+
2	0+	0+	46+	92+	46+	92+	46+	46+	0+	0+	92+	92+	46+	92+
3	92+	46+	46+	46+	46+	92+	92+	46+	92+	100+	46+	92+	46+	92+
4	92+	92+	46+	46+	46+	46+	92+	92+	92+	100+	46+	46+	92+	92+
5 %	46+	92+	46+	46+	92+	46+	46+	92+	92+	100+	46+	46+	92+	46+
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1
TAB ***	1338	1338	1338	1338	1338	1338	1338	1338	1338	1338	1338	1338	1338	1338

	T	--	10,0 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t	CODE > 0004 <												B131 0500
	51,9	**57,1**	**57,1**	**57,1**	**57,1**	**60,7**	**62,3**	**62,3**	**67,5**	**72,0**	**20,7**	**25,9**	**31,1**	**20,7**
3,0														
3,5											46,5			49,5
4,0											46,5	38,5		49,0
4,5											46,0	38,0		49,0
5,0											46,0	38,0	26,8	49,0
6,0											37,5	32,0	25,5	39,0
7,0											29,0	24,8	21,3	30,5
8,0											23,1	19,7	16,8	24,5
9,0	17,1										18,6	15,7	13,2	20,0
10,0	14,8	10,3	11,8	13,0	13,3						15,1	12,6	10,4	16,5
11,0	12,9	8,6	10,1	11,2	11,5		8,8	10,4			12,3	10,0	8,1	13,6
12,0	11,3	7,1	8,6	9,7	10,0		7,4	9,0	7,6		10,1	8,0	6,1	11,4
14,0	8,7		6,3	7,3	7,6		5,1	6,7	5,4		6,6			7,9
16,0	6,7			5,4	5,7			4,9						5,3
18,0	5,2				4,2									3,2
20,0	3,9													
22,0														
24,0														
*** n ***	2	1	2	2	2	0	1	1	1	0	5	4	3	5
1	0+	92+	46+	46+	0+	0+	92+	46+	92+	100+	0+	46-	92-	0+
2	46+	92+	92+	46+	92+	100+	92+	92+	92+	100+	46-	46+	46+	0+
3	92+	92+	92+	92+	92+	100+	92+	92+	92+	100+	0+	0+	0+	46-
4	92+	46+	92+	92+	92+	100+	92+	92+	92+	100+	0+	0+	0+	0+
5 %	92+	46+	46+	92+	92+	100+	46+	92+	92+	100+	0+	0+	0+	0+
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	14,3	12,8	12,8	14,3
TAB ***	1338	1338	1338	1338	1338	1338	1338	1338	1338	1338	1338	1338	1338	1338

	T	--	10,0 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t													
	CODE > 0004 < B131 0500													
m	**25,9**	**31,1**	**36,3**	**20,7**	**36,3**	**41,5**	**31,1**	**36,3**	**41,5**	**20,7**	**25,9**	**31,1**	**36,3**	**41,5**
3,0														
3,5				53,0						55,0				
4,0	44,5			53,0						55,0	51,0			
4,5	44,5			53,0						55,0	49,5			
5,0	44,0	37,0		53,0			31,5			55,0	49,5	45,5		
6,0	34,5	30,0	24,5	40,5	29,0		29,1	27,4		42,0	39,5	36,0	32,0	
7,0	27,3	23,9	20,6	32,0	23,4	20,2	24,5	21,9	19,2	33,5	32,0	29,5	26,5	23,1
8,0	22,0	19,2	16,4	26,1	19,1	16,4	19,8	17,7	15,4	27,2	26,4	24,6	22,1	19,2
9,0	18,0	15,6	13,1	21,5	15,8	13,4	16,1	14,4	12,4	22,6	22,2	20,7	18,6	16,1
10,0	14,8	12,7	10,5	17,9	13,1	10,9	13,2	11,7	9,9	18,9	18,8	17,7	15,8	13,5
11,0	12,2	10,3	8,3	15,0	10,9	8,9	10,8	9,5	7,9	16,1	16,1	15,2	13,6	11,4
12,0	10,1	8,3	6,5	12,7	9,0	7,2	8,8	7,7	6,2	13,7	13,9	13,1	11,6	9,7
14,0	6,8			9,1	6,0		5,7			10,1	10,5	9,9	8,6	6,9
16,0				6,3						7,1	7,9	7,4	6,3	4,7
18,0				4,2						4,9	6,0	5,6	4,6	
20,0											4,3	4,1		
22,0											3,0			
24,0														
*** n ***	5	4	3	6	3	2	4	3	2	6	5	5	4	3
1	0+	46-	92-	0+	46-	92-	0+	46-	92-	0+	0+	0+	0+	46-
2	46-	46+	46+	0+	46-	46+	92-	92+	92+	0+	0+	0+	46-	46+
3	46+	46+	46+	0+	46-	46+	46+	46+	46+	0+	0+	46-	46+	46+
4	0+	0+	0+	46-	46+	46+	0+	0+	0+	0+	46-	46+	46+	46+
5 %	0+	0+	0+	0+	0+	0+	0+	0+	0+	46-	46+	46+	46+	46+
m/s	12,8	12,8	11,1	14,3	11,1	11,1	12,8	11,1	11,1	14,3	12,8	12,8	11,1	11,1
TAB ***	1338	1338	1338	1338	1338	1338	1338	1338	1338	1338	1338	1338	1338	1338

	T	--	10,0 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t	CODE > 0004 <							B131 0500					
	46,7	**25,9**	**31,1**	**41,5**	**46,7**	**41,5**	**46,7**	**51,9**	**36,3**	**41,5**	**46,7**	**51,9**	**36,3**	**46,7**
3,0														
3,5														
4,0		42,0												
4,5		40,0												
5,0		39,5	47,0											
6,0		38,0	37,5						33,0				31,5	
7,0		32,0	31,0	25,8		23,7			29,0	27,2			26,9	
8,0	16,6	26,5	25,9	21,8	19,3	19,7	17,6		24,5	23,1	21,0		22,5	18,7
9,0	13,8	22,2	22,1	18,6	16,4	16,6	14,7	12,8	21,0	19,9	18,0	16,0	19,0	15,8
10,0	11,5	18,9	19,0	16,0	14,0	14,0	12,4	10,7	18,1	17,3	15,6	13,8	16,2	13,5
11,0	9,6	16,2	16,4	13,9	12,0	11,9	10,5	8,9	15,8	15,1	13,6	11,9	13,9	11,5
12,0	7,9	14,0	14,3	12,1	10,3	10,2	8,8	7,3	13,8	13,3	11,9	10,3	12,0	9,8
14,0	5,3	10,5	11,1	9,2	7,6	7,3	6,2		10,7	10,3	9,1	7,8	8,9	7,1
16,0		8,0	8,6	7,0	5,6	5,2			8,3	8,1	7,0	5,8	6,6	5,1
18,0		6,0	6,7	5,2					6,5	6,4	5,4	4,2	4,9	
20,0		4,3	5,2	3,9					5,1	5,0	4,1			
22,0		3,0	4,0						3,9	3,8				
24,0														
*** n ***	2	5	5	3	2	3	2	2	4	3	2	2	4	2
% 1	92-	0+	0+	0+	46-	0+	46-	92-	0+	0+	0+	46-	0+	0+
% 2	46+	0+	0+	46-	46+	92-	92+	92+	0+	0+	46-	46+	0+	92-
% 3	46+	0+	0+	46-	46+	46+	46+	46+	0+	46-	46+	46+	92-	92+
% 4	46+	0+	46-	46+	46+	46+	46+	46+	92-	92+	92+	92+	46+	46+
% 5	46+	92-	92+	92+	92+	46+	46+	46+	92+	92+	92+	92+	46+	46+
m/s	11,1	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1
TAB ***	1338	1338	1338	1338	1338	1338	1338	1338	1338	1338	1338	1338	1338	1338

	T	--	10,0 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t	CODE > 0004 <												B131 0500
	51,9	**57,1**	**46,7**	**51,9**	**57,1**	**31,1**	**41,5**	**46,7**	**51,9**	**57,1**	**62,3**	**57,1**	**62,3**	**67,5**
3,0														
3,5														
4,0														
4,5														
5,0						36,0								
6,0						34,5								
7,0						29,7	25,8							
8,0			21,4			24,7	21,7	20,0						
9,0	14,1		18,4	17,1		20,9	18,5	17,1	15,5					
10,0	12,0	10,3	16,0	14,8	13,0	17,8	15,9	14,7	13,3	11,8		13,3		
11,0	10,1	8,6	14,0	12,9	11,2	15,3	13,8	12,7	11,4	10,1	8,8	11,5	10,4	
12,0	8,6	7,1	12,3	11,3	9,7	13,3	12,0	11,0	9,8	8,6	7,4	10,0	9,0	7,6
14,0	6,1		9,5	8,7	7,3	10,0	9,1	8,3	7,3	6,3	5,1	7,6	6,7	5,4
16,0			7,4	6,7	5,4	7,6	6,9	6,3	5,3			5,7	4,9	
18,0			5,7	5,2		5,7	5,2	4,6				4,2		
20,0			4,4	3,9		4,2								
22,0														
24,0														
*** n ***	2	1	3	2	2	4	3	2	2	2	1	2	1	1
1	46-	92-	0+	0+	46-	0+	0+	0+	0+	46-	92-	0+	46-	92-
2	92+	92+	0+	46-	46+	0+	0+	46-	92-	92+	92+	92-	92+	92-
3	92+	92+	92-	92+	92+	0+	92-	92+	92+	92+	92+	92+	92+	92-
4	46+	46+	92+	92+	92+	92-	92+	92+	92+	92+	92+	92+	92+	92-
5 %	46+	46+	92+	92+	92+	46+	46+	46+	46+	46+	46+	92+	92+	92-
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1
TAB ***	1338	1338	1338	1338	1338	1338	1338	1338	1338	1338	1338	1338	1338	1338

	T	--	10,0 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t	CODE > 0004 < B131 0500												
m	**72,0**													
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
14,0														
16,0														
18,0														
20,0														
22,0														
24,0														
*** n ***	0													
1	100-													
2	100-													
3	100-													
4	100-													
5	100-													
%														
m/s	11,1													
TAB ***	1338													

	T	--	10,0 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m >< t CODE > 0005 < B131 0600

m	15,5	20,7	20,7	20,7	20,7	25,9	25,9	25,9	25,9	26,8	31,1	31,1	31,1	31,1
3,0	141,0													
3,5	140,0	117,0	120,0	76,0	56,0									
4,0	115,0	96,0	99,0	76,0	56,0	81,0	85,0	56,0	54,0	51,0				
4,5	95,0	81,0	83,0	76,0	57,0	70,0	73,0	56,0	54,0	51,0				
5,0	81,0	70,0	72,0	74,0	57,0	60,0	63,0	56,0	53,0	50,0	53,0	56,0	56,0	56,0
6,0	61,0	54,0	55,0	57,0	58,0	47,0	49,5	55,0	48,0	45,0	41,5	44,0	44,5	50,0
7,0	48,0	42,5	44,5	46,0	47,0	37,5	40,0	45,0	43,5	41,0	33,5	36,0	36,5	41,5
8,0	39,0	35,0	36,5	38,0	39,0	30,5	33,0	37,5	37,5	37,5	27,2	29,7	30,0	35,0
9,0	32,5	29,0	30,5	32,0	33,0	25,5	27,8	32,0	32,0	32,0	22,5	24,9	25,4	30,0
10,0	26,7	24,4	25,8	27,2	28,3	21,4	23,6	27,7	27,7	27,6	18,8	21,1	21,6	26,1
11,0	22,3	20,7	22,0	23,5	24,5	18,0	20,2	24,1	24,2	24,1	15,7	17,9	18,4	22,8
12,0	18,8	17,7	19,0	20,4	21,2	15,3	17,4	21,2	21,3	21,3	13,1	15,3	15,8	20,1
14,0		13,1	14,2	15,2	15,9	11,0	13,0	16,7	16,8	16,8	9,1	11,3	11,7	15,9
16,0		9,3	10,4	11,4	12,2	7,8	9,8	13,3	13,3	13,5	6,2	8,3	8,7	12,7
18,0		6,6	7,7	8,6	9,4	5,5	7,4	10,5	10,5	10,7		5,9	6,4	10,3
20,0						3,6	5,3	8,3	8,3	8,4		4,1	4,5	8,4
22,0							3,7	6,5	6,6	6,7				6,6
24,0										5,3				5,2
26,0														4,0
28,0														3,1
30,0														
32,0														
34,0														
*** n ***	14!	12	13	8	6	9	9	6	6	5	6	6	6	6
1	0+	0+	0+	0+	0+	46+	0+	0+	0+	0+	92+	46+	0+	0+
2	0+	46+	0+	0+	0+	46+	46+	0+	0+	0+	46+	46+	92+	0+
3	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	0+	46+	46+	46+
4	0+	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	0+	0+	46+
5 %	0+	0+	0+	0+	46+	0+	0+	46+	92+	100+	0+	0+	0+	46+
m/s	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8
TAB ***	1337	1337	1337	1337	1337	1337	1337	1337	1337	1337	1337	1337	1337	1337

	T	--	22,5 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t													
	CODE > 0005 < B131 0600													
m	**31,1**	**31,1**	**36,3**	**36,3**	**36,3**	**36,3**	**36,3**	**36,3**	**38,1**	**41,5**	**41,5**	**41,5**	**41,5**	**41,5**
3,0														
3,5														
4,0														
4,5														
5,0	52,0	52,0												
6,0	47,5	47,5	39,0	40,5	42,0	45,5	45,5	39,5	36,0					
7,0	41,5	43,0	32,0	33,0	34,5	37,5	38,0	36,5	34,0	29,8	31,0	33,5	34,5	36,5
8,0	35,0	36,5	26,3	27,6	29,1	32,0	32,5	33,5	31,5	24,8	25,9	28,6	29,2	31,5
9,0	30,0	31,5	22,0	23,3	24,7	27,5	27,9	29,9	29,4	20,9	21,9	24,5	25,1	27,1
10,0	26,2	27,4	18,5	19,8	21,1	23,9	24,3	26,2	25,8	17,7	18,6	21,2	21,8	23,7
11,0	23,0	24,1	15,7	16,9	18,2	20,9	21,3	23,1	22,8	15,0	15,9	18,5	19,0	20,9
12,0	20,3	21,4	13,3	14,4	15,7	18,4	18,7	20,6	20,3	12,7	13,7	16,2	16,7	18,6
14,0	16,0	17,1	9,5	10,6	11,9	14,4	14,8	16,5	16,4	9,1	10,1	12,5	13,0	14,8
16,0	12,9	13,9	6,6	7,7	9,0	11,5	11,8	13,5	13,4	6,4	7,3	9,7	10,1	12,0
18,0	10,4	11,5	4,4	5,5	6,7	9,1	9,4	11,1	11,1	4,3	5,2	7,5	7,9	9,7
20,0	8,5	9,4			4,9	7,3	7,6	9,2	9,2			5,8	6,2	7,9
22,0	6,7	7,6				5,8	6,1	7,7	7,7			4,3	4,7	6,4
24,0	5,3	6,2				4,5	4,8	6,3	6,4				3,5	5,2
26,0	4,2	5,0				3,5	3,8	5,1	5,2					4,2
28,0	3,2	4,1					2,8	4,1	4,2					3,3
30,0								3,3	3,4					
32,0								2,6	2,7					
34,0									2,1					
*** n ***	6	6	4	4	5	5	5	4	4	3	3	4	4	4
1	0+	0+	92+	46+	46+	0+	0+	0+	0+	92+	92+	46+	0+	0+
2	0+	0+	46+	92+	46+	46+	0+	0+	0+	92+	46+	46+	92+	46+
3	0+	0+	46+	46+	46+	46+	92+	0+	0+	46+	46+	46+	46+	46+
4	92+	46+	0+	0+	46+	46+	46+	92+	100+	0+	46+	46+	46+	46+
5 %	46+	92+	0+	0+	0+	46+	46+	92+	100+	0+	0+	46+	46+	92+
m/s	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1
TAB ***	1337	1337	1337	1337	1337	1337	1337	1337	1337	1337	1337	1337	1337	1337

	T	--	22,5 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t	CODE > 0005 <												
	41,5	**41,5**	**46,7**	**46,7**	**46,7**	**46,7**	**46,7**	**46,7**	**46,7**	**49,4**	**51,9**	**51,9**	**51,9**	**51,9**
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	36,5	35,5												
8,0	31,0	32,5	25,6	26,6	28,3	27,7	29,1	30,0	30,0					
9,0	27,0	28,4	21,9	22,9	24,5	24,0	25,3	26,2	26,6	25,9	20,6	22,0	23,8	23,3
10,0	23,7	25,0	18,9	19,8	21,4	20,9	22,2	23,0	23,4	22,9	17,8	19,1	20,9	20,4
11,0	20,9	22,2	16,4	17,3	18,8	18,3	19,6	20,4	20,8	20,4	15,4	16,7	18,5	18,0
12,0	18,5	19,8	14,2	15,1	16,6	16,1	17,4	18,2	18,6	18,2	13,4	14,7	16,4	15,9
14,0	14,7	16,0	10,8	11,6	13,1	12,6	13,8	14,6	15,0	14,7	10,2	11,4	13,1	12,6
16,0	11,9	13,1	8,1	9,0	10,4	9,9	11,1	11,9	12,3	12,1	7,6	8,9	10,5	10,0
18,0	9,6	10,8	6,1	6,9	8,3	7,8	9,0	9,7	10,1	9,9	5,6	6,8	8,5	8,0
20,0	7,8	9,0	4,4	5,2	6,6	6,1	7,2	8,0	8,3	8,2	4,0	5,2	6,8	6,3
22,0	6,3	7,5		3,8	5,2	4,7	5,8	6,6	6,9	6,8		3,8	5,4	5,0
24,0	5,1	6,3			4,0	3,5	4,6	5,4	5,7	5,6			4,3	3,8
26,0	4,0	5,2					3,6	4,3	4,6	4,6			3,3	
28,0	3,2	4,3						3,5	3,7	3,7				
30,0		3,5						2,7	3,0	3,0				
32,0		2,7												
34,0														
*** n ***	4	4	3	3	3	3	3	3	3	3	2	3	3	3
1	0+	0+	92+	46+	46+	0+	0+	0+	0+	0+	92+	46+	46+	0+
2	0+	0+	46+	92+	46+	92+	46+	46+	0+	0+	92+	92+	46+	92+
3	92+	46+	46+	46+	46+	92+	92+	46+	92+	100+	46+	92+	46+	92+
4	92+	92+	46+	46+	46+	46+	92+	92+	92+	100+	46+	46+	92+	92+
5 %	46+	92+	46+	46+	92+	46+	46+	92+	92+	100+	46+	46+	92+	46+
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1
TAB ***	1337	1337	1337	1337	1337	1337	1337	1337	1337	1337	1337	1337	1337	1337

	T	--	22,5 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t	CODE > 0005 <												B131 0600
	51,9	**57,1**	**57,1**	**57,1**	**57,1**	**60,7**	**62,3**	**62,3**	**67,5**	**72,0**	**20,7**	**25,9**	**31,1**	**20,7**
3,0														
3,5											46,5			49,5
4,0											46,5	38,5		49,0
4,5											46,0	38,0		49,0
5,0											46,0	38,0	26,8	49,0
6,0											46,0	37,5	25,5	48,5
7,0											42,5	37,0	24,4	44,5
8,0											35,0	30,5	23,4	36,5
9,0	24,9										29,0	25,5	22,5	30,5
10,0	22,0	17,2	18,7	19,9	20,1						24,4	21,4	18,8	25,8
11,0	19,5	15,0	16,5	17,6	17,9	17,5	14,9	16,5			20,7	18,0	15,7	22,0
12,0	17,4	13,1	14,6	15,7	15,9	15,6	13,1	14,7	13,2		17,7	15,3	13,1	19,0
14,0	14,1	10,0	11,4	12,5	12,7	12,6	10,2	11,7	10,3	10,0	13,1	11,0	9,1	14,2
16,0	11,5	7,6	9,0	10,1	10,3	10,2	7,9	9,4	8,1	7,8	9,3	7,8	6,2	10,4
18,0	9,4	5,6	7,1	8,1	8,3	8,3	6,0	7,5	6,3	6,1	6,6	5,5		7,7
20,0	7,7	4,1	5,5	6,5	6,7	6,7	4,5	6,0	4,9	4,7		3,6		
22,0	6,3		4,2	5,2	5,4	5,4		4,7	3,6	3,5				
24,0	5,2			4,0	4,2	4,3		3,6						
26,0	4,2			3,1	3,3	3,3								
28,0	3,3													
30,0														
32,0														
34,0														
*** n ***	3	2	2	2	2	2	2	2	2	1	5	4	3	5
1	0+	92+	46+	46+	0+	0+	92+	46+	92+	100+	0+	46-	92-	0+
2	46+	92+	92+	46+	92+	100+	92+	92+	92+	100+	46-	46+	46+	0+
3	92+	92+	92+	92+	92+	100+	92+	92+	92+	100+	0+	0+	0+	46-
4	92+	46+	92+	92+	92+	100+	92+	92+	92+	100+	0+	0+	0+	0+
5 %	92+	46+	46+	92+	92+	100+	46+	92+	92+	100+	0+	0+	0+	0+
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	14,3	12,8	12,8	14,3
TAB ***	1337	1337	1337	1337	1337	1337	1337	1337	1337	1337	1337	1337	1337	1337

	T	--	22,5 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t													
	CODE > 0005 < B131 0600													
m	**25,9**	**31,1**	**36,3**	**20,7**	**36,3**	**41,5**	**31,1**	**36,3**	**41,5**	**20,7**	**25,9**	**31,1**	**36,3**	**41,5**
3,0														
3,5				53,0						55,0				
4,0	44,5			53,0						55,0	51,0			
4,5	44,5			53,0						55,0	49,5			
5,0	44,0	37,0		53,0			31,5			55,0	49,5	46,0		
6,0	43,5	36,5	24,5	53,0	36,0		29,1	35,5		55,0	49,0	45,0	41,5	
7,0	40,0	36,0	23,3	46,0	34,5	22,8	27,9	33,0	22,4	47,0	45,0	41,5	37,5	33,5
8,0	33,0	29,7	22,2	38,0	29,1	21,6	26,8	27,6	21,3	39,0	37,5	35,0	32,0	28,6
9,0	27,8	24,9	21,2	32,0	24,7	19,2	25,4	23,3	18,9	33,0	32,0	30,0	27,5	24,5
10,0	23,6	21,1	18,5	27,2	21,1	18,4	21,6	19,8	17,7	28,3	27,7	26,1	23,9	21,2
11,0	20,2	17,9	15,7	23,5	18,2	15,9	18,4	16,9	15,0	24,5	24,1	22,8	20,9	18,5
12,0	17,4	15,3	13,3	20,4	15,7	13,7	15,8	14,4	12,7	21,2	21,2	20,1	18,4	16,2
14,0	13,0	11,3	9,5	15,2	11,9	10,1	11,7	10,6	9,1	15,9	16,7	15,9	14,4	12,5
16,0	9,8	8,3	6,6	11,4	9,0	7,3	8,7	7,7	6,4	12,2	13,3	12,7	11,5	9,7
18,0	7,4	5,9	4,4	8,6	6,7	5,2	6,4	5,5	4,3	9,4	10,5	10,3	9,1	7,5
20,0	5,3	4,1			4,9		4,5				8,3	8,4	7,3	5,8
22,0	3,7										6,5	6,6	5,8	4,3
24,0												5,2	4,5	
26,0												4,0	3,5	
28,0												3,1		
30,0														
32,0														
34,0														
*** n ***	5	4	3	6	4	3	4	4	3	6	5	5	4	4
1	0+	46-	92-	0+	46-	92-	0+	46-	92-	0+	0+	0+	0+	46-
2	46-	46+	46+	0+	46-	46+	92-	92+	92+	0+	0+	0+	46-	46+
3	46+	46+	46+	0+	46-	46+	46+	46+	46+	0+	0+	46-	46+	46+
4	0+	0+	0+	46-	46+	46+	0+	0+	0+	0+	46-	46+	46+	46+
5 %	0+	0+	0+	0+	0+	0+	0+	0+	0+	46-	46+	46+	46+	46+
m/s	12,8	12,8	11,1	14,3	11,1	11,1	12,8	11,1	11,1	14,3	12,8	12,8	11,1	11,1
TAB ***	1337	1337	1337	1337	1337	1337	1337	1337	1337	1337	1337	1337	1337	1337

	T	--	22,5 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t	CODE > 0005 <												
	46,7	**25,9**	**31,1**	**41,5**	**46,7**	**41,5**	**46,7**	**51,9**	**36,3**	**41,5**	**46,7**	**51,9**	**36,3**	**46,7**
3,0														
3,5														
4,0		42,0												
4,5		40,0												
5,0		39,5	48,0											
6,0		38,0	47,5						33,0				31,5	
7,0		37,0	43,0	36,5		26,2			32,0	35,5			29,1	
8,0	21,3	36,0	36,5	31,5	28,3	25,0	26,6		29,5	32,5	30,0		27,9	24,2
9,0	19,0	32,0	31,5	27,1	24,5	23,9	22,9	18,4	28,4	28,4	26,2	23,8	26,8	23,1
10,0	18,1	27,7	27,4	23,7	21,4	21,8	19,8	17,5	26,2	25,0	23,0	20,9	24,3	20,9
11,0	16,4	24,2	24,1	20,9	18,8	19,0	17,3	15,4	23,1	22,2	20,4	18,5	21,3	18,3
12,0	14,2	21,3	21,4	18,6	16,6	16,7	15,1	13,4	20,6	19,8	18,2	16,4	18,7	16,1
14,0	10,8	16,8	17,1	14,8	13,1	13,0	11,6	10,2	16,5	16,0	14,6	13,1	14,8	12,6
16,0	8,1	13,3	13,9	12,0	10,4	10,1	9,0	7,6	13,5	13,1	11,9	10,5	11,8	9,9
18,0	6,1	10,5	11,5	9,7	8,3	7,9	6,9	5,6	11,1	10,8	9,7	8,5	9,4	7,8
20,0	4,4	8,3	9,4	7,9	6,6	6,2	5,2	4,0	9,2	9,0	8,0	6,8	7,6	6,1
22,0		6,6	7,6	6,4	5,2	4,7	3,8		7,7	7,5	6,6	5,4	6,1	4,7
24,0			6,2	5,2	4,0	3,5			6,3	6,3	5,4	4,3	4,8	3,5
26,0			5,0	4,2					5,1	5,2	4,3	3,3	3,8	
28,0			4,1	3,3					4,1	4,3	3,5		2,8	
30,0									3,3	3,5	2,7			
32,0									2,6	2,7				
34,0														
*** n ***	3	5	5	4	3	3	3	2	4	4	3	3	4	3
1	92-	0+	0+	0+	46-	0+	46-	92-	0+	0+	0+	46-	0+	0+
2	46+	0+	0+	46-	46+	92-	92+	92+	0+	0+	46-	46+	0+	92-
3	46+	0+	0+	46-	46+	46+	46+	46+	0+	46-	46+	46+	92-	92+
4	46+	0+	46-	46+	46+	46+	46+	46+	92-	92+	92+	92+	46+	46+
5 %	46+	92-	92+	92+	92+	46+	46+	46+	92+	92+	92+	92+	46+	46+
m/s	11,1	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1
TAB ***	1337	1337	1337	1337	1337	1337	1337	1337	1337	1337	1337	1337	1337	1337

	T	--	22,5 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t	CODE > 0005 <												
	51,9	**57,1**	**46,7**	**51,9**	**57,1**	**31,1**	**41,5**	**46,7**	**51,9**	**57,1**	**62,3**	**57,1**	**62,3**	**67,5**
3,0														
3,5														
4,0														
4,5														
5,0						36,0								
6,0						34,5								
7,0						33,0	28,1							
8,0			26,4			32,0	26,9	29,1						
9,0	22,0		25,2	24,9		29,8	25,8	25,3	22,7					
10,0	19,1	17,2	23,4	22,0	19,9	26,2	23,7	22,2	20,4	18,7		20,1		
11,0	16,7	15,0	20,8	19,5	17,6	23,0	20,9	19,6	18,0	16,5	14,9	17,9	16,5	
12,0	14,7	13,1	18,6	17,4	15,7	20,3	18,5	17,4	15,9	14,6	13,1	15,9	14,7	13,2
14,0	11,4	10,0	15,0	14,1	12,5	16,0	14,7	13,8	12,6	11,4	10,2	12,7	11,7	10,3
16,0	8,9	7,6	12,3	11,5	10,1	12,9	11,9	11,1	10,0	9,0	7,9	10,3	9,4	8,1
18,0	6,8	5,6	10,1	9,4	8,1	10,4	9,6	9,0	8,0	7,1	6,0	8,3	7,5	6,3
20,0	5,2	4,1	8,3	7,7	6,5	8,5	7,8	7,2	6,3	5,5	4,5	6,7	6,0	4,9
22,0	3,8		6,9	6,3	5,2	6,7	6,3	5,8	5,0	4,2		5,4	4,7	3,6
24,0			5,7	5,2	4,0	5,3	5,1	4,6	3,8			4,2	3,6	
26,0			4,6	4,2	3,1	4,2	4,0	3,6				3,3		
28,0			3,7	3,3		3,2	3,2							
30,0			3,0											
32,0														
34,0														
*** n ***	3	2	3	3	2	4	3	3	3	2	2	2	2	2
1	46-	92-	0+	0+	46-	0+	0+	0+	0+	46-	92-	0+	46-	92-
2	92+	92+	0+	46-	46+	0+	0+	46-	92-	92+	92+	92-	92+	92-
3	92+	92+	92-	92+	92+	0+	92-	92+	92+	92+	92+	92+	92+	92-
4	46+	46+	92+	92+	92+	92-	92+	92+	92+	92+	92+	92+	92+	92-
5 %	46+	46+	92+	92+	92+	46+	46+	46+	46+	46+	46+	92+	92+	92-
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1
TAB ***	1337	1337	1337	1337	1337	1337	1337	1337	1337	1337	1337	1337	1337	1337

	T	--	22,5 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t	CODE > 0005 < B131 0600												
m	**72,0**													
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
14,0	8,8													
16,0	7,7													
18,0	6,1													
20,0	4,7													
22,0	3,5													
24,0														
26,0														
28,0														
30,0														
32,0														
34,0														
*** n ***	1													
1	100-													
2	100-													
3	100-													
4	100-													
5	100-													
%														
m/s	11,1													
TAB ***	1337													

	T	--	22,5 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m >< t CODE > 0006 < B131 0700

m	15,5	20,7	20,7	20,7	20,7	25,9	25,9	25,9	25,9	26,8	31,1	31,1	31,1	31,1
3,0	122,0													
3,5	122,0	112,0	108,0	76,0	56,0									
4,0	121,0	112,0	108,0	76,0	56,0	105,0	108,0	56,0	54,0	51,0				
4,5	121,0	105,0	107,0	76,0	57,0	90,0	94,0	56,0	54,0	51,0				
5,0	104,0	90,0	92,0	77,0	57,0	79,0	82,0	56,0	53,0	50,0	70,0	73,0	73,0	56,0
6,0	79,0	70,0	72,0	74,0	59,0	62,0	65,0	57,0	48,0	45,0	56,0	58,0	59,0	57,0
7,0	63,0	57,0	58,0	60,0	59,0	51,0	53,0	58,0	43,5	41,0	45,5	48,0	48,5	54,0
8,0	52,0	47,0	48,5	50,0	51,0	42,0	44,5	49,0	40,0	38,0	38,0	40,5	41,0	45,5
9,0	43,0	39,5	41,0	42,5	43,5	35,5	37,5	42,0	37,0	35,5	32,0	34,5	35,0	39,5
10,0	35,5	34,0	35,0	36,5	37,5	30,5	32,5	36,5	34,5	32,5	27,3	29,6	30,0	34,5
11,0	30,0	29,3	30,5	32,0	32,5	26,1	28,3	32,5	32,5	30,5	23,4	25,7	26,2	30,5
12,0	25,8	25,4	26,4	27,5	28,3	22,7	24,8	28,7	28,7	28,6	20,2	22,4	22,9	27,2
14,0		19,0	20,0	21,0	21,7	17,3	19,4	22,8	22,8	23,0	15,2	17,4	17,9	22,0
16,0		14,6	15,6	16,5	17,2	13,4	15,4	18,2	18,2	18,4	11,5	13,6	14,1	18,1
18,0		11,2	12,2	13,1	13,9	10,2	12,0	14,8	14,9	15,0	8,6	10,7	11,1	14,9
20,0						7,6	9,3	12,2	12,3	12,4	6,4	8,4	8,8	12,3
22,0						5,6	7,3	10,1	10,1	10,3	4,5	6,5	6,8	10,2
24,0										8,6		4,8	5,1	8,4
26,0												3,4	3,7	7,0
28,0												2,3	2,6	5,8
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
*** n ***	13	12	11	8	6	11	11	6	6	5	7	8	8	6
1	0+	0+	0+	0+	0+	46+	0+	0+	0+	0+	92+	46+	0+	0+
2	0+	46+	0+	0+	0+	46+	46+	0+	0+	0+	46+	46+	92+	0+
3	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	0+	46+	46+	46+
4	0+	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	0+	0+	46+
5 %	0+	0+	0+	0+	46+	0+	0+	46+	92+	100+	0+	0+	0+	46+
m/s	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8
TAB ***	1336	1336	1336	1336	1336	1336	1336	1336	1336	1336	1336	1336	1336	1336

	T	--	35,0 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t													
	CODE > 0006 < B131 0700													
m	**31,1**	**31,1**	**36,3**	**36,3**	**36,3**	**36,3**	**36,3**	**36,3**	**38,1**	**41,5**	**41,5**	**41,5**	**41,5**	**41,5**
3,0														
3,5														
4,0														
4,5														
5,0	52,0	52,0												
6,0	47,5	47,5	52,0	54,0	55,0	57,0	49,5	39,5	36,0					
7,0	43,5	43,5	43,0	44,5	46,0	49,0	46,0	36,5	34,0	40,5	41,5	44,5	45,0	44,5
8,0	40,0	40,0	36,5	37,5	39,0	42,0	42,5	33,5	31,5	34,5	35,5	38,0	38,5	41,0
9,0	37,0	37,0	31,0	32,5	33,5	36,5	37,0	31,0	29,4	29,5	30,5	33,0	33,5	35,5
10,0	34,5	35,0	26,7	27,9	29,2	32,0	32,5	28,9	27,3	25,5	26,5	29,1	29,6	31,5
11,0	30,5	32,0	23,1	24,3	25,6	28,3	28,7	27,1	25,6	22,1	23,1	25,7	26,2	28,1
12,0	27,4	28,5	20,1	21,3	22,6	25,2	25,6	25,5	24,1	19,3	20,3	22,8	23,3	25,2
14,0	22,2	23,2	15,4	16,5	17,8	20,3	20,7	22,4	21,4	14,9	15,8	18,2	18,7	20,5
16,0	18,2	19,3	11,8	12,9	14,2	16,7	17,0	18,7	18,5	11,5	12,4	14,8	15,2	17,0
18,0	15,1	15,8	9,0	10,1	11,3	13,8	14,1	15,8	15,7	8,8	9,7	12,0	12,5	14,2
20,0	12,5	13,2	6,8	7,9	9,1	11,5	11,8	13,4	13,4	6,6	7,5	9,9	10,3	12,0
22,0	10,3	11,2	5,0	6,1	7,2	9,6	9,9	11,3	11,4	4,9	5,8	8,1	8,4	10,2
24,0	8,6	9,4	3,5	4,6	5,7	8,0	8,2	9,6	9,7	3,4	4,3	6,6	6,9	8,7
26,0	7,1	8,0		3,3	4,4	6,5	6,7	8,1	8,2		3,0	5,3	5,7	7,4
28,0	6,0	6,8			3,3	5,3	5,5	6,9	7,0			4,2	4,6	6,2
30,0						4,3	4,5	5,8	5,9			3,3	3,6	5,1
32,0						3,4	3,6	4,9	5,0			2,5	2,7	4,2
34,0									4,3					3,4
36,0														2,8
38,0														2,2
40,0														
42,0														
44,0														
*** n ***	6	6	6	6	6	6	5	4	4	4	4	5	5	5
% 1	0+	0+	92+	46+	46+	0+	0+	0+	0+	92+	92+	46+	0+	0+
% 2	0+	0+	46+	92+	46+	46+	0+	0+	0+	92+	46+	46+	92+	46+
% 3	0+	0+	46+	46+	46+	46+	92+	0+	0+	46+	46+	46+	46+	46+
% 4	92+	46+	0+	0+	46+	46+	46+	92+	100+	0+	46+	46+	46+	46+
% 5	46+	92+	0+	0+	0+	46+	46+	92+	100+	0+	0+	46+	46+	92+
m/s	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1
TAB ***	1336	1336	1336	1336	1336	1336	1336	1336	1336	1336	1336	1336	1336	1336

	T	--	35,0 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t													
	CODE > 0006 < B131 0700													
m	**41,5**	**41,5**	**46,7**	**46,7**	**46,7**	**46,7**	**46,7**	**46,7**	**46,7**	**49,4**	**51,9**	**51,9**	**51,9**	**51,9**
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	38,0	35,5												
8,0	35,5	33,5	35,0	35,5	37,5	37,0	34,5	32,5	30,0					
9,0	33,5	31,5	30,0	31,0	33,0	32,0	32,5	31,0	28,5	26,0	28,5	29,9	30,0	30,0
10,0	31,5	29,6	26,4	27,3	28,9	28,4	29,7	29,7	26,9	24,7	25,1	26,3	28,2	27,6
11,0	28,0	27,9	23,3	24,2	25,7	25,2	26,5	27,3	25,6	23,5	22,1	23,4	25,2	24,7
12,0	25,1	26,4	20,6	21,5	23,0	22,5	23,7	24,6	24,2	22,4	19,6	20,9	22,6	22,1
14,0	20,5	21,7	16,3	17,2	18,7	18,2	19,4	20,2	20,6	20,2	15,6	16,8	18,5	18,0
16,0	16,9	18,2	13,1	13,9	15,4	14,8	16,0	16,8	17,2	16,9	12,4	13,6	15,3	14,8
18,0	14,2	15,4	10,5	11,3	12,7	12,2	13,4	14,2	14,5	14,3	10,0	11,1	12,8	12,3
20,0	11,9	13,1	8,4	9,2	10,6	10,1	11,2	12,0	12,3	12,2	7,9	9,1	10,7	10,3
22,0	10,1	11,3	6,6	7,5	8,8	8,3	9,5	10,2	10,6	10,4	6,3	7,4	9,0	8,5
24,0	8,6	9,7	5,2	6,0	7,4	6,9	8,0	8,8	9,1	9,0	4,9	6,0	7,6	7,1
26,0	7,3	8,3	4,0	4,8	6,1	5,6	6,7	7,5	7,8	7,7	3,7	4,8	6,4	5,9
28,0	6,0	7,1	2,9	3,7	5,0	4,5	5,7	6,4	6,7	6,6		3,8	5,3	4,8
30,0	5,0	6,0		2,8	4,1	3,6	4,7	5,5	5,7	5,7		2,9	4,4	3,9
32,0	4,1	5,1			3,3	2,8	3,9	4,6	4,8	4,9			3,6	3,1
34,0	3,3	4,3			2,6		3,2	3,8	4,0	4,1			2,9	2,4
36,0	2,6	3,7					2,5	3,1	3,3	3,4			2,3	
38,0	2,1	3,1						2,5	2,7	2,8				
40,0								2,0	2,2	2,2				
42,0								1,5	1,7	1,8				
44,0								1,2	1,3					
*** n ***	4	4	4	4	4	4	4	4	3	3	3	3	3	3
% 1	0+	0+	92+	46+	46+	0+	0+	0+	0+	0+	92+	46+	46+	0+
% 2	0+	0+	46+	92+	46+	92+	46+	46+	0+	0+	92+	92+	46+	92+
% 3	92+	46+	46+	46+	46+	92+	92+	46+	92+	100+	46+	92+	46+	92+
% 4	92+	92+	46+	46+	46+	46+	92+	92+	92+	100+	46+	46+	92+	92+
% 5	46+	92+	46+	46+	92+	46+	46+	92+	92+	100+	46+	46+	92+	46+
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1
TAB ***	1336	1336	1336	1336	1336	1336	1336	1336	1336	1336	1336	1336	1336	1336

	T	--	35,0 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t	CODE > 0006 <												
	51,9	**57,1**	**57,1**	**57,1**	**57,1**	**60,7**	**62,3**	**62,3**	**67,5**	**72,0**	**20,7**	**25,9**	**31,1**	**20,7**
3,0														
3,5											46,5			49,5
4,0											46,5	38,5		49,0
4,5											46,0	38,0		49,0
5,0											46,0	38,0	26,8	49,0
6,0											46,0	37,5	25,5	48,5
7,0											46,0	37,0	24,4	48,5
8,0											46,0	37,0	23,4	48,5
9,0	27,3										39,5	35,5	22,5	41,0
10,0	26,0	24,2	25,7	25,0	24,0						34,0	30,5	21,6	35,0
11,0	24,8	21,4	22,9	24,1	23,2	19,4	20,7	20,0			29,3	26,1	19,5	30,5
12,0	23,6	19,1	20,6	21,7	21,9	19,4	19,0	20,0	17,0		25,4	22,7	18,8	26,4
14,0	19,5	15,2	16,7	17,8	18,0	17,7	15,3	16,9	15,3	14,0	19,0	17,3	15,2	20,0
16,0	16,3	12,2	13,7	14,7	15,0	14,8	12,4	14,0	12,6	12,2	14,6	13,4	11,5	15,6
18,0	13,7	9,9	11,3	12,3	12,5	12,4	10,1	11,7	10,4	10,1	11,2	10,2	8,6	12,2
20,0	11,7	7,9	9,3	10,3	10,5	10,5	8,3	9,8	8,6	8,3		7,6	6,4	
22,0	9,9	6,3	7,7	8,7	8,9	8,9	6,7	8,2	7,0	6,8		5,6	4,5	
24,0	8,5	4,9	6,3	7,3	7,5	7,5	5,3	6,8	5,7	5,5				
26,0	7,3	3,8	5,1	6,1	6,3	6,3	4,2	5,7	4,6	4,4				
28,0	6,2		4,1	5,1	5,3	5,3	3,2	4,7	3,6	3,5				
30,0	5,3		3,2	4,2	4,4	4,4		3,8	2,8	2,7				
32,0	4,5			3,4	3,6	3,6		3,0						
34,0	3,7			2,7	2,9	2,9								
36,0	3,1				2,3	2,3								
38,0	2,5													
40,0	2,0													
42,0														
44,0														
*** n ***	3	3	3	3	3	2	2	2	2	2	5	4	3	5
1	0+	92+	46+	46+	0+	0+	92+	46+	92+	100+	0+	46-	92-	0+
2	46+	92+	92+	46+	92+	100+	92+	92+	92+	100+	46-	46+	46+	0+
3	92+	92+	92+	92+	92+	100+	92+	92+	92+	100+	0+	0+	0+	46-
4	92+	46+	92+	92+	92+	100+	92+	92+	92+	100+	0+	0+	0+	0+
5 %	92+	46+	46+	92+	92+	100+	46+	92+	92+	100+	0+	0+	0+	0+
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	14,3	12,8	12,8	14,3
TAB ***	1336	1336	1336	1336	1336	1336	1336	1336	1336	1336	1336	1336	1336	1336

	T	--	35,0 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t													
	CODE > 0006 < B131 0700													
m	**25,9**	**31,1**	**36,3**	**20,7**	**36,3**	**41,5**	**31,1**	**36,3**	**41,5**	**20,7**	**25,9**	**31,1**	**36,3**	**41,5**
3,0														
3,5				53,0						55,0				
4,0	44,5			53,0						55,0	51,0			
4,5	44,5			53,0						55,0	49,5			
5,0	44,0	37,0		53,0			31,5			55,0	49,5	46,0		
6,0	43,5	36,5	24,5	53,0	36,0		29,1	35,5		55,0	49,0	45,0	41,5	
7,0	43,0	36,0	23,3	52,0	35,0	22,8	27,9	35,0	22,4	55,0	48,5	44,5	39,5	34,5
8,0	42,5	35,0	22,2	50,0	34,5	21,6	26,8	34,0	21,3	51,0	48,0	43,5	38,5	34,0
9,0	37,5	34,5	21,2	42,5	33,5	19,2	25,9	32,5	18,9	43,5	42,0	39,5	36,5	33,0
10,0	32,5	29,6	19,0	36,5	29,2	18,4	24,9	27,9	18,0	37,5	36,5	34,5	32,0	29,1
11,0	28,3	25,7	18,2	32,0	25,6	17,6	24,1	24,3	17,2	32,5	32,5	30,5	28,3	25,7
12,0	24,8	22,4	17,5	27,5	22,6	16,8	22,9	21,3	16,4	28,3	28,7	27,2	25,2	22,8
14,0	19,4	17,4	15,4	21,0	17,8	15,5	17,9	16,5	14,9	21,7	22,8	22,0	20,3	18,2
16,0	15,4	13,6	11,8	16,5	14,2	12,4	14,1	12,9	11,5	17,2	18,2	18,1	16,7	14,8
18,0	12,0	10,7	9,0	13,1	11,3	9,7	11,1	10,1	8,8	13,9	14,8	14,9	13,8	12,0
20,0	9,3	8,4	6,8		9,1	7,5	8,8	7,9	6,6		12,2	12,3	11,5	9,9
22,0	7,3	6,5	5,0		7,2	5,8	6,8	6,1	4,9		10,1	10,2	9,6	8,1
24,0		4,8	3,5		5,7	4,3	5,1	4,6	3,4			8,4	8,0	6,6
26,0		3,4			4,4	3,0	3,7	3,3				7,0	6,5	5,3
28,0		2,3			3,3		2,6					5,8	5,3	4,2
30,0													4,3	3,3
32,0													3,4	2,5
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
*** n ***	5	4	3	6	4	3	4	4	3	6	5	5	4	4
1	0+	46-	92-	0+	46-	92-	0+	46-	92-	0+	0+	0+	0+	46-
2	46-	46+	46+	0+	46-	46+	92-	92+	92+	0+	0+	0+	46-	46+
3	46+	46+	46+	0+	46-	46+	46+	46+	46+	0+	0+	46-	46+	46+
4	0+	0+	0+	46-	46+	46+	0+	0+	0+	0+	46-	46+	46+	46+
5	0+	0+	0+	0+	0+	0+	0+	0+	0+	46-	46+	46+	46+	46+
%														
m/s	12,8	12,8	11,1	14,3	11,1	11,1	12,8	11,1	11,1	14,3	12,8	12,8	11,1	11,1
TAB ***	1336	1336	1336	1336	1336	1336	1336	1336	1336	1336	1336	1336	1336	1336

	T	--	35,0 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t	CODE > 0006 <												
	46,7	**25,9**	**31,1**	**41,5**	**46,7**	**41,5**	**46,7**	**51,9**	**36,3**	**41,5**	**46,7**	**51,9**	**36,3**	**46,7**
3,0														
3,5														
4,0		42,0												
4,5		40,0												
5,0		39,5	48,0											
6,0		38,0	47,5						33,0				31,5	
7,0		37,0	43,5	39,0		26,2			32,0	35,5			29,1	
8,0	21,3	36,0	40,0	38,0	33,5	25,0	33,5		29,5	33,5	32,5		27,9	24,2
9,0	19,0	35,0	37,0	35,5	33,0	23,9	31,0	18,4	28,4	31,5	31,0	30,0	26,8	23,1
10,0	18,1	34,0	35,0	31,5	28,9	22,9	27,3	17,5	27,4	29,6	29,7	28,2	25,8	22,0
11,0	17,3	32,5	32,0	28,1	25,7	21,9	24,2	16,6	26,4	27,9	27,3	25,2	24,9	21,1
12,0	16,6	28,7	28,5	25,2	23,0	21,1	21,5	15,8	25,5	26,4	24,6	22,6	24,1	19,0
14,0	15,2	22,8	23,2	20,5	18,7	18,5	17,2	14,4	22,4	21,7	20,2	18,5	20,7	17,6
16,0	13,1	18,2	19,3	17,0	15,4	15,2	13,9	12,4	18,7	18,2	16,8	15,3	17,0	14,8
18,0	10,5	14,9	15,8	14,2	12,7	12,5	11,3	10,0	15,8	15,4	14,2	12,8	14,1	12,2
20,0	8,4	12,3	13,2	12,0	10,6	10,3	9,2	7,9	13,4	13,1	12,0	10,7	11,8	10,1
22,0	6,6	10,1	11,2	10,2	8,8	8,4	7,5	6,3	11,3	11,3	10,2	9,0	9,9	8,3
24,0	5,2		9,4	8,7	7,4	6,9	6,0	4,9	9,6	9,7	8,8	7,6	8,2	6,9
26,0	4,0		8,0	7,4	6,1	5,7	4,8	3,7	8,1	8,3	7,5	6,4	6,7	5,6
28,0	2,9		6,8	6,2	5,0	4,6	3,7		6,9	7,1	6,4	5,3	5,5	4,5
30,0				5,1	4,1	3,6	2,8		5,8	6,0	5,5	4,4	4,5	3,6
32,0				4,2	3,3	2,7			4,9	5,1	4,6	3,6	3,6	2,8
34,0				3,4	2,6					4,3	3,8	2,9		
36,0				2,8						3,7	3,1	2,3		
38,0				2,2						3,1	2,5			
40,0											2,0			
42,0											1,5			
44,0											1,2			
*** n ***	3	5	5	4	4	3	4	2	4	4	4	3	4	3
1	92-	0+	0+	0+	46-	0+	46-	92-	0+	0+	0+	46-	0+	0+
2	46+	0+	0+	46-	46+	92-	92+	92+	0+	0+	46-	46+	0+	92-
3	46+	0+	0+	46-	46+	46+	46+	46+	0+	46-	46+	46+	92-	92+
4	46+	0+	46-	46+	46+	46+	46+	46+	92-	92+	92+	92+	46+	46+
5 %	46+	92-	92+	92+	92+	46+	46+	46+	92+	92+	92+	92+	46+	46+
m/s	11,1	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1
TAB ***	1336	1336	1336	1336	1336	1336	1336	1336	1336	1336	1336	1336	1336	1336

	T	--	35,0 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t	CODE > 0006 <												
	51,9	**57,1**	**46,7**	**51,9**	**57,1**	**31,1**	**41,5**	**46,7**	**51,9**	**57,1**	**62,3**	**57,1**	**62,3**	**67,5**
3,0														
3,5														
4,0														
4,5														
5,0						36,0								
6,0						34,5								
7,0						33,0	28,1							
8,0			26,4			32,0	26,9	34,5						
9,0	29,9		25,2	27,3		29,8	25,8	32,5	22,7					
10,0	26,3	17,2	24,2	26,0	25,0	28,9	24,8	29,7	21,6	25,7		21,3		
11,0	23,4	16,3	23,2	24,8	24,1	28,0	23,8	26,5	19,5	22,9	16,3	19,2	20,0	
12,0	20,9	15,5	22,3	23,6	21,7	27,2	22,9	23,7	18,6	20,6	15,5	18,4	20,0	15,4
14,0	16,8	14,1	19,6	19,5	17,8	22,2	20,5	19,4	17,1	16,7	14,0	16,9	16,9	14,0
16,0	13,6	12,2	17,2	16,3	14,7	18,2	16,9	16,0	14,8	13,7	12,4	15,0	14,0	12,6
18,0	11,1	9,9	14,5	13,7	12,3	15,1	14,2	13,4	12,3	11,3	10,1	12,5	11,7	10,4
20,0	9,1	7,9	12,3	11,7	10,3	12,5	11,9	11,2	10,3	9,3	8,3	10,5	9,8	8,6
22,0	7,4	6,3	10,6	9,9	8,7	10,3	10,1	9,5	8,5	7,7	6,7	8,9	8,2	7,0
24,0	6,0	4,9	9,1	8,5	7,3	8,6	8,6	8,0	7,1	6,3	5,3	7,5	6,8	5,7
26,0	4,8	3,8	7,8	7,3	6,1	7,1	7,3	6,7	5,9	5,1	4,2	6,3	5,7	4,6
28,0	3,8		6,7	6,2	5,1	6,0	6,0	5,7	4,8	4,1	3,2	5,3	4,7	3,6
30,0	2,9		5,7	5,3	4,2		5,0	4,7	3,9	3,2		4,4	3,8	2,8
32,0			4,8	4,5	3,4		4,1	3,9	3,1			3,6	3,0	
34,0			4,0	3,7	2,7		3,3	3,2	2,4			2,9		
36,0			3,3	3,1			2,6	2,5				2,3		
38,0			2,7	2,5			2,1							
40,0			2,2	2,0										
42,0			1,7											
44,0			1,3											
*** n ***	3	2	3	3	3	4	3	4	3	3	2	3	2	2
% 1	46-	92-	0+	0+	46-	0+	0+	0+	0+	46-	92-	0+	46-	92-
% 2	92+	92+	0+	46-	46+	0+	0+	46-	92-	92+	92+	92-	92+	92-
% 3	92+	92+	92-	92+	92+	0+	92-	92+	92+	92+	92+	92+	92+	92-
% 4	46+	46+	92+	92+	92+	92-	92+	92+	92+	92+	92+	92+	92+	92-
% 5	46+	46+	92+	92+	92+	46+	46+	46+	46+	46+	46+	92+	92+	92-
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1
TAB ***	1336	1336	1336	1336	1336	1336	1336	1336	1336	1336	1336	1336	1336	1336

	T	--	35,0 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t CODE > 0006 < B131 0700													
	72,0													
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
14,0	8,8													
16,0	7,7													
18,0	6,8													
20,0	6,0													
22,0	5,3													
24,0	4,7													
26,0	4,1													
28,0	3,5													
30,0	2,7													
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
*** n ***	1													
1	100-													
2	100-													
3	100-													
4	100-													
5	100-													
%														
m/s	11,1													
TAB ***	1336													

	T	--	35,0 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m >< t CODE > 0007 < B131 0800

m	15,5	20,7	20,7	20,7	20,7	25,9	25,9	25,9	25,9	26,8	31,1	31,1	31,1	31,1
3,5	103,0	95,0	91,0	76,0										
4,0	104,0	96,0	92,0	76,0	56,0	98,0	92,0							
4,5	104,0	97,0	93,0	76,0	57,0	99,0	92,0	56,0	54,0	51,0				
5,0	105,0	98,0	93,0	77,0	57,0	98,0	93,0	56,0	53,0	50,0	82,0	86,0	80,0	56,0
6,0	98,0	87,0	89,0	79,0	59,0	78,0	80,0	57,0	48,0	45,0	70,0	73,0	73,0	57,0
7,0	79,0	71,0	72,0	74,0	59,0	64,0	66,0	58,0	43,5	41,0	58,0	60,0	61,0	57,0
8,0	65,0	59,0	61,0	62,0	59,0	53,0	56,0	58,0	40,0	38,0	48,5	51,0	52,0	57,0
9,0	54,0	50,0	52,0	53,0	54,0	45,5	48,0	52,0	37,0	35,5	41,5	44,0	44,5	49,0
10,0	45,0	43,5	45,0	46,5	47,5	39,5	41,5	46,0	34,5	32,5	36,0	38,5	39,0	43,5
11,0	38,0	38,0	39,0	40,0	41,0	34,5	36,5	40,5	32,5	30,5	31,5	33,5	34,0	38,5
12,0	33,0	32,5	33,5	34,5	35,5	30,0	32,5	36,0	30,5	28,8	27,5	29,7	30,0	34,5
14,0		25,0	25,9	26,9	27,6	23,8	25,8	28,7	27,0	25,6	21,5	23,6	24,1	28,3
16,0		19,6	20,6	21,5	22,2	18,9	20,5	23,2	23,2	22,7	17,0	19,1	19,5	23,3
18,0		15,8	16,7	17,6	18,2	14,9	16,5	19,2	19,2	19,3	13,5	15,6	16,0	19,3
20,0						11,7	13,4	16,1	16,1	16,3	10,8	12,7	13,0	16,2
22,0						9,3	10,9	13,7	13,7	13,8	8,4	10,1	10,5	13,7
24,0										11,9	6,3	8,1	8,4	11,8
26,0											4,7	6,4	6,8	10,1
28,0											3,3	5,1	5,4	8,6
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
*** n ***	11	10	10	8	6	10	10	6	6	5	9	9	8	6
1	0+	0+	0+	0+	0+	46+	0+	0+	0+	0+	92+	46+	0+	0+
2	0+	46+	0+	0+	0+	46+	46+	0+	0+	0+	46+	46+	92+	0+
3	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	0+	46+	46+	46+
4	0+	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	0+	0+	46+
5 %	0+	0+	0+	0+	46+	0+	0+	46+	92+	100+	0+	0+	0+	46+
m/s	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8
TAB ***	1335	1335	1335	1335	1335	1335	1335	1335	1335	1335	1335	1335	1335	1335

	T	--	47,5 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t													
	CODE > 0007 < B131 0800													
m	**31,1**	**31,1**	**36,3**	**36,3**	**36,3**	**36,3**	**36,3**	**36,3**	**38,1**	**41,5**	**41,5**	**41,5**	**41,5**	**41,5**
3,5														
4,0														
4,5														
5,0	52,0	52,0												
6,0	47,5	47,5	66,0	67,0	69,0	57,0	49,5	39,5	36,0					
7,0	43,5	43,5	55,0	56,0	58,0	57,0	46,0	36,5	34,0	51,0	53,0	55,0	49,0	44,5
8,0	40,0	40,0	46,5	48,0	49,5	52,0	42,5	33,5	31,5	44,0	45,0	48,0	46,0	42,0
9,0	37,0	37,0	40,0	41,5	43,0	45,5	39,0	31,0	29,4	38,5	39,5	42,0	42,5	39,5
10,0	34,5	35,0	35,0	36,0	37,5	40,5	36,5	28,9	27,3	33,5	34,5	37,0	37,5	37,5
11,0	32,0	32,5	30,5	32,0	33,0	36,0	34,0	27,1	25,6	29,4	30,5	33,0	33,5	35,5
12,0	30,0	30,5	27,1	28,3	29,6	32,0	32,0	25,5	24,1	26,1	27,0	29,5	30,0	32,0
14,0	26,3	26,9	21,4	22,6	23,8	26,4	26,7	22,6	21,4	20,7	21,6	24,1	24,5	26,4
16,0	23,5	24,3	17,1	18,2	19,5	22,0	22,3	20,1	19,0	16,6	17,5	19,9	20,4	22,2
18,0	19,4	20,2	13,8	14,9	16,1	18,5	18,8	18,2	17,3	13,4	14,3	16,7	17,1	18,9
20,0	16,3	17,1	11,1	12,2	13,4	15,8	16,0	16,6	15,8	10,8	11,7	14,0	14,4	16,2
22,0	13,8	14,6	8,9	10,0	11,2	13,3	13,5	14,8	14,4	8,7	9,6	11,9	12,3	14,0
24,0	11,9	12,6	7,1	8,2	9,2	11,3	11,5	12,8	12,9	6,9	7,8	10,1	10,5	12,1
26,0	10,2	11,0	5,5	6,5	7,5	9,5	9,8	11,1	11,2	5,4	6,3	8,6	8,9	10,4
28,0	8,8	9,6	4,1	5,1	6,1	8,1	8,3	9,7	9,8	4,2	5,0	7,2	7,5	9,0
30,0			2,9	3,9	4,9	6,9	7,1	8,4	8,5	3,1	3,9	5,9	6,2	7,7
32,0				2,9	3,8	5,8	6,0	7,3	7,4		2,9	4,9	5,2	6,6
34,0									6,5			4,0	4,2	5,7
36,0												3,2	3,4	4,9
38,0												2,5	2,8	4,2
40,0														
42,0														
44,0														
46,0														
48,0														
*** n ***	6	6	7	7	7	6	5	4	4	5	6	6	5	5
1	0+	0+	92+	46+	46+	0+	0+	0+	0+	92+	92+	46+	0+	0+
2	0+	0+	46+	92+	46+	46+	0+	0+	0+	92+	46+	46+	92+	46+
3	0+	0+	46+	46+	46+	46+	92+	0+	0+	46+	46+	46+	46+	46+
4	92+	46+	0+	0+	46+	46+	46+	92+	100+	0+	46+	46+	46+	46+
5 %	46+	92+	0+	0+	0+	46+	46+	92+	100+	0+	0+	46+	46+	92+
m/s	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1
TAB ***	1335	1335	1335	1335	1335	1335	1335	1335	1335	1335	1335	1335	1335	1335

	T	--	47,5 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m >< t CODE > 0007 < B131 0800

m	41,5	41,5	46,7	46,7	46,7	46,7	46,7	46,7	46,7	49,4	51,9	51,9	51,9	51,9
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	38,0	35,5												
8,0	35,5	33,5	43,0	42,5	41,0	38,0	34,5	32,5	30,0					
9,0	33,5	31,5	38,5	39,5	39,0	36,0	32,5	31,0	28,5	26,0	33,5	33,0	30,0	30,0
10,0	31,5	29,6	34,0	35,0	36,5	34,0	31,0	29,7	26,9	24,7	32,5	32,5	29,0	28,8
11,0	29,2	27,9	30,5	31,0	33,0	32,5	29,4	28,2	25,6	23,5	28,9	30,0	27,9	27,6
12,0	27,5	26,4	27,1	28,0	29,5	29,0	28,0	26,9	24,2	22,4	25,9	27,2	26,8	26,5
14,0	24,6	23,8	22,0	22,9	24,4	23,8	25,0	24,5	21,7	20,4	21,1	22,3	24,0	23,5
16,0	22,0	21,6	18,1	18,9	20,4	19,9	21,1	21,8	19,7	18,5	17,3	18,5	20,2	19,7
18,0	18,8	19,6	15,0	15,8	17,2	16,7	17,9	18,7	17,8	16,8	14,4	15,5	17,2	16,7
20,0	16,1	17,3	12,5	13,3	14,7	14,2	15,3	16,1	16,2	15,3	11,9	13,1	14,7	14,3
22,0	13,9	15,0	10,4	11,2	12,6	12,1	13,2	14,0	14,3	14,1	9,9	11,1	12,7	12,2
24,0	12,0	12,9	8,6	9,5	10,8	10,3	11,5	12,2	12,5	12,4	8,2	9,4	11,0	10,5
26,0	10,3	11,3	7,2	8,0	9,3	8,8	10,0	10,7	11,0	10,9	6,8	8,0	9,5	9,0
28,0	8,8	9,9	5,9	6,7	8,0	7,5	8,7	9,4	9,6	9,6	5,6	6,7	8,3	7,8
30,0	7,6	8,6	4,8	5,6	6,9	6,4	7,4	8,1	8,3	8,4	4,5	5,6	7,2	6,7
32,0	6,5	7,5	3,9	4,7	5,8	5,4	6,4	7,0	7,2	7,3	3,5	4,7	6,2	5,7
34,0	5,6	6,6	3,0	3,8	4,9	4,4	5,4	6,1	6,3	6,4	2,7	3,8	5,3	4,9
36,0	4,8	5,8	2,2	2,9	4,1	3,6	4,6	5,2	5,5	5,5		3,1	4,5	4,1
38,0	4,1	5,1		2,2	3,3	2,9	3,9	4,5	4,7	4,8		2,4	3,8	3,4
40,0					2,7	2,3	3,3	3,9	4,1	4,1			3,1	2,7
42,0					2,2	1,7	2,7	3,3	3,5	3,6			2,5	2,1
44,0					1,7	1,3	2,3	2,9	3,0	3,0			2,0	1,6
46,0										2,6			1,6	
48,0														
*** n ***	4	4	5	5	4	4	4	4	3	3	4	4	3	3
1	0+	0+	92+	46+	46+	0+	0+	0+	0+	0+	92+	46+	46+	0+
2	0+	0+	46+	92+	46+	92+	46+	46+	0+	0+	92+	92+	46+	92+
3	92+	46+	46+	46+	46+	92+	92+	46+	92+	100+	46+	92+	46+	92+
4	92+	92+	46+	46+	46+	46+	92+	92+	92+	100+	46+	46+	92+	92+
5 %	46+	92+	46+	46+	92+	46+	46+	92+	92+	100+	46+	46+	92+	46+
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1
TAB ***	1335	1335	1335	1335	1335	1335	1335	1335	1335	1335	1335	1335	1335	1335

	T	--	47,5 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t	CODE > 0007 <												
	51,9	**57,1**	**57,1**	**57,1**	**57,1**	**60,7**	**62,3**	**62,3**	**67,5**	**72,0**	**20,7**	**25,9**	**31,1**	**20,7**
3,5											46,5			49,5
4,0											46,5	38,5		49,0
4,5											46,0	38,0		49,0
5,0											46,0	38,0	26,8	49,0
6,0											46,0	37,5	25,5	48,5
7,0											46,0	37,0	24,4	48,5
8,0											46,0	37,0	23,4	48,5
9,0	27,3										46,0	36,5	22,5	48,5
10,0	26,0	26,2	25,7	25,0	24,0						43,5	36,5	21,6	45,0
11,0	24,8	26,2	25,7	24,1	23,2	19,4	20,7	20,0			38,0	34,5	19,5	39,0
12,0	23,8	25,2	24,8	23,2	22,5	19,4	20,7	20,0	17,0		32,5	30,0	18,8	33,5
14,0	21,9	20,6	22,1	21,5	21,0	18,5	20,5	19,5	16,9	14,0	25,0	23,8	17,7	25,9
16,0	20,1	17,0	18,5	19,5	19,6	17,6	17,1	18,6	16,8	14,0	19,6	18,9	16,8	20,6
18,0	18,1	14,2	15,6	16,6	16,8	16,5	14,4	15,9	14,5	13,9	15,8	14,9	13,5	16,7
20,0	15,7	11,8	13,2	14,3	14,5	14,3	12,1	13,6	12,3	12,0		11,7	10,8	
22,0	13,6	9,9	11,3	12,3	12,5	12,4	10,2	11,7	10,5	10,2		9,3	8,4	
24,0	11,9	8,3	9,6	10,6	10,8	10,8	8,6	10,1	8,9	8,7			6,3	
26,0	10,4	6,9	8,2	9,2	9,4	9,4	7,2	8,7	7,6	7,4			4,7	
28,0	9,1	5,6	7,0	8,0	8,2	8,2	6,0	7,5	6,4	6,3			3,3	
30,0	8,0	4,6	5,9	6,9	7,1	7,1	5,0	6,5	5,4	5,3				
32,0	7,0	3,7	5,0	6,0	6,1	6,2	4,1	5,5	4,5	4,4				
34,0	6,1	2,8	4,2	5,1	5,3	5,3	3,3	4,7	3,7	3,6				
36,0	5,3		3,4	4,4	4,6	4,6	2,5	4,0	3,0	2,9				
38,0	4,5		2,8	3,7	3,9	3,9		3,3	2,4	2,3				
40,0	3,9		2,2	3,1	3,3	3,3		2,7						
42,0	3,3			2,6	2,7	2,8		2,2						
44,0	2,8			2,0	2,2	2,3								
46,0	2,3				1,7	1,8								
48,0	1,9													
*** n ***	3	3	3	3	3	2	2	2	2	2	5	4	3	5
1	0+	92+	46+	46+	0+	0+	92+	46+	92+	100+	0+	46-	92-	0+
2	46+	92+	92+	46+	92+	100+	92+	92+	92+	100+	46-	46+	46+	0+
3	92+	92+	92+	92+	92+	100+	92+	92+	92+	100+	0+	0+	0+	46-
4	92+	46+	92+	92+	92+	100+	92+	92+	92+	100+	0+	0+	0+	0+
5 %	92+	46+	46+	92+	92+	100+	46+	92+	92+	100+	0+	0+	0+	0+
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	14,3	12,8	12,8	14,3
TAB ***	1335	1335	1335	1335	1335	1335	1335	1335	1335	1335	1335	1335	1335	1335

	T	--	47,5 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t	CODE > 0007 <												
	25,9	**31,1**	**36,3**	**20,7**	**36,3**	**41,5**	**31,1**	**36,3**	**41,5**	**20,7**	**25,9**	**31,1**	**36,3**	**41,5**
3,5				53,0										
4,0	44,5			53,0						55,0				
4,5	44,5			53,0						55,0	49,5			
5,0	44,0	37,0		53,0			31,5			55,0	49,5	46,0		
6,0	43,5	36,5	24,5	53,0	36,0		29,1	35,5		55,0	49,0	45,0	41,5	
7,0	43,0	36,0	23,3	52,0	35,0	22,8	27,9	35,0	22,4	55,0	48,5	44,5	39,5	34,5
8,0	42,5	35,0	22,2	52,0	34,5	21,6	26,8	34,0	21,3	55,0	48,0	43,5	38,5	34,0
9,0	42,0	34,5	21,2	52,0	34,0	19,2	25,9	33,5	18,9	54,0	47,5	43,0	38,0	33,0
10,0	41,5	34,5	19,0	46,5	33,0	18,4	24,9	33,0	18,0	47,5	46,0	42,5	37,5	32,5
11,0	36,5	33,5	18,2	40,0	32,5	17,6	24,1	32,0	17,2	41,0	40,5	38,5	36,0	32,0
12,0	32,5	29,7	17,5	34,5	29,6	16,8	23,4	28,3	16,4	35,5	36,0	34,5	32,0	29,5
14,0	25,8	23,6	16,2	26,9	23,8	15,5	22,0	22,6	15,0	27,6	28,7	28,3	26,4	24,1
16,0	20,5	19,1	15,1	21,5	19,5	14,3	19,5	18,2	13,8	22,2	23,2	23,3	22,0	19,9
18,0	16,5	15,6	13,8	17,6	16,1	13,3	16,0	14,9	12,7	18,2	19,2	19,3	18,5	16,7
20,0	13,4	12,7	11,1		13,4	11,7	13,0	12,2	10,8		16,1	16,2	15,8	14,0
22,0	10,9	10,1	8,9		11,2	9,6	10,5	10,0	8,7		13,7	13,7	13,3	11,9
24,0		8,1	7,1		9,2	7,8	8,4	8,2	6,9			11,8	11,3	10,1
26,0		6,4	5,5		7,5	6,3	6,8	6,5	5,4			10,1	9,5	8,6
28,0		5,1	4,1		6,1	5,0	5,4	5,1	4,2			8,6	8,1	7,2
30,0			2,9		4,9	3,9		3,9	3,1				6,9	5,9
32,0					3,8	2,9		2,9					5,8	4,9
34,0														4,0
36,0														3,2
38,0														2,5
40,0														
42,0														
44,0														
46,0														
48,0														
*** n ***	5	4	3	6	4	3	4	4	3	6	5	5	4	4
1	0+	46-	92-	0+	46-	92-	0+	46-	92-	0+	0+	0+	0+	46-
2	46-	46+	46+	0+	46-	46+	92-	92+	92+	0+	0+	0+	46-	46+
3	46+	46+	46+	0+	46-	46+	46+	46+	46+	0+	0+	46-	46+	46+
4	0+	0+	0+	46-	46+	46+	0+	0+	0+	0+	46-	46+	46+	46+
5 %	0+	0+	0+	0+	0+	0+	0+	0+	0+	46-	46+	46+	46+	46+
m/s	12,8	12,8	11,1	14,3	11,1	11,1	12,8	11,1	11,1	14,3	12,8	12,8	11,1	11,1
TAB ***	1335	1335	1335	1335	1335	1335	1335	1335	1335	1335	1335	1335	1335	1335

	T	--	47,5 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m >< t CODE > 0007 < B131 0800

m	46,7	25,9	31,1	41,5	46,7	41,5	46,7	51,9	36,3	41,5	46,7	51,9	36,3	46,7
3,5														
4,0														
4,5		40,0												
5,0		39,5	48,0											
6,0		38,0	47,5						33,0				31,5	
7,0		37,0	43,5	39,0		26,2			32,0	35,5			29,1	
8,0	21,3	36,0	40,0	38,0	33,5	25,0	33,5		29,5	33,5	32,5		27,9	24,2
9,0	19,0	35,0	37,0	37,5	33,0	23,9	32,5	18,4	28,4	31,5	31,0	30,0	26,8	23,1
10,0	18,1	34,0	35,0	36,5	32,0	22,9	32,0	17,5	27,4	29,6	29,7	29,0	25,8	22,0
11,0	17,3	32,5	32,5	35,5	31,5	21,9	31,0	16,6	26,4	27,9	28,2	27,9	24,9	21,1
12,0	16,6	30,5	30,5	32,0	29,5	21,1	28,0	15,8	25,5	26,4	26,9	26,8	24,1	19,0
14,0	15,2	27,0	26,9	26,4	24,4	18,5	22,9	14,4	22,6	23,8	24,5	24,0	22,6	17,6
16,0	14,0	23,2	24,3	22,2	20,4	17,3	18,9	13,2	20,1	21,6	21,8	20,2	21,3	16,3
18,0	12,9	19,2	20,2	18,9	17,2	16,2	15,8	12,1	18,2	19,6	18,7	17,2	18,8	15,2
20,0	12,0	16,1	17,1	16,2	14,7	14,4	13,3	11,1	16,6	17,3	16,1	14,7	16,0	14,2
22,0	10,4	13,7	14,6	14,0	12,6	12,3	11,2	9,1	14,8	15,0	14,0	12,7	13,5	12,1
24,0	8,6		12,6	12,1	10,8	10,5	9,5	8,2	12,8	12,9	12,2	11,0	11,5	10,3
26,0	7,2		11,0	10,4	9,3	8,9	8,0	6,8	11,1	11,3	10,7	9,5	9,8	8,8
28,0	5,9		9,6	9,0	8,0	7,5	6,7	5,6	9,7	9,9	9,4	8,3	8,3	7,5
30,0	4,8			7,7	6,9	6,2	5,6	4,5	8,4	8,6	8,1	7,2	7,1	6,4
32,0	3,9			6,6	5,8	5,2	4,7	3,5	7,3	7,5	7,0	6,2	6,0	5,4
34,0	3,0			5,7	4,9	4,2	3,8	2,7		6,6	6,1	5,3		4,4
36,0	2,2			4,9	4,1	3,4	2,9			5,8	5,2	4,5		3,6
38,0				4,2	3,3	2,8	2,2			5,1	4,5	3,8		2,9
40,0					2,7						3,9	3,1		2,3
42,0					2,2						3,3	2,5		1,7
44,0					1,7						2,9	2,0		1,3
46,0												1,6		
48,0														
*** n ***	3	4	5	4	4	3	4	2	4	4	4	3	4	3
% 1	92-	0+	0+	0+	46-	0+	46-	92-	0+	0+	0+	46-	0+	0+
% 2	46+	0+	0+	46-	46+	92-	92+	92+	0+	0+	46-	46+	0+	92-
% 3	46+	0+	0+	46-	46+	46+	46+	46+	0+	46-	46+	46+	92-	92+
% 4	46+	0+	46-	46+	46+	46+	46+	46+	92-	92+	92+	92+	46+	46+
% 5	46+	92-	92+	92+	92+	46+	46+	46+	92+	92+	92+	92+	46+	46+
m/s	11,1	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1
TAB ***	1335	1335	1335	1335	1335	1335	1335	1335	1335	1335	1335	1335	1335	1335

	T	--	47,5 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t													
	CODE > 0007 < B131 0800													
m	**51,9**	**57,1**	**46,7**	**51,9**	**57,1**	**31,1**	**41,5**	**46,7**	**51,9**	**57,1**	**62,3**	**57,1**	**62,3**	**67,5**
3,5														
4,0														
4,5														
5,0						36,0								
6,0						34,5								
7,0						33,0	28,1							
8,0			26,4			32,0	26,9	34,5						
9,0	32,0		25,2	27,3		29,8	25,8	32,5	22,7					
10,0	31,5	17,2	24,2	26,0	25,0	28,9	24,8	31,0	21,6	25,7		21,3		
11,0	29,3	16,3	23,2	24,8	24,1	28,0	23,8	29,4	19,5	25,7	16,3	19,2	20,0	
12,0	27,2	15,5	22,3	23,8	23,2	27,2	22,9	28,0	18,6	24,8	15,5	18,4	20,0	15,4
14,0	22,3	14,1	19,6	21,9	21,5	25,8	21,3	25,0	17,1	22,1	14,0	16,9	19,5	14,0
16,0	18,5	12,8	18,3	20,1	19,5	23,5	18,9	21,1	15,8	18,5	12,7	15,6	18,6	12,7
18,0	15,5	11,7	17,2	18,1	16,6	19,4	17,8	17,9	14,7	15,6	11,6	14,4	15,9	11,6
20,0	13,1	10,7	16,1	15,7	14,3	16,3	16,1	15,3	13,7	13,2	10,6	13,4	13,6	10,6
22,0	11,1	8,7	14,3	13,6	12,3	13,8	13,9	13,2	12,2	11,3	8,7	12,5	11,7	8,7
24,0	9,4	8,1	12,5	11,9	10,6	11,9	12,0	11,5	10,5	9,6	8,0	10,8	10,1	8,0
26,0	8,0	6,9	11,0	10,4	9,2	10,2	10,3	10,0	9,0	8,2	7,2	9,4	8,7	7,4
28,0	6,7	5,6	9,6	9,1	8,0	8,8	8,8	8,7	7,8	7,0	6,0	8,2	7,5	6,4
30,0	5,6	4,6	8,3	8,0	6,9		7,6	7,4	6,7	5,9	5,0	7,1	6,5	5,4
32,0	4,7	3,7	7,2	7,0	6,0		6,5	6,4	5,7	5,0	4,1	6,1	5,5	4,5
34,0	3,8	2,8	6,3	6,1	5,1		5,6	5,4	4,9	4,2	3,3	5,3	4,7	3,7
36,0	3,1		5,5	5,3	4,4		4,8	4,6	4,1	3,4	2,5	4,6	4,0	3,0
38,0	2,4		4,7	4,5	3,7		4,1	3,9	3,4	2,8		3,9	3,3	2,4
40,0			4,1	3,9	3,1			3,3	2,7	2,2		3,3	2,7	
42,0			3,5	3,3	2,6			2,7	2,1			2,7	2,2	
44,0			3,0	2,8	2,0			2,3	1,6			2,2		
46,0				2,3								1,7		
48,0				1,9										
*** n ***	4	2	3	3	3	4	3	4	3	3	2	3	2	2
% 1	46-	92-	0+	0+	46-	0+	0+	0+	0+	46-	92-	0+	46-	92-
% 2	92+	92+	0+	46-	46+	0+	0+	46-	92-	92+	92+	92-	92+	92-
% 3	92+	92+	92-	92+	92+	0+	92-	92+	92+	92+	92+	92+	92+	92-
% 4	46+	46+	92+	92+	92+	92-	92+	92+	92+	92+	92+	92+	92+	92-
% 5	46+	46+	92+	92+	92+	46+	46+	46+	46+	46+	46+	92+	92+	92-
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1
TAB ***	1335	1335	1335	1335	1335	1335	1335	1335	1335	1335	1335	1335	1335	1335

	T	--	47,5 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t CODE > 0007 < B131 0800													
	72,0													
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
14,0	8,8													
16,0	7,7													
18,0	6,8													
20,0	6,0													
22,0	5,3													
24,0	4,7													
26,0	4,1													
28,0	3,6													
30,0	3,1													
32,0	2,7													
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
*** n ***	1													
1	100-													
2	100-													
3	100-													
4	100-													
5	100-													
%														
m/s	11,1													
TAB ***	1335													

	T	--	47,5 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m >< t CODE > 0008 < B131 0900

m	15,5	20,7	20,7	20,7	20,7	25,9	25,9	25,9	25,9	26,8	31,1	31,1	31,1	31,1
5,0											82,0			
6,0	91,0	85,0				87,0					80,0	78,0		
7,0	92,0	86,0	83,0	79,0		78,0	81,0				71,0	74,0	67,0	
8,0	79,0	72,0	74,0	74,0	59,0	66,0	68,0	58,0	40,0		60,0	63,0	62,0	
9,0	65,0	62,0	63,0	65,0	56,0	57,0	59,0	57,0	37,0	35,5	52,0	54,0	55,0	58,0
10,0	55,0	54,0	55,0	57,0	53,0	49,5	52,0	53,0	34,5	32,5	45,5	47,5	48,0	53,0
11,0	47,0	46,5	47,5	48,5	49,5	43,5	45,5	49,5	32,5	30,5	40,0	42,0	42,5	47,0
12,0	41,0	40,5	41,5	42,5	43,0	38,5	40,5	44,5	30,5	28,8	35,5	37,5	38,0	42,5
14,0		31,5	32,5	33,5	34,0	30,5	32,0	35,0	27,0	25,6	28,3	30,5	31,0	35,0
16,0		25,1	26,0	26,9	27,6	24,3	25,9	28,7	24,0	22,7	22,9	25,0	25,5	28,8
18,0		20,6	21,5	22,3	22,9	19,7	21,2	23,9	22,0	20,9	18,8	20,6	20,9	24,0
20,0						16,2	17,7	20,3	20,2	19,3	15,3	17,0	17,4	20,4
22,0						13,3	14,9	17,4	17,4	17,6	12,3	14,1	14,5	17,5
24,0										15,3	9,9	11,7	12,1	15,2
26,0											8,0	9,7	10,1	13,3
28,0											6,4	8,1	8,5	11,7
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
54,0														
56,0														
*** n ***	10	9	9	8	6	9	9	6	4	4	9	8	7	6
1	0+	0+	0+	0+	0+	46+	0+	0+	0+	0+	92+	46+	0+	0+
2	0+	46+	0+	0+	0+	46+	46+	0+	0+	0+	46+	46+	92+	0+
3	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	0+	46+	46+	46+
4	0+	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	0+	0+	46+
5 %	0+	0+	0+	0+	46+	0+	0+	46+	92+	100+	0+	0+	0+	46+
m/s	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8
TAB ***	1310	1310	1310	1310	1310	1310	1310	1310	1310	1310	1310	1310	1310	1310

	T --	60,0 t	8,85 x 5,59 m	360°			

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t													
	CODE > 0008 < B131 0900													
m	**31,1**	**31,1**	**36,3**	**36,3**	**36,3**	**36,3**	**36,3**	**36,3**	**38,1**	**41,5**	**41,5**	**41,5**	**41,5**	**41,5**
5,0														
6,0			68,0	69,0										
7,0			64,0	66,0	70,0					51,0	53,0			
8,0			58,0	59,0	61,0	58,0	42,5			51,0	52,0	55,0	46,0	
9,0	37,0	37,0	50,0	51,0	53,0	56,0	39,0			48,0	49,0	51,0	43,0	39,5
10,0	34,5	35,0	44,0	45,0	46,5	49,5	36,5	28,9	27,3	42,0	43,0	45,5	40,5	37,5
11,0	32,0	32,5	39,0	40,0	41,5	44,0	34,0	27,1	25,6	37,5	38,5	41,0	38,0	35,5
12,0	30,0	30,5	34,5	36,0	37,0	40,0	32,0	25,5	24,1	33,5	34,5	37,0	35,5	34,0
14,0	26,3	26,9	28,0	29,1	30,5	33,0	28,3	22,6	21,4	27,1	28,0	30,5	31,0	31,0
16,0	23,7	24,3	22,9	24,0	25,2	27,7	25,1	20,1	19,0	22,2	23,1	25,5	26,0	27,8
18,0	21,4	22,0	18,9	20,0	21,2	23,6	22,7	18,2	17,3	18,4	19,3	21,7	22,1	23,9
20,0	19,3	20,0	15,8	16,9	18,0	19,9	20,2	16,6	15,8	15,4	16,3	18,6	19,0	20,7
22,0	17,6	18,4	13,2	14,2	15,2	17,1	17,3	15,1	14,4	12,9	13,7	16,0	16,4	17,9
24,0	15,3	16,0	10,8	11,8	12,8	14,7	14,9	14,0	13,1	10,8	11,6	13,9	14,2	15,5
26,0	13,4	14,1	8,8	9,8	10,8	12,8	13,0	13,0	12,2	9,0	9,9	11,9	12,2	13,6
28,0	11,8	12,5	7,2	8,1	9,1	11,1	11,4	12,1	11,4	7,4	8,2	10,2	10,5	11,9
30,0			5,7	6,7	7,7	9,7	9,9	11,2	10,7	6,0	6,7	8,7	9,0	10,5
32,0			4,6	5,5	6,5	8,5	8,7	10,0	9,9	4,7	5,5	7,5	7,8	9,3
34,0									9,0	3,7	4,4	6,4	6,7	8,2
36,0										2,7	3,5	5,5	5,8	7,2
38,0										1,9	2,7	4,7	5,0	6,4
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
54,0														
56,0														
*** n ***	4	4	7	7	7	6	5	3	3	5	6	6	5	4
1	0+	0+	92+	46+	46+	0+	0+	0+	0+	92+	92+	46+	0+	0+
2	0+	0+	46+	92+	46+	46+	0+	0+	0+	92+	46+	46+	92+	46+
3	0+	0+	46+	46+	46+	46+	92+	0+	0+	46+	46+	46+	46+	46+
4	92+	46+	0+	0+	46+	46+	46+	92+	100+	0+	46+	46+	46+	46+
5 %	46+	92+	0+	0+	0+	46+	46+	92+	100+	0+	0+	46+	46+	92+
m/s	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1
TAB ***	1310	1310	1310	1310	1310	1310	1310	1310	1310	1310	1310	1310	1310	1310

	T	--	60,0 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t													
	CODE > 0008 < B131 0900													
m	**41,5**	**41,5**	**46,7**	**46,7**	**46,7**	**46,7**	**46,7**	**46,7**	**46,7**	**49,4**	**51,9**	**51,9**	**51,9**	**51,9**
5,0														
6,0														
7,0														
8,0			43,0	42,5	41,0	38,0								
9,0	33,5		42,5	41,0	39,0	36,0	32,5	31,0			33,5	33,0	30,0	30,0
10,0	31,5	29,6	40,5	39,0	37,5	34,0	31,0	29,7	26,9	24,7	33,5	32,5	29,0	28,8
11,0	29,2	27,9	38,0	37,5	35,5	32,5	29,4	28,2	25,6	23,5	32,5	31,0	27,9	27,6
12,0	27,5	26,4	34,0	35,0	34,0	31,0	28,0	26,9	24,2	22,4	31,5	29,9	26,8	26,5
14,0	24,6	23,8	28,2	29,0	30,5	27,7	25,2	24,5	21,7	20,4	27,1	27,8	24,8	24,4
16,0	22,0	21,6	23,5	24,4	25,8	25,0	23,0	22,4	19,7	18,5	22,6	23,9	22,9	22,3
18,0	19,7	19,6	19,9	20,7	22,1	21,6	21,0	20,7	17,8	16,8	19,1	20,3	21,3	20,4
20,0	18,0	18,1	16,9	17,7	19,1	18,6	19,2	19,1	16,2	15,3	16,3	17,5	19,1	18,6
22,0	16,5	16,8	14,5	15,3	16,7	16,1	17,3	17,8	14,9	14,1	13,9	15,1	16,7	16,2
24,0	15,1	15,5	12,4	13,2	14,6	14,1	15,2	15,9	13,8	13,0	11,9	13,1	14,7	14,2
26,0	13,5	14,4	10,7	11,5	12,8	12,3	13,4	13,9	12,7	12,0	10,2	11,4	12,9	12,5
28,0	11,9	12,7	9,2	10,0	11,2	10,7	11,7	12,3	11,7	11,1	8,8	9,9	11,5	11,0
30,0	10,4	11,3	7,8	8,6	9,7	9,3	10,3	10,9	10,8	10,2	7,5	8,6	10,2	9,7
32,0	9,1	10,1	6,6	7,3	8,4	8,0	9,0	9,6	9,9	9,6	6,4	7,5	8,9	8,5
34,0	8,0	9,0	5,5	6,2	7,3	6,9	7,9	8,5	8,7	8,8	5,4	6,5	7,8	7,4
36,0	7,1	8,1	4,6	5,3	6,4	5,9	6,9	7,6	7,8	7,8	4,5	5,5	6,8	6,4
38,0	6,3	7,3	3,7	4,4	5,5	5,1	6,1	6,7	6,9	7,0	3,7	4,6	5,9	5,5
40,0			3,0	3,7	4,8	4,3	5,3	5,9	6,1	6,2	2,9	3,9	5,2	4,8
42,0			2,3	3,0	4,1	3,7	4,7	5,3	5,5	5,5	2,2	3,2	4,5	4,1
44,0			1,8	2,5	3,6	3,1	4,1	4,7	4,9	4,9	1,6	2,6	3,9	3,5
46,0										4,4		2,1	3,3	2,9
48,0												1,6	2,9	2,5
50,0														
52,0														
54,0														
56,0														
*** n ***	4	3	5	5	4	4	4	3	3	3	4	4	3	3
1	0+	0+	92+	46+	46+	0+	0+	0+	0+	0+	92+	46+	46+	0+
2	0+	0+	46+	92+	46+	92+	46+	46+	0+	0+	92+	92+	46+	92+
3	92+	46+	46+	46+	46+	92+	92+	46+	92+	100+	46+	92+	46+	92+
4	92+	92+	46+	46+	46+	46+	92+	92+	92+	100+	46+	46+	92+	92+
5 %	46+	92+	46+	46+	92+	46+	46+	92+	92+	100+	46+	46+	92+	46+
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1
TAB ***	1310	1310	1310	1310	1310	1310	1310	1310	1310	1310	1310	1310	1310	1310

	T	--	60,0 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t	CODE > 0008 <												
	51,9	**57,1**	**57,1**	**57,1**	**57,1**	**60,7**	**62,3**	**62,3**	**67,5**	**72,0**	**20,7**	**25,9**	**31,1**	**20,7**
5,0													26,8	
6,0											46,0	37,5	25,5	
7,0											46,0	37,0	24,4	48,5
8,0											46,0	37,0	23,4	49,0
9,0											46,5	36,5	22,5	49,0
10,0	26,0	26,2	25,7	25,0	24,0						47,0	36,5	21,6	49,5
11,0	24,8	26,2	25,7	24,1	23,2	19,4	20,7	20,0			46,5	36,5	19,5	47,5
12,0	23,8	26,2	24,8	23,2	22,5	19,4	20,7	20,0	17,0		40,5	36,5	18,8	41,5
14,0	21,9	24,8	23,3	21,5	21,0	18,5	20,6	19,5	16,9	14,0	31,5	30,5	17,7	32,5
16,0	20,1	22,2	22,0	20,1	19,6	17,6	19,9	18,6	16,8	14,0	25,1	24,3	16,8	26,0
18,0	18,4	18,8	20,3	18,7	18,3	16,5	18,9	17,7	16,2	13,9	20,6	19,7	16,0	21,5
20,0	17,0	16,1	17,5	17,4	17,0	15,3	16,3	16,6	15,6	13,5		16,2	15,3	
22,0	15,6	13,8	15,2	16,2	15,7	14,3	14,0	15,5	14,3	13,1		13,3	12,3	
24,0	14,6	11,9	13,2	14,2	14,4	13,3	12,2	13,6	12,4	12,1			9,9	
26,0	13,6	10,2	11,6	12,6	12,8	12,4	10,5	12,0	10,9	10,6			8,0	
28,0	12,3	8,8	10,1	11,1	11,3	11,3	9,1	10,6	9,5	9,3			6,4	
30,0	10,9	7,5	8,9	9,9	10,0	10,0	7,9	9,4	8,3	8,1				
32,0	9,7	6,4	7,8	8,7	8,9	8,9	6,8	8,3	7,2	7,1				
34,0	8,6	5,5	6,8	7,8	7,9	8,0	5,9	7,3	6,3	6,1				
36,0	7,6	4,6	5,9	6,8	7,0	7,1	5,0	6,5	5,4	5,3				
38,0	6,7	3,8	5,1	6,0	6,1	6,3	4,2	5,7	4,7	4,5				
40,0	5,9	3,1	4,4	5,2	5,4	5,5	3,6	5,0	4,0	3,9				
42,0	5,2	2,5	3,7	4,5	4,7	4,8	2,9	4,3	3,4	3,3				
44,0	4,6	1,9	3,1	3,9	4,0	4,2	2,4	3,7	2,8	2,7				
46,0	4,1		2,5	3,3	3,5	3,6	1,8	3,1	2,3	2,2				
48,0	3,6		2,0	2,8	3,0	3,1		2,6	1,8	1,7				
50,0			1,6	2,4	2,5	2,6		2,1						
52,0				2,0	2,1	2,2		1,7						
54,0				1,6	1,8	1,8		1,3						
56,0						1,5								
*** n ***	3	3	3	3	3	2	2	2	2	2	5	4	3	5
1	0+	92+	46+	46+	0+	0+	92+	46+	92+	100+	0+	46-	92-	0+
2	46+	92+	92+	46+	92+	100+	92+	92+	92+	100+	46-	46+	46+	0+
3	92+	92+	92+	92+	92+	100+	92+	92+	92+	100+	0+	0+	0+	46-
4	92+	46+	92+	92+	92+	100+	92+	92+	92+	100+	0+	0+	0+	0+
5 %	92+	46+	46+	92+	92+	100+	46+	92+	92+	100+	0+	0+	0+	0+
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	14,3	12,8	12,8	14,3
TAB ***	1310	1310	1310	1310	1310	1310	1310	1310	1310	1310	1310	1310	1310	1310

	T	--	60,0 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t	CODE > 0008 <												
	25,9	**31,1**	**36,3**	**20,7**	**36,3**	**41,5**	**31,1**	**36,3**	**41,5**	**20,7**	**25,9**	**31,1**	**36,3**	**41,5**
5,0														
6,0		36,5	24,5					35,5						
7,0	43,0	36,0	23,3	52,0	35,0	22,8	27,9	35,0	22,4					
8,0	42,5	35,0	22,2	53,0	34,5	21,6	26,8	34,0	21,3	55,0	48,0		38,5	34,0
9,0	42,0	34,5	21,2	53,0	34,0	19,2	25,9	33,5	18,9	55,0	47,5	43,0	38,0	33,0
10,0	42,0	34,5	19,0	53,0	33,0	18,4	24,9	33,0	18,0	53,0	47,0	42,5	37,5	32,5
11,0	42,0	34,0	18,2	48,5	32,5	17,6	24,1	32,5	17,2	49,5	47,0	42,0	37,0	32,0
12,0	40,5	33,5	17,5	42,5	32,0	16,8	23,4	32,0	16,4	43,0	44,5	41,5	36,5	31,5
14,0	32,0	30,5	16,2	33,5	30,5	15,5	22,0	29,1	15,0	34,0	35,0	35,0	33,0	29,0
16,0	25,9	25,0	15,1	26,9	25,2	14,3	19,7	24,0	13,8	27,6	28,7	28,8	27,7	25,5
18,0	21,2	20,6	14,1	22,3	21,2	13,3	18,8	20,0	12,7	22,9	23,9	24,0	23,6	21,7
20,0	17,7	17,0	13,3		18,0	12,4	17,4	16,9	11,8		20,3	20,4	19,9	18,6
22,0	14,9	14,1	12,6		15,2	11,6	14,5	14,2	11,0		17,4	17,5	17,1	16,0
24,0		11,7	10,8		12,8	10,9	12,1	11,8	9,1			15,2	14,7	13,9
26,0		9,7	8,8		10,8	9,2	10,1	9,8	8,5			13,3	12,8	11,9
28,0		8,1	7,2		9,1	8,2	8,5	8,1	7,4			11,7	11,1	10,2
30,0			5,7		7,7	6,7		6,7	6,0				9,7	8,7
32,0			4,6		6,5	5,5		5,5	4,7				8,5	7,5
34,0						4,4			3,7					6,4
36,0						3,5			2,7					5,5
38,0						2,5								4,7
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
54,0														
56,0														
*** n ***	5	4	3	6	4	3	3	4	3	6	5	5	4	4
1	0+	46-	92-	0+	46-	92-	0+	46-	92-	0+	0+	0+	0+	46-
2	46-	46+	46+	0+	46-	46+	92-	92+	92+	0+	0+	0+	46-	46+
3	46+	46+	46+	0+	46-	46+	46+	46+	46+	0+	0+	46-	46+	46+
4	0+	0+	0+	46-	46+	46+	0+	0+	0+	0+	46-	46+	46+	46+
5 %	0+	0+	0+	0+	0+	0+	0+	0+	0+	46-	46+	46+	46+	46+
m/s	12,8	12,8	11,1	14,3	11,1	11,1	12,8	11,1	11,1	14,3	12,8	12,8	11,1	11,1
TAB ***	1310	1310	1310	1310	1310	1310	1310	1310	1310	1310	1310	1310	1310	1310

	T	--	60,0 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t	CODE > 0008 <												
	46,7	**25,9**	**31,1**	**41,5**	**46,7**	**41,5**	**46,7**	**51,9**	**36,3**	**41,5**	**46,7**	**51,9**	**36,3**	**46,7**
5,0														
6,0														
7,0														
8,0	21,3	36,0			33,5	25,0	33,5						27,9	24,2
9,0	19,0	35,0	37,0	37,5	33,0	23,9	32,5	18,4			31,0	30,0	26,8	23,1
10,0	18,1	34,0	35,0	36,5	32,0	22,9	32,0	17,5	27,4	29,6	29,7	29,0	25,8	22,0
11,0	17,3	32,5	32,5	35,5	31,5	21,9	31,0	16,6	26,4	27,9	28,2	27,9	24,9	21,1
12,0	16,6	30,5	30,5	34,0	29,6	21,1	29,1	15,8	25,5	26,4	26,9	26,8	24,1	19,0
14,0	15,2	27,0	26,9	31,0	28,5	18,5	28,0	14,4	22,6	23,8	24,5	24,8	22,6	17,6
16,0	14,0	24,0	24,3	27,8	25,8	17,3	24,4	13,2	20,1	21,6	22,4	22,9	21,3	16,3
18,0	12,9	22,0	22,0	23,9	22,1	16,2	20,7	12,1	18,2	19,6	20,7	21,3	19,1	15,2
20,0	12,0	20,2	20,0	20,7	19,1	15,2	17,7	11,1	16,6	18,1	19,1	19,1	18,2	14,2
22,0	11,2	17,4	18,4	17,9	16,7	14,4	15,3	9,1	15,1	16,8	17,8	16,7	17,3	13,3
24,0	9,3		16,0	15,5	14,6	13,7	13,2	8,4	14,0	15,5	15,9	14,7	14,9	12,5
26,0	8,8		14,1	13,6	12,8	12,2	11,5	7,9	13,0	14,4	13,9	12,9	13,0	11,8
28,0	8,3		12,5	11,9	11,2	10,5	10,0	7,3	12,1	12,7	12,3	11,5	11,4	10,7
30,0	7,8			10,5	9,7	9,0	8,6	6,9	11,2	11,3	10,9	10,2	9,9	9,3
32,0	6,6			9,3	8,4	7,8	7,3	6,4	10,0	10,1	9,6	8,9	8,7	8,0
34,0	5,5			8,2	7,3	6,7	6,2	5,4		9,0	8,5	7,8		6,9
36,0	4,6			7,2	6,4	5,8	5,3	4,5		8,1	7,6	6,8		5,9
38,0	3,7			6,4	5,5	4,9	4,4	3,7		7,3	6,7	5,9		5,1
40,0	3,0				4,8		3,7	2,9			5,9	5,2		4,2
42,0	2,3				4,1		3,0	2,2			5,3	4,5		3,2
44,0					3,6		2,5				4,7	3,9		2,1
46,0												3,3		
48,0												2,9		
50,0														
52,0														
54,0														
56,0														
*** n ***	3	4	4	4	4	3	4	2	3	3	3	3	3	3
1	92-	0+	0+	0+	46-	0+	46-	92-	0+	0+	0+	46-	0+	0+
2	46+	0+	0+	46-	46+	92-	92+	92+	0+	0+	46-	46+	0+	92-
3	46+	0+	0+	46-	46+	46+	46+	46+	0+	46-	46+	46+	92-	92+
4	46+	0+	46-	46+	46+	46+	46+	46+	92-	92+	92+	92+	46+	46+
5 %	46+	92-	92+	92+	92+	46+	46+	46+	92+	92+	92+	92+	46+	46+
m/s	11,1	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1
TAB ***	1310	1310	1310	1310	1310	1310	1310	1310	1310	1310	1310	1310	1310	1310

	T	--	60,0 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t	CODE > 0008 <												
	51,9	**57,1**	**46,7**	**51,9**	**57,1**	**31,1**	**41,5**	**46,7**	**51,9**	**57,1**	**62,3**	**57,1**	**62,3**	**67,5**
5,0														
6,0														
7,0														
8,0														
9,0	32,0					29,8	25,8	32,5	22,7					
10,0	31,5	17,2	24,2	26,0	25,0	28,9	24,8	31,0	21,6	25,7		21,3		
11,0	29,3	16,3	23,2	24,8	24,1	28,0	23,8	29,4	19,5	25,7	16,3	19,2	20,0	
12,0	28,7	15,5	22,3	23,8	23,2	27,2	22,9	28,0	18,6	24,8	15,5	18,4	20,0	15,4
14,0	27,5	14,1	19,6	21,9	21,5	25,8	21,3	25,2	17,1	23,3	14,0	16,9	19,5	14,0
16,0	23,9	12,8	18,3	20,1	20,1	23,7	18,9	23,0	15,8	22,0	12,7	15,6	18,6	12,7
18,0	20,3	11,7	17,2	18,4	18,7	21,4	17,8	21,0	14,7	20,3	11,6	14,4	17,7	11,6
20,0	17,5	10,7	16,1	17,0	17,4	19,3	16,8	19,2	13,7	17,5	10,6	13,4	16,6	10,6
22,0	15,1	8,7	14,9	15,6	16,2	17,6	15,9	17,3	12,8	15,2	8,7	12,5	15,5	8,7
24,0	13,1	8,1	13,8	14,6	14,2	15,3	15,1	15,2	11,9	13,2	8,0	11,7	13,6	8,0
26,0	11,4	7,5	12,7	13,6	12,6	13,4	13,5	13,4	11,2	11,6	7,4	10,9	12,0	7,4
28,0	9,9	6,9	11,7	12,3	11,1	11,8	11,9	11,7	10,6	10,1	6,8	9,3	10,6	6,8
30,0	8,6	6,4	10,8	10,9	9,9		10,4	10,3	9,0	8,9	6,3	8,8	9,4	6,3
32,0	7,5	6,0	9,9	9,7	8,7		9,1	9,0	8,5	7,8	5,9	8,3	8,3	5,9
34,0	6,5	5,5	8,7	8,6	7,8		8,0	7,9	7,4	6,8	5,4	7,9	7,3	5,4
36,0	5,5	4,6	7,8	7,6	6,8		7,1	6,9	6,4	5,9	5,0	6,9	6,5	5,1
38,0	4,6	3,8	6,9	6,7	6,0		6,1	6,1	5,5	5,1	4,2	5,9	5,7	4,7
40,0	3,9	3,1	6,1	5,9	5,2			5,3	4,6	4,4	3,6	5,0	5,0	4,0
42,0	3,2	2,5	5,2	5,2	4,5			4,7	3,8	3,7	2,9	4,2	4,3	3,4
44,0	2,6		4,1	4,6	3,9			4,1	3,0	3,1	2,3	3,5	3,7	2,8
46,0	2,1			4,1	3,3				2,3	2,5		2,9	3,1	2,2
48,0	1,6			3,6	2,8				1,6	2,0		2,3	2,6	
50,0					2,4					1,6		1,8	2,1	
52,0					2,0							1,2	1,7	
54,0					1,6								1,3	
56,0														
*** n ***	4	2	3	3	3	3	3	4	3	3	2	3	2	2
% 1	46-	92-	0+	0+	46-	0+	0+	0+	0+	46-	92-	0+	46-	92-
% 2	92+	92+	0+	46-	46+	0+	0+	46-	92-	92+	92+	92-	92+	92-
% 3	92+	92+	92-	92+	92+	0+	92-	92+	92+	92+	92+	92+	92+	92-
% 4	46+	46+	92+	92+	92+	92-	92+	92+	92+	92+	92+	92+	92+	92-
% 5	46+	46+	92+	92+	92+	46+	46+	46+	46+	46+	46+	92+	92+	92-
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1
TAB ***	1310	1310	1310	1310	1310	1310	1310	1310	1310	1310	1310	1310	1310	1310

	T	--	60,0 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t CODE > 0008 < B131 0900													
	72,0													
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
14,0														
16,0	7,7													
18,0	6,8													
20,0	6,0													
22,0	5,3													
24,0	4,7													
26,0	4,1													
28,0	3,6													
30,0	3,1													
32,0	2,7													
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
54,0														
56,0														
*** n ***	1													
1	100-													
2	100-													
3	100-													
4	100-													
5	100-													
%														
m/s	11,1													
TAB ***	1310													

	T	--	60,0 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m >< t CODE > 0009 < B131 0A00

m	15,5	20,7	20,7	20,7	20,7	25,9	25,9	25,9	25,9	26,8	31,1	31,1	31,1	31,1
8,0		79,0				77,0					67,0			
9,0	73,0	72,0	74,0			66,0	69,0				61,0	64,0	57,0	
10,0	64,0	63,0	64,0	65,0	53,0	58,0	60,0				54,0	56,0	53,0	
11,0	55,0	54,0	55,0	56,0	49,5	51,0	54,0	49,5	32,5	30,5	47,5	50,0	50,0	52,0
12,0	47,5	47,5	48,5	49,5	47,0	46,0	48,0	46,5	30,5	28,8	42,5	44,5	45,0	48,5
14,0		37,0	38,0	39,0	39,5	36,5	38,0	41,0	27,0	25,6	34,5	36,5	37,0	41,0
16,0		29,9	31,0	31,5	32,5	29,1	30,5	33,5	24,0	22,7	28,2	30,0	30,5	33,5
18,0		23,6	24,3	25,1	25,8	23,9	25,4	28,1	22,0	20,9	23,2	24,8	25,1	28,2
20,0						19,9	21,4	24,0	20,2	19,3	19,2	20,7	21,1	24,1
22,0						16,8	18,2	20,7	18,6	17,8	15,9	17,5	17,9	20,8
24,0										16,4	13,1	14,9	15,3	18,2
26,0											10,9	12,7	13,0	16,0
28,0											9,1	10,8	11,1	14,2
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
54,0														
56,0														
*** n ***	8	8	8	7	6	8	7	5	4	3	7	7	6	6
1	0+	0+	0+	0+	0+	46+	0+	0+	0+	0+	92+	46+	0+	0+
2	0+	46+	0+	0+	0+	46+	46+	0+	0+	0+	46+	46+	92+	0+
3	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	0+	46+	46+	46+
4	0+	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	0+	0+	46+
5 %	0+	0+	0+	0+	46+	0+	0+	46+	92+	100+	0+	0+	0+	46+
m/s	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8
TAB ***	1309	1309	1309	1309	1309	1309	1309	1309	1309	1309	1309	1309	1309	1309

	T	--	72,5 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t													
	CODE > 0009 < B131 0A00													
m	**31,1**	**31,1**	**36,3**	**36,3**	**36,3**	**36,3**	**36,3**	**36,3**	**38,1**	**41,5**	**41,5**	**41,5**	**41,5**	**41,5**
8,0			59,0							51,0				
9,0			55,0	57,0	62,0					48,0	49,0			
10,0			51,0	53,0	55,0					45,0	46,0	53,0	40,5	
11,0			46,5	47,5	49,0	52,0	34,0			42,5	43,5	48,0	38,0	
12,0	30,0		41,5	42,5	44,0	46,5	32,0			39,5	40,5	43,5	35,5	34,0
14,0	26,3	26,9	34,0	35,0	36,0	39,0	28,3	22,6	21,4	32,5	33,5	36,0	32,0	31,0
16,0	23,7	24,3	28,0	29,2	30,5	33,0	25,1	20,1	19,0	27,2	28,1	30,5	28,5	28,2
18,0	21,4	22,0	23,5	24,6	25,8	27,8	22,7	18,2	17,3	22,9	23,8	26,2	25,5	25,8
20,0	19,3	20,0	19,9	20,8	21,8	23,6	20,7	16,6	15,8	19,4	20,3	22,6	23,0	24,1
22,0	17,9	18,6	16,8	17,6	18,5	20,4	18,8	15,1	14,4	16,6	17,4	19,5	19,8	21,2
24,0	16,7	17,4	14,0	15,0	15,9	17,7	17,4	14,0	13,1	14,2	15,1	16,9	17,2	18,5
26,0	15,5	16,2	11,8	12,7	13,7	15,5	15,7	13,0	12,2	12,0	12,8	14,7	15,0	16,3
28,0	14,3	15,1	9,9	10,8	11,8	13,7	13,9	12,1	11,4	10,1	10,9	12,9	13,2	14,5
30,0			8,2	9,2	10,2	12,2	12,4	11,3	10,7	8,5	9,2	11,2	11,5	12,9
32,0			6,9	7,8	8,8	10,8	11,0	10,5	9,9	7,1	7,8	9,8	10,1	11,5
34,0									9,3	5,8	6,6	8,6	8,9	10,3
36,0										4,8	5,6	7,5	7,8	9,3
38,0										3,9	4,7	6,6	6,9	8,3
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
54,0														
56,0														
*** n ***	3	3	6	6	7	6	4	3	3	5	5	6	4	4
1	0+	0+	92+	46+	46+	0+	0+	0+	0+	92+	92+	46+	0+	0+
2	0+	0+	46+	92+	46+	46+	0+	0+	0+	92+	46+	46+	92+	46+
3	0+	0+	46+	46+	46+	46+	92+	0+	0+	46+	46+	46+	46+	46+
4	92+	46+	0+	0+	46+	46+	46+	92+	100+	0+	46+	46+	46+	46+
5	46+	92+	0+	0+	0+	46+	46+	92+	100+	0+	0+	46+	46+	92+
%														
m/s	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1
TAB ***	1309	1309	1309	1309	1309	1309	1309	1309	1309	1309	1309	1309	1309	1309

	T	--	72,5 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t													
	CODE > 0009 < B131 0A00													
m	**41,5**	**41,5**	**46,7**	**46,7**	**46,7**	**46,7**	**46,7**	**46,7**	**46,7**	**49,4**	**51,9**	**51,9**	**51,9**	**51,9**
8,0														
9,0			42,5								33,5			
10,0			40,5	39,0							33,5	32,5		
11,0			38,5	37,5	35,5	32,5					32,5	31,0		27,6
12,0	27,5		37,0	36,0	34,0	31,0	28,0				31,5	29,9	26,8	26,5
14,0	24,6	23,8	33,5	32,5	31,5	27,7	25,2	24,5	21,7	20,4	29,2	27,8	24,8	24,4
16,0	22,0	21,6	28,4	29,2	29,2	25,0	23,0	22,4	19,7	18,5	26,6	25,5	22,9	22,3
18,0	19,7	19,6	24,2	25,1	26,5	22,6	21,0	20,7	17,8	16,8	23,4	23,5	21,3	20,4
20,0	18,0	18,1	20,9	21,7	23,1	20,5	19,2	19,1	16,2	15,3	20,2	21,3	19,8	18,6
22,0	16,5	16,8	18,1	18,9	20,3	18,9	17,8	17,8	14,9	14,1	17,5	18,6	18,5	17,0
24,0	15,1	15,5	15,7	16,6	17,8	17,4	16,5	16,7	13,8	13,0	15,2	16,4	17,4	15,7
26,0	13,8	14,4	13,8	14,6	15,6	15,2	15,3	15,6	12,7	12,0	13,3	14,4	16,0	14,6
28,0	12,9	13,5	12,0	12,7	13,8	13,4	14,2	14,7	11,7	11,1	11,6	12,8	14,2	13,5
30,0	12,1	12,7	10,3	11,1	12,2	11,8	12,7	13,2	10,8	10,2	10,2	11,3	12,6	12,2
32,0	11,3	12,0	8,9	9,6	10,8	10,3	11,3	11,9	10,2	9,6	8,9	9,9	11,2	10,8
34,0	10,2	11,2	7,7	8,4	9,5	9,1	10,1	10,7	9,6	9,0	7,6	8,6	10,0	9,6
36,0	9,1	10,1	6,6	7,3	8,4	8,0	9,0	9,6	9,0	8,4	6,5	7,5	8,9	8,4
38,0	8,2	9,2	5,6	6,3	7,4	7,0	8,0	8,6	8,4	7,8	5,6	6,6	7,9	7,5
40,0			4,8	5,5	6,6	6,2	7,1	7,8	7,9	7,3	4,7	5,7	7,0	6,6
42,0			4,1	4,8	5,8	5,4	6,4	7,0	7,2	6,9	4,0	4,9	6,2	5,8
44,0			3,5	4,2	5,2	4,8	5,8	6,3	6,0	6,6	3,3	4,3	5,5	5,1
46,0										6,0	2,7	3,6	4,9	4,5
48,0												3,1	4,4	4,0
50,0														
52,0														
54,0														
56,0														
*** n ***	3	3	5	4	4	4	3	3	3	2	4	4	3	3
1	0+	0+	92+	46+	46+	0+	0+	0+	0+	0+	92+	46+	46+	0+
2	0+	0+	46+	92+	46+	92+	46+	46+	0+	0+	92+	92+	46+	92+
3	92+	46+	46+	46+	46+	92+	92+	46+	92+	100+	46+	92+	46+	92+
4	92+	92+	46+	46+	46+	46+	92+	92+	92+	100+	46+	46+	92+	92+
5 %	46+	92+	46+	46+	92+	46+	46+	92+	92+	100+	46+	46+	92+	46+
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1
TAB ***	1309	1309	1309	1309	1309	1309	1309	1309	1309	1309	1309	1309	1309	1309

	T	--	72,5 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t	CODE > 0009 <												
	51,9	**57,1**	**57,1**	**57,1**	**57,1**	**60,7**	**62,3**	**62,3**	**67,5**	**72,0**	**20,7**	**25,9**	**31,1**	**20,7**
8,0											46,0	37,0	23,4	
9,0											46,5	36,5	22,5	49,0
10,0		26,2									47,0	36,5	21,6	49,5
11,0		26,2	25,7				20,7	20,0			48,0	36,5	19,5	52,0
12,0		26,2	24,8	23,2	22,5	19,4	20,7	20,0	17,0		47,5	36,5	18,8	48,5
14,0	21,9	24,8	23,3	21,5	21,0	18,5	20,6	19,5	16,9	14,0	37,0	36,5	17,7	38,0
16,0	20,1	23,3	22,0	20,1	19,6	17,6	19,9	18,6	16,8	14,0	29,9	29,1	16,8	31,0
18,0	18,4	21,6	20,3	18,7	18,3	16,5	18,9	17,7	16,2	13,9	23,6	23,9	16,0	24,3
20,0	17,0	19,9	18,9	17,4	17,0	15,3	17,7	16,6	15,6	13,5		19,9	15,4	
22,0	15,6	17,3	17,6	16,2	15,7	14,3	16,5	15,5	14,8	13,1		16,8	15,0	
24,0	14,6	15,1	16,4	15,1	14,5	13,3	15,3	14,6	14,0	12,4			13,1	
26,0	13,6	13,2	14,6	14,1	13,4	12,4	13,5	13,7	13,2	11,7			10,9	
28,0	12,7	11,6	12,9	13,3	12,5	11,6	11,9	12,9	12,2	11,0			8,4	
30,0	11,9	10,2	11,5	12,5	11,7	10,9	10,5	12,0	10,8	10,4				
32,0	11,1	8,9	10,3	11,2	10,9	10,1	9,3	10,7	9,6	9,4				
34,0	10,4	7,8	9,1	10,0	10,2	9,5	8,2	9,6	8,6	8,4				
36,0	9,6	6,8	8,0	8,9	9,0	8,9	7,2	8,7	7,6	7,4				
38,0	8,6	5,9	7,1	7,9	8,1	8,2	6,3	7,7	6,8	6,6				
40,0	7,8	5,0	6,2	7,0	7,2	7,3	5,6	6,8	6,0	5,8				
42,0	7,0	4,2	5,4	6,2	6,4	6,5	4,8	6,0	5,3	5,1				
44,0	6,3	3,5	4,7	5,5	5,7	5,8	4,1	5,3	4,6	4,5				
46,0	5,7	2,9	4,1	4,9	5,1	5,2	3,4	4,7	4,0	3,9				
48,0	5,1	2,3	3,5	4,3	4,5	4,6	2,9	4,1	3,4	3,4				
50,0		1,8	3,0	3,8	4,0	4,1	2,3	3,6	2,9	2,9				
52,0		1,4	2,5	3,3	3,5	3,6	1,8	3,1	2,4	2,4				
54,0				2,9	3,1	3,1	1,4	2,7	1,9	2,0				
56,0						2,7		2,3	1,5	1,5				
*** n ***	3	3	3	3	3	2	2	2	2	2	5	4	3	6
1	0+	92+	46+	46+	0+	0+	92+	46+	92+	100+	0+	46-	92-	0+
2	46+	92+	92+	46+	92+	100+	92+	92+	92+	100+	46-	46+	46+	0+
3	92+	92+	92+	92+	92+	100+	92+	92+	92+	100+	0+	0+	0+	46-
4	92+	46+	92+	92+	92+	100+	92+	92+	92+	100+	0+	0+	0+	0+
5 %	92+	46+	46+	92+	92+	100+	46+	92+	92+	100+	0+	0+	0+	0+
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	14,3	12,8	12,8	14,3
TAB ***	1309	1309	1309	1309	1309	1309	1309	1309	1309	1309	1309	1309	1309	1309

	T	--	72,5 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t					CODE > 0009 <		B131 0A00						
m	**25,9**	**31,1**	**36,3**	**20,7**	**36,3**	**41,5**	**31,1**	**36,3**	**41,5**	**20,7**	**25,9**	**31,1**	**36,3**	**41,5**
8,0			22,2						21,3					
9,0	42,0	34,5	21,2		34,0	19,2	25,9	33,5	18,9					
10,0	42,0	34,5	19,0	53,0	33,0	18,4	24,9	33,0	18,0	53,0				32,5
11,0	42,0	34,0	18,2	54,0	32,5	17,6	24,1	32,5	17,2	49,5	47,0	42,0	37,0	32,0
12,0	41,5	33,5	17,5	49,5	32,0	16,8	23,4	32,0	16,4	47,0	46,5	41,5	36,5	31,5
14,0	38,0	33,0	16,2	39,0	31,5	15,5	22,0	29,5	15,0	39,5	41,0	40,0	35,5	29,0
16,0	30,5	30,0	15,1	31,5	29,3	14,3	19,7	28,8	13,8	32,5	33,5	33,5	33,0	28,2
18,0	25,4	24,8	14,1	25,1	25,8	13,3	18,8	24,6	12,7	25,8	28,1	28,2	27,8	26,2
20,0	21,4	20,7	13,3		21,8	12,4	18,2	20,8	11,8		24,0	24,1	23,6	22,6
22,0	18,2	17,5	12,6		18,5	11,6	17,7	17,6	11,0		20,7	20,8	20,4	19,5
24,0		14,9	12,1		15,9	10,9	15,3	15,0	9,1			18,2	17,7	16,9
26,0		12,7	11,6		13,7	9,2	13,0	12,7	8,5			16,0	15,5	14,7
28,0		10,8	9,9		11,8	8,7	10,6	10,8	8,1			14,2	13,7	12,9
30,0			8,2		10,2	8,4		9,2	7,7				12,2	11,2
32,0			5,8		8,8	7,6		7,8	6,3				10,8	9,8
34,0						5,8			4,5					8,6
36,0						4,2			2,9					7,5
38,0						2,5								6,6
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
54,0														
56,0														
*** n ***	5	4	3	6	4	2	3	4	3	6	5	5	4	4
% 1	0+	46-	92-	0+	46-	92-	0+	46-	92-	0+	0+	0+	0+	46-
% 2	46-	46+	46+	0+	46-	46+	92-	92+	92+	0+	0+	0+	46-	46+
% 3	46+	46+	46+	0+	46-	46+	46+	46+	46+	0+	0+	46-	46+	46+
% 4	0+	0+	0+	46-	46+	46+	0+	0+	0+	0+	46-	46+	46+	46+
% 5	0+	0+	0+	0+	0+	0+	0+	0+	0+	46-	46+	46+	46+	46+
m/s	12,8	12,8	11,1	14,3	11,1	11,1	12,8	11,1	11,1	14,3	12,8	12,8	11,1	11,1
TAB ***	1309	1309	1309	1309	1309	1309	1309	1309	1309	1309	1309	1309	1309	1309

	T	--	72,5 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t	CODE > 0009 <	B131 0A00											
	46,7	**25,9**	**31,1**	**41,5**	**46,7**	**41,5**	**46,7**	**51,9**	**36,3**	**41,5**	**46,7**	**51,9**	**36,3**	**46,7**
8,0														
9,0	19,0							18,4						
10,0	18,1					22,9	32,0	17,5						
11,0	17,3	32,5			31,5	21,9	31,0	16,6					24,9	21,1
12,0	16,6	30,5		34,0	29,6	21,1	29,1	15,8				26,8	24,1	19,0
14,0	15,2	27,0	26,9	31,0	28,5	18,5	28,0	14,4	22,6	23,8	24,5	24,8	22,6	17,6
16,0	14,0	24,0	24,3	28,2	27,6	17,3	27,1	13,2	20,1	21,6	22,4	22,9	21,3	16,3
18,0	12,9	22,0	22,0	25,8	26,5	16,2	25,1	12,1	18,2	19,6	20,7	21,3	19,1	15,2
20,0	12,0	20,2	20,0	24,1	23,1	15,2	21,7	11,1	16,6	18,1	19,1	19,8	18,2	14,2
22,0	11,2	18,6	18,6	21,2	20,3	14,4	18,9	9,1	15,1	16,8	17,8	18,5	17,4	13,3
24,0	9,3		17,4	18,5	17,8	13,7	16,6	8,4	14,0	15,5	16,7	17,4	16,8	12,5
26,0	8,8		16,2	16,3	15,6	13,1	14,6	7,9	13,0	14,4	15,6	16,0	15,7	11,8
28,0	8,3		15,1	14,5	13,8	12,5	12,7	7,3	12,1	13,5	14,7	14,2	13,9	11,2
30,0	7,9			12,9	12,2	11,2	11,1	6,9	11,3	12,7	13,2	12,6	12,1	10,6
32,0	7,5			11,5	10,8	9,4	9,6	6,5	10,5	12,0	11,9	11,2	10,0	8,9
34,0	7,2			10,3	9,5	7,8	8,4	6,1		11,2	10,7	10,0		7,5
36,0	5,9			9,3	8,4	6,4	7,3	5,4		10,1	9,6	8,9		6,3
38,0	4,6			8,3	7,4	4,9	6,3	4,2		9,2	8,6	7,9		5,2
40,0	3,4				6,6		5,5	3,2			7,8	7,0		4,2
42,0	2,3				5,8		4,8	2,2			7,0	6,2		3,2
44,0					5,2		4,2				6,3	5,5		2,1
46,0												4,9		
48,0												4,4		
50,0														
52,0														
54,0														
56,0														
*** n ***	2	4	3	4	4	3	4	2	3	3	3	3	3	3
1	92-	0+	0+	0+	46-	0+	46-	92-	0+	0+	0+	46-	0+	0+
2	46+	0+	0+	46-	46+	92-	92+	92+	0+	0+	46-	46+	0+	92-
3	46+	0+	0+	46-	46+	46+	46+	46+	0+	46-	46+	46+	92-	92+
4	46+	0+	46-	46+	46+	46+	46+	46+	92-	92+	92+	92+	46+	46+
5	46+	92-	92+	92+	92+	46+	46+	46+	92+	92+	92+	92+	46+	46+
%														
m/s	11,1	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1
TAB ***	1309	1309	1309	1309	1309	1309	1309	1309	1309	1309	1309	1309	1309	1309

	T	--	72,5 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t				CODE > 0009 <			B131 0A00						
	51,9	**57,1**	**46,7**	**51,9**	**57,1**	**31,1**	**41,5**	**46,7**	**51,9**	**57,1**	**62,3**	**57,1**	**62,3**	**67,5**
8,0														
9,0														
10,0	31,5	17,2												
11,0	29,3	16,3							19,5	25,7	16,3		20,0	
12,0	28,7	15,5			23,2	27,2	22,9	28,0	18,6	24,8	15,5	18,4	20,0	15,4
14,0	27,5	14,1	19,6	21,9	21,5	25,8	21,3	25,2	17,1	23,3	14,0	16,9	19,5	14,0
16,0	25,5	12,8	18,3	20,1	20,1	23,7	18,9	23,0	15,8	22,0	12,7	15,6	18,6	12,7
18,0	23,5	11,7	17,2	18,4	18,7	21,4	17,8	21,0	14,7	20,3	11,6	14,4	17,7	11,6
20,0	21,3	10,7	16,1	17,0	17,4	19,3	16,8	19,2	13,7	18,9	10,6	13,4	16,6	10,6
22,0	18,6	8,7	14,9	15,6	16,2	17,9	15,9	17,8	12,8	17,6	8,7	12,5	15,5	8,7
24,0	16,4	8,1	13,8	14,6	15,1	16,7	15,1	16,5	11,9	16,4	8,0	11,7	14,6	8,0
26,0	14,4	7,5	12,7	13,6	14,1	15,5	13,8	15,3	11,2	14,6	7,4	10,9	13,7	7,4
28,0	12,8	6,9	11,7	12,7	13,3	13,9	12,9	14,2	10,6	12,9	6,8	9,3	12,9	6,8
30,0	11,3	6,4	10,8	11,9	12,5		12,0	12,7	9,0	11,5	6,3	8,8	12,0	6,3
32,0	9,9	6,0	10,2	11,1	11,2		10,3	11,3	8,6	10,3	5,9	8,3	10,7	5,9
34,0	8,6	5,6	9,3	10,4	10,0		8,8	10,1	7,8	9,1	5,4	7,9	9,6	5,4
36,0	7,5	5,2	8,1	9,6	8,9		7,4	9,0	6,6	8,0	5,1	6,9	8,7	5,1
38,0	6,6	4,4	7,0	8,6	7,9		6,1	8,0	5,5	7,1	4,7	5,9	7,7	4,7
40,0	5,7	3,4	6,1	7,8	7,0			7,1	4,6	6,2	4,0	5,0	6,8	4,4
42,0	4,9	2,5	5,2	7,0	6,2			6,4	3,8	5,4	3,1	4,2	6,0	3,7
44,0	4,3		4,1	6,3	5,5			5,8	3,0	4,7	2,3	3,5	5,3	2,9
46,0	3,6			5,7	4,9				2,3	4,1		2,9	4,7	2,2
48,0	3,1			5,1	4,3				1,6	3,5		2,3	4,1	
50,0					3,8					3,0		1,8	3,6	
52,0					3,3					2,5		1,2	3,1	
54,0					2,9								2,7	
56,0													2,3	
*** n ***	4	2	2	3	3	3	3	3	2	3	2	2	2	2
1	46-	92-	0+	0+	46-	0+	0+	0+	0+	46-	92-	0+	46-	92-
2	92+	92+	0+	46-	46+	0+	0+	46-	92-	92+	92+	92-	92+	92-
3	92+	92+	92-	92+	92+	0+	92-	92+	92+	92+	92+	92+	92+	92-
4	46+	46+	92+	92+	92+	92-	92+	92+	92+	92+	92+	92+	92+	92-
5 %	46+	46+	92+	92+	92+	46+	46+	46+	46+	46+	46+	92+	92+	92-
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1
TAB ***	1309	1309	1309	1309	1309	1309	1309	1309	1309	1309	1309	1309	1309	1309

	T	--	72,5 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t CODE > 0009 < B131 0A00													
	72,0													
8,0														
9,0														
10,0														
11,0														
12,0														
14,0														
16,0														
18,0														
20,0														
22,0	5,3													
24,0	4,7													
26,0	4,1													
28,0	3,6													
30,0	3,1													
32,0	2,7													
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
54,0														
56,0														
*** n ***	1													
1	100-													
2	100-													
3	100-													
4	100-													
5	100-													
%														
m/s	11,1													
TAB ***	1309													

	T	--	72,5 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.23

m	m >< t	CODE > 0010 < B131 0D00												
	15,5	**20,7**	**20,7**	**20,7**	**20,7**	**25,9**	**25,9**	**25,9**	**25,9**	**26,8**	**31,1**	**31,1**	**31,1**	**31,1**
3,0	176,0													
3,5	161,0	135,0	125,0	76,0	56,0									
4,0	145,0	135,0	125,0	76,0	56,0	111,0	115,0	56,0	54,0	51,0				
4,5	129,0	110,0	113,0	76,0	57,0	90,0	95,0	56,0	54,0	51,0				
5,0	109,0	90,0	93,0	77,0	57,0	73,0	77,0	56,0	53,0	50,0	61,0	65,0	66,0	56,0
6,0	73,0	61,0	64,0	66,0	59,0	51,0	55,0	57,0	48,0	45,0	43,5	47,0	48,0	55,0
7,0	53,0	45,5	47,5	49,5	51,0	38,5	41,5	47,5	43,5	41,0	32,5	36,0	37,0	43,0
8,0	40,5	35,0	36,5	38,5	40,0	29,0	32,5	38,0	38,5	38,0	24,2	27,6	28,4	35,0
9,0	31,5	26,6	28,6	30,5	32,0	22,0	25,2	31,0	31,0	31,0	18,2	21,4	22,1	28,3
10,0	24,7	20,7	22,5	24,4	25,8	16,9	19,9	25,2	25,3	25,2	13,8	16,8	17,5	23,3
11,0	19,8	16,3	18,0	19,8	21,1	13,1	15,9	20,9	21,0	21,0	10,4	13,3	13,9	19,4
12,0	15,7	13,0	14,6	16,3	17,5	10,2	12,8	17,6	17,7	17,7	7,8	10,5	11,1	16,4
14,0		8,2	9,7	11,2	12,4	5,8	8,3	12,7	12,8	12,9		6,4	7,0	11,9
16,0		5,1	6,5	7,7	8,6		5,2	9,4	9,5	9,5				8,8
18,0			3,8	4,9	5,8			6,9	7,0	7,1				6,4
20,0								5,0	5,1	5,2				4,7
22,0								3,4	3,5	3,6				
24,0										2,4				
*** n ***	14!	14	13	8	6	12	12	6	6	5	6	7	7	6
1	0+	0+	0+	0+	0+	46+	0+	0+	0+	0+	92+	46+	0+	0+
2	0+	46+	0+	0+	0+	46+	46+	0+	0+	0+	46+	46+	92+	0+
3	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	0+	46+	46+	46+
4	0+	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	0+	0+	46+
5 %	0+	0+	0+	0+	46+	0+	0+	46+	92+	100+	0+	0+	0+	46+
m/s	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8
TAB ***	1307	1307	1307	1307	1307	1307	1307	1307	1307	1307	1307	1307	1307	1307

	T	--	0,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.23

m	m >< t	CODE > 0010 < B131 0D00												
	31,1	**31,1**	**36,3**	**36,3**	**36,3**	**36,3**	**36,3**	**36,3**	**38,1**	**41,5**	**41,5**	**41,5**	**41,5**	**41,5**
3,0														
3,5														
4,0														
4,5														
5,0	52,0	52,0												
6,0	47,5	47,5	40,5	42,0	44,0	48,5	49,0	39,5	36,0					
7,0	43,5	43,5	30,5	32,5	34,5	38,5	39,0	36,5	34,0	27,7	29,3	33,5	34,0	37,0
8,0	35,5	36,5	23,1	24,8	26,8	31,0	31,5	33,5	31,5	21,2	22,7	26,4	27,1	29,9
9,0	28,6	30,0	17,8	19,4	21,2	25,0	25,6	28,2	27,6	16,5	17,8	21,3	22,0	24,6
10,0	23,6	25,0	13,8	15,3	17,0	20,6	21,1	23,6	23,2	12,8	14,1	17,4	18,1	20,6
11,0	19,7	21,1	10,7	12,1	13,8	17,2	17,7	20,0	19,7	10,0	11,2	14,4	15,0	17,4
12,0	16,7	18,0	8,2	9,6	11,2	14,5	14,9	17,1	16,9	7,7	8,9	11,9	12,5	14,8
14,0	12,1	13,4		5,8	7,3	10,4	10,8	12,8	12,7		5,4	8,2	8,8	10,9
16,0	9,0	10,2				7,4	7,8	9,8	9,7			5,6	6,1	8,1
18,0	6,6	7,8				5,3	5,6	7,5	7,5					6,0
20,0	4,8	6,0					3,9	5,7	5,8					4,4
22,0		4,5						4,3	4,4					
24,0		3,4												
*** n ***	6	6	4	5	5	5	5	4	4	3	3	4	4	4
1	0+	0+	92+	46+	46+	0+	0+	0+	0+	92+	92+	46+	0+	0+
2	0+	0+	46+	92+	46+	46+	0+	0+	0+	92+	46+	46+	92+	46+
3	0+	0+	46+	46+	46+	46+	92+	0+	0+	46+	46+	46+	46+	46+
4	92+	46+	0+	0+	46+	46+	46+	92+	100+	0+	46+	46+	46+	46+
5 %	46+	92+	0+	0+	0+	46+	46+	92+	100+	0+	0+	46+	46+	92+
m/s	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1
TAB ***	1307	1307	1307	1307	1307	1307	1307	1307	1307	1307	1307	1307	1307	1307

	T	--	0,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.23

m	m >< t	CODE > 0010 < B131 0D00												
	41,5	**41,5**	**46,7**	**46,7**	**46,7**	**46,7**	**46,7**	**46,7**	**46,7**	**49,4**	**51,9**	**51,9**	**51,9**	**51,9**
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	37,0	35,5												
8,0	29,9	31,5	22,5	23,7	26,0	25,3	27,0	28,3	28,9					
9,0	24,6	26,3	18,1	19,2	21,3	20,7	22,3	23,5	24,1	23,3	16,6	18,2	20,6	19,9
10,0	20,5	22,2	14,7	15,8	17,8	17,1	18,7	19,8	20,4	19,8	13,5	15,1	17,3	16,7
11,0	17,3	18,9	12,0	13,0	14,9	14,3	15,8	16,9	17,4	16,9	11,0	12,5	14,7	14,1
12,0	14,8	16,3	9,7	10,8	12,6	12,0	13,5	14,5	15,0	14,6	8,9	10,4	12,5	11,9
14,0	10,9	12,3	6,4	7,3	9,1	8,5	9,9	10,9	11,3	11,0	5,8	7,2	9,2	8,6
16,0	8,0	9,5		4,8	6,5	5,9	7,3	8,2	8,6	8,4		4,8	6,7	6,1
18,0	5,9	7,3			4,5		5,3	6,2	6,5	6,4			4,8	4,3
20,0	4,3	5,6						4,6	4,9	4,9				
22,0		4,3							3,6	3,6				
24,0														
*** n ***	4	4	3	3	3	3	3	3	3	3	2	2	2	2
1	0+	0+	92+	46+	46+	0+	0+	0+	0+	0+	92+	46+	46+	0+
2	0+	0+	46+	92+	46+	92+	46+	46+	0+	0+	92+	92+	46+	92+
3	92+	46+	46+	46+	46+	92+	92+	46+	92+	100+	46+	92+	46+	92+
4	92+	92+	46+	46+	46+	46+	92+	92+	92+	100+	46+	46+	92+	92+
5 %	46+	92+	46+	46+	92+	46+	46+	92+	92+	100+	46+	46+	92+	46+
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1
TAB ***	1307	1307	1307	1307	1307	1307	1307	1307	1307	1307	1307	1307	1307	1307

	T	--	0,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.23

m	m >< t	CODE > 0010 <												B131 0D00
	51,9	**57,1**	**57,1**	**57,1**	**57,1**	**60,7**	**62,3**	**62,3**	**67,5**	**72,0**	**20,7**	**25,9**	**31,1**	**20,7**
3,0														
3,5											46,5			49,5
4,0											46,5	38,5		49,0
4,5											46,0	38,0		49,0
5,0											46,0	38,0	26,8	49,0
6,0											46,0	37,5	25,5	48,5
7,0											45,5	37,0	24,4	47,5
8,0											35,0	29,0	23,4	36,5
9,0	22,0										26,6	22,0	18,2	28,6
10,0	18,6	12,9	14,7	16,2	16,5						20,7	16,9	13,8	22,5
11,0	15,9	10,5	12,4	13,7	14,1	13,7	10,7	12,6			16,3	13,1	10,4	18,0
12,0	13,7	8,6	10,4	11,7	12,1	11,8	8,8	10,7	9,0		13,0	10,2	7,8	14,6
14,0	10,3	5,6	7,3	8,6	8,9	8,7	6,0	7,8	6,3		8,2	5,8		9,7
16,0	7,8		5,1	6,3	6,6	6,5		5,6			5,1			6,5
18,0	5,9			4,5	4,7	4,7								3,8
20,0	4,3													
22,0														
24,0														
*** n ***	3	2	2	2	2	2	2	2	1	0	5	4	3	5
% 1	0+	92+	46+	46+	0+	0+	92+	46+	92+	100+	0+	46-	92-	0+
% 2	46+	92+	92+	46+	92+	100+	92+	92+	92+	100+	46-	46+	46+	0+
% 3	92+	92+	92+	92+	92+	100+	92+	92+	92+	100+	0+	0+	0+	46-
% 4	92+	46+	92+	92+	92+	100+	92+	92+	92+	100+	0+	0+	0+	0+
% 5	92+	46+	46+	92+	92+	100+	46+	92+	92+	100+	0+	0+	0+	0+
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	14,3	12,8	12,8	14,3
TAB ***	1307	1307	1307	1307	1307	1307	1307	1307	1307	1307	1307	1307	1307	1307

	T	--	0,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.23

m	m >< t	CODE > 0010 < B131 0D00												
	25,9	**31,1**	**36,3**	**20,7**	**36,3**	**41,5**	**31,1**	**36,3**	**41,5**	**20,7**	**25,9**	**31,1**	**36,3**	**41,5**
3,0														
3,5				53,0						55,0				
4,0	44,5			53,0						55,0	51,0			
4,5	44,5			53,0						55,0	49,5			
5,0	44,0	37,0		53,0			31,5			55,0	49,5	46,0		
6,0	43,5	36,5	24,5	53,0	36,0		29,1	35,5		55,0	49,0	45,0	41,5	
7,0	41,5	36,0	23,3	49,5	34,5	22,8	27,9	32,5	22,4	51,0	47,5	43,0	38,5	33,5
8,0	32,5	27,6	22,2	38,5	26,8	21,6	26,8	24,8	21,2	40,0	38,0	35,0	31,0	26,4
9,0	25,2	21,4	17,8	30,5	21,2	17,8	22,1	19,4	16,5	32,0	31,0	28,3	25,0	21,3
10,0	19,9	16,8	13,8	24,4	17,0	14,1	17,5	15,3	12,8	25,8	25,2	23,3	20,6	17,4
11,0	15,9	13,3	10,7	19,8	13,8	11,2	13,9	12,1	10,0	21,1	20,9	19,4	17,2	14,4
12,0	12,8	10,5	8,2	16,3	11,2	8,9	11,1	9,6	7,7	17,5	17,6	16,4	14,5	11,9
14,0	8,3	6,4		11,2	7,3	5,4	7,0	5,8		12,4	12,7	11,9	10,4	8,2
16,0	5,2			7,7						8,6	9,4	8,8	7,4	5,6
18,0				4,9						5,8	6,9	6,4	5,3	
20,0											5,0	4,7		
22,0											3,4			
24,0														
*** n ***	5	4	3	6	4	3	4	4	3	6	5	5	4	4
1	0+	46-	92-	0+	46-	92-	0+	46-	92-	0+	0+	0+	0+	46-
2	46-	46+	46+	0+	46-	46+	92-	92+	92+	0+	0+	0+	46-	46+
3	46+	46+	46+	0+	46-	46+	46+	46+	46+	0+	0+	46-	46+	46+
4	0+	0+	0+	46-	46+	46+	0+	0+	0+	0+	46-	46+	46+	46+
5 %	0+	0+	0+	0+	0+	0+	0+	0+	0+	46-	46+	46+	46+	46+
m/s	12,8	12,8	11,1	14,3	11,1	11,1	12,8	11,1	11,1	14,3	12,8	12,8	11,1	11,1
TAB ***	1307	1307	1307	1307	1307	1307	1307	1307	1307	1307	1307	1307	1307	1307

	T	--	0,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.23

m	m >< t	CODE > 0010 < B131 0D00												
	46,7	**25,9**	**31,1**	**41,5**	**46,7**	**41,5**	**46,7**	**51,9**	**36,3**	**41,5**	**46,7**	**51,9**	**36,3**	**46,7**
3,0														
3,5														
4,0		42,0												
4,5		40,0												
5,0		39,5	48,0											
6,0		38,0	47,5						33,0				31,5	
7,0		37,0	43,5	37,0		26,2			32,0	35,5			29,1	
8,0	21,3	36,0	36,5	29,9	26,0	25,0	23,7		29,5	31,5	28,3		27,9	24,2
9,0	18,1	31,0	30,0	24,6	21,3	22,0	19,2	16,6	28,2	26,3	23,5	20,6	25,6	20,7
10,0	14,7	25,3	25,0	20,6	17,8	18,1	15,8	13,5	23,6	22,2	19,8	17,3	21,1	17,1
11,0	12,0	21,0	21,1	17,4	14,9	15,0	13,0	11,0	20,0	18,9	16,9	14,7	17,7	14,3
12,0	9,7	17,7	18,0	14,8	12,6	12,5	10,8	8,9	17,1	16,3	14,5	12,5	14,9	12,0
14,0	6,4	12,8	13,4	10,9	9,1	8,8	7,3	5,8	12,8	12,3	10,9	9,2	10,8	8,5
16,0		9,5	10,2	8,1	6,5	6,1	4,8		9,8	9,5	8,2	6,7	7,8	5,9
18,0		7,0	7,8	6,0	4,5				7,5	7,3	6,2	4,8	5,6	
20,0		5,1	6,0	4,4					5,7	5,6	4,6		3,9	
22,0		3,5	4,5						4,3	4,3				
24,0			3,4											
*** n ***	3	5	5	4	3	3	3	2	4	4	3	2	4	3
1	92-	0+	0+	0+	46-	0+	46-	92-	0+	0+	0+	46-	0+	0+
2	46+	0+	0+	46-	46+	92-	92+	92+	0+	0+	46-	46+	0+	92-
3	46+	0+	0+	46-	46+	46+	46+	46+	0+	46-	46+	46+	92-	92+
4	46+	0+	46-	46+	46+	46+	46+	46+	92-	92+	92+	92+	46+	46+
5	46+	92-	92+	92+	92+	46+	46+	46+	92+	92+	92+	92+	46+	46+
%														
m/s	11,1	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1
TAB ***	1307	1307	1307	1307	1307	1307	1307	1307	1307	1307	1307	1307	1307	1307

	T	--	0,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.23

m	m >< t					CODE > 0010 <			B131 0D00					
	51,9	**57,1**	**46,7**	**51,9**	**57,1**	**31,1**	**41,5**	**46,7**	**51,9**	**57,1**	**62,3**	**57,1**	**62,3**	**67,5**
3,0														
3,5														
4,0														
4,5														
5,0						36,0								
6,0						34,5								
7,0						33,0	28,1							
8,0			26,4			32,0	26,9	27,0						
9,0	18,2		24,1	22,0		28,6	24,6	22,3	19,9					
10,0	15,1	12,9	20,4	18,6	16,2	23,6	20,5	18,7	16,7	14,7		16,5		
11,0	12,5	10,5	17,4	15,9	13,7	19,7	17,3	15,8	14,1	12,4	10,7	14,1	12,6	
12,0	10,4	8,6	15,0	13,7	11,7	16,7	14,8	13,5	11,9	10,4	8,8	12,1	10,7	9,0
14,0	7,2	5,6	11,3	10,3	8,6	12,1	10,9	9,9	8,6	7,3	6,0	8,9	7,8	6,3
16,0	4,8		8,6	7,8	6,3	9,0	8,0	7,3	6,1	5,1		6,6	5,6	
18,0			6,5	5,9	4,5	6,6	5,9	5,3	4,3			4,7		
20,0			4,9	4,3		4,8	4,3							
22,0			3,6											
24,0														
*** n ***	2	2	3	3	2	4	3	3	2	2	2	2	2	1
1	46-	92-	0+	0+	46-	0+	0+	0+	0+	46-	92-	0+	46-	92-
2	92+	92+	0+	46-	46+	0+	0+	46-	92-	92+	92+	92-	92+	92-
3	92+	92+	92-	92+	92+	0+	92-	92+	92+	92+	92+	92+	92+	92-
4	46+	46+	92+	92+	92+	92-	92+	92+	92+	92+	92+	92+	92+	92-
5 %	46+	46+	92+	92+	92+	46+	46+	46+	46+	46+	46+	92+	92+	92-
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1
TAB ***	1307	1307	1307	1307	1307	1307	1307	1307	1307	1307	1307	1307	1307	1307

	T	--	0,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.23

m	m >< t CODE > 0010 < B131 0D00													
	72,0													
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
14,0														
16,0														
18,0														
20,0														
22,0														
24,0														
*** n ***	0													
1	100-													
2	100-													
3	100-													
4	100-													
5	100-													
%														
m/s	11,1													
TAB ***	1307													

	T	--	0,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t	CODE > 0011 < B131 0E00												
	15,5	**20,7**	**20,7**	**20,7**	**20,7**	**25,9**	**25,9**	**25,9**	**25,9**	**26,8**	**31,1**	**31,1**	**31,1**	**31,1**
3,0	176,0													
3,5	165,0	135,0	125,0	76,0	56,0									
4,0	150,0	135,0	125,0	76,0	56,0	117,0	115,0	56,0	54,0	51,0				
4,5	136,0	134,0	125,0	76,0	57,0	116,0	115,0	56,0	54,0	51,0				
5,0	122,0	116,0	118,0	77,0	57,0	98,0	102,0	56,0	53,0	50,0	82,0	86,0	80,0	56,0
6,0	98,0	85,0	87,0	79,0	59,0	72,0	76,0	57,0	48,0	45,0	62,0	66,0	67,0	57,0
7,0	73,0	64,0	66,0	68,0	59,0	55,0	58,0	58,0	43,5	41,0	48,0	51,0	52,0	57,0
8,0	57,0	50,0	52,0	54,0	55,0	43,5	46,5	52,0	40,0	38,0	38,5	41,5	42,0	48,0
9,0	46,0	40,5	42,5	44,0	45,5	35,5	38,5	43,5	37,0	35,5	31,5	34,0	35,0	40,5
10,0	37,5	33,5	35,0	37,0	38,0	29,4	32,0	37,0	34,5	32,5	25,9	28,6	29,2	34,5
11,0	30,5	28,2	29,8	31,5	32,5	24,6	27,1	31,5	32,0	30,5	21,3	24,2	24,8	29,8
12,0	25,1	23,9	25,5	27,0	28,0	20,5	23,1	27,7	27,7	27,7	17,6	20,3	20,9	26,1
14,0		17,2	18,6	19,7	20,6	14,3	16,8	21,3	21,4	21,3	12,0	14,5	15,1	20,1
16,0		12,1	13,4	14,5	15,4	10,1	12,5	16,6	16,7	16,7	8,0	10,5	11,0	15,7
18,0		8,5	9,7	10,8	11,6	7,1	9,3	12,9	13,0	13,1	5,1	7,5	8,0	12,5
20,0						4,7	6,7	10,0	10,1	10,3		5,2	5,7	10,1
22,0							4,7	7,8	7,9	8,1			3,9	8,0
24,0										6,4				6,2
26,0														4,8
28,0														3,7
30,0														
32,0														
34,0														
36,0														
*** n ***	14!	14	13	8	6	12	12	6	6	5	9	9	8	6
1	0+	0+	0+	0+	0+	46+	0+	0+	0+	0+	92+	46+	0+	0+
2	0+	46+	0+	0+	0+	46+	46+	0+	0+	0+	46+	46+	92+	0+
3	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	0+	46+	46+	46+
4	0+	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	0+	0+	46+
5 %	0+	0+	0+	0+	46+	0+	0+	46+	92+	100+	0+	0+	0+	46+
m/s	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8
TAB ***	1306	1306	1306	1306	1306	1306	1306	1306	1306	1306	1306	1306	1306	1306

	T	--	10,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t	CODE > 0011 < B131 0E00												
	31,1	**31,1**	**36,3**	**36,3**	**36,3**	**36,3**	**36,3**	**36,3**	**38,1**	**41,5**	**41,5**	**41,5**	**41,5**	**41,5**
3,0														
3,5														
4,0														
4,5														
5,0	52,0	52,0												
6,0	47,5	47,5	57,0	59,0	61,0	57,0	49,5	39,5	36,0					
7,0	43,5	43,5	45,5	47,0	49,0	53,0	46,0	36,5	34,0	42,0	43,0	46,5	47,5	44,5
8,0	40,0	40,0	36,5	38,0	40,0	43,5	42,5	33,5	31,5	34,5	35,5	39,0	39,5	42,0
9,0	37,0	37,0	30,5	31,5	33,5	36,5	37,0	31,0	29,4	28,5	29,7	33,0	33,5	36,0
10,0	34,5	35,0	25,3	26,7	28,2	31,5	32,0	28,9	27,3	23,9	25,1	28,1	28,7	31,0
11,0	30,0	31,5	21,0	22,5	24,1	27,3	27,7	27,1	25,6	19,9	21,1	24,3	24,9	27,0
12,0	26,3	27,5	17,5	18,9	20,5	23,8	24,3	25,5	24,1	16,6	17,8	20,9	21,5	23,8
14,0	20,3	21,5	12,2	13,6	15,1	18,2	18,6	20,7	20,4	11,7	12,8	15,7	16,3	18,5
16,0	15,9	17,1	8,5	9,8	11,2	14,1	14,5	16,5	16,4	8,2	9,3	12,0	12,5	14,6
18,0	12,7	13,9	5,7	7,0	8,3	11,1	11,5	13,4	13,3	5,5	6,6	9,2	9,7	11,7
20,0	10,3	11,3		4,8	6,1	8,8	9,2	11,0	11,0		4,5	7,1	7,5	9,5
22,0	8,1	9,1			4,3	7,0	7,3	9,1	9,1			5,3	5,8	7,7
24,0	6,4	7,3				5,5	5,8	7,5	7,5			3,9	4,3	6,2
26,0	5,0	5,9				4,3	4,5	6,1	6,2				3,1	5,0
28,0	3,9	4,8				3,1	3,4	4,9	5,0					3,9
30,0							2,4	3,9	4,0					3,1
32,0								3,1	3,2					
34,0									2,5					
36,0														
*** n ***	6	6	6	6	6	6	5	4	4	5	5	5	5	5
1	0+	0+	92+	46+	46+	0+	0+	0+	0+	92+	92+	46+	0+	0+
2	0+	0+	46+	92+	46+	46+	0+	0+	0+	92+	46+	46+	92+	46+
3	0+	0+	46+	46+	46+	46+	92+	0+	0+	46+	46+	46+	46+	46+
4	92+	46+	0+	0+	46+	46+	46+	92+	100+	0+	46+	46+	46+	46+
5 %	46+	92+	0+	0+	0+	46+	46+	92+	100+	0+	0+	46+	46+	92+
m/s	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1
TAB ***	1306	1306	1306	1306	1306	1306	1306	1306	1306	1306	1306	1306	1306	1306

	T	--	10,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t	CODE > 0011 < B131 0E00												
	41,5	**41,5**	**46,7**	**46,7**	**46,7**	**46,7**	**46,7**	**46,7**	**46,7**	**49,4**	**51,9**	**51,9**	**51,9**	**51,9**
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	38,0	35,5												
8,0	35,5	33,5	34,5	36,0	38,0	37,0	34,5	32,5	30,0					
9,0	33,5	31,5	29,4	30,5	32,5	31,5	32,5	31,0	28,5	26,0	27,5	29,0	30,0	30,0
10,0	31,0	29,6	25,1	26,1	27,9	27,4	28,8	29,7	26,9	24,7	23,5	25,0	27,1	26,5
11,0	27,0	27,9	21,4	22,4	24,4	23,8	25,2	26,2	25,6	23,5	20,0	21,6	23,7	23,1
12,0	23,7	25,2	18,3	19,3	21,2	20,6	22,1	23,1	23,6	22,4	17,2	18,7	20,8	20,2
14,0	18,4	19,8	13,6	14,6	16,3	15,7	17,1	18,1	18,6	18,2	12,8	14,2	16,2	15,6
16,0	14,5	15,9	10,2	11,1	12,8	12,2	13,6	14,5	14,9	14,6	9,5	10,9	12,8	12,2
18,0	11,6	13,0	7,5	8,5	10,1	9,5	10,8	11,7	12,1	11,9	7,0	8,4	10,2	9,7
20,0	9,4	10,7	5,5	6,4	7,9	7,4	8,7	9,5	9,9	9,8	5,1	6,4	8,2	7,6
22,0	7,6	8,9	3,8	4,7	6,2	5,7	6,9	7,8	8,1	8,0		4,7	6,5	6,0
24,0	6,1	7,4		3,3	4,8	4,3	5,5	6,4	6,7	6,6		3,4	5,1	4,6
26,0	4,9	6,1			3,6	3,1	4,3	5,2	5,5	5,4			4,0	3,5
28,0	3,8	5,1					3,3	4,1	4,5	4,4			3,0	
30,0	3,0	4,1						3,3	3,6	3,5				
32,0		3,2						2,5	2,8	2,8				
34,0		2,5												
36,0		1,9												
*** n ***	4	4	4	4	4	4	4	4	3	3	3	3	3	3
1	0+	0+	92+	46+	46+	0+	0+	0+	0+	0+	92+	46+	46+	0+
2	0+	0+	46+	92+	46+	92+	46+	46+	0+	0+	92+	92+	46+	92+
3	92+	46+	46+	46+	46+	92+	92+	46+	92+	100+	46+	92+	46+	92+
4	92+	92+	46+	46+	46+	46+	92+	92+	92+	100+	46+	46+	92+	92+
5 %	46+	92+	46+	46+	92+	46+	46+	92+	92+	100+	46+	46+	92+	46+
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1
TAB ***	1306	1306	1306	1306	1306	1306	1306	1306	1306	1306	1306	1306	1306	1306

	T	--	10,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t	CODE > 0011 <												
	51,9	**57,1**	**57,1**	**57,1**	**57,1**	**60,7**	**62,3**	**62,3**	**67,5**	**72,0**	**20,7**	**25,9**	**31,1**	**20,7**
3,0														
3,5											46,5			49,5
4,0											46,5	38,5		49,0
4,5											46,0	38,0		49,0
5,0											46,0	38,0	26,8	49,0
6,0											46,0	37,5	25,5	48,5
7,0											46,0	37,0	24,4	48,5
8,0											46,0	37,0	23,4	48,5
9,0	27,3										40,5	35,5	22,5	42,5
10,0	26,0	22,4	24,3	25,0	24,0						33,5	29,4	21,6	35,0
11,0	24,8	19,2	21,1	22,4	22,8	19,4	19,0	20,0			28,2	24,6	19,5	29,8
12,0	22,0	16,6	18,3	19,7	20,0	19,4	16,5	18,4	16,4		23,9	20,5	17,6	25,5
14,0	17,3	12,4	14,1	15,4	15,7	15,4	12,6	14,4	12,7	12,2	17,2	14,3	12,0	18,6
16,0	13,9	9,4	11,0	12,2	12,5	12,3	9,6	11,4	9,9	9,5	12,1	10,1	8,0	13,4
18,0	11,3	7,0	8,6	9,7	10,0	9,9	7,3	9,0	7,7	7,4	8,5	7,1	5,1	9,7
20,0	9,2	5,1	6,6	7,8	8,0	8,0	5,5	7,2	5,9	5,7		4,7		
22,0	7,5	3,5	5,1	6,2	6,4	6,4	4,0	5,6	4,5	4,3				
24,0	6,1		3,8	4,9	5,1	5,1		4,4	3,2					
26,0	4,9			3,7	4,0	4,0		3,3						
28,0	3,9				3,0	3,1								
30,0	3,1													
32,0														
34,0														
36,0														
*** n ***	3	3	3	3	3	2	2	2	2	2	5	4	3	5
1	0+	92+	46+	46+	0+	0+	92+	46+	92+	100+	0+	46-	92-	0+
2	46+	92+	92+	46+	92+	100+	92+	92+	92+	100+	46-	46+	46+	0+
3	92+	92+	92+	92+	92+	100+	92+	92+	92+	100+	0+	0+	0+	46-
4	92+	46+	92+	92+	92+	100+	92+	92+	92+	100+	0+	0+	0+	0+
5 %	92+	46+	46+	92+	92+	100+	46+	92+	92+	100+	0+	0+	0+	0+
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	14,3	12,8	12,8	14,3
TAB ***	1306	1306	1306	1306	1306	1306	1306	1306	1306	1306	1306	1306	1306	1306

	T	--	10,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t	CODE > 0011 < B131 0E00												
	25,9	**31,1**	**36,3**	**20,7**	**36,3**	**41,5**	**31,1**	**36,3**	**41,5**	**20,7**	**25,9**	**31,1**	**36,3**	**41,5**
3,0														
3,5				53,0						55,0				
4,0	44,5			53,0						55,0	51,0			
4,5	44,5			53,0						55,0	49,5			
5,0	44,0	37,0		53,0			31,5			55,0	49,5	46,0		
6,0	43,5	36,5	24,5	53,0	36,0		29,1	35,5		55,0	49,0	45,0	41,5	
7,0	43,0	36,0	23,3	52,0	35,0	22,8	27,9	35,0	22,4	55,0	48,5	44,5	39,5	34,5
8,0	42,5	35,0	22,2	52,0	34,5	21,6	26,8	34,0	21,3	55,0	48,0	43,5	38,5	34,0
9,0	38,5	34,0	21,2	44,0	33,5	19,2	25,9	31,5	18,9	45,5	43,5	40,5	36,5	33,0
10,0	32,0	28,6	19,0	37,0	28,2	18,4	24,9	26,7	18,0	38,0	37,0	34,5	31,5	28,1
11,0	27,1	24,2	18,2	31,5	24,1	17,6	24,1	22,5	17,2	32,5	31,5	29,8	27,3	24,3
12,0	23,1	20,3	17,5	27,0	20,5	16,8	20,9	18,9	16,4	28,0	27,7	26,1	23,8	20,9
14,0	16,8	14,5	12,2	19,7	15,1	12,8	15,1	13,6	11,7	20,6	21,3	20,1	18,2	15,7
16,0	12,5	10,5	8,5	14,5	11,2	9,3	11,0	9,8	8,2	15,4	16,6	15,7	14,1	12,0
18,0	9,3	7,5	5,7	10,8	8,3	6,6	8,0	7,0	5,5	11,6	12,9	12,5	11,1	9,2
20,0	6,7	5,2			6,1	4,5	5,7	4,8			10,0	10,1	8,8	7,1
22,0	4,7				4,3		3,9				7,8	8,0	7,0	5,3
24,0												6,2	5,5	3,9
26,0												4,8	4,3	
28,0												3,7	3,1	
30,0														
32,0														
34,0														
36,0														
*** n ***	5	4	3	6	4	3	4	4	3	6	5	5	4	4
% 1	0+	46-	92-	0+	46-	92-	0+	46-	92-	0+	0+	0+	0+	46-
% 2	46-	46+	46+	0+	46-	46+	92-	92+	92+	0+	0+	0+	46-	46+
% 3	46+	46+	46+	0+	46-	46+	46+	46+	46+	0+	0+	46-	46+	46+
% 4	0+	0+	0+	46-	46+	46+	0+	0+	0+	0+	46-	46+	46+	46+
% 5	0+	0+	0+	0+	0+	0+	0+	0+	0+	46-	46+	46+	46+	46+
m/s	12,8	12,8	11,1	14,3	11,1	11,1	12,8	11,1	11,1	14,3	12,8	12,8	11,1	11,1
TAB ***	1306	1306	1306	1306	1306	1306	1306	1306	1306	1306	1306	1306	1306	1306

	T	--	10,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t	CODE > 0011 < B131 0E00												
	46,7	**25,9**	**31,1**	**41,5**	**46,7**	**41,5**	**46,7**	**51,9**	**36,3**	**41,5**	**46,7**	**51,9**	**36,3**	**46,7**
3,0														
3,5														
4,0		42,0												
4,5		40,0												
5,0		39,5	48,0											
6,0		38,0	47,5						33,0				31,5	
7,0		37,0	43,5	39,0		26,2			32,0	35,5			29,1	
8,0	21,3	36,0	40,0	38,0	33,5	25,0	33,5		29,5	33,5	32,5		27,9	24,2
9,0	19,0	35,0	37,0	36,0	32,5	23,9	30,5	18,4	28,4	31,5	31,0	30,0	26,8	23,1
10,0	18,1	34,0	35,0	31,0	27,9	22,9	26,1	17,5	27,4	29,6	29,7	27,1	25,8	22,0
11,0	17,3	32,0	31,5	27,0	24,4	21,9	22,4	16,6	26,4	27,9	26,2	23,7	24,9	21,1
12,0	16,6	27,7	27,5	23,8	21,2	21,1	19,3	15,8	25,5	25,2	23,1	20,8	24,1	19,0
14,0	13,6	21,4	21,5	18,5	16,3	16,3	14,6	12,8	20,7	19,8	18,1	16,2	18,6	15,7
16,0	10,2	16,7	17,1	14,6	12,8	12,5	11,1	9,5	16,5	15,9	14,5	12,8	14,5	12,2
18,0	7,5	13,0	13,9	11,7	10,1	9,7	8,5	7,0	13,4	13,0	11,7	10,2	11,5	9,5
20,0	5,5	10,1	11,3	9,5	7,9	7,5	6,4	5,1	11,0	10,7	9,5	8,2	9,2	7,4
22,0	3,8	7,9	9,1	7,7	6,2	5,8	4,7		9,1	8,9	7,8	6,5	7,3	5,7
24,0			7,3	6,2	4,8	4,3	3,3		7,5	7,4	6,4	5,1	5,8	4,3
26,0			5,9	5,0	3,6	3,1			6,1	6,1	5,2	4,0	4,5	3,1
28,0			4,8	3,9					4,9	5,1	4,1	3,0	3,4	
30,0				3,1					3,9	4,1	3,3		2,4	
32,0									3,1	3,2	2,5			
34,0										2,5				
36,0										1,9				
*** n ***	3	5	5	4	4	3	4	2	4	4	4	3	4	3
1	92-	0+	0+	0+	46-	0+	46-	92-	0+	0+	0+	46-	0+	0+
2	46+	0+	0+	46-	46+	92-	92+	92+	0+	0+	46-	46+	0+	92-
3	46+	0+	0+	46-	46+	46+	46+	46+	0+	46-	46+	46+	92-	92+
4	46+	0+	46-	46+	46+	46+	46+	46+	92-	92+	92+	92+	46+	46+
5	46+	92-	92+	92+	92+	46+	46+	46+	92+	92+	92+	92+	46+	46+
%														
m/s	11,1	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1
TAB ***	1306	1306	1306	1306	1306	1306	1306	1306	1306	1306	1306	1306	1306	1306

	T	--	10,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t	CODE > 0011 < B131 0E00												
	51,9	**57,1**	**46,7**	**51,9**	**57,1**	**31,1**	**41,5**	**46,7**	**51,9**	**57,1**	**62,3**	**57,1**	**62,3**	**67,5**
3,0														
3,5														
4,0														
4,5														
5,0						36,0								
6,0						34,5								
7,0						33,0	28,1							
8,0			26,4			32,0	26,9	34,5						
9,0	29,0		25,2	27,3		29,8	25,8	32,5	22,7					
10,0	25,0	17,2	24,2	26,0	25,0	28,9	24,8	28,8	21,6	24,3		21,3		
11,0	21,6	16,3	23,2	24,8	22,4	28,0	23,8	25,2	19,5	21,1	16,3	19,2	20,0	
12,0	18,7	15,5	22,3	22,0	19,7	26,3	22,9	22,1	18,6	18,3	15,5	18,4	18,4	15,4
14,0	14,2	12,4	18,6	17,3	15,4	20,3	18,4	17,1	15,6	14,1	12,6	15,7	14,4	12,7
16,0	10,9	9,4	14,9	13,9	12,2	15,9	14,5	13,6	12,2	11,0	9,6	12,5	11,4	9,9
18,0	8,4	7,0	12,1	11,3	9,7	12,7	11,6	10,8	9,7	8,6	7,3	10,0	9,0	7,7
20,0	6,4	5,1	9,9	9,2	7,8	10,3	9,4	8,7	7,6	6,6	5,5	8,0	7,2	5,9
22,0	4,7	3,5	8,1	7,5	6,2	8,1	7,6	6,9	6,0	5,1	4,0	6,4	5,6	4,5
24,0	3,4		6,7	6,1	4,9	6,4	6,1	5,5	4,6	3,8		5,1	4,4	3,2
26,0			5,5	4,9	3,7	5,0	4,9	4,3	3,5			4,0	3,3	
28,0			4,5	3,9		3,9	3,8	3,3				3,0		
30,0			3,6	3,1			3,0							
32,0			2,8											
34,0														
36,0														
*** n ***	3	2	3	3	3	4	3	4	3	3	2	3	2	2
1	46-	92-	0+	0+	46-	0+	0+	0+	0+	46-	92-	0+	46-	92-
2	92+	92+	0+	46-	46+	0+	0+	46-	92-	92+	92+	92-	92+	92-
3	92+	92+	92-	92+	92+	0+	92-	92+	92+	92+	92+	92+	92+	92-
4	46+	46+	92+	92+	92+	92-	92+	92+	92+	92+	92+	92+	92+	92-
5	46+	46+	92+	92+	92+	46+	46+	46+	46+	46+	46+	92+	92+	92-
%														
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1
TAB ***	1306	1306	1306	1306	1306	1306	1306	1306	1306	1306	1306	1306	1306	1306

	T	--	10,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t	CODE > 0011 < B131 0E00												
m	**72,0**													
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
14,0	8,8													
16,0	7,7													
18,0	6,8													
20,0	5,7													
22,0	4,3													
24,0														
26,0														
28,0														
30,0														
32,0														
34,0														
36,0														
*** n ***	1													
1	100-													
2	100-													
3	100-													
4	100-													
5	100-													
%														
m/s	11,1													
TAB ***	1306													

	T	--	10,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t	CODE > 0012 <					B131 0F00							
	15,5	**20,7**	**20,7**	**20,7**	**20,7**	**25,9**	**25,9**	**25,9**	**25,9**	**26,8**	**31,1**	**31,1**	**31,1**	**31,1**
3,0	176,0													
3,5	169,0	135,0	125,0	76,0	56,0									
4,0	154,0	135,0	125,0	76,0	56,0	117,0	115,0	56,0	54,0	51,0				
4,5	141,0	134,0	125,0	76,0	57,0	117,0	115,0	56,0	54,0	51,0				
5,0	129,0	127,0	125,0	77,0	57,0	116,0	115,0	56,0	53,0	50,0	82,0	86,0	80,0	56,0
6,0	107,0	107,0	108,0	79,0	59,0	94,0	98,0	57,0	48,0	45,0	80,0	86,0	73,0	57,0
7,0	90,0	85,0	86,0	79,0	59,0	75,0	78,0	58,0	43,5	41,0	67,0	70,0	67,0	57,0
8,0	76,0	68,0	70,0	72,0	59,0	60,0	63,0	58,0	40,0	38,0	54,0	57,0	58,0	58,0
9,0	63,0	56,0	58,0	60,0	56,0	50,0	53,0	57,0	37,0	35,5	45,0	47,5	48,5	54,0
10,0	51,0	47,0	48,5	50,0	52,0	42,0	44,5	49,5	34,5	32,5	38,0	40,5	41,0	46,5
11,0	41,5	40,0	41,5	43,5	44,5	36,0	38,5	43,0	32,5	30,5	32,5	35,0	35,5	40,5
12,0	35,0	34,5	36,0	37,0	38,0	31,0	33,5	38,0	30,5	28,8	27,8	30,5	31,0	36,0
14,0		25,4	26,5	27,6	28,4	23,6	25,9	29,7	27,0	25,6	21,1	23,4	24,0	28,6
16,0		19,4	20,4	21,4	22,2	18,4	20,3	23,3	23,4	22,7	16,2	18,5	19,0	23,4
18,0		15,1	16,1	17,1	17,8	14,1	15,9	18,9	18,9	19,1	12,5	14,7	15,2	19,0
20,0						10,7	12,6	15,5	15,6	15,7	9,4	11,7	12,2	15,6
22,0						8,1	10,0	13,0	13,0	13,1	7,1	9,1	9,5	13,1
24,0										11,1	5,0	6,9	7,3	11,0
26,0											3,3	5,2	5,6	9,2
28,0											1,9	3,8	4,2	7,7
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
*** n ***	14!	14	13	8	6	12	12	6	6	5	9	9	8	6
1	0+	0+	0+	0+	0+	46+	0+	0+	0+	0+	92+	46+	0+	0+
2	0+	46+	0+	0+	0+	46+	46+	0+	0+	0+	46+	46+	92+	0+
3	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	0+	46+	46+	46+
4	0+	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	0+	0+	46+
5 %	0+	0+	0+	0+	46+	0+	0+	46+	92+	100+	0+	0+	0+	46+
m/s	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8
TAB ***	1305	1305	1305	1305	1305	1305	1305	1305	1305	1305	1305	1305	1305	1305

	T	--	22,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t	CODE > 0012 < B131 0F00												
	31,1	**31,1**	**36,3**	**36,3**	**36,3**	**36,3**	**36,3**	**36,3**	**38,1**	**41,5**	**41,5**	**41,5**	**41,5**	**41,5**
3,0														
3,5														
4,0														
4,5														
5,0	52,0	52,0												
6,0	47,5	47,5	68,0	69,0	71,0	57,0	49,5	39,5	36,0					
7,0	43,5	43,5	62,0	64,0	66,0	57,0	46,0	36,5	34,0	51,0	53,0	55,0	49,0	44,5
8,0	40,0	40,0	51,0	53,0	55,0	58,0	42,5	33,5	31,5	48,0	49,5	53,0	46,0	42,0
9,0	37,0	37,0	43,0	44,5	46,0	49,5	39,0	31,0	29,4	40,5	42,0	45,0	43,0	39,5
10,0	34,5	35,0	36,5	38,0	39,5	43,0	36,5	28,9	27,3	35,0	36,0	39,0	39,5	37,5
11,0	32,0	32,5	31,5	33,0	34,5	37,5	34,0	27,1	25,6	30,0	31,0	34,0	34,5	35,5
12,0	30,0	30,5	27,4	28,7	30,0	33,0	32,0	25,5	24,1	26,2	27,3	30,0	30,5	33,0
14,0	26,3	26,9	21,0	22,2	23,6	26,5	26,9	22,6	21,4	20,2	21,2	23,9	24,5	26,5
16,0	23,6	24,3	16,3	17,5	18,9	21,6	22,0	20,1	19,0	15,8	16,8	19,4	19,9	21,9
18,0	19,1	20,0	12,8	14,0	15,3	17,9	18,3	18,2	17,3	12,4	13,4	15,9	16,4	18,3
20,0	15,8	16,6	9,8	11,1	12,4	15,0	15,4	16,6	15,8	9,6	10,6	13,2	13,6	15,5
22,0	13,2	14,0	7,5	8,7	10,0	12,6	12,8	14,2	14,3	7,3	8,3	10,9	11,3	13,2
24,0	11,1	11,9	5,6	6,8	8,1	10,4	10,7	12,1	12,2	5,5	6,4	9,0	9,4	11,3
26,0	9,3	10,2	4,1	5,2	6,4	8,6	8,9	10,4	10,5	3,9	4,9	7,4	7,8	9,6
28,0	7,8	8,8	2,8	3,8	4,9	7,1	7,3	8,8	8,9		3,6	6,1	6,4	8,0
30,0				2,6	3,6	5,8	6,1	7,5	7,6			4,8	5,1	6,7
32,0					2,6	4,8	5,0	6,4	6,5			3,7	4,1	5,6
34,0									5,6			2,8	3,1	4,7
36,0												2,1	2,4	3,9
38,0													1,7	3,2
40,0														
42,0														
44,0														
46,0														
*** n ***	6	6	7	7	7	6	5	4	4	5	6	6	5	5
1	0+	0+	92+	46+	46+	0+	0+	0+	0+	92+	92+	46+	0+	0+
2	0+	0+	46+	92+	46+	46+	0+	0+	0+	92+	46+	46+	92+	46+
3	0+	0+	46+	46+	46+	46+	92+	0+	0+	46+	46+	46+	46+	46+
4	92+	46+	0+	0+	46+	46+	46+	92+	100+	0+	46+	46+	46+	46+
5 %	46+	92+	0+	0+	0+	46+	46+	92+	100+	0+	0+	46+	46+	92+
m/s	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1
TAB ***	1305	1305	1305	1305	1305	1305	1305	1305	1305	1305	1305	1305	1305	1305

	T	--	22,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t													
	CODE > 0012 < B131 0F00													
m	**41,5**	**41,5**	**46,7**	**46,7**	**46,7**	**46,7**	**46,7**	**46,7**	**46,7**	**49,4**	**51,9**	**51,9**	**51,9**	**51,9**
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	38,0	35,5												
8,0	35,5	33,5	43,0	42,5	41,0	38,0	34,5	32,5	30,0					
9,0	33,5	31,5	41,0	41,0	39,0	36,0	32,5	31,0	28,5	26,0	33,5	33,0	30,0	30,0
10,0	31,5	29,6	35,5	36,5	37,5	34,0	31,0	29,7	26,9	24,7	33,5	32,5	29,0	28,8
11,0	29,2	27,9	31,0	32,0	34,0	32,5	29,4	28,2	25,6	23,5	29,4	31,0	27,9	27,6
12,0	27,5	26,4	27,4	28,3	30,0	29,5	28,0	26,9	24,2	22,4	26,0	27,4	26,8	26,5
14,0	24,6	23,8	21,7	22,6	24,2	23,7	25,0	24,5	21,7	20,4	20,6	22,0	23,9	23,3
16,0	21,8	21,6	17,4	18,3	19,9	19,4	20,6	21,5	19,7	18,5	16,6	17,9	19,7	19,2
18,0	18,2	19,5	14,1	15,0	16,5	16,0	17,3	18,1	17,8	16,8	13,5	14,7	16,5	16,0
20,0	15,4	16,7	11,4	12,4	13,9	13,3	14,6	15,4	15,8	15,3	10,9	12,2	13,9	13,4
22,0	13,1	14,4	9,2	10,1	11,6	11,1	12,4	13,2	13,5	13,4	8,7	10,0	11,8	11,3
24,0	11,2	12,3	7,4	8,3	9,8	9,2	10,5	11,3	11,7	11,5	7,0	8,2	10,0	9,5
26,0	9,5	10,6	5,9	6,8	8,2	7,7	8,9	9,7	10,1	9,9	5,5	6,7	8,4	7,9
28,0	7,9	9,0	4,6	5,5	6,9	6,4	7,6	8,4	8,7	8,6	4,2	5,5	7,1	6,7
30,0	6,6	7,7	3,5	4,4	5,8	5,2	6,4	7,2	7,4	7,5	3,2	4,4	6,0	5,5
32,0	5,5	6,6	2,5	3,4	4,8	4,3	5,4	6,1	6,3	6,4		3,4	5,1	4,6
34,0	4,6	5,7		2,6	3,8	3,4	4,4	5,1	5,3	5,4		2,6	4,2	3,7
36,0	3,8	4,8			3,0	2,5	3,6	4,3	4,5	4,6			3,5	3,0
38,0	3,1	4,2			2,3		2,9	3,6	3,8	3,9			2,8	2,3
40,0							2,3	2,9	3,1	3,2			2,1	
42,0							1,7	2,4	2,6	2,6				
44,0							1,3	2,0	2,1	2,1				
46,0										1,7				
*** n ***	4	4	5	5	4	4	4	4	3	3	4	4	3	3
1	0+	0+	92+	46+	46+	0+	0+	0+	0+	0+	92+	46+	46+	0+
2	0+	0+	46+	92+	46+	92+	46+	46+	0+	0+	92+	92+	46+	92+
3	92+	46+	46+	46+	46+	92+	92+	46+	92+	100+	46+	92+	46+	92+
4	92+	92+	46+	46+	46+	46+	92+	92+	92+	100+	46+	46+	92+	92+
5 %	46+	92+	46+	46+	92+	46+	46+	92+	92+	100+	46+	46+	92+	46+
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1
TAB ***	1305	1305	1305	1305	1305	1305	1305	1305	1305	1305	1305	1305	1305	1305

	T	--	22,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t	CODE > 0012 <												
	51,9	**57,1**	**57,1**	**57,1**	**57,1**	**60,7**	**62,3**	**62,3**	**67,5**	**72,0**	**20,7**	**25,9**	**31,1**	**20,7**
3,0														
3,5											46,5			49,5
4,0											46,5	38,5		49,0
4,5											46,0	38,0		49,0
5,0											46,0	38,0	26,8	49,0
6,0											46,0	37,5	25,5	48,5
7,0											46,0	37,0	24,4	48,5
8,0											46,0	37,0	23,4	48,5
9,0	27,3										46,0	36,5	22,5	48,5
10,0	26,0	26,2	25,7	25,0	24,0						46,0	36,5	21,6	48,5
11,0	24,8	26,2	25,7	24,1	23,2	19,4	20,7	20,0			40,0	36,0	19,5	41,5
12,0	23,8	25,2	24,8	23,2	22,5	19,4	20,7	20,0	17,0		34,5	31,0	18,8	36,0
14,0	21,9	20,1	21,7	21,5	21,0	18,5	20,1	19,5	16,9	14,0	25,4	23,6	17,7	26,5
16,0	20,1	16,3	17,8	19,0	19,2	17,6	16,4	18,0	16,5	14,0	19,4	18,4	16,2	20,4
18,0	17,5	13,3	14,8	15,9	16,2	16,0	13,5	15,1	13,7	13,3	15,1	14,1	12,5	16,1
20,0	14,9	10,8	12,3	13,4	13,7	13,6	11,1	12,7	11,4	11,0		10,7	9,4	
22,0	12,8	8,7	10,2	11,4	11,6	11,5	9,1	10,7	9,4	9,1		8,1	7,1	
24,0	11,0	7,0	8,5	9,6	9,8	9,8	7,4	9,0	7,8	7,6			5,0	
26,0	9,4	5,6	7,0	8,1	8,4	8,3	6,0	7,6	6,4	6,2			3,3	
28,0	8,1	4,3	5,8	6,9	7,1	7,1	4,8	6,4	5,3	5,1			1,9	
30,0	7,0	3,3	4,7	5,8	6,0	6,0	3,8	5,3	4,2	4,1				
32,0	6,0		3,8	4,8	5,0	5,1	2,8	4,4	3,3	3,2				
34,0	5,1		3,0	4,0	4,2	4,3		3,6	2,5	2,4				
36,0	4,3		2,3	3,3	3,5	3,5		2,9						
38,0	3,6			2,6	2,8	2,9		2,2						
40,0	2,9			2,0	2,2	2,3								
42,0	2,4													
44,0	1,9													
46,0														
*** n ***	3	3	3	3	3	2	2	2	2	2	5	4	3	5
1	0+	92+	46+	46+	0+	0+	92+	46+	92+	100+	0+	46-	92-	0+
2	46+	92+	92+	46+	92+	100+	92+	92+	92+	100+	46-	46+	46+	0+
3	92+	92+	92+	92+	92+	100+	92+	92+	92+	100+	0+	0+	0+	46-
4	92+	46+	92+	92+	92+	100+	92+	92+	92+	100+	0+	0+	0+	0+
5 %	92+	46+	46+	92+	92+	100+	46+	92+	92+	100+	0+	0+	0+	0+
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	14,3	12,8	12,8	14,3
TAB ***	1305	1305	1305	1305	1305	1305	1305	1305	1305	1305	1305	1305	1305	1305

	T	--	22,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t	CODE > 0012 < B131 0F00												
	25,9	**31,1**	**36,3**	**20,7**	**36,3**	**41,5**	**31,1**	**36,3**	**41,5**	**20,7**	**25,9**	**31,1**	**36,3**	**41,5**
3,0														
3,5				53,0						55,0				
4,0	44,5			53,0						55,0	51,0			
4,5	44,5			53,0						55,0	49,5			
5,0	44,0	37,0		53,0			31,5			55,0	49,5	46,0		
6,0	43,5	36,5	24,5	53,0	36,0		29,1	35,5		55,0	49,0	45,0	41,5	
7,0	43,0	36,0	23,3	52,0	35,0	22,8	27,9	35,0	22,4	55,0	48,5	44,5	39,5	34,5
8,0	42,5	35,0	22,2	52,0	34,5	21,6	26,8	34,0	21,3	55,0	48,0	43,5	38,5	34,0
9,0	42,0	34,5	21,2	52,0	34,0	19,2	25,9	33,5	18,9	55,0	47,5	43,0	38,0	33,0
10,0	42,0	34,5	19,0	50,0	33,0	18,4	24,9	33,0	18,0	52,0	47,0	42,5	37,5	32,5
11,0	38,5	34,0	18,2	43,5	32,5	17,6	24,1	32,5	17,2	44,5	43,0	40,5	37,0	32,0
12,0	33,5	30,5	17,5	37,0	30,0	16,8	23,4	28,7	16,4	38,0	38,0	36,0	33,0	30,0
14,0	25,9	23,4	16,2	27,6	23,6	15,5	22,0	22,2	15,0	28,4	29,7	28,6	26,5	23,9
16,0	20,3	18,5	15,1	21,4	18,9	14,3	19,0	17,5	13,8	22,2	23,3	23,4	21,6	19,4
18,0	15,9	14,7	12,8	17,1	15,3	13,3	15,2	14,0	12,4	17,8	18,9	19,0	17,9	15,9
20,0	12,6	11,7	9,8		12,4	10,6	12,2	11,1	9,6		15,5	15,6	15,0	13,2
22,0	10,0	9,1	7,5		10,0	8,3	9,5	8,7	7,3		13,0	13,1	12,6	10,9
24,0		6,9	5,6		8,1	6,4	7,3	6,8	5,5			11,0	10,4	9,0
26,0		5,2	4,1		6,4	4,9	5,6	5,2	3,9			9,2	8,6	7,4
28,0		3,8	2,8		4,9	3,6	4,2	3,8				7,7	7,1	6,1
30,0					3,6			2,6					5,8	4,8
32,0					2,6								4,8	3,7
34,0														2,8
36,0														2,1
38,0														
40,0														
42,0														
44,0														
46,0														
*** n ***	5	4	3	6	4	3	4	4	3	6	5	5	4	4
1	0+	46-	92-	0+	46-	92-	0+	46-	92-	0+	0+	0+	0+	46-
2	46-	46+	46+	0+	46-	46+	92-	92+	92+	0+	0+	0+	46-	46+
3	46+	46+	46+	0+	46-	46+	46+	46+	46+	0+	0+	46-	46+	46+
4	0+	0+	0+	46-	46+	46+	0+	0+	0+	0+	46-	46+	46+	46+
5	0+	0+	0+	0+	0+	0+	0+	0+	0+	46-	46+	46+	46+	46+
%														
m/s	12,8	12,8	11,1	14,3	11,1	11,1	12,8	11,1	11,1	14,3	12,8	12,8	11,1	11,1
TAB ***	1305	1305	1305	1305	1305	1305	1305	1305	1305	1305	1305	1305	1305	1305

	T	--	22,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m >< t CODE > 0012 < B131 0F00

m	46,7	25,9	31,1	41,5	46,7	41,5	46,7	51,9	36,3	41,5	46,7	51,9	36,3	46,7
3,0														
3,5														
4,0		42,0												
4,5		40,0												
5,0		39,5	48,0											
6,0		38,0	47,5						33,0				31,5	
7,0		37,0	43,5	39,0		26,2			32,0	35,5			29,1	
8,0	21,3	36,0	40,0	38,0	33,5	25,0	33,5		29,5	33,5	32,5		27,9	24,2
9,0	19,0	35,0	37,0	37,5	33,0	23,9	32,5	18,4	28,4	31,5	31,0	30,0	26,8	23,1
10,0	18,1	34,0	35,0	36,5	32,0	22,9	32,0	17,5	27,4	29,6	29,7	29,0	25,8	22,0
11,0	17,3	32,5	32,5	35,5	31,5	21,9	31,0	16,6	26,4	27,9	28,2	27,9	24,9	21,1
12,0	16,6	30,5	30,5	33,0	29,6	21,1	28,3	15,8	25,5	26,4	26,9	26,8	24,1	19,0
14,0	15,2	27,0	26,9	26,5	24,2	18,5	22,6	14,4	22,6	23,8	24,5	23,9	22,6	17,6
16,0	14,0	23,4	24,3	21,9	19,9	17,3	18,3	13,2	20,1	21,6	21,5	19,7	21,3	16,3
18,0	12,9	18,9	20,0	18,3	16,5	16,2	15,0	12,1	18,2	19,5	18,1	16,5	18,3	15,2
20,0	11,4	15,6	16,6	15,5	13,9	13,6	12,4	10,9	16,6	16,7	15,4	13,9	15,4	13,3
22,0	9,2	13,0	14,0	13,2	11,6	11,3	10,1	8,7	14,2	14,4	13,2	11,8	12,8	11,1
24,0	7,4		11,9	11,3	9,8	9,4	8,3	7,0	12,1	12,3	11,3	10,0	10,7	9,2
26,0	5,9		10,2	9,6	8,2	7,8	6,8	5,5	10,4	10,6	9,7	8,4	8,9	7,7
28,0	4,6		8,8	8,0	6,9	6,4	5,5	4,2	8,8	9,0	8,4	7,1	7,3	6,4
30,0	3,5			6,7	5,8	5,1	4,4	3,2	7,5	7,7	7,2	6,0	6,1	5,2
32,0	2,5			5,6	4,8	4,1	3,4		6,4	6,6	6,1	5,1	5,0	4,3
34,0				4,7	3,8	3,1	2,6			5,7	5,1	4,2		3,4
36,0				3,9	3,0	2,4				4,8	4,3	3,5		2,5
38,0				3,2	2,3	1,7				4,2	3,6	2,8		
40,0											2,9	2,1		
42,0											2,4			
44,0											2,0			
46,0														
*** n ***	3	5	5	4	4	3	4	2	4	4	4	3	4	3
1	92-	0+	0+	0+	46-	0+	46-	92-	0+	0+	0+	46-	0+	0+
2	46+	0+	0+	46-	46+	92-	92+	92+	0+	0+	46-	46+	0+	92-
3	46+	0+	0+	46-	46+	46+	46+	46+	0+	46-	46+	46+	92-	92+
4	46+	0+	46-	46+	46+	46+	46+	46+	92-	92+	92+	92+	46+	46+
5 %	46+	92-	92+	92+	92+	46+	46+	46+	92+	92+	92+	92+	46+	46+
m/s	11,1	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1
TAB ***	1305	1305	1305	1305	1305	1305	1305	1305	1305	1305	1305	1305	1305	1305

	T	--	22,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m >< t CODE > 0012 < B131 0F00

m	51,9	57,1	46,7	51,9	57,1	31,1	41,5	46,7	51,9	57,1	62,3	57,1	62,3	67,5
3,0														
3,5														
4,0														
4,5														
5,0						36,0								
6,0						34,5								
7,0						33,0	28,1							
8,0			26,4			32,0	26,9	34,5						
9,0	32,0		25,2	27,3		29,8	25,8	32,5	22,7					
10,0	31,5	17,2	24,2	26,0	25,0	28,9	24,8	31,0	21,6	25,7		21,3		
11,0	29,3	16,3	23,2	24,8	24,1	28,0	23,8	29,4	19,5	25,7	16,3	19,2	20,0	
12,0	27,4	15,5	22,3	23,8	23,2	27,2	22,9	28,0	18,6	24,8	15,5	18,4	20,0	15,4
14,0	22,0	14,1	19,6	21,9	21,5	25,8	21,3	25,0	17,1	21,7	14,0	16,9	19,5	14,0
16,0	17,9	12,8	18,3	20,1	19,0	23,6	18,9	20,6	15,8	17,8	12,7	15,6	18,0	12,7
18,0	14,7	11,7	17,2	17,5	15,9	19,1	17,8	17,3	14,7	14,8	11,6	14,4	15,1	11,6
20,0	12,2	10,7	15,8	14,9	13,4	15,8	15,4	14,6	13,4	12,3	10,6	13,4	12,7	10,6
22,0	10,0	8,7	13,5	12,8	11,4	13,2	13,1	12,4	11,3	10,2	8,7	11,6	10,7	8,7
24,0	8,2	7,0	11,7	11,0	9,6	11,1	11,2	10,5	9,5	8,5	7,4	9,8	9,0	7,8
26,0	6,7	5,6	10,1	9,4	8,1	9,3	9,5	8,9	7,9	7,0	6,0	8,4	7,6	6,4
28,0	5,5	4,3	8,7	8,1	6,9	7,8	7,9	7,6	6,7	5,8	4,8	7,1	6,4	5,3
30,0	4,4	3,3	7,4	7,0	5,8		6,6	6,4	5,5	4,7	3,8	6,0	5,3	4,2
32,0	3,4		6,3	6,0	4,8		5,5	5,4	4,6	3,8	2,8	5,0	4,4	3,3
34,0	2,6		5,3	5,1	4,0		4,6	4,4	3,7	3,0		4,2	3,6	2,5
36,0			4,5	4,3	3,3		3,8	3,6	3,0	2,3		3,5	2,9	
38,0			3,8	3,6	2,6		3,1	2,9	2,3			2,8	2,2	
40,0			3,1	2,9	2,0			2,3				2,2		
42,0			2,6	2,4				1,7						
44,0			2,1	1,9				1,3						
46,0														
*** n ***	4	2	3	3	3	4	3	4	3	3	2	3	2	2
% 1	46-	92-	0+	0+	46-	0+	0+	0+	0+	46-	92-	0+	46-	92-
% 2	92+	92+	0+	46-	46+	0+	0+	46-	92-	92+	92+	92-	92+	92-
% 3	92+	92+	92-	92+	92+	0+	92-	92+	92+	92+	92+	92+	92+	92-
% 4	46+	46+	92+	92+	92+	92-	92+	92+	92+	92+	92+	92+	92+	92-
% 5	46+	46+	92+	92+	92+	46+	46+	46+	46+	46+	46+	92+	92+	92-
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1
TAB ***	1305	1305	1305	1305	1305	1305	1305	1305	1305	1305	1305	1305	1305	1305

	T	--	22,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t	CODE > 0012 < B131 0F00												
	72,0													
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
14,0	8,8													
16,0	7,7													
18,0	6,8													
20,0	6,0													
22,0	5,3													
24,0	4,7													
26,0	4,1													
28,0	3,6													
30,0	3,1													
32,0	2,7													
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
*** n ***	1													
1	100-													
2	100-													
3	100-													
4	100-													
5	100-													
%														
m/s	11,1													
TAB ***	1305													

	T	--	22,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m >< t CODE > 0013 < B131 1000

m	15,5	20,7	20,7	20,7	20,7	25,9	25,9	25,9	25,9	26,8	31,1	31,1	31,1	31,1
3,0	176,0													
3,5	172,0	135,0	125,0	76,0	56,0									
4,0	157,0	135,0	125,0	76,0	56,0	117,0	115,0	56,0	54,0	51,0				
4,5	144,0	134,0	125,0	76,0	57,0	117,0	115,0	56,0	54,0	51,0				
5,0	133,0	127,0	125,0	77,0	57,0	116,0	115,0	56,0	53,0	50,0	82,0	86,0	80,0	56,0
6,0	113,0	113,0	114,0	79,0	59,0	108,0	109,0	57,0	48,0	45,0	80,0	86,0	73,0	57,0
7,0	96,0	96,0	97,0	79,0	59,0	92,0	95,0	58,0	43,5	41,0	73,0	84,0	67,0	57,0
8,0	82,0	82,0	83,0	74,0	59,0	76,0	79,0	58,0	40,0	38,0	67,0	72,0	62,0	58,0
9,0	71,0	71,0	72,0	69,0	56,0	64,0	67,0	57,0	37,0	35,5	59,0	61,0	57,0	58,0
10,0	62,0	61,0	62,0	64,0	53,0	55,0	58,0	53,0	34,5	32,5	50,0	53,0	53,0	55,0
11,0	53,0	52,0	54,0	55,0	49,5	47,5	50,0	49,5	32,5	30,5	43,0	46,0	46,5	51,0
12,0	45,0	44,5	46,0	47,0	47,0	41,5	43,5	46,5	30,5	28,8	37,5	40,0	41,0	45,5
14,0		33,5	34,5	35,5	36,5	32,5	34,5	37,5	27,0	25,6	29,3	31,5	32,5	37,0
16,0		26,0	27,0	28,0	28,8	25,1	26,9	30,0	24,0	22,7	23,3	25,6	26,1	30,0
18,0		20,8	21,8	22,7	23,5	19,9	21,6	24,5	22,0	20,9	18,8	20,9	21,3	24,7
20,0						16,0	17,7	20,5	20,2	19,3	15,1	17,0	17,3	20,6
22,0						12,9	14,7	17,4	17,4	17,5	11,9	13,8	14,2	17,4
24,0										15,1	9,4	11,3	11,6	14,9
26,0											7,3	9,2	9,5	12,9
28,0											5,7	7,5	7,9	11,3
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
54,0														
*** n ***	14!	14	13	8	6	12	12	6	6	5	9	9	8	6
1	0+	0+	0+	0+	0+	46+	0+	0+	0+	0+	92+	46+	0+	0+
2	0+	46+	0+	0+	0+	46+	46+	0+	0+	0+	46+	46+	92+	0+
3	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	0+	46+	46+	46+
4	0+	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	0+	0+	46+
5 %	0+	0+	0+	0+	46+	0+	0+	46+	92+	100+	0+	0+	0+	46+
m/s	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8
TAB ***	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200

	T	--	35,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m >< t CODE > 0013 < B131 1000

m	31,1	31,1	36,3	36,3	36,3	36,3	36,3	36,3	38,1	41,5	41,5	41,5	41,5	41,5
3,0														
3,5														
4,0														
4,5														
5,0	52,0	52,0												
6,0	47,5	47,5	68,0	69,0	71,0	57,0	49,5	39,5	36,0					
7,0	43,5	43,5	64,0	66,0	70,0	57,0	46,0	36,5	34,0	51,0	53,0	55,0	49,0	44,5
8,0	40,0	40,0	59,0	61,0	69,0	58,0	42,5	33,5	31,5	51,0	52,0	55,0	46,0	42,0
9,0	37,0	37,0	55,0	57,0	59,0	58,0	39,0	31,0	29,4	48,0	49,0	54,0	43,0	39,5
10,0	34,5	35,0	48,0	49,5	51,0	54,0	36,5	28,9	27,3	45,0	46,0	50,0	40,5	37,5
11,0	32,0	32,5	42,0	43,5	45,0	48,0	34,0	27,1	25,6	40,0	41,0	44,0	38,0	35,5
12,0	30,0	30,5	37,0	38,0	39,5	42,5	32,0	25,5	24,1	35,5	36,5	39,0	35,5	34,0
14,0	26,3	26,9	29,0	30,0	31,5	34,5	28,3	22,6	21,4	27,9	28,9	31,5	32,0	31,0
16,0	23,7	24,3	23,2	24,5	25,8	28,6	25,1	20,1	19,0	22,5	23,5	26,1	26,6	28,2
18,0	21,4	22,0	18,9	20,1	21,4	24,1	22,7	18,2	17,3	18,4	19,3	21,9	22,3	24,3
20,0	19,3	20,0	15,5	16,7	17,9	20,1	20,4	16,6	15,8	15,1	16,0	18,5	19,0	20,8
22,0	17,6	18,4	12,7	13,9	15,0	17,0	17,2	15,1	14,4	12,4	13,4	15,8	16,2	17,9
24,0	15,1	15,9	10,3	11,3	12,4	14,5	14,7	14,0	13,1	10,2	11,2	13,6	13,9	15,3
26,0	13,0	13,8	8,2	9,2	10,3	12,5	12,7	13,0	12,2	8,4	9,3	11,5	11,8	13,3
28,0	11,4	12,2	6,5	7,5	8,5	10,7	10,9	12,1	11,4	6,8	7,6	9,7	10,0	11,6
30,0			5,1	6,0	7,1	9,2	9,4	10,8	10,7	5,3	6,1	8,2	8,5	10,1
32,0			3,8	4,8	5,9	7,9	8,1	9,5	9,6	4,0	4,9	6,9	7,2	8,8
34,0									8,5	3,0	3,8	5,8	6,1	7,7
36,0										2,0	2,9	4,9	5,2	6,7
38,0											2,1	4,1	4,4	5,9
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
54,0														
*** n ***	6	6	7	7	7	6	5	4	4	5	6	6	5	5
% 1	0+	0+	92+	46+	46+	0+	0+	0+	0+	92+	92+	46+	0+	0+
% 2	0+	0+	46+	92+	46+	46+	0+	0+	0+	92+	46+	46+	92+	46+
% 3	0+	0+	46+	46+	46+	46+	92+	0+	0+	46+	46+	46+	46+	46+
% 4	92+	46+	0+	0+	46+	46+	46+	92+	100+	0+	46+	46+	46+	46+
% 5	46+	92+	0+	0+	0+	46+	46+	92+	100+	0+	0+	46+	46+	92+
m/s	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1
TAB ***	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200

	T	--	35,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t													
	CODE > 0013 < B131 1000													
m	**41,5**	**41,5**	**46,7**	**46,7**	**46,7**	**46,7**	**46,7**	**46,7**	**46,7**	**49,4**	**51,9**	**51,9**	**51,9**	**51,9**
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	38,0	35,5												
8,0	35,5	33,5	43,0	42,5	41,0	38,0	34,5	32,5	30,0					
9,0	33,5	31,5	42,5	41,0	39,0	36,0	32,5	31,0	28,5	26,0	33,5	33,0	30,0	30,0
10,0	31,5	29,6	40,5	39,0	37,5	34,0	31,0	29,7	26,9	24,7	33,5	32,5	29,0	28,8
11,0	29,2	27,9	38,5	37,5	35,5	32,5	29,4	28,2	25,6	23,5	32,5	31,0	27,9	27,6
12,0	27,5	26,4	36,0	36,0	34,0	31,0	28,0	26,9	24,2	22,4	31,5	29,9	26,8	26,5
14,0	24,6	23,8	29,1	30,0	31,5	27,7	25,2	24,5	21,7	20,4	27,9	27,8	24,8	24,4
16,0	22,0	21,6	23,9	24,8	26,4	25,0	23,0	22,4	19,7	18,5	23,0	24,3	22,9	22,3
18,0	19,7	19,6	19,9	20,8	22,3	21,8	21,0	20,7	17,8	16,8	19,1	20,4	21,3	20,4
20,0	18,0	18,1	16,7	17,6	19,1	18,6	19,2	19,1	16,2	15,3	16,1	17,3	19,1	18,5
22,0	16,5	16,8	14,1	15,0	16,5	15,9	17,1	17,8	14,9	14,1	13,6	14,8	16,5	16,0
24,0	15,1	15,5	12,0	12,8	14,3	13,7	14,9	15,7	13,8	13,0	11,5	12,7	14,4	13,9
26,0	13,2	14,1	10,2	11,0	12,4	11,9	13,0	13,7	12,7	12,0	9,7	10,9	12,6	12,1
28,0	11,5	12,4	8,6	9,5	10,7	10,3	11,3	11,9	11,7	11,1	8,2	9,4	11,0	10,5
30,0	10,0	11,0	7,3	8,0	9,2	8,8	9,8	10,5	10,7	10,2	6,9	8,1	9,7	9,2
32,0	8,7	9,7	6,0	6,7	7,9	7,5	8,5	9,2	9,4	9,5	5,8	6,9	8,4	8,0
34,0	7,5	8,6	4,9	5,6	6,8	6,3	7,4	8,0	8,3	8,3	4,8	5,9	7,3	6,8
36,0	6,6	7,6	3,9	4,7	5,8	5,4	6,4	7,0	7,3	7,3	3,9	4,9	6,3	5,9
38,0	5,7	6,8	3,1	3,8	5,0	4,5	5,5	6,2	6,4	6,5	3,0	4,1	5,4	5,0
40,0			2,4	3,1	4,2	3,8	4,8	5,4	5,6	5,7	2,3	3,3	4,6	4,2
42,0			1,7	2,5	3,6	3,1	4,1	4,8	5,0	5,0		2,6	4,0	3,5
44,0			1,2	1,9	3,0	2,6	3,6	4,2	4,4	4,4		2,0	3,3	2,9
46,0										3,9		1,5	2,8	2,4
48,0													2,3	1,9
50,0														
52,0														
54,0														
*** n ***	4	4	5	5	4	4	4	4	3	3	4	4	3	3
1	0+	0+	92+	46+	46+	0+	0+	0+	0+	0+	92+	46+	46+	0+
2	0+	0+	46+	92+	46+	92+	46+	46+	0+	0+	92+	92+	46+	92+
3	92+	46+	46+	46+	46+	92+	92+	46+	92+	100+	46+	92+	46+	92+
4	92+	92+	46+	46+	46+	46+	92+	92+	92+	100+	46+	46+	92+	92+
5 %	46+	92+	46+	46+	92+	46+	46+	92+	92+	100+	46+	46+	92+	46+
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1
TAB ***	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200

	T	--	35,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m >< t CODE > 0013 < B131 1000

m	51,9	57,1	57,1	57,1	57,1	60,7	62,3	62,3	67,5	72,0	20,7	25,9	31,1	20,7
3,0														
3,5											46,5			49,5
4,0											46,5	38,5		49,0
4,5											46,0	38,0		49,0
5,0											46,0	38,0	26,8	49,0
6,0											46,0	37,5	25,5	48,5
7,0											46,0	37,0	24,4	48,5
8,0											46,0	37,0	23,4	48,5
9,0	27,3										46,0	36,5	22,5	48,5
10,0	26,0	26,2	25,7	25,0	24,0						46,0	36,5	21,6	48,5
11,0	24,8	26,2	25,7	24,1	23,2	19,4	20,7	20,0			46,0	36,5	19,5	48,5
12,0	23,8	26,2	24,8	23,2	22,5	19,4	20,7	20,0	17,0		44,5	36,5	18,8	46,0
14,0	21,9	24,8	23,3	21,5	21,0	18,5	20,6	19,5	16,9	14,0	33,5	32,5	17,7	34,5
16,0	20,1	22,5	22,0	20,1	19,6	17,6	19,9	18,6	16,8	14,0	26,0	25,1	16,8	27,0
18,0	18,4	18,8	20,3	18,7	18,3	16,5	18,9	17,7	16,2	13,9	20,8	19,9	16,0	21,8
20,0	17,0	15,9	17,4	17,4	17,0	15,3	16,1	16,6	15,6	13,5		16,0	15,1	
22,0	15,6	13,4	14,9	16,0	15,7	14,3	13,7	15,3	13,9	13,1		12,9	11,9	
24,0	14,6	11,4	12,9	13,9	14,1	13,3	11,7	13,3	12,0	11,7			9,4	
26,0	13,5	9,7	11,1	12,2	12,4	12,3	10,1	11,6	10,4	10,1			7,3	
28,0	12,0	8,2	9,7	10,7	10,9	10,9	8,6	10,2	9,0	8,8			5,7	
30,0	10,5	7,0	8,4	9,4	9,6	9,6	7,4	8,9	7,8	7,6				
32,0	9,2	5,8	7,2	8,2	8,5	8,4	6,3	7,8	6,7	6,5				
34,0	8,1	4,9	6,3	7,3	7,5	7,5	5,3	6,8	5,7	5,6				
36,0	7,1	4,0	5,4	6,3	6,5	6,6	4,4	5,9	4,9	4,7				
38,0	6,2	3,2	4,6	5,4	5,6	5,7	3,7	5,2	4,1	4,0				
40,0	5,4	2,5	3,8	4,7	4,8	5,0	3,0	4,5	3,4	3,3				
42,0	4,7	1,9	3,1	4,0	4,1	4,3	2,3	3,8	2,8	2,7				
44,0	4,1		2,5	3,4	3,5	3,6		3,1	2,3	2,1				
46,0	3,6		1,9	2,8	3,0	3,1		2,6						
48,0	3,1			2,3	2,5	2,6		2,1						
50,0				1,9	2,0	2,1		1,6						
52,0				1,5	1,6	1,7								
54,0				1,1	1,3	1,3								
*** n ***	3	3	3	3	3	2	2	2	2	2	5	4	3	5
% 1	0+	92+	46+	46+	0+	0+	92+	46+	92+	100+	0+	46-	92-	0+
% 2	46+	92+	92+	46+	92+	100+	92+	92+	92+	100+	46-	46+	46+	0+
% 3	92+	92+	92+	92+	92+	100+	92+	92+	92+	100+	0+	0+	0+	46-
% 4	92+	46+	92+	92+	92+	100+	92+	92+	92+	100+	0+	0+	0+	0+
% 5	92+	46+	46+	92+	92+	100+	46+	92+	92+	100+	0+	0+	0+	0+
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	14,3	12,8	12,8	14,3
TAB ***	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200

	T	--	35,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t													
	CODE > 0013 < B131 1000													
m	**25,9**	**31,1**	**36,3**	**20,7**	**36,3**	**41,5**	**31,1**	**36,3**	**41,5**	**20,7**	**25,9**	**31,1**	**36,3**	**41,5**
3,0														
3,5				53,0						55,0				
4,0	44,5			53,0						55,0	51,0			
4,5	44,5			53,0						55,0	49,5			
5,0	44,0	37,0		53,0			31,5			55,0	49,5	46,0		
6,0	43,5	36,5	24,5	53,0	36,0		29,1	35,5		55,0	49,0	45,0	41,5	
7,0	43,0	36,0	23,3	52,0	35,0	22,8	27,9	35,0	22,4	55,0	48,5	44,5	39,5	34,5
8,0	42,5	35,0	22,2	52,0	34,5	21,6	26,8	34,0	21,3	55,0	48,0	43,5	38,5	34,0
9,0	42,0	34,5	21,2	52,0	34,0	19,2	25,9	33,5	18,9	55,0	47,5	43,0	38,0	33,0
10,0	42,0	34,5	19,0	52,0	33,0	18,4	24,9	33,0	18,0	53,0	47,0	42,5	37,5	32,5
11,0	42,0	34,0	18,2	52,0	32,5	17,6	24,1	32,5	17,2	49,5	47,0	42,0	37,0	32,0
12,0	41,5	33,5	17,5	47,0	32,0	16,8	23,4	32,0	16,4	47,0	46,5	41,5	36,5	31,5
14,0	34,5	31,5	16,2	35,5	31,5	15,5	22,0	29,5	15,0	36,5	37,5	37,0	34,5	29,0
16,0	26,9	25,6	15,1	28,0	25,8	14,3	19,7	24,5	13,8	28,8	30,0	30,0	28,6	26,1
18,0	21,6	20,9	14,1	22,7	21,4	13,3	18,8	20,1	12,7	23,5	24,5	24,7	24,1	21,9
20,0	17,7	17,0	13,3		17,9	12,4	17,3	16,7	11,8		20,5	20,6	20,1	18,5
22,0	14,7	13,8	12,6		15,0	11,6	14,2	13,9	11,0		17,4	17,4	17,0	15,8
24,0		11,3	10,3		12,4	10,9	11,6	11,3	9,1			14,9	14,5	13,6
26,0		9,2	8,2		10,3	9,2	9,5	9,2	8,4			12,9	12,5	11,5
28,0		7,5	6,5		8,5	7,6	7,9	7,5	6,8			11,3	10,7	9,7
30,0			5,1		7,1	6,1		6,0	5,3				9,2	8,2
32,0			3,8		5,9	4,9		4,8	4,0				7,9	6,9
34,0						3,8			3,0					5,8
36,0						2,9			2,0					4,9
38,0						2,1								4,1
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
54,0														
*** n ***	5	4	3	6	4	3	4	4	3	6	5	5	4	4
1	0+	46-	92-	0+	46-	92-	0+	46-	92-	0+	0+	0+	0+	46-
2	46-	46+	46+	0+	46-	46+	92-	92+	92+	0+	0+	0+	46-	46+
3	46+	46+	46+	0+	46-	46+	46+	46+	46+	0+	0+	46-	46+	46+
4	0+	0+	0+	46-	46+	46+	0+	0+	0+	0+	46-	46+	46+	46+
5	0+	0+	0+	0+	0+	0+	0+	0+	0+	46-	46+	46+	46+	46+
%														
m/s	12,8	12,8	11,1	14,3	11,1	11,1	12,8	11,1	11,1	14,3	12,8	12,8	11,1	11,1
TAB ***	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200

	T	--	35,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t	CODE > 0013 <												
	46,7	**25,9**	**31,1**	**41,5**	**46,7**	**41,5**	**46,7**	**51,9**	**36,3**	**41,5**	**46,7**	**51,9**	**36,3**	**46,7**
3,0														
3,5														
4,0		42,0												
4,5		40,0												
5,0		39,5	48,0											
6,0		38,0	47,5						33,0				31,5	
7,0		37,0	43,5	39,0		26,2			32,0	35,5			29,1	
8,0	21,3	36,0	40,0	38,0	33,5	25,0	33,5		29,5	33,5	32,5		27,9	24,2
9,0	19,0	35,0	37,0	37,5	33,0	23,9	32,5	18,4	28,4	31,5	31,0	30,0	26,8	23,1
10,0	18,1	34,0	35,0	36,5	32,0	22,9	32,0	17,5	27,4	29,6	29,7	29,0	25,8	22,0
11,0	17,3	32,5	32,5	35,5	31,5	21,9	31,0	16,6	26,4	27,9	28,2	27,9	24,9	21,1
12,0	16,6	30,5	30,5	34,0	29,6	21,1	29,1	15,8	25,5	26,4	26,9	26,8	24,1	19,0
14,0	15,2	27,0	26,9	31,0	28,5	18,5	28,0	14,4	22,6	23,8	24,5	24,8	22,6	17,6
16,0	14,0	24,0	24,3	28,2	26,4	17,3	24,8	13,2	20,1	21,6	22,4	22,9	21,3	16,3
18,0	12,9	22,0	22,0	24,3	22,3	16,2	20,8	12,1	18,2	19,6	20,7	21,3	19,1	15,2
20,0	12,0	20,2	20,0	20,8	19,1	15,2	17,6	11,1	16,6	18,1	19,1	19,1	18,2	14,2
22,0	11,2	17,4	18,4	17,9	16,5	14,4	15,0	9,1	15,1	16,8	17,8	16,5	17,2	13,3
24,0	9,3		15,9	15,3	14,3	13,7	12,8	8,4	14,0	15,5	15,7	14,4	14,7	12,5
26,0	8,8		13,8	13,3	12,4	11,8	11,0	7,9	13,0	14,1	13,7	12,6	12,7	11,8
28,0	8,3		12,2	11,6	10,7	10,0	9,5	7,3	12,1	12,4	11,9	11,0	10,9	10,3
30,0	7,3			10,1	9,2	8,5	8,0	6,9	10,8	11,0	10,5	9,7	9,4	8,8
32,0	6,0			8,8	7,9	7,2	6,7	5,8	9,5	9,7	9,2	8,4	8,1	7,5
34,0	4,9			7,7	6,8	6,1	5,6	4,8		8,6	8,0	7,3		6,3
36,0	3,9			6,7	5,8	5,2	4,7	3,9		7,6	7,0	6,3		5,4
38,0	3,1			5,9	5,0	4,4	3,8	3,0		6,8	6,2	5,4		4,5
40,0	2,4				4,2		3,1	2,3			5,4	4,6		3,8
42,0	1,7				3,6		2,5				4,8	4,0		3,1
44,0					3,0		1,9				4,2	3,3		2,1
46,0												2,8		
48,0												2,3		
50,0														
52,0														
54,0														
*** n ***	3	5	5	4	4	3	4	2	4	4	4	3	4	3
1	92-	0+	0+	0+	46-	0+	46-	92-	0+	0+	0+	46-	0+	0+
2	46+	0+	0+	46-	46+	92-	92+	92+	0+	0+	46-	46+	0+	92-
3	46+	0+	0+	46-	46+	46+	46+	46+	0+	46-	46+	46+	92-	92+
4	46+	0+	46-	46+	46+	46+	46+	46+	92-	92+	92+	92+	46+	46+
5	46+	92-	92+	92+	92+	46+	46+	46+	92+	92+	92+	92+	46+	46+
%														
m/s	11,1	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1
TAB ***	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200

	T	--	35,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m >< t CODE > 0013 < B131 1000

m	51,9	57,1	46,7	51,9	57,1	31,1	41,5	46,7	51,9	57,1	62,3	57,1	62,3	67,5
3,0														
3,5														
4,0														
4,5														
5,0						36,0								
6,0						34,5								
7,0						33,0	28,1							
8,0			26,4			32,0	26,9	34,5						
9,0	32,0		25,2	27,3		29,8	25,8	32,5	22,7					
10,0	31,5	17,2	24,2	26,0	25,0	28,9	24,8	31,0	21,6	25,7		21,3		
11,0	29,3	16,3	23,2	24,8	24,1	28,0	23,8	29,4	19,5	25,7	16,3	19,2	20,0	
12,0	28,7	15,5	22,3	23,8	23,2	27,2	22,9	28,0	18,6	24,8	15,5	18,4	20,0	15,4
14,0	27,5	14,1	19,6	21,9	21,5	25,8	21,3	25,2	17,1	23,3	14,0	16,9	19,5	14,0
16,0	24,3	12,8	18,3	20,1	20,1	23,7	18,9	23,0	15,8	22,0	12,7	15,6	18,6	12,7
18,0	20,4	11,7	17,2	18,4	18,7	21,4	17,8	21,0	14,7	20,3	11,6	14,4	17,7	11,6
20,0	17,3	10,7	16,1	17,0	17,4	19,3	16,8	19,2	13,7	17,4	10,6	13,4	16,6	10,6
22,0	14,8	8,7	14,9	15,6	16,0	17,6	15,9	17,1	12,8	14,9	8,7	12,5	15,3	8,7
24,0	12,7	8,1	13,8	14,6	13,9	15,1	15,1	14,9	11,9	12,9	8,0	11,7	13,3	8,0
26,0	10,9	7,5	12,7	13,5	12,2	13,0	13,2	13,0	11,2	11,1	7,4	10,9	11,6	7,4
28,0	9,4	6,9	11,7	12,0	10,7	11,4	11,5	11,3	10,5	9,7	6,8	9,3	10,2	6,8
30,0	8,1	6,4	10,7	10,5	9,4		10,0	9,8	9,0	8,4	6,3	8,8	8,9	6,3
32,0	6,9	5,8	9,4	9,2	8,2		8,7	8,5	8,0	7,2	5,9	8,3	7,8	5,9
34,0	5,9	4,9	8,3	8,1	7,3		7,5	7,4	6,8	6,3	5,3	7,5	6,8	5,4
36,0	4,9	4,0	7,3	7,1	6,3		6,6	6,4	5,9	5,4	4,4	6,5	5,9	4,9
38,0	4,1	3,2	6,4	6,2	5,4		5,7	5,5	5,0	4,6	3,7	5,6	5,2	4,1
40,0	3,3	2,5	5,6	5,4	4,7			4,8	4,2	3,8	3,0	4,8	4,5	3,4
42,0	2,6	1,9	5,0	4,7	4,0			4,1	3,5	3,1	2,3	4,1	3,8	2,8
44,0	2,0		4,1	4,1	3,4			3,6	2,9	2,5		3,5	3,1	2,3
46,0	1,5			3,6	2,8				2,3	1,9		2,9	2,6	
48,0				3,1	2,3				1,6			2,3	2,1	
50,0					1,9							1,8	1,6	
52,0					1,5							1,2		
54,0					1,1									
*** n ***	4	2	3	3	3	4	3	4	3	3	2	3	2	2
1	46-	92-	0+	0+	46-	0+	0+	0+	0+	46-	92-	0+	46-	92-
2	92+	92+	0+	46-	46+	0+	0+	46-	92-	92+	92+	92-	92+	92-
3	92+	92+	92-	92+	92+	0+	92-	92+	92+	92+	92+	92+	92+	92-
4	46+	46+	92+	92+	92+	92-	92+	92+	92+	92+	92+	92+	92+	92-
5 %	46+	46+	92+	92+	92+	46+	46+	46+	46+	46+	46+	92+	92+	92-
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1
TAB ***	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200

	T	--	35,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t	CODE > 0013 < B131 1000												
	72,0													
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
14,0	8,8													
16,0	7,7													
18,0	6,8													
20,0	6,0													
22,0	5,3													
24,0	4,7													
26,0	4,1													
28,0	3,6													
30,0	3,1													
32,0	2,7													
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
54,0														
*** n ***	1													
1	100-													
2	100-													
3	100-													
4	100-													
5	100-													
%														
m/s	11,1													
TAB ***	1200													

	T	--	35,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m >< t CODE > 0014 < B131 1100

m	15,5	20,7	20,7	20,7	20,7	25,9	25,9	25,9	25,9	26,8	31,1	31,1	31,1	31,1
3,0	176,0													
3,5	173,0	135,0	125,0	76,0	56,0									
4,0	157,0	135,0	125,0	76,0	56,0	117,0	115,0	56,0	54,0	51,0				
4,5	144,0	134,0	125,0	76,0	57,0	117,0	115,0	56,0	54,0	51,0				
5,0	136,0	127,0	125,0	77,0	57,0	116,0	115,0	56,0	53,0	50,0	82,0	86,0	80,0	56,0
6,0	118,0	115,0	114,0	79,0	59,0	108,0	109,0	57,0	48,0	45,0	80,0	86,0	73,0	57,0
7,0	102,0	101,0	102,0	79,0	59,0	98,0	100,0	58,0	43,5	41,0	73,0	84,0	67,0	57,0
8,0	88,0	88,0	89,0	74,0	59,0	87,0	88,0	58,0	40,0	38,0	67,0	82,0	62,0	58,0
9,0	77,0	77,0	78,0	69,0	56,0	76,0	77,0	57,0	37,0	35,5	62,0	74,0	57,0	58,0
10,0	68,0	67,0	68,0	65,0	53,0	67,0	68,0	53,0	34,5	32,5	58,0	64,0	53,0	55,0
11,0	60,0	60,0	61,0	61,0	49,5	59,0	61,0	49,5	32,5	30,5	54,0	57,0	50,0	52,0
12,0	54,0	53,0	54,0	56,0	47,0	52,0	54,0	46,5	30,5	28,8	47,5	50,0	46,5	48,5
14,0		41,5	42,5	43,5	42,5	40,5	42,5	41,5	27,0	25,6	38,0	40,0	40,5	42,5
16,0		33,0	34,0	35,0	35,5	32,0	33,5	37,0	24,0	22,7	30,5	33,0	33,5	37,0
18,0		23,6	24,3	25,1	25,8	25,7	27,4	30,5	22,0	20,9	24,9	26,7	27,1	30,5
20,0						21,1	22,7	25,5	20,2	19,3	20,3	22,0	22,4	25,6
22,0						17,6	19,2	21,8	18,6	17,8	16,7	18,4	18,8	21,9
24,0										16,4	13,7	15,6	15,9	19,0
26,0											11,2	13,1	13,4	16,6
28,0											9,2	11,1	11,4	14,6
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
54,0														
56,0														
*** n ***	14!	14	13	8	6	12	12	6	6	5	9	9	8	6
1	0+	0+	0+	0+	0+	46+	0+	0+	0+	0+	92+	46+	0+	0+
2	0+	46+	0+	0+	0+	46+	46+	0+	0+	0+	46+	46+	92+	0+
3	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	0+	46+	46+	46+
4	0+	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	0+	0+	46+
5 %	0+	0+	0+	0+	46+	0+	0+	46+	92+	100+	0+	0+	0+	46+
m/s	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8
TAB ***	1199	1199	1199	1199	1199	1199	1199	1199	1199	1199	1199	1199	1199	1199

	T	--	47,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t													
	CODE > 0014 < B131 1100													
m	**31,1**	**31,1**	**36,3**	**36,3**	**36,3**	**36,3**	**36,3**	**36,3**	**38,1**	**41,5**	**41,5**	**41,5**	**41,5**	**41,5**
3,0														
3,5														
4,0														
4,5														
5,0	52,0	52,0												
6,0	47,5	47,5	68,0	69,0	71,0	57,0	49,5	39,5	36,0					
7,0	43,5	43,5	64,0	66,0	70,0	57,0	46,0	36,5	34,0	51,0	53,0	55,0	49,0	44,5
8,0	40,0	40,0	59,0	61,0	69,0	58,0	42,5	33,5	31,5	51,0	52,0	55,0	46,0	42,0
9,0	37,0	37,0	55,0	57,0	68,0	58,0	39,0	31,0	29,4	48,0	49,0	54,0	43,0	39,5
10,0	34,5	35,0	51,0	54,0	62,0	57,0	36,5	28,9	27,3	45,0	46,0	54,0	40,5	37,5
11,0	32,0	32,5	48,0	50,0	55,0	54,0	34,0	27,1	25,6	42,5	43,5	53,0	38,0	35,5
12,0	30,0	30,5	44,5	47,0	49,0	51,0	32,0	25,5	24,1	39,5	40,5	48,5	35,5	34,0
14,0	26,3	26,9	37,0	38,5	40,0	42,5	28,3	22,6	21,4	35,0	36,0	39,5	32,0	31,0
16,0	23,7	24,3	30,5	31,5	33,0	35,5	25,1	20,1	19,0	29,4	30,5	33,0	28,5	28,2
18,0	21,4	22,0	25,2	26,4	27,7	30,0	22,7	18,2	17,3	24,4	25,4	28,0	25,5	25,8
20,0	19,3	20,0	21,1	22,1	23,1	25,2	20,7	16,6	15,8	20,5	21,5	24,0	23,4	24,1
22,0	17,9	18,6	17,6	18,5	19,5	21,5	18,8	15,1	14,4	17,4	18,3	20,6	20,9	22,4
24,0	16,7	17,4	14,6	15,6	16,6	18,5	17,4	14,0	13,1	14,8	15,7	17,6	18,0	19,4
26,0	15,5	16,2	12,1	13,1	14,2	16,1	16,2	13,0	12,2	12,4	13,3	15,3	15,6	16,9
28,0	14,4	15,2	10,1	11,1	12,1	14,1	14,3	12,1	11,4	10,3	11,2	13,3	13,6	14,9
30,0			8,4	9,3	10,4	12,5	12,7	11,3	10,7	8,6	9,4	11,5	11,8	13,2
32,0			6,9	7,9	8,9	11,0	11,2	10,5	9,9	7,1	7,9	10,0	10,3	11,8
34,0									9,3	5,8	6,6	8,7	9,0	10,5
36,0										4,7	5,5	7,6	7,9	9,4
38,0										3,7	4,6	6,6	6,9	8,4
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
54,0														
56,0														
*** n ***	6	6	7	7	7	6	5	4	4	5	6	6	5	5
1	0+	0+	92+	46+	46+	0+	0+	0+	0+	92+	92+	46+	0+	0+
2	0+	0+	46+	92+	46+	46+	0+	0+	0+	92+	46+	46+	92+	46+
3	0+	0+	46+	46+	46+	46+	92+	0+	0+	46+	46+	46+	46+	46+
4	92+	46+	0+	0+	46+	46+	46+	92+	100+	0+	46+	46+	46+	46+
5 %	46+	92+	0+	0+	0+	46+	46+	92+	100+	0+	0+	46+	46+	92+
m/s	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1
TAB ***	1199	1199	1199	1199	1199	1199	1199	1199	1199	1199	1199	1199	1199	1199

	T	--	47,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t													
	CODE > 0014 < B131 1100													
m	**41,5**	**41,5**	**46,7**	**46,7**	**46,7**	**46,7**	**46,7**	**46,7**	**46,7**	**49,4**	**51,9**	**51,9**	**51,9**	**51,9**
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	38,0	35,5												
8,0	35,5	33,5	43,0	42,5	41,0	38,0	34,5	32,5	30,0					
9,0	33,5	31,5	42,5	41,0	39,0	36,0	32,5	31,0	28,5	26,0	33,5	33,0	30,0	30,0
10,0	31,5	29,6	40,5	39,0	37,5	34,0	31,0	29,7	26,9	24,7	33,5	32,5	29,0	28,8
11,0	29,2	27,9	38,5	37,5	35,5	32,5	29,4	28,2	25,6	23,5	32,5	31,0	27,9	27,6
12,0	27,5	26,4	37,0	36,0	34,0	31,0	28,0	26,9	24,2	22,4	31,5	29,9	26,8	26,5
14,0	24,6	23,8	33,5	32,5	31,5	27,7	25,2	24,5	21,7	20,4	29,2	27,8	24,8	24,4
16,0	22,0	21,6	29,9	29,7	29,2	25,0	23,0	22,4	19,7	18,5	26,6	25,5	22,9	22,3
18,0	19,7	19,6	25,8	26,7	27,1	22,6	21,0	20,7	17,8	16,8	24,3	23,5	21,3	20,4
20,0	18,0	18,1	22,1	22,9	24,4	20,5	19,2	19,1	16,2	15,3	21,3	21,6	19,8	18,6
22,0	16,5	16,8	19,0	19,8	21,3	18,9	17,8	17,8	14,9	14,1	18,3	19,5	18,5	17,0
24,0	15,1	15,5	16,4	17,3	18,6	17,4	16,5	16,7	13,8	13,0	15,8	17,0	17,4	15,7
26,0	13,8	14,4	14,3	15,1	16,2	15,8	15,3	15,6	12,7	12,0	13,7	14,9	16,5	14,6
28,0	12,9	13,5	12,4	13,1	14,2	13,8	14,2	14,7	11,7	11,1	12,0	13,1	14,6	13,5
30,0	12,1	12,7	10,6	11,3	12,5	12,1	13,0	13,6	10,8	10,2	10,4	11,6	12,9	12,5
32,0	11,3	12,0	9,1	9,8	11,0	10,5	11,5	12,1	10,2	9,6	9,0	10,1	11,5	11,0
34,0	10,4	11,3	7,7	8,5	9,6	9,2	10,2	10,9	9,6	9,0	7,7	8,7	10,1	9,7
36,0	9,2	10,3	6,6	7,3	8,5	8,0	9,1	9,7	9,0	8,4	6,6	7,6	9,0	8,5
38,0	8,3	9,3	5,6	6,3	7,5	7,0	8,0	8,7	8,4	7,8	5,5	6,6	7,9	7,5
40,0			4,7	5,5	6,6	6,1	7,2	7,8	7,9	7,3	4,7	5,7	7,0	6,6
42,0			4,0	4,7	5,8	5,4	6,4	7,0	7,2	6,9	3,9	4,9	6,2	5,8
44,0			3,4	4,1	5,2	4,7	5,7	6,3	6,0	6,5	3,2	4,2	5,5	5,1
46,0										5,9	2,5	3,5	4,8	4,4
48,0												3,0	4,3	3,9
50,0														
52,0														
54,0														
56,0														
*** n ***	4	4	5	5	4	4	4	4	3	3	4	4	3	3
1	0+	0+	92+	46+	46+	0+	0+	0+	0+	0+	92+	46+	46+	0+
2	0+	0+	46+	92+	46+	92+	46+	46+	0+	0+	92+	92+	46+	92+
3	92+	46+	46+	46+	46+	92+	92+	46+	92+	100+	46+	92+	46+	92+
4	92+	92+	46+	46+	46+	46+	92+	92+	92+	100+	46+	46+	92+	92+
5 %	46+	92+	46+	46+	92+	46+	46+	92+	92+	100+	46+	46+	92+	46+
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1
TAB ***	1199	1199	1199	1199	1199	1199	1199	1199	1199	1199	1199	1199	1199	1199

	T	--	47,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m >< t CODE > 0014 < B131 1100

m	51,9	57,1	57,1	57,1	57,1	60,7	62,3	62,3	67,5	72,0	20,7	25,9	31,1	20,7
3,0														
3,5											46,5			49,5
4,0											46,5	38,5		49,0
4,5											46,0	38,0		49,0
5,0											46,0	38,0	26,8	49,0
6,0											46,0	37,5	25,5	48,5
7,0											46,0	37,0	24,4	48,5
8,0											46,0	37,0	23,4	48,5
9,0	27,3										46,0	36,5	22,5	48,5
10,0	26,0	26,2	25,7	25,0	24,0						46,0	36,5	21,6	48,5
11,0	24,8	26,2	25,7	24,1	23,2	19,4	20,7	20,0			46,0	36,5	19,5	48,5
12,0	23,8	26,2	24,8	23,2	22,5	19,4	20,7	20,0	17,0		46,0	36,5	18,8	48,5
14,0	21,9	24,8	23,3	21,5	21,0	18,5	20,6	19,5	16,9	14,0	41,5	36,5	17,7	42,5
16,0	20,1	23,3	22,0	20,1	19,6	17,6	19,9	18,6	16,8	14,0	33,0	32,0	16,8	34,0
18,0	18,4	21,6	20,3	18,7	18,3	16,5	18,9	17,7	16,2	13,9	23,6	25,7	16,0	24,3
20,0	17,0	19,9	18,9	17,4	17,0	15,3	17,7	16,6	15,6	13,5		21,1	15,4	
22,0	15,6	18,1	17,6	16,2	15,7	14,3	16,5	15,5	14,8	13,1		17,6	15,0	
24,0	14,6	15,7	16,4	15,1	14,5	13,3	15,4	14,6	14,0	12,4			13,7	
26,0	13,6	13,7	15,1	14,1	13,4	12,4	14,0	13,7	13,2	11,7			11,2	
28,0	12,7	11,9	13,3	13,3	12,5	11,6	12,2	12,9	12,4	11,0			8,4	
30,0	11,9	10,4	11,8	12,5	11,7	10,9	10,8	12,2	11,1	10,4				
32,0	11,1	9,1	10,5	11,5	10,9	10,1	9,5	11,0	9,8	9,6				
34,0	10,4	7,9	9,3	10,1	10,2	9,5	8,3	9,8	8,7	8,5				
36,0	9,7	6,9	8,1	9,0	9,2	8,9	7,3	8,8	7,7	7,5				
38,0	8,7	5,9	7,1	7,9	8,1	8,3	6,4	7,8	6,8	6,6				
40,0	7,8	5,0	6,2	7,0	7,2	7,3	5,5	6,8	6,0	5,8				
42,0	7,0	4,2	5,4	6,2	6,4	6,5	4,7	6,0	5,3	5,1				
44,0	6,3	3,4	4,6	5,5	5,7	5,8	4,0	5,3	4,6	4,5				
46,0	5,6	2,8	4,0	4,8	5,0	5,1	3,3	4,6	3,9	3,9				
48,0	5,0	2,2	3,4	4,2	4,4	4,5	2,7	4,0	3,3	3,3				
50,0		1,7	2,9	3,7	3,9	4,0	2,2	3,5	2,8	2,8				
52,0		1,2	2,4	3,2	3,4	3,5	1,7	3,0	2,3	2,3				
54,0				2,8	3,0	3,0		2,5	1,8	1,8				
56,0						2,6		2,1	1,4	1,4				
*** n ***	3	3	3	3	3	2	2	2	2	2	5	4	3	5
1	0+	92+	46+	46+	0+	0+	92+	46+	92+	100+	0+	46-	92-	0+
2	46+	92+	92+	46+	92+	100+	92+	92+	92+	100+	46-	46+	46+	0+
3	92+	92+	92+	92+	92+	100+	92+	92+	92+	100+	0+	0+	0+	46-
4	92+	46+	92+	92+	92+	100+	92+	92+	92+	100+	0+	0+	0+	0+
5 %	92+	46+	46+	92+	92+	100+	46+	92+	92+	100+	0+	0+	0+	0+
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	14,3	12,8	12,8	14,3
TAB ***	1199	1199	1199	1199	1199	1199	1199	1199	1199	1199	1199	1199	1199	1199

	T	--	47,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t													
	CODE > 0014 < B131 1100													
m	**25,9**	**31,1**	**36,3**	**20,7**	**36,3**	**41,5**	**31,1**	**36,3**	**41,5**	**20,7**	**25,9**	**31,1**	**36,3**	**41,5**
3,0														
3,5				53,0						55,0				
4,0	44,5			53,0						55,0	51,0			
4,5	44,5			53,0						55,0	49,5			
5,0	44,0	37,0		53,0			31,5			55,0	49,5	46,0		
6,0	43,5	36,5	24,5	53,0	36,0		29,1	35,5		55,0	49,0	45,0	41,5	
7,0	43,0	36,0	23,3	52,0	35,0	22,8	27,9	35,0	22,4	55,0	48,5	44,5	39,5	34,5
8,0	42,5	35,0	22,2	52,0	34,5	21,6	26,8	34,0	21,3	55,0	48,0	43,5	38,5	34,0
9,0	42,0	34,5	21,2	52,0	34,0	19,2	25,9	33,5	18,9	55,0	47,5	43,0	38,0	33,0
10,0	42,0	34,5	19,0	52,0	33,0	18,4	24,9	33,0	18,0	53,0	47,0	42,5	37,5	32,5
11,0	42,0	34,0	18,2	52,0	32,5	17,6	24,1	32,5	17,2	49,5	47,0	42,0	37,0	32,0
12,0	41,5	33,5	17,5	52,0	32,0	16,8	23,4	32,0	16,4	47,0	46,5	41,5	36,5	31,5
14,0	41,5	33,0	16,2	43,5	31,5	15,5	22,0	29,5	15,0	42,5	41,5	40,0	35,5	29,0
16,0	33,5	33,0	15,1	35,0	29,3	14,3	19,7	28,8	13,8	35,5	37,0	37,0	34,5	28,2
18,0	27,4	26,7	14,1	25,1	27,7	13,3	18,8	26,4	12,7	25,8	30,5	30,5	30,0	27,5
20,0	22,7	22,0	13,3		23,1	12,4	18,2	22,1	11,8		25,5	25,6	25,2	24,0
22,0	19,2	18,4	12,6		19,5	11,6	17,7	18,5	11,0		21,8	21,9	21,5	20,6
24,0		15,6	12,1		16,6	10,9	15,9	15,6	9,1			19,0	18,5	17,6
26,0		13,1	11,6		14,2	9,2	13,4	13,1	8,5			16,6	16,1	15,3
28,0		11,1	10,1		12,1	8,7	10,6	11,1	8,1			14,6	14,1	13,3
30,0			8,3		10,4	8,4		9,3	7,7				12,5	11,5
32,0			5,8		8,9	7,6		7,9	6,3				11,0	10,0
34,0						5,8			4,5					8,7
36,0						4,2			2,9					7,6
38,0						2,5								6,6
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
54,0														
56,0														
*** n ***	5	4	3	6	4	3	4	4	3	6	5	5	4	4
1	0+	46-	92-	0+	46-	92-	0+	46-	92-	0+	0+	0+	0+	46-
2	46-	46+	46+	0+	46-	46+	92-	92+	92+	0+	0+	0+	46-	46+
3	46+	46+	46+	0+	46-	46+	46+	46+	46+	0+	0+	46-	46+	46+
4	0+	0+	0+	46-	46+	46+	0+	0+	0+	0+	46-	46+	46+	46+
5	0+	0+	0+	0+	0+	0+	0+	0+	0+	46-	46+	46+	46+	46+
%														
m/s	12,8	12,8	11,1	14,3	11,1	11,1	12,8	11,1	11,1	14,3	12,8	12,8	11,1	11,1
TAB ***	1199	1199	1199	1199	1199	1199	1199	1199	1199	1199	1199	1199	1199	1199

	T	--	47,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t	CODE > 0014 <												
	46,7	**25,9**	**31,1**	**41,5**	**46,7**	**41,5**	**46,7**	**51,9**	**36,3**	**41,5**	**46,7**	**51,9**	**36,3**	**46,7**
3,0														
3,5														
4,0		42,0												
4,5		40,0												
5,0		39,5	48,0											
6,0		38,0	47,5						33,0				31,5	
7,0		37,0	43,5	39,0		26,2			32,0	35,5			29,1	
8,0	21,3	36,0	40,0	38,0	33,5	25,0	33,5		29,5	33,5	32,5		27,9	24,2
9,0	19,0	35,0	37,0	37,5	33,0	23,9	32,5	18,4	28,4	31,5	31,0	30,0	26,8	23,1
10,0	18,1	34,0	35,0	36,5	32,0	22,9	32,0	17,5	27,4	29,6	29,7	29,0	25,8	22,0
11,0	17,3	32,5	32,5	35,5	31,5	21,9	31,0	16,6	26,4	27,9	28,2	27,9	24,9	21,1
12,0	16,6	30,5	30,5	34,0	29,6	21,1	29,1	15,8	25,5	26,4	26,9	26,8	24,1	19,0
14,0	15,2	27,0	26,9	31,0	28,5	18,5	28,0	14,4	22,6	23,8	24,5	24,8	22,6	17,6
16,0	14,0	24,0	24,3	28,2	27,6	17,3	27,1	13,2	20,1	21,6	22,4	22,9	21,3	16,3
18,0	12,9	22,0	22,0	25,8	26,8	16,2	26,2	12,1	18,2	19,6	20,7	21,3	19,1	15,2
20,0	12,0	20,2	20,0	24,1	24,4	15,2	22,9	11,1	16,6	18,1	19,1	19,8	18,2	14,2
22,0	11,2	18,6	18,6	22,4	21,3	14,4	19,8	9,1	15,1	16,8	17,8	18,5	17,4	13,3
24,0	9,3		17,4	19,4	18,6	13,7	17,3	8,4	14,0	15,5	16,7	17,4	16,8	12,5
26,0	8,8		16,2	16,9	16,2	13,1	15,1	7,9	13,0	14,4	15,6	16,5	16,2	11,8
28,0	8,3		15,2	14,9	14,2	12,5	13,1	7,3	12,1	13,5	14,7	14,6	14,3	11,2
30,0	7,9			13,2	12,5	11,2	11,3	6,9	11,3	12,7	13,6	12,9	12,1	10,6
32,0	7,5			11,8	11,0	9,4	9,8	6,5	10,5	12,0	12,1	11,5	10,0	8,9
34,0	7,2			10,5	9,6	7,8	8,5	6,1		11,3	10,9	10,1		7,5
36,0	5,9			9,4	8,5	6,4	7,3	5,4		10,3	9,7	9,0		6,3
38,0	4,6			8,4	7,5	4,9	6,3	4,2		9,3	8,7	7,9		5,2
40,0	3,4				6,6		5,5	3,2			7,8	7,0		4,2
42,0	2,3				5,8		4,7	2,2			7,0	6,2		3,2
44,0					5,2		4,1				6,3	5,5		2,1
46,0												4,8		
48,0												4,3		
50,0														
52,0														
54,0														
56,0														
*** n ***	3	5	5	4	4	3	4	2	4	4	4	3	4	3
% 1	92-	0+	0+	0+	46-	0+	46-	92-	0+	0+	0+	46-	0+	0+
% 2	46+	0+	0+	46-	46+	92-	92+	92+	0+	0+	46-	46+	0+	92-
% 3	46+	0+	0+	46-	46+	46+	46+	46+	0+	46-	46+	46+	92-	92+
% 4	46+	0+	46-	46+	46+	46+	46+	46+	92-	92+	92+	92+	46+	46+
% 5	46+	92-	92+	92+	92+	46+	46+	46+	92+	92+	92+	92+	46+	46+
m/s	11,1	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1
TAB ***	1199	1199	1199	1199	1199	1199	1199	1199	1199	1199	1199	1199	1199	1199

	T	--	47,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m >< t CODE > 0014 < B131 1100

m	51,9	57,1	46,7	51,9	57,1	31,1	41,5	46,7	51,9	57,1	62,3	57,1	62,3	67,5
3,0														
3,5														
4,0														
4,5														
5,0						36,0								
6,0						34,5								
7,0						33,0	28,1							
8,0			26,4			32,0	26,9	34,5						
9,0	32,0		25,2	27,3		29,8	25,8	32,5	22,7					
10,0	31,5	17,2	24,2	26,0	25,0	28,9	24,8	31,0	21,6	25,7		21,3		
11,0	29,3	16,3	23,2	24,8	24,1	28,0	23,8	29,4	19,5	25,7	16,3	19,2	20,0	
12,0	28,7	15,5	22,3	23,8	23,2	27,2	22,9	28,0	18,6	24,8	15,5	18,4	20,0	15,4
14,0	27,5	14,1	19,6	21,9	21,5	25,8	21,3	25,2	17,1	23,3	14,0	16,9	19,5	14,0
16,0	25,5	12,8	18,3	20,1	20,1	23,7	18,9	23,0	15,8	22,0	12,7	15,6	18,6	12,7
18,0	23,5	11,7	17,2	18,4	18,7	21,4	17,8	21,0	14,7	20,3	11,6	14,4	17,7	11,6
20,0	21,6	10,7	16,1	17,0	17,4	19,3	16,8	19,2	13,7	18,9	10,6	13,4	16,6	10,6
22,0	19,5	8,7	14,9	15,6	16,2	17,9	15,9	17,8	12,8	17,6	8,7	12,5	15,5	8,7
24,0	17,0	8,1	13,8	14,6	15,1	16,7	15,1	16,5	11,9	16,4	8,0	11,7	14,6	8,0
26,0	14,9	7,5	12,7	13,6	14,1	15,5	13,8	15,3	11,2	15,1	7,4	10,9	13,7	7,4
28,0	13,1	6,9	11,7	12,7	13,3	13,9	12,9	14,2	10,6	13,3	6,8	9,3	12,9	6,8
30,0	11,6	6,4	10,8	11,9	12,5		12,0	13,0	9,0	11,8	6,3	8,8	12,2	6,3
32,0	10,1	6,0	10,2	11,1	11,5		10,3	11,5	8,6	10,5	5,9	8,3	11,0	5,9
34,0	8,7	5,6	9,3	10,4	10,1		8,8	10,2	7,8	9,3	5,4	7,9	9,8	5,4
36,0	7,6	5,2	8,1	9,7	9,0		7,4	9,1	6,6	8,1	5,1	6,9	8,8	5,1
38,0	6,6	4,4	7,0	8,7	7,9		6,1	8,0	5,5	7,1	4,7	5,9	7,8	4,7
40,0	5,7	3,4	6,1	7,8	7,0			7,2	4,6	6,2	4,0	5,0	6,8	4,4
42,0	4,9	2,5	5,2	7,0	6,2			6,4	3,8	5,4	3,1	4,2	6,0	3,7
44,0	4,2		4,1	6,3	5,5			5,7	3,0	4,6	2,3	3,5	5,3	2,9
46,0	3,5			5,6	4,8				2,3	4,0		2,9	4,6	2,2
48,0	3,0			5,0	4,2				1,6	3,4		2,3	4,0	
50,0					3,7					2,9		1,8	3,5	
52,0					3,2					2,4		1,2	3,0	
54,0					2,8								2,5	
56,0													2,1	
*** n ***	4	2	3	3	3	4	3	4	3	3	2	3	2	2
% 1	46-	92-	0+	0+	46-	0+	0+	0+	0+	46-	92-	0+	46-	92-
% 2	92+	92+	0+	46-	46+	0+	0+	46-	92-	92+	92+	92-	92+	92-
% 3	92+	92+	92-	92+	92+	0+	92-	92+	92+	92+	92+	92+	92+	92-
% 4	46+	46+	92+	92+	92+	92-	92+	92+	92+	92+	92+	92+	92+	92-
% 5	46+	46+	92+	92+	92+	46+	46+	46+	46+	46+	46+	92+	92+	92-
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1
TAB ***	1199	1199	1199	1199	1199	1199	1199	1199	1199	1199	1199	1199	1199	1199

	T	--	47,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 21.22

m	m >< t CODE > 0014 < B131 1100													
	72,0													
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
14,0	8,8													
16,0	7,7													
18,0	6,8													
20,0	6,0													
22,0	5,3													
24,0	4,7													
26,0	4,1													
28,0	3,6													
30,0	3,1													
32,0	2,7													
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
54,0														
56,0														
*** n ***	1													
1	100-													
2	100-													
3	100-													
4	100-													
5	100-													
%														
m/s	11,1													
TAB ***	1199													

	T	--	47,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311198 21.22

m >< t CODE > 0015 < B131 1200

m	15,5	20,7	20,7	20,7	20,7	25,9	25,9	25,9	25,9	26,8	31,1	31,1	31,1	31,1
3,0	176,0													
3,5	173,0	135,0	125,0	76,0	56,0									
4,0	157,0	135,0	125,0	76,0	56,0	117,0	115,0	56,0	54,0	51,0				
4,5	144,0	134,0	125,0	76,0	57,0	117,0	115,0	56,0	54,0	51,0				
5,0	136,0	127,0	125,0	77,0	57,0	116,0	115,0	56,0	53,0	50,0	82,0	86,0	80,0	56,0
6,0	121,0	115,0	114,0	79,0	59,0	108,0	109,0	57,0	48,0	45,0	80,0	86,0	73,0	57,0
7,0	106,0	104,0	105,0	79,0	59,0	98,0	100,0	58,0	43,5	41,0	73,0	84,0	67,0	57,0
8,0	93,0	93,0	94,0	74,0	59,0	90,0	92,0	58,0	40,0	38,0	67,0	82,0	62,0	58,0
9,0	82,0	82,0	83,0	69,0	56,0	81,0	82,0	57,0	37,0	35,5	62,0	79,0	57,0	58,0
10,0	73,0	73,0	74,0	65,0	53,0	72,0	73,0	53,0	34,5	32,5	58,0	73,0	53,0	55,0
11,0	65,0	65,0	66,0	61,0	49,5	64,0	66,0	49,5	32,5	30,5	54,0	65,0	50,0	52,0
12,0	59,0	58,0	59,0	58,0	47,0	57,0	59,0	46,5	30,5	28,8	50,0	58,0	46,5	48,5
14,0		48,0	49,0	49,5	42,5	47,0	48,5	41,5	27,0	25,6	43,5	48,0	40,5	42,5
16,0		39,5	40,5	41,5	39,0	39,0	40,5	37,0	24,0	22,7	38,0	40,0	36,5	38,5
18,0		23,6	24,3	25,1	25,8	32,0	33,5	34,0	22,0	20,9	31,0	33,0	33,0	35,0
20,0						26,6	28,2	31,0	20,2	19,3	25,8	27,5	27,9	31,0
22,0						22,5	24,1	26,7	18,6	17,8	21,6	23,3	23,6	26,8
24,0										16,4	18,3	19,9	20,3	23,4
26,0											15,5	17,2	17,6	20,6
28,0											13,1	15,0	15,3	18,3
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
54,0														
56,0														
58,0														
60,0														
*** n ***	14!	14	13	8	6	12	12	6	6	5	9	9	8	6
1	0+	0+	0+	0+	0+	46+	0+	0+	0+	0+	92+	46+	0+	0+
2	0+	46+	0+	0+	0+	46+	46+	0+	0+	0+	46+	46+	92+	0+
3	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	0+	46+	46+	46+
4	0+	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	0+	0+	46+
5	0+	0+	0+	0+	46+	0+	0+	46+	92+	100+	0+	0+	0+	46+
%														
m/s	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8

	T	--	60,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311198 21.22

m	m >< t	CODE > 0015 < B131 1200												
	15,5	**20,7**	**20,7**	**20,7**	**20,7**	**25,9**	**25,9**	**25,9**	**25,9**	**26,8**	**31,1**	**31,1**	**31,1**	**31,1**
62,0														
64,0														
66,0														
*** n ***	14!	14	13	8	6	12	12	6	6	5	9	9	8	6
1	0+	0+	0+	0+	0+	46+	0+	0+	0+	0+	92+	46+	0+	0+
2	0+	46+	0+	0+	0+	46+	46+	0+	0+	0+	46+	46+	92+	0+
3	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	0+	46+	46+	46+
4	0+	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	0+	0+	46+
5 %	0+	0+	0+	0+	46+	0+	0+	46+	92+	100+	0+	0+	0+	46+
m/s	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8

	T	--	60,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311198 21.22

m >< t CODE > 0015 < B131 1200

m	31,1	31,1	36,3	36,3	36,3	36,3	36,3	36,3	38,1	41,5	41,5	41,5	41,5	41,5
3,0														
3,5														
4,0														
4,5														
5,0	52,0	52,0												
6,0	47,5	47,5	68,0	69,0	71,0	57,0	49,5	39,5	36,0					
7,0	43,5	43,5	64,0	66,0	70,0	57,0	46,0	36,5	34,0	51,0	53,0	55,0	49,0	44,5
8,0	40,0	40,0	59,0	61,0	69,0	58,0	42,5	33,5	31,5	51,0	52,0	55,0	46,0	42,0
9,0	37,0	37,0	55,0	57,0	68,0	58,0	39,0	31,0	29,4	48,0	49,0	54,0	43,0	39,5
10,0	34,5	35,0	51,0	54,0	65,0	57,0	36,5	28,9	27,3	45,0	46,0	54,0	40,5	37,5
11,0	32,0	32,5	48,0	50,0	62,0	54,0	34,0	27,1	25,6	42,5	43,5	53,0	38,0	35,5
12,0	30,0	30,5	44,5	47,0	58,0	51,0	32,0	25,5	24,1	39,5	40,5	51,0	35,5	34,0
14,0	26,3	26,9	39,0	42,0	48,0	46,5	28,3	22,6	21,4	35,0	36,0	46,0	32,0	31,0
16,0	23,7	24,3	34,5	37,0	40,5	42,0	25,1	20,1	19,0	31,0	32,0	40,5	28,5	28,2
18,0	21,4	22,0	31,0	33,0	34,0	36,0	22,7	18,2	17,3	27,5	28,5	34,5	25,5	25,8
20,0	19,3	20,0	26,7	27,6	28,6	30,5	20,7	16,6	15,8	24,9	25,8	29,7	23,4	24,1
22,0	17,9	18,6	22,5	23,4	24,4	26,4	18,8	15,1	14,4	22,5	23,5	25,5	21,4	22,5
24,0	16,7	17,4	19,1	20,0	21,0	22,9	17,4	14,0	13,1	19,4	20,1	22,0	19,6	21,0
26,0	15,5	16,2	16,4	17,3	18,2	20,1	16,2	13,0	12,2	16,6	17,4	19,2	18,0	19,6
28,0	14,4	15,2	14,0	15,0	15,9	17,8	15,0	12,1	11,4	14,2	15,1	16,9	16,8	18,6
30,0			11,9	12,9	14,0	15,8	14,0	11,3	10,7	12,2	13,0	15,0	15,2	16,6
32,0			10,2	11,2	12,2	14,2	13,0	10,5	9,9	10,4	11,3	13,3	13,6	14,9
34,0									9,3	8,9	9,7	11,8	12,1	13,5
36,0										7,6	8,4	10,5	10,8	12,2
38,0										6,5	7,3	9,4	9,6	11,1
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
54,0														
56,0														
58,0														
60,0														
*** n ***	6	6	7	7	7	6	5	4	4	5	6	6	5	5
1	0+	0+	92+	46+	46+	0+	0+	0+	0+	92+	92+	46+	0+	0+
2	0+	0+	46+	92+	46+	46+	0+	0+	0+	92+	46+	46+	92+	46+
3	0+	0+	46+	46+	46+	46+	92+	0+	0+	46+	46+	46+	46+	46+
4	92+	46+	0+	0+	46+	46+	46+	92+	100+	0+	46+	46+	46+	46+
5 %	46+	92+	0+	0+	0+	46+	46+	92+	100+	0+	0+	46+	46+	92+
m/s	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	60,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311198 21.22

m >< t CODE > 0015 < B131 1200

m	31,1	31,1	36,3	36,3	36,3	36,3	36,3	36,3	38,1	41,5	41,5	41,5	41,5	41,5
62,0														
64,0														
66,0														
* n *	6	6	7	7	7	6	5	4	4	5	6	6	5	5
% 1	0+	0+	92+	46+	46+	0+	0+	0+	0+	92+	92+	46+	0+	0+
% 2	0+	0+	46+	92+	46+	46+	0+	0+	0+	92+	46+	46+	92+	46+
% 3	0+	0+	46+	46+	46+	46+	92+	0+	0+	46+	46+	46+	46+	46+
% 4	92+	46+	0+	0+	46+	46+	46+	92+	100+	0+	46+	46+	46+	46+
% 5	46+	92+	0+	0+	0+	46+	46+	92+	100+	0+	0+	46+	46+	92+
m/s	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	60,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311198 21.22

m	m >< t													
	CODE > 0015 < B131 1200													
m	**41,5**	**41,5**	**46,7**	**46,7**	**46,7**	**46,7**	**46,7**	**46,7**	**46,7**	**49,4**	**51,9**	**51,9**	**51,9**	**51,9**
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	38,0	35,5												
8,0	35,5	33,5	43,0	42,5	41,0	38,0	34,5	32,5	30,0					
9,0	33,5	31,5	42,5	41,0	39,0	36,0	32,5	31,0	28,5	26,0	33,5	33,0	30,0	30,0
10,0	31,5	29,6	40,5	39,0	37,5	34,0	31,0	29,7	26,9	24,7	33,5	32,5	29,0	28,8
11,0	29,2	27,9	38,5	37,5	35,5	32,5	29,4	28,2	25,6	23,5	32,5	31,0	27,9	27,6
12,0	27,5	26,4	37,0	36,0	34,0	31,0	28,0	26,9	24,2	22,4	31,5	29,9	26,8	26,5
14,0	24,6	23,8	33,5	32,5	31,5	27,7	25,2	24,5	21,7	20,4	29,2	27,8	24,8	24,4
16,0	22,0	21,6	29,9	29,7	29,2	25,0	23,0	22,4	19,7	18,5	26,6	25,5	22,9	22,3
18,0	19,7	19,6	26,9	27,2	27,1	22,6	21,0	20,7	17,8	16,8	24,3	23,5	21,3	20,4
20,0	18,0	18,1	24,3	24,8	25,2	20,5	19,2	19,1	16,2	15,3	22,1	21,6	19,8	18,6
22,0	16,5	16,8	22,3	23,0	23,7	18,9	17,8	17,8	14,9	14,1	20,0	19,8	18,5	17,0
24,0	15,1	15,5	20,5	21,3	22,4	17,4	16,5	16,7	13,8	13,0	18,4	18,4	17,4	15,7
26,0	13,8	14,4	18,4	19,1	20,2	16,1	15,3	15,6	12,7	12,0	17,0	17,2	16,5	14,6
28,0	12,9	13,5	16,1	16,8	17,8	14,8	14,2	14,7	11,7	11,1	15,6	16,0	15,6	13,5
30,0	12,1	12,7	14,2	14,8	15,8	13,7	13,2	13,7	10,8	10,2	14,1	15,0	14,7	12,5
32,0	11,3	12,0	12,4	13,1	14,2	12,6	12,5	13,0	10,2	9,6	12,4	13,4	13,9	11,6
34,0	10,6	11,3	10,9	11,6	12,7	11,8	11,8	12,3	9,6	9,0	10,8	11,8	13,1	10,7
36,0	9,9	10,6	9,5	10,2	11,4	10,9	11,2	11,7	9,0	8,4	9,5	10,5	11,8	10,1
38,0	9,2	10,0	8,4	9,1	10,2	9,8	10,6	11,1	8,4	7,8	8,3	9,3	10,7	9,5
40,0			7,3	8,1	9,2	8,7	9,7	10,4	7,9	7,3	7,2	8,3	9,6	8,9
42,0			6,4	7,2	8,3	7,8	8,8	9,5	7,4	6,9	6,3	7,3	8,7	8,2
44,0			4,4	4,9	5,6	5,5	6,2	6,3	6,0	6,6	5,5	6,5	7,8	7,4
46,0										6,2	4,7	5,8	7,1	6,7
48,0												5,1	6,4	6,0
50,0														
52,0														
54,0														
56,0														
58,0														
60,0														
*** n ***	4	4	5	5	4	4	4	4	3	3	4	4	3	3
1	0+	0+	92+	46+	46+	0+	0+	0+	0+	0+	92+	46+	46+	0+
2	0+	0+	46+	92+	46+	92+	46+	46+	0+	0+	92+	92+	46+	92+
3	92+	46+	46+	46+	46+	92+	92+	46+	92+	100+	46+	92+	46+	92+
4	92+	92+	46+	46+	46+	46+	92+	92+	92+	100+	46+	46+	92+	92+
5	46+	92+	46+	46+	92+	46+	46+	92+	92+	100+	46+	46+	92+	46+
%														
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	60,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

T	--

070983 TAB 1311198 21.22

m >< t CODE > 0015 < B131 1200

m	41,5	41,5	46,7	46,7	46,7	46,7	46,7	46,7	46,7	49,4	51,9	51,9	51,9	51,9
62,0														
64,0														
66,0														
* n *	4	4	5	5	4	4	4	4	3	3	4	4	3	3
% 1	0+	0+	92+	46+	46+	0+	0+	0+	0+	0+	92+	46+	46+	0+
% 2	0+	0+	46+	92+	46+	92+	46+	46+	0+	0+	92+	92+	46+	92+
% 3	92+	46+	46+	46+	46+	92+	92+	46+	92+	100+	46+	92+	46+	92+
% 4	92+	92+	46+	46+	46+	46+	92+	92+	92+	100+	46+	46+	92+	92+
% 5	46+	92+	46+	46+	92+	46+	46+	92+	92+	100+	46+	46+	92+	46+
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	60,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311198 21.22

m >< t CODE > 0015 < B131 1200

m	51,9	57,1	57,1	57,1	57,1	60,7	62,3	62,3	67,5	72,0	20,7	25,9	31,1	20,7
3,0														
3,5											46,5			49,5
4,0											46,5	38,5		49,0
4,5											46,0	38,0		49,0
5,0											46,0	38,0	26,8	49,0
6,0											46,0	37,5	25,5	48,5
7,0											46,0	37,0	24,4	48,5
8,0											46,0	37,0	23,4	48,5
9,0	27,3										46,0	36,5	22,5	48,5
10,0	26,0	26,2	25,7	25,0	24,0						46,0	36,5	21,6	48,5
11,0	24,8	26,2	25,7	24,1	23,2	19,4	20,7	20,0			46,0	36,5	19,5	48,5
12,0	23,8	26,2	24,8	23,2	22,5	19,4	20,7	20,0	17,0		46,0	36,5	18,8	48,5
14,0	21,9	24,8	23,3	21,5	21,0	18,5	20,6	19,5	16,9	14,0	46,0	36,5	17,7	48,5
16,0	20,1	23,3	22,0	20,1	19,6	17,6	19,9	18,6	16,8	14,0	39,5	36,5	16,8	40,5
18,0	18,4	21,6	20,3	18,7	18,3	16,5	18,9	17,7	16,2	13,9	23,6	32,0	16,0	24,3
20,0	17,0	19,9	18,9	17,4	17,0	15,3	17,7	16,6	15,6	13,5		26,6	15,4	
22,0	15,6	18,4	17,6	16,2	15,7	14,3	16,5	15,5	14,8	13,1		22,5	15,0	
24,0	14,6	17,0	16,4	15,1	14,5	13,3	15,4	14,6	14,0	12,4			14,9	
26,0	13,6	15,6	15,2	14,1	13,4	12,4	14,4	13,7	13,2	11,7			13,0	
28,0	12,7	14,4	14,2	13,3	12,5	11,6	13,4	12,9	12,4	11,0			8,4	
30,0	11,9	13,3	13,3	12,5	11,7	10,9	12,5	12,2	11,7	10,4				
32,0	11,1	12,3	12,5	11,8	10,9	10,1	11,7	11,5	11,0	9,8				
34,0	10,4	11,1	11,7	11,2	10,2	9,5	10,9	10,8	10,3	9,2				
36,0	9,9	9,8	11,0	10,6	9,5	8,9	10,1	10,2	9,7	8,7				
38,0	9,4	8,6	9,8	10,0	8,8	8,3	9,2	9,6	9,1	8,1				
40,0	8,9	7,5	8,7	9,5	8,4	7,8	8,1	9,0	8,5	7,7				
42,0	8,5	6,6	7,8	8,7	7,9	7,4	7,2	8,5	7,8	7,2				
44,0	8,1	5,8	7,0	7,8	7,5	7,0	6,3	7,6	6,9	6,7				
46,0	7,7	5,0	6,2	7,1	7,1	6,6	5,5	6,8	6,1	6,2				
48,0	7,2	4,3	5,5	6,4	6,5	6,2	4,8	6,1	5,4	5,4				
50,0		3,7	4,9	5,7	5,9	5,8	4,2	5,5	4,8	4,8				
52,0		3,2	4,3	5,2	5,3	5,4	3,6	4,9	4,2	4,2				
54,0				4,7	4,8	4,9	3,1	4,4	3,7	3,7				
56,0						4,4	2,6	3,9	3,2	3,2				
58,0									2,7	2,7				
60,0									2,3	2,3				
*** n ***	3	3	3	3	3	2	2	2	2	2	5	4	3	5
1	0+	92+	46+	46+	0+	0+	92+	46+	92+	100+	0+	46-	92-	0+
2	46+	92+	92+	46+	92+	100+	92+	92+	92+	100+	46-	46+	46+	0+
3	92+	92+	92+	92+	92+	100+	92+	92+	92+	100+	0+	0+	0+	46-
4	92+	46+	92+	92+	92+	100+	92+	92+	92+	100+	0+	0+	0+	0+
5 %	92+	46+	46+	92+	92+	100+	46+	92+	92+	100+	0+	0+	0+	0+
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	14,3	12,8	12,8	14,3

	T --	60,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311198 21.22

m >< t CODE > 0015 < B131 1200

m	51,9	57,1	57,1	57,1	57,1	60,7	62,3	62,3	67,5	72,0	20,7	25,9	31,1	20,7
62,0									1,9	1,9				
64,0										1,6				
66,0										1,2				
*** n ***	3	3	3	3	3	2	2	2	2	2	5	4	3	5
1	0+	92+	46+	46+	0+	0+	92+	46+	92+	100+	0+	46-	92-	0+
2	46+	92+	92+	46+	92+	100+	92+	92+	92+	100+	46-	46+	46+	0+
3	92+	92+	92+	92+	92+	100+	92+	92+	92+	100+	0+	0+	0+	46-
4	92+	46+	92+	92+	92+	100+	92+	92+	92+	100+	0+	0+	0+	0+
5	92+	46+	46+	92+	92+	100+	46+	92+	92+	100+	0+	0+	0+	0+
%														
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	14,3	12,8	12,8	14,3

	T	--	60,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311198 21.22

m >< t CODE > 0015 < B131 1200

m	25,9	31,1	36,3	20,7	36,3	41,5	31,1	36,3	41,5	20,7	25,9	31,1	36,3	41,5
3,0														
3,5				53,0						55,0				
4,0	44,5			53,0						55,0	51,0			
4,5	44,5			53,0						55,0	49,5			
5,0	44,0	37,0		53,0			31,5			55,0	49,5	46,0		
6,0	43,5	36,5	24,5	53,0	36,0		29,1	35,5		55,0	49,0	45,0	41,5	
7,0	43,0	36,0	23,3	52,0	35,0	22,8	27,9	35,0	22,4	55,0	48,5	44,5	39,5	34,5
8,0	42,5	35,0	22,2	52,0	34,5	21,6	26,8	34,0	21,3	55,0	48,0	43,5	38,5	34,0
9,0	42,0	34,5	21,2	52,0	34,0	19,2	25,9	33,5	18,9	55,0	47,5	43,0	38,0	33,0
10,0	42,0	34,5	19,0	52,0	33,0	18,4	24,9	33,0	18,0	53,0	47,0	42,5	37,5	32,5
11,0	42,0	34,0	18,2	52,0	32,5	17,6	24,1	32,5	17,2	49,5	47,0	42,0	37,0	32,0
12,0	41,5	33,5	17,5	52,0	32,0	16,8	23,4	32,0	16,4	47,0	46,5	41,5	36,5	31,5
14,0	41,5	33,0	16,2	49,5	31,5	15,5	22,0	29,5	15,0	42,5	41,5	40,0	35,5	29,0
16,0	40,5	33,0	15,1	41,5	29,3	14,3	19,7	28,8	13,8	39,0	37,0	38,5	34,5	28,2
18,0	33,5	33,0	14,1	25,1	28,8	13,3	18,8	28,3	12,7	25,8	34,0	35,0	34,0	27,5
20,0	28,2	27,5	13,3		28,5	12,4	18,2	27,6	11,8		31,0	31,0	30,5	26,9
22,0	24,1	23,3	12,6		24,4	11,6	17,7	23,4	11,0		26,7	26,8	26,4	25,5
24,0		19,9	12,1		21,0	10,9	17,4	20,0	9,1			23,4	22,9	22,0
26,0		17,2	11,6		18,2	9,2	14,5	17,3	8,5			20,6	20,1	19,2
28,0		15,0	11,0		15,9	8,7	10,6	15,0	8,1			18,3	17,8	16,9
30,0			8,3		14,0	8,4		12,9	7,7				15,8	15,0
32,0			5,8		12,2	7,6		11,2	6,3				14,2	13,3
34,0						5,8			4,5					11,8
36,0						4,2			2,9					10,5
38,0						2,5								9,4
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
54,0														
56,0														
58,0														
60,0														
*** n ***	5	4	3	6	4	3	4	4	3	6	5	5	4	4
1	0+	46-	92-	0+	46-	92-	0+	46-	92-	0+	0+	0+	0+	46-
2	46-	46+	46+	0+	46-	46+	92-	92+	92+	0+	0+	0+	46-	46+
3	46+	46+	46+	0+	46-	46+	46+	46+	46+	0+	0+	46-	46+	46+
4	0+	0+	0+	46-	46+	46+	0+	0+	0+	0+	46-	46+	46+	46+
5	0+	0+	0+	0+	0+	0+	0+	0+	0+	46-	46+	46+	46+	46+
%														
m/s	12,8	12,8	11,1	14,3	11,1	11,1	12,8	11,1	11,1	14,3	12,8	12,8	11,1	11,1

	T	--	60,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311198 21.22

m >< t CODE > 0015 < B131 1200

m	25,9	31,1	36,3	20,7	36,3	41,5	31,1	36,3	41,5	20,7	25,9	31,1	36,3	41,5
62,0														
64,0														
66,0														
* n *	5	4	3	6	4	3	4	4	3	6	5	5	4	4
% 1	0+	46-	92-	0+	46-	92-	0+	46-	92-	0+	0+	0+	0+	46-
% 2	46-	46+	46+	0+	46-	46+	92-	92+	92+	0+	0+	0+	46-	46+
% 3	46+	46+	46+	0+	46-	46+	46+	46+	46+	0+	0+	46-	46+	46+
% 4	0+	0+	0+	46-	46+	46+	0+	0+	0+	0+	46-	46+	46+	46+
% 5	0+	0+	0+	0+	0+	0+	0+	0+	0+	46-	46+	46+	46+	46+
m/s	12,8	12,8	11,1	14,3	11,1	11,1	12,8	11,1	11,1	14,3	12,8	12,8	11,1	11,1

	T	--	60,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311198 21.22

m	m >< t	CODE > 0015 <	B131 1200											
	46,7	**25,9**	**31,1**	**41,5**	**46,7**	**41,5**	**46,7**	**51,9**	**36,3**	**41,5**	**46,7**	**51,9**	**36,3**	**46,7**
3,0														
3,5														
4,0		42,0												
4,5		40,0												
5,0		39,5	48,0											
6,0		38,0	47,5						33,0				31,5	
7,0		37,0	43,5	39,0		26,2			32,0	35,5			29,1	
8,0	21,3	36,0	40,0	38,0	33,5	25,0	33,5		29,5	33,5	32,5		27,9	24,2
9,0	19,0	35,0	37,0	37,5	33,0	23,9	32,5	18,4	28,4	31,5	31,0	30,0	26,8	23,1
10,0	18,1	34,0	35,0	36,5	32,0	22,9	32,0	17,5	27,4	29,6	29,7	29,0	25,8	22,0
11,0	17,3	32,5	32,5	35,5	31,5	21,9	31,0	16,6	26,4	27,9	28,2	27,9	24,9	21,1
12,0	16,6	30,5	30,5	34,0	29,6	21,1	29,1	15,8	25,5	26,4	26,9	26,8	24,1	19,0
14,0	15,2	27,0	26,9	31,0	28,5	18,5	28,0	14,4	22,6	23,8	24,5	24,8	22,6	17,6
16,0	14,0	24,0	24,3	28,2	27,6	17,3	27,1	13,2	20,1	21,6	22,4	22,9	21,3	16,3
18,0	12,9	22,0	22,0	25,8	26,8	16,2	26,2	12,1	18,2	19,6	20,7	21,3	19,1	15,2
20,0	12,0	20,2	20,0	24,1	25,2	15,2	24,8	11,1	16,6	18,1	19,1	19,8	18,2	14,2
22,0	11,2	18,6	18,6	22,5	23,7	14,4	23,0	9,1	15,1	16,8	17,8	18,5	17,4	13,3
24,0	9,3		17,4	21,0	22,4	13,7	21,3	8,4	14,0	15,5	16,7	17,4	16,8	12,5
26,0	8,8		16,2	19,6	20,2	13,1	19,1	7,9	13,0	14,4	15,6	16,5	16,2	11,8
28,0	8,3		15,2	18,6	17,8	12,5	16,8	7,3	12,1	13,5	14,7	15,6	14,4	11,2
30,0	7,9			16,6	15,8	11,2	14,8	6,9	11,3	12,7	13,7	14,7	12,1	10,6
32,0	7,5			14,9	14,2	9,4	13,1	6,5	10,5	12,0	13,0	13,9	10,0	8,9
34,0	7,2			13,5	12,7	7,8	11,6	6,1		11,3	12,3	13,1		7,5
36,0	5,9			12,2	11,4	6,4	10,2	5,4		10,6	11,7	11,8		6,3
38,0	4,6			11,1	10,2	4,9	9,1	4,2		10,0	11,1	10,7		5,2
40,0	3,4				9,2		8,1	3,2			10,4	9,6		4,2
42,0	2,3				8,3		7,2	2,2			9,5	8,7		3,2
44,0					5,6		4,9				6,3	7,8		2,1
46,0												7,1		
48,0												6,4		
50,0														
52,0														
54,0														
56,0														
58,0														
60,0														
*** n ***	3	5	5	4	4	3	4	2	4	4	4	3	4	3
1	92-	0+	0+	0+	46-	0+	46-	92-	0+	0+	0+	46-	0+	0+
2	46+	0+	0+	46-	46+	92-	92+	92+	0+	0+	46-	46+	0+	92-
3	46+	0+	0+	46-	46+	46+	46+	46+	0+	46-	46+	46+	92-	92+
4	46+	0+	46-	46+	46+	46+	46+	46+	92-	92+	92+	92+	46+	46+
5	46+	92-	92+	92+	92+	46+	46+	46+	92+	92+	92+	92+	46+	46+
%														
m/s	11,1	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	60,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311198 21.22

m	m >< t	CODE > 0015 < B131 1200												
	46,7	**25,9**	**31,1**	**41,5**	**46,7**	**41,5**	**46,7**	**51,9**	**36,3**	**41,5**	**46,7**	**51,9**	**36,3**	**46,7**
62,0														
64,0														
66,0														
*** n ***	3	5	5	4	4	3	4	2	4	4	4	3	4	3
1	92-	0+	0+	0+	46-	0+	46-	92-	0+	0+	0+	46-	0+	0+
2	46+	0+	0+	46-	46+	92-	92+	92+	0+	0+	46-	46+	0+	92-
3	46+	0+	0+	46-	46+	46+	46+	46+	0+	46-	46+	46+	92-	92+
4	46+	0+	46-	46+	46+	46+	46+	46+	92-	92+	92+	92+	46+	46+
5 %	46+	92-	92+	92+	92+	46+	46+	46+	92+	92+	92+	92+	46+	46+
m/s	11,1	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	60,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311198 21.22

m >< t CODE > 0015 < B131 1200

m	51,9	57,1	46,7	51,9	57,1	31,1	41,5	46,7	51,9	57,1	62,3	57,1	62,3	67,5
3,0														
3,5														
4,0														
4,5														
5,0						36,0								
6,0						34,5								
7,0						33,0	28,1							
8,0			26,4			32,0	26,9	34,5						
9,0	32,0		25,2	27,3		29,8	25,8	32,5	22,7					
10,0	31,5	17,2	24,2	26,0	25,0	28,9	24,8	31,0	21,6	25,7		21,3		
11,0	29,3	16,3	23,2	24,8	24,1	28,0	23,8	29,4	19,5	25,7	16,3	19,2	20,0	
12,0	28,7	15,5	22,3	23,8	23,2	27,2	22,9	28,0	18,6	24,8	15,5	18,4	20,0	15,4
14,0	27,5	14,1	19,6	21,9	21,5	25,8	21,3	25,2	17,1	23,3	14,0	16,9	19,5	14,0
16,0	25,5	12,8	18,3	20,1	20,1	23,7	18,9	23,0	15,8	22,0	12,7	15,6	18,6	12,7
18,0	23,5	11,7	17,2	18,4	18,7	21,4	17,8	21,0	14,7	20,3	11,6	14,4	17,7	11,6
20,0	21,6	10,7	16,1	17,0	17,4	19,3	16,8	19,2	13,7	18,9	10,6	13,4	16,6	10,6
22,0	19,8	8,7	14,9	15,6	16,2	17,9	15,9	17,8	12,8	17,6	8,7	12,5	15,5	8,7
24,0	18,4	8,1	13,8	14,6	15,1	16,7	15,1	16,5	11,9	16,4	8,0	11,7	14,6	8,0
26,0	17,2	7,5	12,7	13,6	14,1	15,5	13,8	15,3	11,2	15,2	7,4	10,9	13,7	7,4
28,0	16,0	6,9	11,7	12,7	13,3	13,9	12,9	14,2	10,6	14,2	6,8	9,3	12,9	6,8
30,0	15,0	6,4	10,8	11,9	12,5		12,0	13,2	9,0	13,3	6,3	8,8	12,2	6,3
32,0	13,4	6,0	10,2	11,1	11,8		10,3	12,5	8,6	12,5	5,9	8,3	11,5	5,9
34,0	11,8	5,6	9,3	10,4	11,2		8,8	11,8	7,8	11,7	5,4	7,9	10,8	5,4
36,0	10,5	5,2	8,1	9,9	10,6		7,4	11,2	6,6	11,0	5,1	6,9	10,2	5,1
38,0	9,3	4,4	7,0	9,4	10,0		6,1	10,6	5,5	9,8	4,7	5,9	9,6	4,7
40,0	8,3	3,4	6,1	8,9	9,5			9,7	4,6	8,7	4,0	5,0	9,0	4,4
42,0	7,3	2,5	5,2	8,5	8,7			8,8	3,8	7,8	3,1	4,2	8,5	3,7
44,0	6,5		4,1	8,1	7,8			6,2	3,0	7,0	2,3	3,5	7,6	2,9
46,0	5,8			7,7	7,1				2,3	6,2		2,9	6,8	2,2
48,0	5,1			7,2	6,4				1,6	5,5		2,3	6,1	
50,0					5,7					4,9		1,8	5,5	
52,0					5,2					4,3		1,2	4,9	
54,0					4,7								4,4	
56,0													3,9	
58,0														
60,0														
*** n ***	4	2	3	3	3	4	3	4	3	3	2	3	2	2
1	46-	92-	0+	0+	46-	0+	0+	0+	0+	46-	92-	0+	46-	92-
2	92+	92+	0+	46-	46+	0+	0+	46-	92-	92+	92+	92-	92+	92-
3	92+	92+	92-	92+	92+	0+	92-	92+	92+	92+	92+	92+	92+	92-
4	46+	46+	92+	92+	92+	92-	92+	92+	92+	92+	92+	92+	92+	92-
5	46+	46+	92+	92+	92+	46+	46+	46+	46+	46+	46+	92+	92+	92-
%														
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	60,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311198 21.22

m >< t CODE > 0015 < B131 1200

m	51,9	57,1	46,7	51,9	57,1	31,1	41,5	46,7	51,9	57,1	62,3	57,1	62,3	67,5
62,0														
64,0														
66,0														
* n *	4	2	3	3	3	4	3	4	3	3	2	3	2	2
% 1	46-	92-	0+	0+	46-	0+	0+	0+	0+	46-	92-	0+	46-	92-
% 2	92+	92+	0+	46-	46+	0+	0+	46-	92-	92+	92+	92-	92+	92-
% 3	92+	92+	92-	92+	92+	0+	92-	92+	92+	92+	92+	92+	92+	92-
% 4	46+	46+	92+	92+	92+	92-	92+	92+	92+	92+	92+	92+	92+	92-
% 5	46+	46+	92+	92+	92+	46+	46+	46+	46+	46+	46+	92+	92+	92-
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	60,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311198 21.22

m	m >< t	CODE > 0015 < B131 1200												
	72,0													
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
14,0	8,8													
16,0	7,7													
18,0	6,8													
20,0	6,0													
22,0	5,3													
24,0	4,7													
26,0	4,1													
28,0	3,6													
30,0	3,1													
32,0	2,7													
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
54,0														
56,0														
58,0														
60,0														
*** n ***	1													
1	100-													
2	100-													
3	100-													
4	100-													
5	100-													
%														
m/s	11,1													

	T	--	60,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311198 21.22

m	m >< t CODE > 0015 < B131 1200													
m	**72,0**													
62,0														
64,0														
66,0														
*** n ***	1													
1	100-													
2	100-													
3	100-													
4	100-													
5	100-													
%														
m/s	11,1													

	T	--	60,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311197 21.22

m >< t CODE > 0016 < B131 1300

m	15,5	20,7	20,7	20,7	20,7	25,9	25,9	25,9	25,9	26,8	31,1	31,1	31,1	31,1
3,0	176,0													
3,5	173,0	135,0	125,0	76,0	56,0									
4,0	157,0	135,0	125,0	76,0	56,0	117,0	115,0	56,0	54,0	51,0				
4,5	144,0	134,0	125,0	76,0	57,0	117,0	115,0	56,0	54,0	51,0				
5,0	136,0	127,0	125,0	77,0	57,0	116,0	115,0	56,0	53,0	50,0	82,0	86,0	80,0	56,0
6,0	123,0	115,0	114,0	79,0	59,0	108,0	109,0	57,0	48,0	45,0	80,0	86,0	73,0	57,0
7,0	109,0	104,0	105,0	79,0	59,0	98,0	100,0	58,0	43,5	41,0	73,0	84,0	67,0	57,0
8,0	97,0	96,0	96,0	74,0	59,0	90,0	92,0	58,0	40,0	38,0	67,0	82,0	62,0	58,0
9,0	86,0	86,0	86,0	69,0	56,0	83,0	85,0	57,0	37,0	35,5	62,0	79,0	57,0	58,0
10,0	77,0	76,0	77,0	65,0	53,0	76,0	77,0	53,0	34,5	32,5	58,0	74,0	53,0	55,0
11,0	69,0	69,0	70,0	61,0	49,5	68,0	69,0	49,5	32,5	30,5	54,0	69,0	50,0	52,0
12,0	63,0	62,0	63,0	58,0	47,0	61,0	63,0	46,5	30,5	28,8	50,0	62,0	46,5	48,5
14,0		51,0	52,0	52,0	42,5	51,0	52,0	41,5	27,0	25,6	43,5	51,0	40,5	42,5
16,0		43,5	44,0	45,0	39,0	42,5	44,0	37,0	24,0	22,7	38,5	43,5	36,5	38,5
18,0		23,6	24,3	25,1	25,8	36,5	37,5	34,0	22,0	20,9	34,5	37,0	33,0	35,0
20,0						31,0	32,5	31,0	20,2	19,3	30,5	32,0	29,8	32,0
22,0						26,6	28,1	28,5	18,6	17,8	25,8	27,4	27,4	29,4
24,0										16,4	22,1	23,7	24,0	27,1
26,0											19,1	20,7	21,0	24,0
28,0											16,6	17,9	18,4	21,1
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
54,0														
56,0														
58,0														
60,0														
*** n ***	14!	14	13	8	6	12	12	6	6	5	9	9	8	6
1	0+	0+	0+	0+	0+	46+	0+	0+	0+	0+	92+	46+	0+	0+
2	0+	46+	0+	0+	0+	46+	46+	0+	0+	0+	46+	46+	92+	0+
3	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	0+	46+	46+	46+
4	0+	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	0+	0+	46+
5 %	0+	0+	0+	0+	46+	0+	0+	46+	92+	100+	0+	0+	0+	46+
m/s	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8

	T	--	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311197 21.22

m >< t CODE > 0016 < B131 1300

m	15,5	20,7	20,7	20,7	20,7	25,9	25,9	25,9	25,9	26,8	31,1	31,1	31,1	31,1
62,0														
64,0														
66,0														
* n *	14!	14	13	8	6	12	12	6	6	5	9	9	8	6
% 1	0+	0+	0+	0+	0+	46+	0+	0+	0+	0+	92+	46+	0+	0+
% 2	0+	46+	0+	0+	0+	46+	46+	0+	0+	0+	46+	46+	92+	0+
% 3	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	0+	46+	46+	46+
% 4	0+	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	0+	0+	46+
% 5	0+	0+	0+	0+	46+	0+	0+	46+	92+	100+	0+	0+	0+	46+
m/s	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8

	T	--	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311197 21.22

m >< t CODE > 0016 < B131 1300

m	31,1	31,1	36,3	36,3	36,3	36,3	36,3	36,3	38,1	41,5	41,5	41,5	41,5	41,5
3,0														
3,5														
4,0														
4,5														
5,0	52,0	52,0												
6,0	47,5	47,5	68,0	69,0	71,0	57,0	49,5	39,5	36,0					
7,0	43,5	43,5	64,0	66,0	70,0	57,0	46,0	36,5	34,0	51,0	53,0	55,0	49,0	44,5
8,0	40,0	40,0	59,0	61,0	69,0	58,0	42,5	33,5	31,5	51,0	52,0	55,0	46,0	42,0
9,0	37,0	37,0	55,0	57,0	68,0	58,0	39,0	31,0	29,4	48,0	49,0	54,0	43,0	39,5
10,0	34,5	35,0	51,0	54,0	65,0	57,0	36,5	28,9	27,3	45,0	46,0	54,0	40,5	37,5
11,0	32,0	32,5	48,0	50,0	62,0	54,0	34,0	27,1	25,6	42,5	43,5	53,0	38,0	35,5
12,0	30,0	30,5	44,5	47,0	58,0	51,0	32,0	25,5	24,1	39,5	40,5	51,0	35,5	34,0
14,0	26,3	26,9	39,0	42,0	52,0	46,5	28,3	22,6	21,4	35,0	36,0	46,0	32,0	31,0
16,0	23,7	24,3	34,5	37,0	44,5	42,0	25,1	20,1	19,0	31,0	32,0	42,0	28,5	28,2
18,0	21,4	22,0	31,0	33,5	38,0	38,5	22,7	18,2	17,3	27,5	28,5	38,5	25,5	25,8
20,0	19,3	20,0	27,8	30,5	33,0	35,0	20,7	16,6	15,8	24,9	25,8	34,0	23,4	24,1
22,0	17,9	18,6	24,9	27,5	28,4	30,5	18,8	15,1	14,4	22,5	23,5	29,5	21,4	22,5
24,0	16,7	17,4	22,9	23,8	24,7	26,6	17,4	14,0	13,1	20,4	21,3	25,7	19,6	21,0
26,0	15,5	16,2	19,9	20,8	21,7	23,5	16,2	13,0	12,2	18,4	19,3	22,7	18,0	19,6
28,0	14,4	15,2	17,4	18,2	19,1	21,0	15,0	12,1	11,4	17,0	17,9	20,1	16,8	18,7
30,0			15,1	16,1	17,0	18,8	14,0	11,3	10,7	15,4	16,1	17,9	15,7	17,9
32,0			13,2	14,2	15,1	17,0	13,0	10,5	9,9	13,4	14,2	16,1	14,7	17,1
34,0									9,3	11,7	12,5	14,5	13,8	16,0
36,0										10,2	11,0	13,1	12,9	14,6
38,0										8,9	9,8	11,8	12,1	13,4
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
54,0														
56,0														
58,0														
60,0														
*** n ***	6	6	7	7	7	6	5	4	4	5	6	6	5	5
1	0+	0+	92+	46+	46+	0+	0+	0+	0+	92+	92+	46+	0+	0+
2	0+	0+	46+	92+	46+	46+	0+	0+	0+	92+	46+	46+	92+	46+
3	0+	0+	46+	46+	46+	46+	92+	0+	0+	46+	46+	46+	46+	46+
4	92+	46+	0+	0+	46+	46+	46+	92+	100+	0+	46+	46+	46+	46+
5 %	46+	92+	0+	0+	0+	46+	46+	92+	100+	0+	0+	46+	46+	92+
m/s	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311197 21.22

m >< t CODE > 0016 < B131 1300

m	31,1	31,1	36,3	36,3	36,3	36,3	36,3	36,3	38,1	41,5	41,5	41,5	41,5	41,5
62,0														
64,0														
66,0														
* n *	6	6	7	7	7	6	5	4	4	5	6	6	5	5
% 1	0+	0+	92+	46+	46+	0+	0+	0+	0+	92+	92+	46+	0+	0+
% 2	0+	0+	46+	92+	46+	46+	0+	0+	0+	92+	46+	46+	92+	46+
% 3	0+	0+	46+	46+	46+	46+	92+	0+	0+	46+	46+	46+	46+	46+
% 4	92+	46+	0+	0+	46+	46+	46+	92+	100+	0+	46+	46+	46+	46+
% 5	46+	92+	0+	0+	0+	46+	46+	92+	100+	0+	0+	46+	46+	92+
m/s	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311197 21.22

m >< t CODE > 0016 < B131 1300

m	41,5	41,5	46,7	46,7	46,7	46,7	46,7	46,7	46,7	49,4	51,9	51,9	51,9	51,9
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	38,0	35,5												
8,0	35,5	33,5	43,0	42,5	41,0	38,0	34,5	32,5	30,0					
9,0	33,5	31,5	42,5	41,0	39,0	36,0	32,5	31,0	28,5	26,0	33,5	33,0	30,0	30,0
10,0	31,5	29,6	40,5	39,0	37,5	34,0	31,0	29,7	26,9	24,7	33,5	32,5	29,0	28,8
11,0	29,2	27,9	38,5	37,5	35,5	32,5	29,4	28,2	25,6	23,5	32,5	31,0	27,9	27,6
12,0	27,5	26,4	37,0	36,0	34,0	31,0	28,0	26,9	24,2	22,4	31,5	29,9	26,8	26,5
14,0	24,6	23,8	33,5	32,5	31,5	27,7	25,2	24,5	21,7	20,4	29,2	27,8	24,8	24,4
16,0	22,0	21,6	29,9	29,7	29,2	25,0	23,0	22,4	19,7	18,5	26,6	25,5	22,9	22,3
18,0	19,7	19,6	26,9	27,2	27,1	22,6	21,0	20,7	17,8	16,8	24,3	23,5	21,3	20,4
20,0	18,0	18,1	24,3	24,8	25,2	20,5	19,2	19,1	16,2	15,3	22,1	21,6	19,8	18,6
22,0	16,5	16,8	22,3	23,0	23,7	18,9	17,8	17,8	14,9	14,1	20,0	19,8	18,5	17,0
24,0	15,1	15,5	20,5	21,3	22,4	17,4	16,5	16,7	13,8	13,0	18,4	18,4	17,4	15,7
26,0	13,8	14,4	18,8	19,7	21,1	16,1	15,3	15,6	12,7	12,0	17,0	17,2	16,5	14,6
28,0	12,9	13,5	17,3	18,2	20,0	14,8	14,2	14,7	11,7	11,1	15,6	16,0	15,6	13,5
30,0	12,1	12,7	15,9	16,8	18,8	13,7	13,2	13,7	10,8	10,2	14,4	15,0	14,7	12,5
32,0	11,3	12,0	14,5	15,8	16,9	12,6	12,5	13,0	10,2	9,6	13,2	14,0	13,9	11,6
34,0	10,6	11,3	13,5	14,3	15,3	11,8	11,8	12,3	9,6	9,0	12,1	13,0	13,1	10,7
36,0	9,9	10,6	12,1	12,8	13,9	11,1	11,2	11,7	9,0	8,4	11,3	12,3	12,6	10,1
38,0	9,2	10,0	10,8	11,5	12,6	10,4	10,6	11,1	8,4	7,8	10,5	11,7	12,0	9,5
40,0			9,6	10,3	11,5	9,7	10,0	10,6	7,9	7,3	9,5	10,5	11,6	8,9
42,0			8,6	9,3	10,4	9,1	9,5	10,0	7,4	6,9	8,5	9,5	10,8	8,4
44,0			4,4	4,9	5,6	5,5	6,2	6,3	6,0	6,6	7,5	8,6	9,9	7,9
46,0										6,2	6,7	7,7	9,0	7,4
48,0												7,0	8,3	6,9
50,0														
52,0														
54,0														
56,0														
58,0														
60,0														
*** n ***	4	4	5	5	4	4	4	4	3	3	4	4	3	3
1	0+	0+	92+	46+	46+	0+	0+	0+	0+	0+	92+	46+	46+	0+
2	0+	0+	46+	92+	46+	92+	46+	46+	0+	0+	92+	92+	46+	92+
3	92+	46+	46+	46+	46+	92+	92+	46+	92+	100+	46+	92+	46+	92+
4	92+	92+	46+	46+	46+	46+	92+	92+	92+	100+	46+	46+	92+	92+
5 %	46+	92+	46+	46+	92+	46+	46+	92+	92+	100+	46+	46+	92+	46+
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

T	--

070983 TAB 1311197 21.22

m >< t CODE > 0016 < B131 1300

m	41,5	41,5	46,7	46,7	46,7	46,7	46,7	46,7	46,7	49,4	51,9	51,9	51,9	51,9
62,0														
64,0														
66,0														
* n *	4	4	5	5	4	4	4	4	3	3	4	4	3	3
% 1	0+	0+	92+	46+	46+	0+	0+	0+	0+	0+	92+	46+	46+	0+
% 2	0+	0+	46+	92+	46+	92+	46+	46+	0+	0+	92+	92+	46+	92+
% 3	92+	46+	46+	46+	46+	92+	92+	46+	92+	100+	46+	92+	46+	92+
% 4	92+	92+	46+	46+	46+	46+	92+	92+	92+	100+	46+	46+	92+	92+
% 5	46+	92+	46+	46+	92+	46+	46+	92+	92+	100+	46+	46+	92+	46+
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311197 21.22

m >< t CODE > 0016 < B131 1300

m	51,9	57,1	57,1	57,1	57,1	60,7	62,3	62,3	67,5	72,0	20,7	25,9	31,1	20,7
3,0														
3,5											46,5			49,5
4,0											46,5	38,5		49,0
4,5											46,0	38,0		49,0
5,0											46,0	38,0	26,8	49,0
6,0											46,0	37,5	25,5	48,5
7,0											46,0	37,0	24,4	48,5
8,0											46,0	37,0	23,4	48,5
9,0	27,3										46,0	36,5	22,5	48,5
10,0	26,0	26,2	25,7	25,0	24,0						46,0	36,5	21,6	48,5
11,0	24,8	26,2	25,7	24,1	23,2	19,4	20,7	20,0			46,0	36,5	19,5	48,5
12,0	23,8	26,2	24,8	23,2	22,5	19,4	20,7	20,0	17,0		46,0	36,5	18,8	48,5
14,0	21,9	24,8	23,3	21,5	21,0	18,5	20,6	19,5	16,9	14,0	46,0	36,5	17,7	48,5
16,0	20,1	23,3	22,0	20,1	19,6	17,6	19,9	18,6	16,8	14,0	43,5	36,5	16,8	44,0
18,0	18,4	21,6	20,3	18,7	18,3	16,5	18,9	17,7	16,2	13,9	23,6	36,5	16,0	24,3
20,0	17,0	19,9	18,9	17,4	17,0	15,3	17,7	16,6	15,6	13,5		31,0	15,4	
22,0	15,6	18,4	17,6	16,2	15,7	14,3	16,5	15,5	14,8	13,1		26,6	15,0	
24,0	14,6	17,0	16,4	15,1	14,5	13,3	15,4	14,6	14,0	12,4			14,9	
26,0	13,6	15,6	15,2	14,1	13,4	12,4	14,4	13,7	13,2	11,7			13,0	
28,0	12,7	14,4	14,2	13,3	12,5	11,6	13,4	12,9	12,4	11,0			8,4	
30,0	11,9	13,3	13,3	12,5	11,7	10,9	12,5	12,2	11,7	10,4				
32,0	11,1	12,3	12,5	11,8	10,9	10,1	11,7	11,5	11,0	9,8				
34,0	10,4	11,4	11,7	11,2	10,2	9,5	10,9	10,8	10,3	9,2				
36,0	9,9	10,5	11,0	10,6	9,5	8,9	10,1	10,2	9,7	8,7				
38,0	9,4	9,7	10,3	10,0	8,8	8,3	9,4	9,6	9,1	8,1				
40,0	8,9	9,0	9,8	9,5	8,4	7,8	8,7	9,0	8,5	7,7				
42,0	8,5	8,4	9,2	9,1	7,9	7,4	8,0	8,5	7,9	7,2				
44,0	8,1	7,8	8,8	8,7	7,5	7,0	7,5	8,1	7,4	6,7				
46,0	7,7	7,0	8,2	8,3	7,1	6,6	7,0	7,7	6,9	6,3				
48,0	7,3	6,2	7,4	7,9	6,7	6,2	6,6	7,4	6,4	5,9				
50,0		5,5	6,7	7,5	6,3	5,8	6,0	7,0	6,1	5,5				
52,0		4,9	6,0	6,9	6,0	5,5	5,3	6,6	5,7	5,2				
54,0				6,3	5,6	5,1	4,7	6,0	5,3	4,9				
56,0						4,8	4,2	5,5	4,8	4,6				
58,0									4,2	4,3				
60,0									3,8	3,8				
*** n ***	3	3	3	3	3	2	2	2	2	2	5	4	3	5
1	0+	92+	46+	46+	0+	0+	92+	46+	92+	100+	0+	46-	92-	0+
2	46+	92+	92+	46+	92+	100+	92+	92+	92+	100+	46-	46+	46+	0+
3	92+	92+	92+	92+	92+	100+	92+	92+	92+	100+	0+	0+	0+	46-
4	92+	46+	92+	92+	92+	100+	92+	92+	92+	100+	0+	0+	0+	0+
5 %	92+	46+	46+	92+	92+	100+	46+	92+	92+	100+	0+	0+	0+	0+
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	14,3	12,8	12,8	14,3

	T	--	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311197 21.22

m >< t CODE > 0016 < B131 1300

m	51,9	57,1	57,1	57,1	57,1	60,7	62,3	62,3	67,5	72,0	20,7	25,9	31,1	20,7
62,0									3,4	3,3				
64,0										2,9				
66,0										2,6				
*** n ***	3	3	3	3	3	2	2	2	2	2	5	4	3	5
% 1	0+	92+	46+	46+	0+	0+	92+	46+	92+	100+	0+	46-	92-	0+
% 2	46+	92+	92+	46+	92+	100+	92+	92+	92+	100+	46-	46+	46+	0+
% 3	92+	92+	92+	92+	92+	100+	92+	92+	92+	100+	0+	0+	0+	46-
% 4	92+	46+	92+	92+	92+	100+	92+	92+	92+	100+	0+	0+	0+	0+
% 5	92+	46+	46+	92+	92+	100+	46+	92+	92+	100+	0+	0+	0+	0+
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	14,3	12,8	12,8	14,3

	T	--	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311197 21.22

m >< t CODE > 0016 < B131 1300

m	25,9	31,1	36,3	20,7	36,3	41,5	31,1	36,3	41,5	20,7	25,9	31,1	36,3	41,5
3,0														
3,5				53,0						55,0				
4,0	44,5			53,0						55,0	51,0			
4,5	44,5			53,0						55,0	49,5			
5,0	44,0	37,0		53,0			31,5			55,0	49,5	46,0		
6,0	43,5	36,5	24,5	53,0	36,0		29,1	35,5		55,0	49,0	45,0	41,5	
7,0	43,0	36,0	23,3	52,0	35,0	22,8	27,9	35,0	22,4	55,0	48,5	44,5	39,5	34,5
8,0	42,5	35,0	22,2	52,0	34,5	21,6	26,8	34,0	21,3	55,0	48,0	43,5	38,5	34,0
9,0	42,0	34,5	21,2	52,0	34,0	19,2	25,9	33,5	18,9	55,0	47,5	43,0	38,0	33,0
10,0	42,0	34,5	19,0	52,0	33,0	18,4	24,9	33,0	18,0	53,0	47,0	42,5	37,5	32,5
11,0	42,0	34,0	18,2	52,0	32,5	17,6	24,1	32,5	17,2	49,5	47,0	42,0	37,0	32,0
12,0	41,5	33,5	17,5	52,0	32,0	16,8	23,4	32,0	16,4	47,0	46,5	41,5	36,5	31,5
14,0	41,5	33,0	16,2	52,0	31,5	15,5	22,0	29,5	15,0	42,5	41,5	40,0	35,5	29,0
16,0	41,5	33,0	15,1	45,0	29,3	14,3	19,7	28,8	13,8	39,0	37,0	38,5	34,5	28,2
18,0	37,5	33,0	14,1	25,1	28,8	13,3	18,8	28,3	12,7	25,8	34,0	35,0	34,0	27,5
20,0	32,5	32,0	13,3		28,5	12,4	18,2	28,0	11,8		31,0	32,0	33,5	26,9
22,0	28,1	27,4	12,6		28,3	11,6	17,7	27,5	11,0		28,5	29,4	30,5	26,4
24,0		23,7	12,1		24,7	10,9	17,4	23,8	9,1			27,1	26,6	25,7
26,0		20,7	11,6		21,7	9,2	14,5	20,8	8,5			24,0	23,5	22,7
28,0		17,9	11,0		19,1	8,7	10,6	18,2	8,1			21,1	21,0	20,1
30,0			8,3		17,0	8,4		16,1	7,7				18,8	17,9
32,0			5,8		15,1	7,6		14,2	6,3				17,0	16,1
34,0						5,8			4,5					14,5
36,0						4,2			2,9					13,1
38,0						2,5								11,8
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
54,0														
56,0														
58,0														
60,0														
*** n ***	5	4	3	6	4	3	4	4	3	6	5	5	4	4
1	0+	46-	92-	0+	46-	92-	0+	46-	92-	0+	0+	0+	0+	46-
2	46-	46+	46+	0+	46-	46+	92-	92+	92+	0+	0+	0+	46-	46+
3	46+	46+	46+	0+	46-	46+	46+	46+	46+	0+	0+	46-	46+	46+
4	0+	0+	0+	46-	46+	46+	0+	0+	0+	0+	46-	46+	46+	46+
5	0+	0+	0+	0+	0+	0+	0+	0+	0+	46-	46+	46+	46+	46+
%														
m/s	12,8	12,8	11,1	14,3	11,1	11,1	12,8	11,1	11,1	14,3	12,8	12,8	11,1	11,1

	T	--	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311197 21.22

m >< t CODE > 0016 < B131 1300

m	25,9	31,1	36,3	20,7	36,3	41,5	31,1	36,3	41,5	20,7	25,9	31,1	36,3	41,5
62,0														
64,0														
66,0														
* n *	5	4	3	6	4	3	4	4	3	6	5	5	4	4
% 1	0+	46-	92-	0+	46-	92-	0+	46-	92-	0+	0+	0+	0+	46-
% 2	46-	46+	46+	0+	46-	46+	92-	92+	92+	0+	0+	0+	46-	46+
% 3	46+	46+	46+	0+	46-	46+	46+	46+	46+	0+	0+	46-	46+	46+
% 4	0+	0+	0+	46-	46+	46+	0+	0+	0+	0+	46-	46+	46+	46+
% 5	0+	0+	0+	0+	0+	0+	0+	0+	0+	46-	46+	46+	46+	46+
m/s	12,8	12,8	11,1	14,3	11,1	11,1	12,8	11,1	11,1	14,3	12,8	12,8	11,1	11,1

	T	--	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311197 21.22

m >< t CODE > 0016 < B131 1300

m	46,7	25,9	31,1	41,5	46,7	41,5	46,7	51,9	36,3	41,5	46,7	51,9	36,3	46,7
3,0														
3,5														
4,0		42,0												
4,5		40,0												
5,0		39,5	48,0											
6,0		38,0	47,5						33,0				31,5	
7,0		37,0	43,5	39,0		26,2			32,0	35,5			29,1	
8,0	21,3	36,0	40,0	38,0	33,5	25,0	33,5		29,5	33,5	32,5		27,9	24,2
9,0	19,0	35,0	37,0	37,5	33,0	23,9	32,5	18,4	28,4	31,5	31,0	30,0	26,8	23,1
10,0	18,1	34,0	35,0	36,5	32,0	22,9	32,0	17,5	27,4	29,6	29,7	29,0	25,8	22,0
11,0	17,3	32,5	32,5	35,5	31,5	21,9	31,0	16,6	26,4	27,9	28,2	27,9	24,9	21,1
12,0	16,6	30,5	30,5	34,0	29,6	21,1	29,1	15,8	25,5	26,4	26,9	26,8	24,1	19,0
14,0	15,2	27,0	26,9	31,0	28,5	18,5	28,0	14,4	22,6	23,8	24,5	24,8	22,6	17,6
16,0	14,0	24,0	24,3	28,2	27,6	17,3	27,1	13,2	20,1	21,6	22,4	22,9	21,3	16,3
18,0	12,9	22,0	22,0	25,8	26,8	16,2	26,2	12,1	18,2	19,6	20,7	21,3	19,1	15,2
20,0	12,0	20,2	20,0	24,1	25,2	15,2	24,8	11,1	16,6	18,1	19,1	19,8	18,2	14,2
22,0	11,2	18,6	18,6	22,5	23,7	14,4	23,0	9,1	15,1	16,8	17,8	18,5	17,4	13,3
24,0	9,3		17,4	21,0	22,4	13,7	21,3	8,4	14,0	15,5	16,7	17,4	16,8	12,5
26,0	8,8		16,2	19,6	21,1	13,1	19,7	7,9	13,0	14,4	15,6	16,5	16,2	11,8
28,0	8,3		15,2	18,7	20,0	12,5	18,2	7,3	12,1	13,5	14,7	15,6	14,4	11,2
30,0	7,9			17,9	18,8	11,2	16,8	6,9	11,3	12,7	13,7	14,7	12,1	10,6
32,0	7,5			17,1	16,9	9,4	15,8	6,5	10,5	12,0	13,0	13,9	10,0	8,9
34,0	7,2			16,0	15,3	7,8	14,3	6,1		11,3	12,3	13,1		7,5
36,0	5,9			14,6	13,9	6,4	12,8	5,4		10,6	11,7	12,6		6,3
38,0	4,6			13,4	12,6	4,9	11,5	4,2		10,0	11,1	12,0		5,2
40,0	3,4				11,5		10,3	3,2			10,6	11,6		4,2
42,0	2,3				10,4		9,3	2,2			10,0	10,8		3,2
44,0					5,6		4,9				6,3	9,9		2,1
46,0												9,0		
48,0												8,3		
50,0														
52,0														
54,0														
56,0														
58,0														
60,0														
*** n ***	3	5	5	4	4	3	4	2	4	4	4	3	4	3
% 1	92-	0+	0+	0+	46-	0+	46-	92-	0+	0+	0+	46-	0+	0+
% 2	46+	0+	0+	46-	46+	92-	92+	92+	0+	0+	46-	46+	0+	92-
% 3	46+	0+	0+	46-	46+	46+	46+	46+	0+	46-	46+	46+	92-	92+
% 4	46+	0+	46-	46+	46+	46+	46+	46+	92-	92+	92+	92+	46+	46+
% 5	46+	92-	92+	92+	92+	46+	46+	46+	92+	92+	92+	92+	46+	46+
m/s	11,1	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311197 21.22

m >< t CODE > 0016 < B131 1300

m	46,7	25,9	31,1	41,5	46,7	41,5	46,7	51,9	36,3	41,5	46,7	51,9	36,3	46,7
62,0														
64,0														
66,0														
* n *	3	5	5	4	4	3	4	2	4	4	4	3	4	3
% 1	92-	0+	0+	0+	46-	0+	46-	92-	0+	0+	0+	46-	0+	0+
% 2	46+	0+	0+	46-	46+	92-	92+	92+	0+	0+	46-	46+	0+	92-
% 3	46+	0+	0+	46-	46+	46+	46+	46+	0+	46-	46+	46+	92-	92+
% 4	46+	0+	46-	46+	46+	46+	46+	46+	92-	92+	92+	92+	46+	46+
% 5	46+	92-	92+	92+	92+	46+	46+	46+	92+	92+	92+	92+	46+	46+
m/s	11,1	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311197 21.22

m >< t CODE > 0016 < B131 1300

m	51,9	57,1	46,7	51,9	57,1	31,1	41,5	46,7	51,9	57,1	62,3	57,1	62,3	67,5
3,0														
3,5														
4,0														
4,5														
5,0						36,0								
6,0						34,5								
7,0						33,0	28,1							
8,0			26,4			32,0	26,9	34,5						
9,0	32,0		25,2	27,3		29,8	25,8	32,5	22,7					
10,0	31,5	17,2	24,2	26,0	25,0	28,9	24,8	31,0	21,6	25,7		21,3		
11,0	29,3	16,3	23,2	24,8	24,1	28,0	23,8	29,4	19,5	25,7	16,3	19,2	20,0	
12,0	28,7	15,5	22,3	23,8	23,2	27,2	22,9	28,0	18,6	24,8	15,5	18,4	20,0	15,4
14,0	27,5	14,1	19,6	21,9	21,5	25,8	21,3	25,2	17,1	23,3	14,0	16,9	19,5	14,0
16,0	25,5	12,8	18,3	20,1	20,1	23,7	18,9	23,0	15,8	22,0	12,7	15,6	18,6	12,7
18,0	23,5	11,7	17,2	18,4	18,7	21,4	17,8	21,0	14,7	20,3	11,6	14,4	17,7	11,6
20,0	21,6	10,7	16,1	17,0	17,4	19,3	16,8	19,2	13,7	18,9	10,6	13,4	16,6	10,6
22,0	19,8	8,7	14,9	15,6	16,2	17,9	15,9	17,8	12,8	17,6	8,7	12,5	15,5	8,7
24,0	18,4	8,1	13,8	14,6	15,1	16,7	15,1	16,5	11,9	16,4	8,0	11,7	14,6	8,0
26,0	17,2	7,5	12,7	13,6	14,1	15,5	13,8	15,3	11,2	15,2	7,4	10,9	13,7	7,4
28,0	16,0	6,9	11,7	12,7	13,3	13,9	12,9	14,2	10,6	14,2	6,8	9,3	12,9	6,8
30,0	15,0	6,4	10,8	11,9	12,5		12,0	13,2	9,0	13,3	6,3	8,8	12,2	6,3
32,0	14,0	6,0	10,2	11,1	11,8		10,3	12,5	8,6	12,5	5,9	8,3	11,5	5,9
34,0	13,0	5,6	9,3	10,4	11,2		8,8	11,8	7,8	11,7	5,4	7,9	10,8	5,4
36,0	12,3	5,2	8,1	9,9	10,6		7,4	11,2	6,6	11,0	5,1	6,9	10,2	5,1
38,0	11,7	4,4	7,0	9,4	10,0		6,1	10,6	5,5	10,3	4,7	5,9	9,6	4,7
40,0	10,5	3,4	6,1	8,9	9,5			10,0	4,6	9,8	4,0	5,0	9,0	4,4
42,0	9,5	2,5	5,2	8,5	9,1			9,5	3,8	9,2	3,1	4,2	8,5	3,7
44,0	8,6		4,1	8,1	8,7			6,2	3,0	8,8	2,3	3,5	8,1	2,9
46,0	7,7			7,7	8,3				2,3	8,2		2,9	7,7	2,2
48,0	7,0			7,3	7,9				1,6	7,4		2,3	7,4	
50,0					7,5					6,7		1,8	7,0	
52,0					6,9					6,0		1,2	6,6	
54,0					6,3								6,0	
56,0													5,5	
58,0														
60,0														
*** n ***	4	2	3	3	3	4	3	4	3	3	2	3	2	2
1	46-	92-	0+	0+	46-	0+	0+	0+	0+	46-	92-	0+	46-	92-
2	92+	92+	0+	46-	46+	0+	0+	46-	92-	92+	92+	92-	92+	92-
3	92+	92+	92-	92+	92+	0+	92-	92+	92+	92+	92+	92+	92+	92-
4	46+	46+	92+	92+	92+	92-	92+	92+	92+	92+	92+	92+	92+	92-
5 %	46+	46+	92+	92+	92+	46+	46+	46+	46+	46+	46+	92+	92+	92-
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

T	--

070983 TAB 1311197 21.22

m >< t CODE > 0016 < B131 1300

m	51,9	57,1	46,7	51,9	57,1	31,1	41,5	46,7	51,9	57,1	62,3	57,1	62,3	67,5
62,0														
64,0														
66,0														
* n *	4	2	3	3	3	4	3	4	3	3	2	3	2	2
% 1	46-	92-	0+	0+	46-	0+	0+	0+	0+	46-	92-	0+	46-	92-
% 2	92+	92+	0+	46-	46+	0+	0+	46-	92-	92+	92+	92-	92+	92-
% 3	92+	92+	92-	92+	92+	0+	92-	92+	92+	92+	92+	92+	92+	92-
% 4	46+	46+	92+	92+	92+	92-	92+	92+	92+	92+	92+	92+	92+	92-
% 5	46+	46+	92+	92+	92+	46+	46+	46+	46+	46+	46+	92+	92+	92-
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311197 21.22

m	m >< t	CODE > 0016 < B131 1300												
m	**72,0**													
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
14,0	8,8													
16,0	7,7													
18,0	6,8													
20,0	6,0													
22,0	5,3													
24,0	4,7													
26,0	4,1													
28,0	3,6													
30,0	3,1													
32,0	2,7													
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
54,0														
56,0														
58,0														
60,0														
*** n ***	1													
1	100-													
2	100-													
3	100-													
4	100-													
5	100-													
%														
m/s	11,1													

	T	--	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311197 21.22

m	m >< t	CODE > 0016 < B131 1300												
m	**72,0**													
62,0														
64,0														
66,0														
*** n ***	1													
1	100-													
2	100-													
3	100-													
4	100-													
5	100-													
%														
m/s	11,1													

	T	--	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311196 21.22

m >< t CODE > 0017 < B131 1400

m	15,5	20,7	20,7	20,7	20,7	25,9	25,9	25,9	25,9	26,8	31,1	31,1	31,1	31,1
3,0	176,0													
3,5	173,0	135,0	125,0	76,0	56,0									
4,0	157,0	135,0	125,0	76,0	56,0	117,0	115,0	56,0	54,0	51,0				
4,5	144,0	134,0	125,0	76,0	57,0	117,0	115,0	56,0	54,0	51,0				
5,0	136,0	127,0	125,0	77,0	57,0	116,0	115,0	56,0	53,0	50,0	82,0	86,0	80,0	56,0
6,0	123,0	115,0	114,0	79,0	59,0	108,0	109,0	57,0	48,0	45,0	80,0	86,0	73,0	57,0
7,0	111,0	104,0	105,0	79,0	59,0	98,0	100,0	58,0	43,5	41,0	73,0	84,0	67,0	57,0
8,0	99,0	96,0	96,0	74,0	59,0	90,0	92,0	58,0	40,0	38,0	67,0	82,0	62,0	58,0
9,0	89,0	89,0	89,0	69,0	56,0	83,0	85,0	57,0	37,0	35,5	62,0	79,0	57,0	58,0
10,0	80,0	80,0	81,0	65,0	53,0	77,0	79,0	53,0	34,5	32,5	58,0	74,0	53,0	55,0
11,0	73,0	72,0	73,0	61,0	49,5	71,0	73,0	49,5	32,5	30,5	54,0	69,0	50,0	52,0
12,0	63,0	65,0	66,0	58,0	47,0	65,0	66,0	46,5	30,5	28,8	50,0	65,0	46,5	48,5
14,0		55,0	56,0	52,0	42,5	54,0	55,0	41,5	27,0	25,6	43,5	55,0	40,5	42,5
16,0		46,5	47,5	47,5	39,0	45,5	47,0	37,0	24,0	22,7	38,5	46,5	36,5	38,5
18,0		23,6	24,3	25,1	25,8	39,0	40,5	34,0	22,0	20,9	34,5	40,0	33,0	35,0
20,0						34,0	35,5	31,0	20,2	19,3	31,0	34,5	29,8	32,0
22,0						29,7	31,0	28,5	18,6	17,8	28,0	30,5	27,4	29,4
24,0										16,4	25,4	26,9	25,2	27,2
26,0											22,4	24,0	23,5	25,6
28,0											16,7	17,9	18,4	21,1
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
54,0														
56,0														
58,0														
60,0														
*** n ***	14!	14	13	8	6	12	12	6	6	5	9	9	8	6
1	0+	0+	0+	0+	0+	46+	0+	0+	0+	0+	92+	46+	0+	0+
2	0+	46+	0+	0+	0+	46+	46+	0+	0+	0+	46+	46+	92+	0+
3	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	0+	46+	46+	46+
4	0+	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	0+	0+	46+
5 %	0+	0+	0+	0+	46+	0+	0+	46+	92+	100+	0+	0+	0+	46+
m/s	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8

	T	--	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311196 21.22

m	m >< t	CODE > 0017 <												
	15,5	**20,7**	**20,7**	**20,7**	**20,7**	**25,9**	**25,9**	**25,9**	**25,9**	**26,8**	**31,1**	**31,1**	**31,1**	**31,1**
62,0														
64,0														
66,0														
*** n ***	14!	14	13	8	6	12	12	6	6	5	9	9	8	6
1	0+	0+	0+	0+	0+	46+	0+	0+	0+	0+	92+	46+	0+	0+
2	0+	46+	0+	0+	0+	46+	46+	0+	0+	0+	46+	46+	92+	0+
3	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	0+	46+	46+	46+
4	0+	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	0+	0+	46+
5 %	0+	0+	0+	0+	46+	0+	0+	46+	92+	100+	0+	0+	0+	46+
m/s	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8

	T	--	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311196 21.22

m >< t CODE > 0017 < B131 1400

m	31,1	31,1	36,3	36,3	36,3	36,3	36,3	36,3	38,1	41,5	41,5	41,5	41,5	41,5
3,0														
3,5														
4,0														
4,5														
5,0	52,0	52,0												
6,0	47,5	47,5	68,0	69,0	71,0	57,0	49,5	39,5	36,0					
7,0	43,5	43,5	64,0	66,0	70,0	57,0	46,0	36,5	34,0	51,0	53,0	55,0	49,0	44,5
8,0	40,0	40,0	59,0	61,0	69,0	58,0	42,5	33,5	31,5	51,0	52,0	55,0	46,0	42,0
9,0	37,0	37,0	55,0	57,0	68,0	58,0	39,0	31,0	29,4	48,0	49,0	54,0	43,0	39,5
10,0	34,5	35,0	51,0	54,0	65,0	57,0	36,5	28,9	27,3	45,0	46,0	54,0	40,5	37,5
11,0	32,0	32,5	48,0	50,0	62,0	54,0	34,0	27,1	25,6	42,5	43,5	53,0	38,0	35,5
12,0	30,0	30,5	44,5	47,0	58,0	51,0	32,0	25,5	24,1	39,5	40,5	51,0	35,5	34,0
14,0	26,3	26,9	39,0	42,0	52,0	46,5	28,3	22,6	21,4	35,0	36,0	46,0	32,0	31,0
16,0	23,7	24,3	34,5	37,0	46,5	42,0	25,1	20,1	19,0	31,0	32,0	42,0	28,5	28,2
18,0	21,4	22,0	31,0	33,5	41,0	38,5	22,7	18,2	17,3	27,5	28,5	38,5	25,5	25,8
20,0	19,3	20,0	27,8	30,5	35,5	35,5	20,7	16,6	15,8	24,9	25,8	35,5	23,4	24,1
22,0	17,9	18,6	24,9	27,7	31,5	33,0	18,8	15,1	14,4	22,5	23,5	32,5	21,4	22,5
24,0	16,7	17,4	22,9	25,7	27,8	29,6	17,4	14,0	13,1	20,4	21,3	28,7	19,6	21,0
26,0	15,5	16,2	21,0	23,8	24,8	26,6	16,2	13,0	12,2	18,4	19,3	25,7	18,0	19,6
28,0	14,4	15,2	19,3	21,3	22,2	24,0	15,0	12,1	11,4	17,0	17,9	23,1	16,8	18,7
30,0			17,7	19,0	19,9	21,8	14,0	11,3	10,7	15,7	16,6	20,9	15,7	17,9
32,0			16,2	17,1	18,0	19,8	13,0	10,5	9,9	14,5	15,4	18,9	14,7	17,1
34,0									9,3	13,3	14,2	17,2	13,8	16,4
36,0										12,2	13,2	15,6	12,9	15,7
38,0										11,2	12,1	14,0	12,1	15,0
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
54,0														
56,0														
58,0														
60,0														
*** n ***	6	6	7	7	7	6	5	4	4	5	6	6	5	5
1	0+	0+	92+	46+	46+	0+	0+	0+	0+	92+	92+	46+	0+	0+
2	0+	0+	46+	92+	46+	46+	0+	0+	0+	92+	46+	46+	92+	46+
3	0+	0+	46+	46+	46+	46+	92+	0+	0+	46+	46+	46+	46+	46+
4	92+	46+	0+	0+	46+	46+	46+	92+	100+	0+	46+	46+	46+	46+
5 %	46+	92+	0+	0+	0+	46+	46+	92+	100+	0+	0+	46+	46+	92+
m/s	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311196 21.22

m >< t CODE > 0017 < B131 1400

m	31,1	31,1	36,3	36,3	36,3	36,3	36,3	36,3	38,1	41,5	41,5	41,5	41,5	41,5
62,0														
64,0														
66,0														
* n *	6	6	7	7	7	6	5	4	4	5	6	6	5	5
% 1	0+	0+	92+	46+	46+	0+	0+	0+	0+	92+	92+	46+	0+	0+
% 2	0+	0+	46+	92+	46+	46+	0+	0+	0+	92+	46+	46+	92+	46+
% 3	0+	0+	46+	46+	46+	46+	92+	0+	0+	46+	46+	46+	46+	46+
% 4	92+	46+	0+	0+	46+	46+	46+	92+	100+	0+	46+	46+	46+	46+
% 5	46+	92+	0+	0+	0+	46+	46+	92+	100+	0+	0+	46+	46+	92+
m/s	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311196 21.22

m >< t CODE > 0017 < B131 1400

m	41,5	41,5	46,7	46,7	46,7	46,7	46,7	46,7	46,7	49,4	51,9	51,9	51,9	51,9
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	38,0	35,5												
8,0	35,5	33,5	43,0	42,5	41,0	38,0	34,5	32,5	30,0					
9,0	33,5	31,5	42,5	41,0	39,0	36,0	32,5	31,0	28,5	26,0	33,5	33,0	30,0	30,0
10,0	31,5	29,6	40,5	39,0	37,5	34,0	31,0	29,7	26,9	24,7	33,5	32,5	29,0	28,8
11,0	29,2	27,9	38,5	37,5	35,5	32,5	29,4	28,2	25,6	23,5	32,5	31,0	27,9	27,6
12,0	27,5	26,4	37,0	36,0	34,0	31,0	28,0	26,9	24,2	22,4	31,5	29,9	26,8	26,5
14,0	24,6	23,8	33,5	32,5	31,5	27,7	25,2	24,5	21,7	20,4	29,2	27,8	24,8	24,4
16,0	22,0	21,6	29,9	29,7	29,2	25,0	23,0	22,4	19,7	18,5	26,6	25,5	22,9	22,3
18,0	19,7	19,6	26,9	27,2	27,1	22,6	21,0	20,7	17,8	16,8	24,3	23,5	21,3	20,4
20,0	18,0	18,1	24,3	24,8	25,2	20,5	19,2	19,1	16,2	15,3	22,1	21,6	19,8	18,6
22,0	16,5	16,8	22,3	23,0	23,7	18,9	17,8	17,8	14,9	14,1	20,0	19,8	18,5	17,0
24,0	15,1	15,5	20,5	21,3	22,4	17,4	16,5	16,7	13,8	13,0	18,4	18,4	17,4	15,7
26,0	13,8	14,4	18,8	19,7	21,1	16,1	15,3	15,6	12,7	12,0	17,0	17,2	16,5	14,6
28,0	12,9	13,5	17,3	18,2	20,0	14,8	14,2	14,7	11,7	11,1	15,6	16,0	15,6	13,5
30,0	12,1	12,7	15,9	16,8	18,9	13,7	13,2	13,7	10,8	10,2	14,4	15,0	14,7	12,5
32,0	11,3	12,0	14,5	15,8	18,1	12,6	12,5	13,0	10,2	9,6	13,2	14,0	13,9	11,6
34,0	10,6	11,3	13,5	14,9	17,4	11,8	11,8	12,3	9,6	9,0	12,1	13,0	13,1	10,7
36,0	9,9	10,6	12,6	14,0	16,4	11,1	11,2	11,7	9,0	8,4	11,3	12,3	12,6	10,1
38,0	9,2	10,0	11,8	13,1	15,0	10,4	10,6	11,1	8,4	7,8	10,5	11,7	12,0	9,5
40,0			11,0	12,3	13,8	9,7	10,0	10,6	7,9	7,3	9,8	11,1	11,6	8,9
42,0			10,2	11,6	12,7	9,1	9,5	10,0	7,4	6,9	9,2	10,4	11,1	8,4
44,0			4,4	4,9	5,6	5,5	6,2	6,3	6,0	6,6	8,5	9,8	10,6	7,9
46,0										6,2	7,9	9,3	10,2	7,4
48,0												8,7	9,8	6,9
50,0														
52,0														
54,0														
56,0														
58,0														
60,0														
*** n ***	4	4	5	5	4	4	4	4	3	3	4	4	3	3
1	0+	0+	92+	46+	46+	0+	0+	0+	0+	0+	92+	46+	46+	0+
2	0+	0+	46+	92+	46+	92+	46+	46+	0+	0+	92+	92+	46+	92+
3	92+	46+	46+	46+	46+	92+	92+	46+	92+	100+	46+	92+	46+	92+
4	92+	92+	46+	46+	46+	46+	92+	92+	92+	100+	46+	46+	92+	92+
5 %	46+	92+	46+	46+	92+	46+	46+	92+	92+	100+	46+	46+	92+	46+
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

T	--

070983 TAB 1311196 21.22

m >< t CODE > 0017 < B131 1400

m	41,5	41,5	46,7	46,7	46,7	46,7	46,7	46,7	46,7	49,4	51,9	51,9	51,9	51,9
62,0														
64,0														
66,0														
* n *	4	4	5	5	4	4	4	4	3	3	4	4	3	3
% 1	0+	0+	92+	46+	46+	0+	0+	0+	0+	0+	92+	46+	46+	0+
% 2	0+	0+	46+	92+	46+	92+	46+	46+	0+	0+	92+	92+	46+	92+
% 3	92+	46+	46+	46+	46+	92+	92+	46+	92+	100+	46+	92+	46+	92+
% 4	92+	92+	46+	46+	46+	46+	92+	92+	92+	100+	46+	46+	92+	92+
% 5	46+	92+	46+	46+	92+	46+	46+	92+	92+	100+	46+	46+	92+	46+
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311196 21.22

m >< t CODE > 0017 < B131 1400

m	51,9	57,1	57,1	57,1	57,1	60,7	62,3	62,3	67,5	72,0	20,7	25,9	31,1	20,7
3,0														
3,5											46,5			49,5
4,0											46,5	38,5		49,0
4,5											46,0	38,0		49,0
5,0											46,0	38,0	26,8	49,0
6,0											46,0	37,5	25,5	48,5
7,0											46,0	37,0	24,4	48,5
8,0											46,0	37,0	23,4	48,5
9,0	27,3										46,0	36,5	22,5	48,5
10,0	26,0	26,2	25,7	25,0	24,0						46,0	36,5	21,6	48,5
11,0	24,8	26,2	25,7	24,1	23,2	19,4	20,7	20,0			46,0	36,5	19,5	48,5
12,0	23,8	26,2	24,8	23,2	22,5	19,4	20,7	20,0	17,0		46,0	36,5	18,8	48,5
14,0	21,9	24,8	23,3	21,5	21,0	18,5	20,6	19,5	16,9	14,0	46,0	36,5	17,7	48,5
16,0	20,1	23,3	22,0	20,1	19,6	17,6	19,9	18,6	16,8	14,0	46,0	36,5	16,8	47,5
18,0	18,4	21,6	20,3	18,7	18,3	16,5	18,9	17,7	16,2	13,9	23,6	36,5	16,0	24,3
20,0	17,0	19,9	18,9	17,4	17,0	15,3	17,7	16,6	15,6	13,5		34,0	15,4	
22,0	15,6	18,4	17,6	16,2	15,7	14,3	16,5	15,5	14,8	13,1		29,7	15,0	
24,0	14,6	17,0	16,4	15,1	14,5	13,3	15,4	14,6	14,0	12,4			14,9	
26,0	13,6	15,6	15,2	14,1	13,4	12,4	14,4	13,7	13,2	11,7			13,0	
28,0	12,7	14,4	14,2	13,3	12,5	11,6	13,4	12,9	12,4	11,0			8,4	
30,0	11,9	13,3	13,3	12,5	11,7	10,9	12,5	12,2	11,7	10,4				
32,0	11,1	12,3	12,5	11,8	10,9	10,1	11,7	11,5	11,0	9,8				
34,0	10,4	11,4	11,7	11,2	10,2	9,5	10,9	10,8	10,3	9,2				
36,0	9,9	10,5	11,0	10,6	9,5	8,9	10,1	10,2	9,7	8,7				
38,0	9,4	9,7	10,3	10,0	8,8	8,3	9,4	9,6	9,1	8,1				
40,0	8,9	9,0	9,8	9,5	8,4	7,8	8,7	9,0	8,5	7,7				
42,0	8,5	8,4	9,2	9,1	7,9	7,4	8,0	8,5	7,9	7,2				
44,0	8,1	7,8	8,8	8,7	7,5	7,0	7,5	8,1	7,4	6,7				
46,0	7,7	7,3	8,3	8,3	7,1	6,6	7,0	7,7	6,9	6,3				
48,0	7,3	6,7	7,9	7,9	6,7	6,2	6,6	7,4	6,4	5,9				
50,0		6,2	7,4	7,6	6,3	5,8	6,1	7,0	6,1	5,5				
52,0		5,8	7,2	7,4	6,0	5,5	5,7	6,7	5,7	5,2				
54,0				6,6	5,6	5,1	5,3	6,4	5,3	4,9				
56,0						4,8	4,9	6,1	5,0	4,6				
58,0									4,7	4,3				
60,0									4,3	4,0				
*** n ***	3	3	3	3	3	2	2	2	2	2	5	4	3	5
1	0+	92+	46+	46+	0+	0+	92+	46+	92+	100+	0+	46-	92-	0+
2	46+	92+	92+	46+	92+	100+	92+	92+	92+	100+	46-	46+	46+	0+
3	92+	92+	92+	92+	92+	100+	92+	92+	92+	100+	0+	0+	0+	46-
4	92+	46+	92+	92+	92+	100+	92+	92+	92+	100+	0+	0+	0+	0+
5 %	92+	46+	46+	92+	92+	100+	46+	92+	92+	100+	0+	0+	0+	0+
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	14,3	12,8	12,8	14,3

	T --	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

T	--

070983 TAB 1311196 21.22

m >< t CODE > 0017 < B131 1400

m	51,9	57,1	57,1	57,1	57,1	60,7	62,3	62,3	67,5	72,0	20,7	25,9	31,1	20,7
62,0									4,0	3,7				
64,0										3,4				
66,0										3,1				
*** n ***	3	3	3	3	3	2	2	2	2	2	5	4	3	5
% 1	0+	92+	46+	46+	0+	0+	92+	46+	92+	100+	0+	46-	92-	0+
% 2	46+	92+	92+	46+	92+	100+	92+	92+	92+	100+	46-	46+	46+	0+
% 3	92+	92+	92+	92+	92+	100+	92+	92+	92+	100+	0+	0+	0+	46-
% 4	92+	46+	92+	92+	92+	100+	92+	92+	92+	100+	0+	0+	0+	0+
% 5	92+	46+	46+	92+	92+	100+	46+	92+	92+	100+	0+	0+	0+	0+
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	14,3	12,8	12,8	14,3

	T	--	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311196 21.22

m >< t CODE > 0017 < B131 1400

m	25,9	31,1	36,3	20,7	36,3	41,5	31,1	36,3	41,5	20,7	25,9	31,1	36,3	41,5
3,0														
3,5				53,0						55,0				
4,0	44,5			53,0						55,0	51,0			
4,5	44,5			53,0						55,0	49,5			
5,0	44,0	37,0		53,0			31,5			55,0	49,5	46,0		
6,0	43,5	36,5	24,5	53,0	36,0		29,1	35,5		55,0	49,0	45,0	41,5	
7,0	43,0	36,0	23,3	52,0	35,0	22,8	27,9	35,0	22,4	55,0	48,5	44,5	39,5	34,5
8,0	42,5	35,0	22,2	52,0	34,5	21,6	26,8	34,0	21,3	55,0	48,0	43,5	38,5	34,0
9,0	42,0	34,5	21,2	52,0	34,0	19,2	25,9	33,5	18,9	55,0	47,5	43,0	38,0	33,0
10,0	42,0	34,5	19,0	52,0	33,0	18,4	24,9	33,0	18,0	53,0	47,0	42,5	37,5	32,5
11,0	42,0	34,0	18,2	52,0	32,5	17,6	24,1	32,5	17,2	49,5	47,0	42,0	37,0	32,0
12,0	41,5	33,5	17,5	52,0	32,0	16,8	23,4	32,0	16,4	47,0	46,5	41,5	36,5	31,5
14,0	41,5	33,0	16,2	52,0	31,5	15,5	22,0	29,5	15,0	42,5	41,5	40,0	35,5	29,0
16,0	41,5	33,0	15,1	47,5	29,3	14,3	19,7	28,8	13,8	39,0	37,0	38,5	34,5	28,2
18,0	40,5	33,0	14,1	25,1	28,8	13,3	18,8	28,3	12,7	25,8	34,0	35,0	34,0	27,5
20,0	35,5	33,0	13,3		28,5	12,4	18,2	28,0	11,8		31,0	32,0	33,5	26,9
22,0	31,0	30,5	12,6		28,3	11,6	17,7	27,7	11,0		28,5	29,4	33,0	26,4
24,0		26,9	12,1		27,8	10,9	17,4	25,7	9,1			27,2	29,6	26,1
26,0		24,0	11,6		24,8	9,2	14,5	23,8	8,5			25,6	26,6	25,7
28,0		17,9	11,0		22,2	8,7	10,6	21,3	8,1			21,1	24,0	23,1
30,0			8,3		19,9	8,4		19,0	7,7				21,8	20,9
32,0			5,8		18,0	7,6		17,1	6,3				19,8	18,9
34,0						5,8			4,5					17,2
36,0						4,2			2,9					15,6
38,0						2,5								14,0
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
54,0														
56,0														
58,0														
60,0														
*** n ***	5	4	3	6	4	3	4	4	3	6	5	5	4	4
1	0+	46-	92-	0+	46-	92-	0+	46-	92-	0+	0+	0+	0+	46-
2	46-	46+	46+	0+	46-	46+	92-	92+	92+	0+	0+	0+	46-	46+
3	46+	46+	46+	0+	46-	46+	46+	46+	46+	0+	0+	46-	46+	46+
4	0+	0+	0+	46-	46+	46+	0+	0+	0+	0+	46-	46+	46+	46+
5	0+	0+	0+	0+	0+	0+	0+	0+	0+	46-	46+	46+	46+	46+
%														
m/s	12,8	12,8	11,1	14,3	11,1	11,1	12,8	11,1	11,1	14,3	12,8	12,8	11,1	11,1

	T	--	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

T	--

070983 TAB 1311196 21.22

m >< t CODE > 0017 < B131 1400

m	25,9	31,1	36,3	20,7	36,3	41,5	31,1	36,3	41,5	20,7	25,9	31,1	36,3	41,5
62,0														
64,0														
66,0														
* n *	5	4	3	6	4	3	4	4	3	6	5	5	4	4
% 1	0+	46-	92-	0+	46-	92-	0+	46-	92-	0+	0+	0+	0+	46-
% 2	46-	46+	46+	0+	46-	46+	92-	92+	92+	0+	0+	0+	46-	46+
% 3	46+	46+	46+	0+	46-	46+	46+	46+	46+	0+	0+	46-	46+	46+
% 4	0+	0+	0+	46-	46+	46+	0+	0+	0+	0+	46-	46+	46+	46+
% 5	0+	0+	0+	0+	0+	0+	0+	0+	0+	46-	46+	46+	46+	46+
m/s	12,8	12,8	11,1	14,3	11,1	11,1	12,8	11,1	11,1	14,3	12,8	12,8	11,1	11,1

	T	--	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311196 21.22

m >< t CODE > 0017 < B131 1400

m	46,7	25,9	31,1	41,5	46,7	41,5	46,7	51,9	36,3	41,5	46,7	51,9	36,3	46,7
3,0														
3,5														
4,0		42,0												
4,5		40,0												
5,0		39,5	48,0											
6,0		38,0	47,5						33,0				31,5	
7,0		37,0	43,5	39,0		26,2			32,0	35,5			29,1	
8,0	21,3	36,0	40,0	38,0	33,5	25,0	33,5		29,5	33,5	32,5		27,9	24,2
9,0	19,0	35,0	37,0	37,5	33,0	23,9	32,5	18,4	28,4	31,5	31,0	30,0	26,8	23,1
10,0	18,1	34,0	35,0	36,5	32,0	22,9	32,0	17,5	27,4	29,6	29,7	29,0	25,8	22,0
11,0	17,3	32,5	32,5	35,5	31,5	21,9	31,0	16,6	26,4	27,9	28,2	27,9	24,9	21,1
12,0	16,6	30,5	30,5	34,0	29,6	21,1	29,1	15,8	25,5	26,4	26,9	26,8	24,1	19,0
14,0	15,2	27,0	26,9	31,0	28,5	18,5	28,0	14,4	22,6	23,8	24,5	24,8	22,6	17,6
16,0	14,0	24,0	24,3	28,2	27,6	17,3	27,1	13,2	20,1	21,6	22,4	22,9	21,3	16,3
18,0	12,9	22,0	22,0	25,8	26,8	16,2	26,2	12,1	18,2	19,6	20,7	21,3	19,1	15,2
20,0	12,0	20,2	20,0	24,1	25,2	15,2	24,8	11,1	16,6	18,1	19,1	19,8	18,2	14,2
22,0	11,2	18,6	18,6	22,5	23,7	14,4	23,0	9,1	15,1	16,8	17,8	18,5	17,4	13,3
24,0	9,3		17,4	21,0	22,4	13,7	21,3	8,4	14,0	15,5	16,7	17,4	16,8	12,5
26,0	8,8		16,2	19,6	21,1	13,1	19,7	7,9	13,0	14,4	15,6	16,5	16,2	11,8
28,0	8,3		15,2	18,7	20,0	12,5	18,2	7,3	12,1	13,5	14,7	15,6	14,4	11,2
30,0	7,9			17,9	18,9	11,2	16,8	6,9	11,3	12,7	13,7	14,7	12,1	10,6
32,0	7,5			17,1	18,1	9,4	15,8	6,5	10,5	12,0	13,0	13,9	10,0	8,9
34,0	7,2			16,4	17,4	7,8	14,9	6,1		11,3	12,3	13,1		7,5
36,0	5,9			15,7	16,4	6,4	14,0	5,4		10,6	11,7	12,6		6,3
38,0	4,6			15,0	15,0	4,9	13,1	4,2		10,0	11,1	12,0		5,2
40,0	3,4				13,8		12,3	3,2			10,6	11,6		4,2
42,0	2,3				12,7		11,6	2,2			10,0	11,1		3,2
44,0					5,6		4,9				6,3	10,6		2,1
46,0												10,2		
48,0												9,8		
50,0														
52,0														
54,0														
56,0														
58,0														
60,0														
*** n ***	3	5	5	4	4	3	4	2	4	4	4	3	4	3
1	92-	0+	0+	0+	46-	0+	46-	92-	0+	0+	0+	46-	0+	0+
2	46+	0+	0+	46-	46+	92-	92+	92+	0+	0+	46-	46+	0+	92-
3	46+	0+	0+	46-	46+	46+	46+	46+	0+	46-	46+	46+	92-	92+
4	46+	0+	46-	46+	46+	46+	46+	46+	92-	92+	92+	92+	46+	46+
5	46+	92-	92+	92+	92+	46+	46+	46+	92+	92+	92+	92+	46+	46+
%														
m/s	11,1	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	85,0 t	8,85 x 8,5 m	360°	

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311196 21.22

m	m >< t	CODE > 0017 <												
	46,7	**25,9**	**31,1**	**41,5**	**46,7**	**41,5**	**46,7**	**51,9**	**36,3**	**41,5**	**46,7**	**51,9**	**36,3**	**46,7**
62,0														
64,0														
66,0														
*** n ***	3	5	5	4	4	3	4	2	4	4	4	3	4	3
1	92-	0+	0+	0+	46-	0+	46-	92-	0+	0+	0+	46-	0+	0+
2	46+	0+	0+	46-	46+	92-	92+	92+	0+	0+	46-	46+	0+	92-
3	46+	0+	0+	46-	46+	46+	46+	46+	0+	46-	46+	46+	92-	92+
4	46+	0+	46-	46+	46+	46+	46+	46+	92-	92+	92+	92+	46+	46+
5 %	46+	92-	92+	92+	92+	46+	46+	46+	92+	92+	92+	92+	46+	46+
m/s	11,1	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311196 21.22

m >< t CODE > 0017 < B131 1400

m	51,9	57,1	46,7	51,9	57,1	31,1	41,5	46,7	51,9	57,1	62,3	57,1	62,3	67,5
3,0														
3,5														
4,0														
4,5														
5,0						36,0								
6,0						34,5								
7,0						33,0	28,1							
8,0			26,4			32,0	26,9	34,5						
9,0	32,0		25,2	27,3		29,8	25,8	32,5	22,7					
10,0	31,5	17,2	24,2	26,0	25,0	28,9	24,8	31,0	21,6	25,7		21,3		
11,0	29,3	16,3	23,2	24,8	24,1	28,0	23,8	29,4	19,5	25,7	16,3	19,2	20,0	
12,0	28,7	15,5	22,3	23,8	23,2	27,2	22,9	28,0	18,6	24,8	15,5	18,4	20,0	15,4
14,0	27,5	14,1	19,6	21,9	21,5	25,8	21,3	25,2	17,1	23,3	14,0	16,9	19,5	14,0
16,0	25,5	12,8	18,3	20,1	20,1	23,7	18,9	23,0	15,8	22,0	12,7	15,6	18,6	12,7
18,0	23,5	11,7	17,2	18,4	18,7	21,4	17,8	21,0	14,7	20,3	11,6	14,4	17,7	11,6
20,0	21,6	10,7	16,1	17,0	17,4	19,3	16,8	19,2	13,7	18,9	10,6	13,4	16,6	10,6
22,0	19,8	8,7	14,9	15,6	16,2	17,9	15,9	17,8	12,8	17,6	8,7	12,5	15,5	8,7
24,0	18,4	8,1	13,8	14,6	15,1	16,7	15,1	16,5	11,9	16,4	8,0	11,7	14,6	8,0
26,0	17,2	7,5	12,7	13,6	14,1	15,5	13,8	15,3	11,2	15,2	7,4	10,9	13,7	7,4
28,0	16,0	6,9	11,7	12,7	13,3	13,9	12,9	14,2	10,6	14,2	6,8	9,3	12,9	6,8
30,0	15,0	6,4	10,8	11,9	12,5		12,0	13,2	9,0	13,3	6,3	8,8	12,2	6,3
32,0	14,0	6,0	10,2	11,1	11,8		10,3	12,5	8,6	12,5	5,9	8,3	11,5	5,9
34,0	13,0	5,6	9,3	10,4	11,2		8,8	11,8	7,8	11,7	5,4	7,9	10,8	5,4
36,0	12,3	5,2	8,1	9,9	10,6		7,4	11,2	6,6	11,0	5,1	6,9	10,2	5,1
38,0	11,7	4,4	7,0	9,4	10,0		6,1	10,6	5,5	10,3	4,7	5,9	9,6	4,7
40,0	11,1	3,4	6,1	8,9	9,5			10,0	4,6	9,8	4,0	5,0	9,0	4,4
42,0	10,4	2,5	5,2	8,5	9,1			9,5	3,8	9,2	3,1	4,2	8,5	3,7
44,0	9,8		4,1	8,1	8,7			6,2	3,0	8,8	2,3	3,5	8,1	2,9
46,0	9,3			7,7	8,3				2,3	8,3		2,9	7,7	2,2
48,0	8,7			7,3	7,9				1,6	7,9		2,3	7,4	
50,0					7,6					7,4		1,8	7,0	
52,0					7,4					7,2		1,2	6,7	
54,0					6,6								6,4	
56,0													6,1	
58,0														
60,0														
*** n ***	4	2	3	3	3	4	3	4	3	3	2	3	2	2
% 1	46-	92-	0+	0+	46-	0+	0+	0+	0+	46-	92-	0+	46-	92-
% 2	92+	92+	0+	46-	46+	0+	0+	46-	92-	92+	92+	92-	92+	92-
% 3	92+	92+	92-	92+	92+	0+	92-	92+	92+	92+	92+	92+	92+	92-
% 4	46+	46+	92+	92+	92+	92-	92+	92+	92+	92+	92+	92+	92+	92-
% 5	46+	46+	92+	92+	92+	46+	46+	46+	46+	46+	46+	92+	92+	92-
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311196 21.22

m >< t CODE > 0017 < B131 1400

m	51,9	57,1	46,7	51,9	57,1	31,1	41,5	46,7	51,9	57,1	62,3	57,1	62,3	67,5
62,0														
64,0														
66,0														
* n *	4	2	3	3	3	4	3	4	3	3	2	3	2	2
% 1	46-	92-	0+	0+	46-	0+	0+	0+	0+	46-	92-	0+	46-	92-
% 2	92+	92+	0+	46-	46+	0+	0+	46-	92-	92+	92+	92-	92+	92-
% 3	92+	92+	92-	92+	92+	0+	92-	92+	92+	92+	92+	92+	92+	92-
% 4	46+	46+	92+	92+	92+	92-	92+	92+	92+	92+	92+	92+	92+	92-
% 5	46+	46+	92+	92+	92+	46+	46+	46+	46+	46+	46+	92+	92+	92-
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311196 21.22

m	m >< t	CODE > 0017 < B131 1400												
m	**72,0**													
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
14,0	8,8													
16,0	7,7													
18,0	6,8													
20,0	6,0													
22,0	5,3													
24,0	4,7													
26,0	4,1													
28,0	3,6													
30,0	3,1													
32,0	2,7													
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
54,0														
56,0														
58,0														
60,0														
*** n ***	1													
1	100-													
2	100-													
3	100-													
4	100-													
5	100-													
%														
m/s	11,1													

	T	--	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311196 21.22

m	m >< t CODE > 0017 < B131 1400													
m	**72,0**													
62,0														
64,0														
66,0														
*** n ***	1													
1	100-													
2	100-													
3	100-													
4	100-													
5	100-													
%														
m/s	11,1													

	T	--	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311195 21.22

m >< t CODE > 0018 < B131 1500

m	15,5	20,7	20,7	20,7	20,7	25,9	25,9	25,9	25,9	26,8	31,1	31,1	31,1	31,1
3,0	176,0													
3,5	173,0	135,0	125,0	76,0	56,0									
4,0	157,0	135,0	125,0	76,0	56,0	117,0	115,0	56,0	54,0	51,0				
4,5	144,0	134,0	125,0	76,0	57,0	117,0	115,0	56,0	54,0	51,0				
5,0	136,0	127,0	125,0	77,0	57,0	116,0	115,0	56,0	53,0	50,0	82,0	86,0	80,0	56,0
6,0	123,0	115,0	114,0	79,0	59,0	108,0	109,0	57,0	48,0	45,0	80,0	86,0	73,0	57,0
7,0	112,0	104,0	105,0	79,0	59,0	98,0	100,0	58,0	43,5	41,0	73,0	84,0	67,0	57,0
8,0	101,0	96,0	96,0	74,0	59,0	90,0	92,0	58,0	40,0	38,0	67,0	82,0	62,0	58,0
9,0	91,0	89,0	89,0	69,0	56,0	83,0	85,0	57,0	37,0	35,5	62,0	79,0	57,0	58,0
10,0	83,0	82,0	83,0	65,0	53,0	77,0	79,0	53,0	34,5	32,5	58,0	74,0	53,0	55,0
11,0	74,0	75,0	76,0	61,0	49,5	72,0	73,0	49,5	32,5	30,5	54,0	69,0	50,0	52,0
12,0	63,0	68,0	69,0	58,0	47,0	67,0	69,0	46,5	30,5	28,8	50,0	65,0	46,5	48,5
14,0		57,0	58,0	52,0	42,5	57,0	58,0	41,5	27,0	25,6	43,5	57,0	40,5	42,5
16,0		48,5	49,5	47,5	39,0	48,5	49,5	37,0	24,0	22,7	38,5	49,0	36,5	38,5
18,0		23,6	24,3	25,1	25,8	42,0	43,0	34,0	22,0	20,9	34,5	42,5	33,0	35,0
20,0						36,5	37,5	31,0	20,2	19,3	31,0	37,0	29,8	32,0
22,0						31,0	32,5	28,5	18,6	17,8	28,0	32,5	27,4	29,4
24,0										16,4	25,4	28,9	25,2	27,2
26,0											23,2	25,8	23,5	25,6
28,0											16,7	17,9	18,4	21,1
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
54,0														
56,0														
58,0														
60,0														
*** n ***	14!	14	13	8	6	12	12	6	6	5	9	9	8	6
1	0+	0+	0+	0+	0+	46+	0+	0+	0+	0+	92+	46+	0+	0+
2	0+	46+	0+	0+	0+	46+	46+	0+	0+	0+	46+	46+	92+	0+
3	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	0+	46+	46+	46+
4	0+	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	0+	0+	46+
5 %	0+	0+	0+	0+	46+	0+	0+	46+	92+	100+	0+	0+	0+	46+
m/s	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8

	T	--	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311195 21.22

m	m >< t	CODE > 0018 < B131 1500												
	15,5	**20,7**	**20,7**	**20,7**	**20,7**	**25,9**	**25,9**	**25,9**	**25,9**	**26,8**	**31,1**	**31,1**	**31,1**	**31,1**
62,0														
64,0														
66,0														
*** n ***	14!	14	13	8	6	12	12	6	6	5	9	9	8	6
1	0+	0+	0+	0+	0+	46+	0+	0+	0+	0+	92+	46+	0+	0+
2	0+	46+	0+	0+	0+	46+	46+	0+	0+	0+	46+	46+	92+	0+
3	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	0+	46+	46+	46+
4	0+	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	0+	0+	46+
5 %	0+	0+	0+	0+	46+	0+	0+	46+	92+	100+	0+	0+	0+	46+
m/s	14,3	14,3	14,3	14,3	14,3	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8	12,8

	T	--	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311195 21.22

m >< t CODE > 0018 < B131 1500

m	31,1	31,1	36,3	36,3	36,3	36,3	36,3	36,3	38,1	41,5	41,5	41,5	41,5	41,5
3,0														
3,5														
4,0														
4,5														
5,0	52,0	52,0												
6,0	47,5	47,5	68,0	69,0	71,0	57,0	49,5	39,5	36,0					
7,0	43,5	43,5	64,0	66,0	70,0	57,0	46,0	36,5	34,0	51,0	53,0	55,0	49,0	44,5
8,0	40,0	40,0	59,0	61,0	69,0	58,0	42,5	33,5	31,5	51,0	52,0	55,0	46,0	42,0
9,0	37,0	37,0	55,0	57,0	68,0	58,0	39,0	31,0	29,4	48,0	49,0	54,0	43,0	39,5
10,0	34,5	35,0	51,0	54,0	65,0	57,0	36,5	28,9	27,3	45,0	46,0	54,0	40,5	37,5
11,0	32,0	32,5	48,0	50,0	62,0	54,0	34,0	27,1	25,6	42,5	43,5	53,0	38,0	35,5
12,0	30,0	30,5	44,5	47,0	58,0	51,0	32,0	25,5	24,1	39,5	40,5	51,0	35,5	34,0
14,0	26,3	26,9	39,0	42,0	52,0	46,5	28,3	22,6	21,4	35,0	36,0	46,0	32,0	31,0
16,0	23,7	24,3	34,5	37,0	46,5	42,0	25,1	20,1	19,0	31,0	32,0	42,0	28,5	28,2
18,0	21,4	22,0	31,0	33,5	42,5	38,5	22,7	18,2	17,3	27,5	28,5	38,5	25,5	25,8
20,0	19,3	20,0	27,8	30,5	38,0	35,5	20,7	16,6	15,8	24,9	25,8	35,5	23,4	24,1
22,0	17,9	18,6	24,9	27,7	33,5	33,0	18,8	15,1	14,4	22,5	23,5	32,5	21,4	22,5
24,0	16,7	17,4	22,9	25,7	29,8	31,0	17,4	14,0	13,1	20,4	21,3	30,0	19,6	21,0
26,0	15,5	16,2	21,0	23,8	26,6	28,4	16,2	13,0	12,2	18,4	19,3	27,6	18,0	19,6
28,0	14,4	15,2	19,3	22,1	24,0	25,7	15,0	12,1	11,4	17,0	17,9	24,9	16,8	18,7
30,0			17,7	20,5	21,7	23,4	14,0	11,3	10,7	15,7	16,6	22,6	15,7	17,9
32,0			16,2	18,9	19,7	21,5	13,0	10,5	9,9	14,5	15,4	20,6	14,7	17,1
34,0									9,3	13,3	14,2	18,8	13,8	16,4
36,0										12,2	13,2	17,3	12,9	15,7
38,0										11,2	12,1	14,0	12,1	15,0
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
54,0														
56,0														
58,0														
60,0														
*** n ***	6	6	7	7	7	6	5	4	4	5	6	6	5	5
1	0+	0+	92+	46+	46+	0+	0+	0+	0+	92+	92+	46+	0+	0+
2	0+	0+	46+	92+	46+	46+	0+	0+	0+	92+	46+	46+	92+	46+
3	0+	0+	46+	46+	46+	46+	92+	0+	0+	46+	46+	46+	46+	46+
4	92+	46+	0+	0+	46+	46+	46+	92+	100+	0+	46+	46+	46+	46+
5 %	46+	92+	0+	0+	0+	46+	46+	92+	100+	0+	0+	46+	46+	92+
m/s	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311195 21.22

m >< t CODE > 0018 < B131 1500

m	31,1	31,1	36,3	36,3	36,3	36,3	36,3	36,3	38,1	41,5	41,5	41,5	41,5	41,5
62,0														
64,0														
66,0														
* n *	6	6	7	7	7	6	5	4	4	5	6	6	5	5
% 1	0+	0+	92+	46+	46+	0+	0+	0+	0+	92+	92+	46+	0+	0+
% 2	0+	0+	46+	92+	46+	46+	0+	0+	0+	92+	46+	46+	92+	46+
% 3	0+	0+	46+	46+	46+	46+	92+	0+	0+	46+	46+	46+	46+	46+
% 4	92+	46+	0+	0+	46+	46+	46+	92+	100+	0+	46+	46+	46+	46+
% 5	46+	92+	0+	0+	0+	46+	46+	92+	100+	0+	0+	46+	46+	92+
m/s	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311195 21.22

m >< t CODE > 0018 < B131 1500

m	41,5	41,5	46,7	46,7	46,7	46,7	46,7	46,7	46,7	49,4	51,9	51,9	51,9	51,9
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0	38,0	35,5												
8,0	35,5	33,5	43,0	42,5	41,0	38,0	34,5	32,5	30,0					
9,0	33,5	31,5	42,5	41,0	39,0	36,0	32,5	31,0	28,5	26,0	33,5	33,0	30,0	30,0
10,0	31,5	29,6	40,5	39,0	37,5	34,0	31,0	29,7	26,9	24,7	33,5	32,5	29,0	28,8
11,0	29,2	27,9	38,5	37,5	35,5	32,5	29,4	28,2	25,6	23,5	32,5	31,0	27,9	27,6
12,0	27,5	26,4	37,0	36,0	34,0	31,0	28,0	26,9	24,2	22,4	31,5	29,9	26,8	26,5
14,0	24,6	23,8	33,5	32,5	31,5	27,7	25,2	24,5	21,7	20,4	29,2	27,8	24,8	24,4
16,0	22,0	21,6	29,9	29,7	29,2	25,0	23,0	22,4	19,7	18,5	26,6	25,5	22,9	22,3
18,0	19,7	19,6	26,9	27,2	27,1	22,6	21,0	20,7	17,8	16,8	24,3	23,5	21,3	20,4
20,0	18,0	18,1	24,3	24,8	25,2	20,5	19,2	19,1	16,2	15,3	22,1	21,6	19,8	18,6
22,0	16,5	16,8	22,3	23,0	23,7	18,9	17,8	17,8	14,9	14,1	20,0	19,8	18,5	17,0
24,0	15,1	15,5	20,5	21,3	22,4	17,4	16,5	16,7	13,8	13,0	18,4	18,4	17,4	15,7
26,0	13,8	14,4	18,8	19,7	21,1	16,1	15,3	15,6	12,7	12,0	17,0	17,2	16,5	14,6
28,0	12,9	13,5	17,3	18,2	20,0	14,8	14,2	14,7	11,7	11,1	15,6	16,0	15,6	13,5
30,0	12,1	12,7	15,9	16,8	18,9	13,7	13,2	13,7	10,8	10,2	14,4	15,0	14,7	12,5
32,0	11,3	12,0	14,5	15,8	18,1	12,6	12,5	13,0	10,2	9,6	13,2	14,0	13,9	11,6
34,0	10,6	11,3	13,5	14,9	17,4	11,8	11,8	12,3	9,6	9,0	12,1	13,0	13,1	10,7
36,0	9,9	10,6	12,6	14,0	16,8	11,1	11,2	11,7	9,0	8,4	11,3	12,3	12,6	10,1
38,0	9,2	10,0	11,8	13,1	16,2	10,4	10,6	11,1	8,4	7,8	10,5	11,7	12,0	9,5
40,0			11,0	12,3	15,4	9,7	10,0	10,6	7,9	7,3	9,8	11,1	11,6	8,9
42,0			10,2	11,6	14,3	9,1	9,5	10,0	7,4	6,9	9,2	10,4	11,1	8,4
44,0			4,4	4,9	5,6	5,5	6,2	6,3	6,0	6,6	8,5	9,8	10,6	7,9
46,0										6,2	7,9	9,3	10,2	7,4
48,0												8,7	9,8	6,9
50,0														
52,0														
54,0														
56,0														
58,0														
60,0														
*** n ***	4	4	5	5	4	4	4	4	3	3	4	4	3	3
1	0+	0+	92+	46+	46+	0+	0+	0+	0+	0+	92+	46+	46+	0+
2	0+	0+	46+	92+	46+	92+	46+	46+	0+	0+	92+	92+	46+	92+
3	92+	46+	46+	46+	46+	92+	92+	46+	92+	100+	46+	92+	46+	92+
4	92+	92+	46+	46+	46+	46+	92+	92+	92+	100+	46+	46+	92+	92+
5 %	46+	92+	46+	46+	92+	46+	46+	92+	92+	100+	46+	46+	92+	46+
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311195 21.22

m >< t CODE > 0018 < B131 1500

m	41,5	41,5	46,7	46,7	46,7	46,7	46,7	46,7	46,7	49,4	51,9	51,9	51,9	51,9
62,0														
64,0														
66,0														
* n *	4	4	5	5	4	4	4	4	3	3	4	4	3	3
% 1	0+	0+	92+	46+	46+	0+	0+	0+	0+	0+	92+	46+	46+	0+
% 2	0+	0+	46+	92+	46+	92+	46+	46+	0+	0+	92+	92+	46+	92+
% 3	92+	46+	46+	46+	46+	92+	92+	46+	92+	100+	46+	92+	46+	92+
% 4	92+	92+	46+	46+	46+	46+	92+	92+	92+	100+	46+	46+	92+	92+
% 5	46+	92+	46+	46+	92+	46+	46+	92+	92+	100+	46+	46+	92+	46+
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311195 21.22

m >< t CODE > 0018 < B131 1500

m	51,9	57,1	57,1	57,1	57,1	60,7	62,3	62,3	67,5	72,0	20,7	25,9	31,1	20,7
3,0														
3,5											46,5			49,5
4,0											46,5	38,5		49,0
4,5											46,0	38,0		49,0
5,0											46,0	38,0	26,8	49,0
6,0											46,0	37,5	25,5	48,5
7,0											46,0	37,0	24,4	48,5
8,0											46,0	37,0	23,4	48,5
9,0	27,3										46,0	36,5	22,5	48,5
10,0	26,0	26,2	25,7	25,0	24,0						46,0	36,5	21,6	48,5
11,0	24,8	26,2	25,7	24,1	23,2	19,4	20,7	20,0			46,0	36,5	19,5	48,5
12,0	23,8	26,2	24,8	23,2	22,5	19,4	20,7	20,0	17,0		46,0	36,5	18,8	48,5
14,0	21,9	24,8	23,3	21,5	21,0	18,5	20,6	19,5	16,9	14,0	46,0	36,5	17,7	48,5
16,0	20,1	23,3	22,0	20,1	19,6	17,6	19,9	18,6	16,8	14,0	46,0	36,5	16,8	48,5
18,0	18,4	21,6	20,3	18,7	18,3	16,5	18,9	17,7	16,2	13,9	23,6	36,5	16,0	24,3
20,0	17,0	19,9	18,9	17,4	17,0	15,3	17,7	16,6	15,6	13,5		36,5	15,4	
22,0	15,6	18,4	17,6	16,2	15,7	14,3	16,5	15,5	14,8	13,1		31,0	15,0	
24,0	14,6	17,0	16,4	15,1	14,5	13,3	15,4	14,6	14,0	12,4			14,9	
26,0	13,6	15,6	15,2	14,1	13,4	12,4	14,4	13,7	13,2	11,7			13,0	
28,0	12,7	14,4	14,2	13,3	12,5	11,6	13,4	12,9	12,4	11,0			8,4	
30,0	11,9	13,3	13,3	12,5	11,7	10,9	12,5	12,2	11,7	10,4				
32,0	11,1	12,3	12,5	11,8	10,9	10,1	11,7	11,5	11,0	9,8				
34,0	10,4	11,4	11,7	11,2	10,2	9,5	10,9	10,8	10,3	9,2				
36,0	9,9	10,5	11,0	10,6	9,5	8,9	10,1	10,2	9,7	8,7				
38,0	9,4	9,7	10,3	10,0	8,8	8,3	9,4	9,6	9,1	8,1				
40,0	8,9	9,0	9,8	9,5	8,4	7,8	8,7	9,0	8,5	7,7				
42,0	8,5	8,4	9,2	9,1	7,9	7,4	8,0	8,5	7,9	7,2				
44,0	8,1	7,8	8,8	8,7	7,5	7,0	7,5	8,1	7,4	6,7				
46,0	7,7	7,3	8,3	8,3	7,1	6,6	7,0	7,7	6,9	6,3				
48,0	7,3	6,7	7,9	7,9	6,7	6,2	6,6	7,4	6,4	5,9				
50,0		6,2	7,4	7,6	6,3	5,8	6,1	7,0	6,1	5,5				
52,0		5,8	7,2	7,4	6,0	5,5	5,7	6,7	5,7	5,2				
54,0				6,6	5,6	5,1	5,3	6,4	5,3	4,9				
56,0						4,8	4,9	6,1	5,0	4,6				
58,0									4,7	4,3				
60,0									4,3	4,0				
*** n ***	3	3	3	3	3	2	2	2	2	2	5	4	3	5
1	0+	92+	46+	46+	0+	0+	92+	46+	92+	100+	0+	46-	92-	0+
2	46+	92+	92+	46+	92+	100+	92+	92+	92+	100+	46-	46+	46+	0+
3	92+	92+	92+	92+	92+	100+	92+	92+	92+	100+	0+	0+	0+	46-
4	92+	46+	92+	92+	92+	100+	92+	92+	92+	100+	0+	0+	0+	0+
5	92+	46+	46+	92+	92+	100+	46+	92+	92+	100+	0+	0+	0+	0+
%														
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	14,3	12,8	12,8	14,3

	T --	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311195 21.22

m >< t CODE > 0018 < B131 1500

m	51,9	57,1	57,1	57,1	57,1	60,7	62,3	62,3	67,5	72,0	20,7	25,9	31,1	20,7
62,0									4,0	3,7				
64,0										3,4				
66,0										3,1				
*** n ***	3	3	3	3	3	2	2	2	2	2	5	4	3	5
% 1	0+	92+	46+	46+	0+	0+	92+	46+	92+	100+	0+	46-	92-	0+
% 2	46+	92+	92+	46+	92+	100+	92+	92+	92+	100+	46-	46+	46+	0+
% 3	92+	92+	92+	92+	92+	100+	92+	92+	92+	100+	0+	0+	0+	46-
% 4	92+	46+	92+	92+	92+	100+	92+	92+	92+	100+	0+	0+	0+	0+
% 5	92+	46+	46+	92+	92+	100+	46+	92+	92+	100+	0+	0+	0+	0+
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	14,3	12,8	12,8	14,3

	T	--	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311195 21.22

m >< t CODE > 0018 < B131 1500

m	25,9	31,1	36,3	20,7	36,3	41,5	31,1	36,3	41,5	20,7	25,9	31,1	36,3	41,5
3,0														
3,5				53,0						55,0				
4,0	44,5			53,0						55,0	51,0			
4,5	44,5			53,0						55,0	49,5			
5,0	44,0	37,0		53,0			31,5			55,0	49,5	46,0		
6,0	43,5	36,5	24,5	53,0	36,0		29,1	35,5		55,0	49,0	45,0	41,5	
7,0	43,0	36,0	23,3	52,0	35,0	22,8	27,9	35,0	22,4	55,0	48,5	44,5	39,5	34,5
8,0	42,5	35,0	22,2	52,0	34,5	21,6	26,8	34,0	21,3	55,0	48,0	43,5	38,5	34,0
9,0	42,0	34,5	21,2	52,0	34,0	19,2	25,9	33,5	18,9	55,0	47,5	43,0	38,0	33,0
10,0	42,0	34,5	19,0	52,0	33,0	18,4	24,9	33,0	18,0	53,0	47,0	42,5	37,5	32,5
11,0	42,0	34,0	18,2	52,0	32,5	17,6	24,1	32,5	17,2	49,5	47,0	42,0	37,0	32,0
12,0	41,5	33,5	17,5	52,0	32,0	16,8	23,4	32,0	16,4	47,0	46,5	41,5	36,5	31,5
14,0	41,5	33,0	16,2	52,0	31,5	15,5	22,0	29,5	15,0	42,5	41,5	40,0	35,5	29,0
16,0	41,5	33,0	15,1	47,5	29,3	14,3	19,7	28,8	13,8	39,0	37,0	38,5	34,5	28,2
18,0	41,5	33,0	14,1	25,1	28,8	13,3	18,8	28,3	12,7	25,8	34,0	35,0	34,0	27,5
20,0	37,5	33,0	13,3		28,5	12,4	18,2	28,0	11,8		31,0	32,0	33,5	26,9
22,0	32,5	32,5	12,6		28,3	11,6	17,7	27,7	11,0		28,5	29,4	33,0	26,4
24,0		28,9	12,1		28,3	10,9	17,4	25,7	9,1			27,2	31,0	26,1
26,0		25,8	11,6		26,6	9,2	14,5	23,8	8,5			25,6	28,4	25,9
28,0		17,9	11,0		24,0	8,7	10,6	22,1	8,1			21,1	25,7	24,9
30,0			8,3		21,7	8,4		20,5	7,7				23,4	22,6
32,0			5,8		19,7	7,6		18,9	6,3				21,5	20,6
34,0						5,8			4,5					18,8
36,0						4,2			2,9					17,3
38,0						2,5								14,0
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
54,0														
56,0														
58,0														
60,0														
*** n ***	5	4	3	6	4	3	4	4	3	6	5	5	4	4
1	0+	46-	92-	0+	46-	92-	0+	46-	92-	0+	0+	0+	0+	46-
2	46-	46+	46+	0+	46-	46+	92-	92+	92+	0+	0+	0+	46-	46+
3	46+	46+	46+	0+	46-	46+	46+	46+	46+	0+	0+	46-	46+	46+
4	0+	0+	0+	46-	46+	46+	0+	0+	0+	0+	46-	46+	46+	46+
5	0+	0+	0+	0+	0+	0+	0+	0+	0+	46-	46+	46+	46+	46+
%														
m/s	12,8	12,8	11,1	14,3	11,1	11,1	12,8	11,1	11,1	14,3	12,8	12,8	11,1	11,1

	T	--	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311195 21.22

m	m >< t	CODE > 0018 < B131 1500												
	25,9	**31,1**	**36,3**	**20,7**	**36,3**	**41,5**	**31,1**	**36,3**	**41,5**	**20,7**	**25,9**	**31,1**	**36,3**	**41,5**
62,0														
64,0														
66,0														
*** n ***	5	4	3	6	4	3	4	4	3	6	5	5	4	4
1	0+	46-	92-	0+	46-	92-	0+	46-	92-	0+	0+	0+	0+	46-
2	46-	46+	46+	0+	46-	46+	92-	92+	92+	0+	0+	0+	46-	46+
3	46+	46+	46+	0+	46-	46+	46+	46+	46+	0+	0+	46-	46+	46+
4	0+	0+	0+	46-	46+	46+	0+	0+	0+	0+	46-	46+	46+	46+
5 %	0+	0+	0+	0+	0+	0+	0+	0+	0+	46-	46+	46+	46+	46+
m/s	12,8	12,8	11,1	14,3	11,1	11,1	12,8	11,1	11,1	14,3	12,8	12,8	11,1	11,1

	T	--	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311195 21.22

m >< t CODE > 0018 < B131 1500

m	46,7	25,9	31,1	41,5	46,7	41,5	46,7	51,9	36,3	41,5	46,7	51,9	36,3	46,7
3,0														
3,5														
4,0		42,0												
4,5		40,0												
5,0		39,5	48,0											
6,0		38,0	47,5						33,0				31,5	
7,0		37,0	43,5	39,0		26,2			32,0	35,5			29,1	
8,0	21,3	36,0	40,0	38,0	33,5	25,0	33,5		29,5	33,5	32,5		27,9	24,2
9,0	19,0	35,0	37,0	37,5	33,0	23,9	32,5	18,4	28,4	31,5	31,0	30,0	26,8	23,1
10,0	18,1	34,0	35,0	36,5	32,0	22,9	32,0	17,5	27,4	29,6	29,7	29,0	25,8	22,0
11,0	17,3	32,5	32,5	35,5	31,5	21,9	31,0	16,6	26,4	27,9	28,2	27,9	24,9	21,1
12,0	16,6	30,5	30,5	34,0	29,6	21,1	29,1	15,8	25,5	26,4	26,9	26,8	24,1	19,0
14,0	15,2	27,0	26,9	31,0	28,5	18,5	28,0	14,4	22,6	23,8	24,5	24,8	22,6	17,6
16,0	14,0	24,0	24,3	28,2	27,6	17,3	27,1	13,2	20,1	21,6	22,4	22,9	21,3	16,3
18,0	12,9	22,0	22,0	25,8	26,8	16,2	26,2	12,1	18,2	19,6	20,7	21,3	19,1	15,2
20,0	12,0	20,2	20,0	24,1	25,2	15,2	24,8	11,1	16,6	18,1	19,1	19,8	18,2	14,2
22,0	11,2	18,6	18,6	22,5	23,7	14,4	23,0	9,1	15,1	16,8	17,8	18,5	17,4	13,3
24,0	9,3		17,4	21,0	22,4	13,7	21,3	8,4	14,0	15,5	16,7	17,4	16,8	12,5
26,0	8,8		16,2	19,6	21,1	13,1	19,7	7,9	13,0	14,4	15,6	16,5	16,2	11,8
28,0	8,3		15,2	18,7	20,0	12,5	18,2	7,3	12,1	13,5	14,7	15,6	14,4	11,2
30,0	7,9			17,9	18,9	11,2	16,8	6,9	11,3	12,7	13,7	14,7	12,1	10,6
32,0	7,5			17,1	18,1	9,4	15,8	6,5	10,5	12,0	13,0	13,9	10,0	8,9
34,0	7,2			16,4	17,4	7,8	14,9	6,1		11,3	12,3	13,1		7,5
36,0	5,9			15,7	16,8	6,4	14,0	5,4		10,6	11,7	12,6		6,3
38,0	4,6			15,0	16,2	4,9	13,1	4,2		10,0	11,1	12,0		5,2
40,0	3,4				15,4		12,3	3,2			10,6	11,6		4,2
42,0	2,3				14,3		11,6	2,2			10,0	11,1		3,2
44,0					5,6		4,9				6,3	10,6		2,1
46,0												10,2		
48,0												9,8		
50,0														
52,0														
54,0														
56,0														
58,0														
60,0														
*** n ***	3	5	5	4	4	3	4	2	4	4	4	3	4	3
1	92-	0+	0+	0+	46-	0+	46-	92-	0+	0+	0+	46-	0+	0+
2	46+	0+	0+	46-	46+	92-	92+	92+	0+	0+	46-	46+	0+	92-
3	46+	0+	0+	46-	46+	46+	46+	46+	0+	46-	46+	46+	92-	92+
4	46+	0+	46-	46+	46+	46+	46+	46+	92-	92+	92+	92+	46+	46+
5	46+	92-	92+	92+	92+	46+	46+	46+	92+	92+	92+	92+	46+	46+
%														
m/s	11,1	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311195 21.22

m	m >< t	CODE > 0018 < B131 1500												
	46,7	**25,9**	**31,1**	**41,5**	**46,7**	**41,5**	**46,7**	**51,9**	**36,3**	**41,5**	**46,7**	**51,9**	**36,3**	**46,7**
62,0														
64,0														
66,0														
*** n ***	3	5	5	4	4	3	4	2	4	4	4	3	4	3
1	92-	0+	0+	0+	46-	0+	46-	92-	0+	0+	0+	46-	0+	0+
2	46+	0+	0+	46-	46+	92-	92+	92+	0+	0+	46-	46+	0+	92-
3	46+	0+	0+	46-	46+	46+	46+	46+	0+	46-	46+	46+	92-	92+
4	46+	0+	46-	46+	46+	46+	46+	46+	92-	92+	92+	92+	46+	46+
5 %	46+	92-	92+	92+	92+	46+	46+	46+	92+	92+	92+	92+	46+	46+
m/s	11,1	12,8	12,8	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T --	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311195 21.22

m >< t CODE > 0018 < B131 1500

m	51,9	57,1	46,7	51,9	57,1	31,1	41,5	46,7	51,9	57,1	62,3	57,1	62,3	67,5
3,0														
3,5														
4,0														
4,5														
5,0						36,0								
6,0						34,5								
7,0						33,0	28,1							
8,0			26,4			32,0	26,9	34,5						
9,0	32,0		25,2	27,3		29,8	25,8	32,5	22,7					
10,0	31,5	17,2	24,2	26,0	25,0	28,9	24,8	31,0	21,6	25,7		21,3		
11,0	29,3	16,3	23,2	24,8	24,1	28,0	23,8	29,4	19,5	25,7	16,3	19,2	20,0	
12,0	28,7	15,5	22,3	23,8	23,2	27,2	22,9	28,0	18,6	24,8	15,5	18,4	20,0	15,4
14,0	27,5	14,1	19,6	21,9	21,5	25,8	21,3	25,2	17,1	23,3	14,0	16,9	19,5	14,0
16,0	25,5	12,8	18,3	20,1	20,1	23,7	18,9	23,0	15,8	22,0	12,7	15,6	18,6	12,7
18,0	23,5	11,7	17,2	18,4	18,7	21,4	17,8	21,0	14,7	20,3	11,6	14,4	17,7	11,6
20,0	21,6	10,7	16,1	17,0	17,4	19,3	16,8	19,2	13,7	18,9	10,6	13,4	16,6	10,6
22,0	19,8	8,7	14,9	15,6	16,2	17,9	15,9	17,8	12,8	17,6	8,7	12,5	15,5	8,7
24,0	18,4	8,1	13,8	14,6	15,1	16,7	15,1	16,5	11,9	16,4	8,0	11,7	14,6	8,0
26,0	17,2	7,5	12,7	13,6	14,1	15,5	13,8	15,3	11,2	15,2	7,4	10,9	13,7	7,4
28,0	16,0	6,9	11,7	12,7	13,3	13,9	12,9	14,2	10,6	14,2	6,8	9,3	12,9	6,8
30,0	15,0	6,4	10,8	11,9	12,5		12,0	13,2	9,0	13,3	6,3	8,8	12,2	6,3
32,0	14,0	6,0	10,2	11,1	11,8		10,3	12,5	8,6	12,5	5,9	8,3	11,5	5,9
34,0	13,0	5,6	9,3	10,4	11,2		8,8	11,8	7,8	11,7	5,4	7,9	10,8	5,4
36,0	12,3	5,2	8,1	9,9	10,6		7,4	11,2	6,6	11,0	5,1	6,9	10,2	5,1
38,0	11,7	4,4	7,0	9,4	10,0		6,1	10,6	5,5	10,3	4,7	5,9	9,6	4,7
40,0	11,1	3,4	6,1	8,9	9,5			10,0	4,6	9,8	4,0	5,0	9,0	4,4
42,0	10,4	2,5	5,2	8,5	9,1			9,5	3,8	9,2	3,1	4,2	8,5	3,7
44,0	9,8		4,1	8,1	8,7			6,2	3,0	8,8	2,3	3,5	8,1	2,9
46,0	9,3			7,7	8,3				2,3	8,3		2,9	7,7	2,2
48,0	8,7			7,3	7,9				1,6	7,9		2,3	7,4	
50,0					7,6					7,4		1,8	7,0	
52,0					7,4					7,2		1,2	6,7	
54,0					6,6								6,4	
56,0													6,1	
58,0														
60,0														
*** n ***	4	2	3	3	3	4	3	4	3	3	2	3	2	2

%														
1	46-	92-	0+	0+	46-	0+	0+	0+	0+	46-	92-	0+	46-	92-
2	92+	92+	0+	46-	46+	0+	0+	46-	92-	92+	92+	92-	92+	92-
3	92+	92+	92-	92+	92+	0+	92-	92+	92+	92+	92+	92+	92+	92-
4	46+	46+	92+	92+	92+	92-	92+	92+	92+	92+	92+	92+	92+	92-
5	46+	46+	92+	92+	92+	46+	46+	46+	46+	46+	46+	92+	92+	92-
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

	T	--	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311195 21.22

m >< t CODE > 0018 < B131 1500

m	51,9	57,1	46,7	51,9	57,1	31,1	41,5	46,7	51,9	57,1	62,3	57,1	62,3	67,5
62,0														
64,0														
66,0														
* n *	4	2	3	3	3	4	3	4	3	3	2	3	2	2
% 1	46-	92-	0+	0+	46-	0+	0+	0+	0+	46-	92-	0+	46-	92-
% 2	92+	92+	0+	46-	46+	0+	0+	46-	92-	92+	92+	92-	92+	92-
% 3	92+	92+	92-	92+	92+	0+	92-	92+	92+	92+	92+	92+	92+	92-
% 4	46+	46+	92+	92+	92+	92-	92+	92+	92+	92+	92+	92+	92+	92-
% 5	46+	46+	92+	92+	92+	46+	46+	46+	46+	46+	46+	92+	92+	92-
m/s	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1	11,1

T	--	97,5 t	8,85 x 8,5 m	360°

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311195 21.22

m	m >< t	CODE > 0018 < B131 1500												
m	**72,0**													
3,0														
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
14,0	8,8													
16,0	7,7													
18,0	6,8													
20,0	6,0													
22,0	5,3													
24,0	4,7													
26,0	4,1													
28,0	3,6													
30,0	3,1													
32,0	2,7													
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0														
52,0														
54,0														
56,0														
58,0														
60,0														
*** n ***	1													
1	100-													
2	100-													
3	100-													
4	100-													
5	100-													
%														
m/s	11,1													

	T	--	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB 1311195 21.22

m	m >< t	CODE > 0018 < B131 1500
m	72,0	
62,0		
64,0		
66,0		
* n *	1	
1	100-	
2	100-	
3	100-	
4	100-	
5	100-	
%		
m/s	11,1	

	T	--	97,5 t	8,85 x 8,5 m	360°	

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB *** 1005 21.21

m	m >< t	CODE > 0019 < B131 1600
	15,5	
3,0	176,0	
3,5	173,0	
4,0	157,0	
4,5	144,0	
5,0	136,0	
6,0	123,0	
7,0	112,0	
8,0	100,0	
9,0	89,0	
10,0	79,0	
11,0	72,0	
12,0	63,0	
*** n ***	14!	
1	0+	
2	0+	
3	0+	
4	0+	
5	0+	
%		
m/s	14,3	

	T	--	72,5 t	8,85 x 8,5 m	0 °	

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB *** 1004 21.21

m >< t CODE > 0020 < B131 1700

m	15,5
3,0	176,0
3,5	173,0
4,0	157,0
4,5	144,0
5,0	136,0
6,0	123,0
7,0	112,0
8,0	102,0
9,0	93,0
10,0	83,0
11,0	74,0
12,0	63,0
*** n ***	14!
1	0+
2	0+
3	0+
4	0+
5	0+
%	
m/s	14,3

T	--	85,0 t	8,85 x 8,5 m	0 °	

Courtesy of Crane.Market

ISO DIN

T	--

070983 TAB *** 1003 21.21

m	m > < t	CODE > 0021 < B131 1800
	15,5	
3,0	176,0	
3,5	173,0	
4,0	157,0	
4,5	144,0	
5,0	136,0	
6,0	123,0	
7,0	112,0	
8,0	102,0	
9,0	93,0	
10,0	84,0	
11,0	74,0	
12,0	63,0	
*** n ***	14!	
1	0+	
2	0+	
3	0+	
4	0+	
5	0+	
%		
m/s	14,3	

	T	--	97,5 t	8,85 x 8,5 m	0 °	

Courtesy of Crane.Market

ISO DIN

T	K 0° 12.2m

070983 21.20

m >< t CODE > 0034 < B131 0D10

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0		
3,5	16,5													
4,0	16,2													
4,5	16,0													
5,0	15,8													
6,0	15,4													
7,0	15,0													
8,0	14,5													
9,0	14,1													
10,0	13,2	13,7	14,0											
11,0	12,3	11,5	14,0	9,4	11,0									
12,0	11,4	9,7	12,3	7,8	9,3	10,7								
14,0	9,9	6,9	9,4	5,2	6,6	8,0		6,6	5,2		5,2			
16,0	8,7	4,8	7,1		4,6	5,9		4,7						
18,0	7,6		5,4			4,2								
20,0	6,6		4,0											
22,0	5,5													
24,0	4,2													
*** n ***	2	2	2	1	2	2	0	1	1	0	1	0		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
%														
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1139	1139	1139	1139	1139	1139	1139	1139	1139	---	1139	---		

	T	K 0° 12.2m	0,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 0° 12.2m

070983 21.20

m	m >< t													
	CODE > 0035 < B131 0E10													
m	**15,5**	**51,9**	**51,9**	**57,1**	**57,1**	**57,1**	**62,3**	**62,3**	**67,5**	**72,0**	**67,5**	**72,0**		
3,5	16,5													
4,0	16,2													
4,5	16,0													
5,0	15,8													
6,0	15,4													
7,0	15,0													
8,0	14,5													
9,0	14,1													
10,0	13,2	16,5	14,0											
11,0	12,3	16,5	14,0	14,4	13,8									
12,0	11,4	16,3	14,0	14,4	13,8	12,5								
14,0	9,9	13,4	14,0	11,5	13,0	12,5	11,3	11,5	9,6		9,6			
16,0	8,7	10,5	12,9	8,8	10,2	11,5	8,7	10,1	8,7	8,1	8,7	7,0		
18,0	7,6	8,2	10,5	6,7	8,0	9,2	6,6	8,0	6,7	6,5	6,7	6,1		
20,0	6,6	6,4	8,6	4,9	6,2	7,4	4,9	6,3	5,1	5,0	5,1	5,0		
22,0	5,9	4,9	7,0	3,5	4,8	5,9	3,6	4,9	3,8	3,7	3,8	3,7		
24,0	5,3	3,6	5,8		3,6	4,7		3,8						
26,0			4,7			3,7								
28,0			3,7											
30,0			2,9											
*** n ***	2	2	2	2	2	2	2	2	1	1	1	1		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1138	1138	1138	1138	1138	1138	1138	1138	1138	1138	1138	1138		

	T	K 0° 12.2m	10,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 0° 12.2m

070983 21.20

m >< t CODE > 0037 < B131 0F10

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0		
3,5	16,5													
4,0	16,2													
4,5	16,0													
5,0	15,8													
6,0	15,4													
7,0	15,0													
8,0	14,5													
9,0	14,1													
10,0	13,2	16,5	14,0											
11,0	12,3	16,5	14,0	14,4	13,8									
12,0	11,4	16,3	14,0	14,4	13,8	12,5								
14,0	9,9	16,0	14,0	14,4	13,8	12,5	12,0	11,5	9,6		9,6			
16,0	8,7	15,7	14,0	14,2	13,6	12,5	12,0	11,5	9,6	8,1	9,6	7,0		
18,0	7,6	14,2	13,4	12,6	13,4	12,5	12,0	11,5	9,6	8,1	9,5	6,1		
20,0	6,6	11,9	12,7	10,3	11,6	12,1	10,2	11,4	9,6	8,1	8,6	5,3		
22,0	5,9	9,9	11,9	8,5	9,7	10,9	8,4	9,8	8,5	8,1	7,9	4,6		
24,0	5,3	8,3	10,4	6,9	8,1	9,3	6,9	8,2	7,0	6,9	7,0	3,9		
26,0		6,9	8,9	5,5	6,8	7,9	5,6	6,9	5,7	5,7	5,7	3,3		
28,0		5,7	7,7	4,4	5,6	6,7	4,4	5,8	4,6	4,6	4,6	2,8		
30,0		4,6	6,6	3,4	4,6	5,7	3,5	4,8	3,7	3,6	3,7			
32,0		3,7	5,7	2,5	3,7	4,8	2,6	3,9	2,8	2,8	2,8			
34,0		2,9	4,9		2,9	4,0		3,1						
36,0			4,2			3,3		2,5						
38,0			3,5			2,6								
40,0			2,9			2,1								
42,0			2,4											
44,0			2,0											
*** n ***	2	2	2	2	2	2	2	2	1	1	1	1		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1137	1137	1137	1137	1137	1137	1137	1137	1137	1137	1137	1137		

	T	K 0° 12.2m	22,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 0° 12.2m

070983 21.20

m	m >< t													
	CODE > 0039 < B131 1010													
m	**15,5**	**51,9**	**51,9**	**57,1**	**57,1**	**57,1**	**62,3**	**62,3**	**67,5**	**72,0**	**67,5**	**72,0**		
3,5	16,5													
4,0	16,2													
4,5	16,0													
5,0	15,8													
6,0	15,4													
7,0	15,0													
8,0	14,5													
9,0	14,1													
10,0	13,2	16,5	14,0											
11,0	12,3	16,5	14,0	14,4	13,8									
12,0	11,4	16,3	14,0	14,4	13,8	12,5								
14,0	9,9	16,0	14,0	14,4	13,8	12,5	12,0	11,5	9,6		9,6			
16,0	8,7	15,7	14,0	14,2	13,6	12,5	12,0	11,5	9,6	8,1	9,6	7,0		
18,0	7,6	15,3	13,4	14,0	13,4	12,5	12,0	11,5	9,6	8,1	9,5	6,1		
20,0	6,6	14,9	12,7	13,8	13,2	12,1	11,8	11,4	9,6	8,1	8,6	5,3		
22,0	5,9	14,4	11,9	12,9	13,0	11,5	11,7	11,0	9,6	8,1	7,9	4,6		
24,0	5,3	12,5	11,1	11,0	12,3	10,9	11,0	10,5	9,5	8,1	7,2	3,9		
26,0		10,8	10,4	9,4	10,6	10,3	9,4	10,1	9,2	7,9	6,6	3,3		
28,0		9,4	9,7	8,1	9,3	9,7	8,1	9,4	8,2	7,7	6,0	2,8		
30,0		8,1	9,1	6,9	8,0	9,1	6,9	8,2	7,1	7,0	5,5			
32,0		7,0	8,6	5,8	7,0	8,0	5,9	7,1	6,0	6,0	5,1			
34,0		6,1	8,0	4,9	6,0	7,0	4,9	6,2	5,1	5,1	4,6			
36,0		5,2	7,1	4,1	5,2	6,2	4,1	5,4	4,3	4,3	4,2			
38,0		4,5	6,4	3,3	4,4	5,4	3,4	4,6	3,6	3,6	3,6			
40,0		3,8	5,6	2,6	3,8	4,8	2,7	4,0	3,0	3,0	3,0			
42,0		3,2	4,9	2,0	3,2	4,1	2,1	3,4	2,4	2,4	2,4			
44,0		2,6	4,3		2,6	3,6		2,8						
46,0		2,0	3,7		2,1	3,1		2,3						
48,0			3,2			2,6		1,9						
50,0			2,7			2,1								
52,0			2,3			1,7								
54,0			1,9											
56,0			1,6											
58,0			1,3											
60,0			1,0											
*** n ***	2	2	2	2	2	2	2	2	1	1	1	1		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
%														
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1136	1136	1136	1136	1136	1136	1136	1136	1136	1136	1136	1136		

	T	K 0° 12.2m	35,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 0° 12.2m

070983 21.20

m >< t CODE > 0041 < B131 1110

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0		
3,5	16,5													
4,0	16,2													
4,5	16,0													
5,0	15,8													
6,0	15,4													
7,0	15,0													
8,0	14,5													
9,0	14,1													
10,0	13,2	16,5	14,0											
11,0	12,3	16,5	14,0	14,4	13,8									
12,0	11,4	16,3	14,0	14,4	13,8	12,5								
14,0	9,9	16,0	14,0	14,4	13,8	12,5	12,0	11,5	9,6		9,6			
16,0	8,7	15,7	14,0	14,2	13,6	12,5	12,0	11,5	9,6	8,1	9,6	7,0		
18,0	7,6	15,3	13,4	14,0	13,4	12,5	12,0	11,5	9,6	8,1	9,5	6,1		
20,0	6,6	14,9	12,7	13,8	13,2	12,1	11,8	11,4	9,6	8,1	8,6	5,3		
22,0	5,9	14,5	11,9	13,5	13,0	11,5	11,7	11,0	9,6	8,1	7,9	4,6		
24,0	5,3	14,1	11,1	13,2	12,3	10,9	11,6	10,5	9,5	8,1	7,2	3,9		
26,0		13,4	10,4	12,6	11,6	10,3	11,1	10,1	9,2	7,9	6,6	3,3		
28,0		12,6	9,7	11,6	11,0	9,7	10,4	9,6	8,8	7,7	6,0	2,8		
30,0		11,5	9,1	10,2	10,4	9,2	9,9	9,2	8,5	7,4	5,5			
32,0		10,2	8,6	9,0	9,8	8,7	8,9	8,7	8,2	7,1	5,1			
34,0		9,1	8,1	7,8	9,0	8,2	7,9	8,3	7,9	6,8	4,6			
36,0		8,1	7,6	6,9	8,0	7,7	6,9	7,8	7,1	6,5	4,2			
38,0		7,2	7,1	6,0	7,1	7,2	6,0	7,3	6,2	6,2	3,8			
40,0		6,3	6,7	5,2	6,3	6,8	5,2	6,5	5,5	5,4	3,5			
42,0		5,5	6,2	4,5	5,6	6,3	4,5	5,8	4,8	4,7	3,2			
44,0		4,7	5,9	3,8	4,9	5,8	3,9	5,1	4,1	4,1	2,9			
46,0		4,1	5,7	3,2	4,2	5,1	3,3	4,5	3,5	3,5	2,6			
48,0		3,5	5,1	2,7	3,7	4,5	2,8	4,0	3,0	3,0	1,8			
50,0		3,0	4,6	2,1	3,1	4,0	2,3	3,4	2,5	2,5				
52,0		2,5	4,1	1,6	2,6	3,5	1,8	2,9	2,1	2,0				
54,0		2,0	3,6		2,2	3,0		2,5	1,6	1,6				
56,0		1,6	3,2		1,8	2,6		2,1						
58,0		1,2	2,9		1,4	2,2		1,7						
60,0			2,5			1,8		1,3						
62,0						1,5								
*** n ***	2	2	2	2	2	2	2	2	1	1	1	1		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1135	1135	1135	1135	1135	1135	1135	1135	1135	1135	1135	1135		

	T	K 0° 12.2m	47,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 0° 12.2m

070983 21.20

m >< t CODE > 0041 < B131 1110

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0		
64,0						1,2								
*** n ***	2	2	2	2	2	2	2	2	1	1	1	1		
% 1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
% 2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
% 3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
% 4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
% 5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1135	1135	1135	1135	1135	1135	1135	1135	1135	1135	1135	1135		

	T	K 0° 12.2m	47,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 0° 12.2m

070983 21.20

m >< t CODE > 0043 < B131 1210

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0		
3,5	16,5													
4,0	16,2													
4,5	16,0													
5,0	15,8													
6,0	15,4													
7,0	15,0													
8,0	14,5													
9,0	14,1													
10,0	13,2	16,5	14,0											
11,0	12,3	16,5	14,0	14,4	13,8									
12,0	11,4	16,3	14,0	14,4	13,8	12,5								
14,0	9,9	16,0	14,0	14,4	13,8	12,5	12,0	11,5	9,6		9,6			
16,0	8,7	15,7	14,0	14,2	13,6	12,5	12,0	11,5	9,6	8,1	9,6	7,0		
18,0	7,6	15,3	13,4	14,0	13,4	12,5	12,0	11,5	9,6	8,1	9,5	6,1		
20,0	6,6	14,9	12,7	13,8	13,2	12,1	11,8	11,4	9,6	8,1	8,6	5,3		
22,0	5,9	14,5	11,9	13,5	13,0	11,5	11,7	11,0	9,6	8,1	7,9	4,6		
24,0	5,3	14,1	11,1	13,2	12,3	10,9	11,6	10,5	9,5	8,1	7,2	3,9		
26,0		13,4	10,4	12,6	11,6	10,3	11,1	10,1	9,2	7,9	6,6	3,3		
28,0		12,6	9,7	11,8	11,0	9,7	10,4	9,6	8,8	7,7	6,0	2,8		
30,0		11,9	9,1	11,1	10,4	9,2	9,9	9,2	8,5	7,4	5,5			
32,0		11,1	8,6	10,4	9,8	8,7	9,3	8,7	8,2	7,1	5,1			
34,0		10,5	8,1	9,7	9,2	8,2	8,8	8,3	7,9	6,8	4,6			
36,0		9,8	7,6	9,1	8,7	7,7	8,3	7,8	7,5	6,5	4,2			
38,0		9,3	7,1	8,6	8,2	7,2	7,8	7,4	7,1	6,3	3,8			
40,0		8,8	6,7	7,9	7,7	6,8	7,3	7,0	6,7	5,9	3,5			
42,0		7,9	6,2	7,1	7,3	6,3	6,9	6,6	6,4	5,6	3,2			
44,0		7,1	5,9	6,2	6,9	5,9	6,4	6,3	6,0	5,3	2,9			
46,0		6,3	5,7	5,5	6,5	5,6	5,7	5,9	5,6	4,9	2,6			
48,0		5,6	5,4	4,8	5,8	5,3	5,0	5,6	5,3	4,6	1,8			
50,0		5,0	5,1	4,2	5,1	5,0	4,4	5,3	4,7	4,3				
52,0		4,4	4,9	3,6	4,6	4,7	3,8	4,9	4,1	4,1				
54,0		3,9	4,6	3,1	4,0	4,4	3,3	4,3	3,6	3,6				
56,0		3,4	4,4	2,6	3,5	4,2	2,8	3,9	3,1	3,2				
58,0		3,0	4,2	2,1	3,1	3,9	2,3	3,4	2,7	2,7				
60,0			3,9	1,7	2,7	3,5	1,9	3,0	2,2	2,3				
62,0				1,4	2,3	3,1	1,5	2,6	1,9	1,9				
*** n ***	2	2	2	2	2	2	2	2	1	1	1	1		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
%														
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1134	1134	1134	1134	1134	1134	1134	1134	1134	1134	1134	1134		

	T	K 0° 12.2m	60,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 0° 12.2m

070983 21.20

m >< t CODE > 0043 < B131 1210

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0		
64,0				1,0	2,0	2,8	1,2	2,2	1,5	1,5				
66,0								1,9	1,2	1,2				
68,0								1,6						
*** n ***	2	2	2	2	2	2	2	2	1	1	1	1		
% 1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
% 2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
% 3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
% 4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
% 5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1134	1134	1134	1134	1134	1134	1134	1134	1134	1134	1134	1134		

	T	K 0° 12.2m	60,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 0° 12.2m

070983 21.20

m >< t CODE > 0045 < B131 1310

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0		
3,5	16,5													
4,0	16,2													
4,5	16,0													
5,0	15,8													
6,0	15,4													
7,0	15,0													
8,0	14,5													
9,0	14,1													
10,0	13,2	16,5	14,0											
11,0	12,3	16,5	14,0	14,4	13,8									
12,0	11,4	16,3	14,0	14,4	13,8	12,5								
14,0	9,9	16,0	14,0	14,4	13,8	12,5	12,0	11,5	9,6		9,6			
16,0	8,7	15,7	14,0	14,2	13,6	12,5	12,0	11,5	9,6	8,1	9,6	7,0		
18,0	7,6	15,3	13,4	14,0	13,4	12,5	12,0	11,5	9,6	8,1	9,5	6,1		
20,0	6,6	14,9	12,7	13,8	13,2	12,1	11,8	11,4	9,6	8,1	8,6	5,3		
22,0	5,9	14,5	11,9	13,5	13,0	11,5	11,7	11,0	9,6	8,1	7,9	4,6		
24,0	5,3	14,1	11,1	13,2	12,3	10,9	11,6	10,5	9,5	8,1	7,2	3,9		
26,0		13,4	10,4	12,6	11,6	10,3	11,1	10,1	9,2	7,9	6,6	3,3		
28,0		12,6	9,7	11,8	11,0	9,7	10,4	9,6	8,8	7,7	6,0	2,8		
30,0		11,9	9,1	11,1	10,4	9,2	9,9	9,2	8,5	7,4	5,5			
32,0		11,1	8,6	10,4	9,8	8,7	9,3	8,7	8,2	7,1	5,1			
34,0		10,5	8,1	9,7	9,2	8,2	8,8	8,3	7,9	6,8	4,6			
36,0		9,8	7,6	9,1	8,7	7,7	8,3	7,8	7,5	6,5	4,2			
38,0		9,3	7,1	8,6	8,2	7,2	7,8	7,4	7,1	6,3	3,8			
40,0		8,8	6,7	7,9	7,7	6,8	7,3	7,0	6,7	5,9	3,5			
42,0		8,3	6,2	7,3	7,3	6,3	6,9	6,6	6,4	5,6	3,2			
44,0		7,8	5,9	6,9	6,9	5,9	6,5	6,3	6,0	5,3	2,9			
46,0		7,4	5,7	6,5	6,5	5,6	6,0	5,9	5,6	4,9	2,6			
48,0		6,9	5,4	6,0	6,2	5,3	5,6	5,6	5,3	4,6	1,8			
50,0		6,6	5,1	5,7	5,9	5,0	5,2	5,3	5,0	4,3				
52,0		6,1	4,9	5,3	5,6	4,7	4,8	5,1	4,7	4,1				
54,0		5,5	4,6	4,7	5,3	4,4	4,4	4,8	4,4	3,8				
56,0		5,0	4,4	4,2	5,1	4,2	4,1	4,6	4,1	3,5				
58,0		4,5	4,2	3,7	4,6	3,9	3,8	4,3	3,8	3,3				
60,0			3,9	3,2	4,2	3,7	3,4	4,1	3,5	3,1				
62,0				2,8	3,7	3,5	2,9	3,9	3,3	2,9				
*** n ***	2	2	2	2	2	2	2	2	1	1	1	1		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
%														
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1133	1133	1133	1133	1133	1133	1133	1133	1133	1133	1133	1133		

	T	K 0° 12.2m	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 0° 12.2m

070983 21.20

m	m >< t													
	CODE > 0045 < B131 1310													
m	**15,5**	**51,9**	**51,9**	**57,1**	**57,1**	**57,1**	**62,3**	**62,3**	**67,5**	**72,0**	**67,5**	**72,0**		
64,0				2,4	3,3	3,2	2,5	3,6	2,9	2,7				
66,0							2,2	3,2	2,5	2,5				
68,0							1,8	2,9	2,1	2,1				
70,0									1,8	1,8				
72,0									1,5	1,5				
74,0									1,2	1,2				
*** n ***	2	2	2	2	2	2	2	2	1	1	1	1		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1133	1133	1133	1133	1133	1133	1133	1133	1133	1133	1133	1133		

	T	K 0° 12.2m	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 0° 12.2m

070983 21.20

m >< t CODE > 0047 < B131 1410

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0		
3,5	16,5													
4,0	16,2													
4,5	16,0													
5,0	15,8													
6,0	15,4													
7,0	15,0													
8,0	14,5													
9,0	14,1													
10,0	13,2	16,5	14,0											
11,0	12,3	16,5	14,0	14,4	13,8									
12,0	11,4	16,3	14,0	14,4	13,8	12,5								
14,0	9,9	16,0	14,0	14,4	13,8	12,5	12,0	11,5	9,6		9,6			
16,0	8,7	15,7	14,0	14,2	13,6	12,5	12,0	11,5	9,6	8,1	9,6	7,0		
18,0	7,6	15,3	13,4	14,0	13,4	12,5	12,0	11,5	9,6	8,1	9,5	6,1		
20,0	6,6	14,9	12,7	13,8	13,2	12,1	11,8	11,4	9,6	8,1	8,6	5,3		
22,0	5,9	14,5	11,9	13,5	13,0	11,5	11,7	11,0	9,6	8,1	7,9	4,6		
24,0	5,3	14,1	11,1	13,2	12,3	10,9	11,6	10,5	9,5	8,1	7,2	3,9		
26,0		13,4	10,4	12,6	11,6	10,3	11,1	10,1	9,2	7,9	6,6	3,3		
28,0		12,6	9,7	11,8	11,0	9,7	10,4	9,6	8,8	7,7	6,0	2,8		
30,0		11,9	9,1	11,1	10,4	9,2	9,9	9,2	8,5	7,4	5,5			
32,0		11,1	8,6	10,4	9,8	8,7	9,3	8,7	8,2	7,1	5,1			
34,0		10,5	8,1	9,7	9,2	8,2	8,8	8,3	7,9	6,8	4,6			
36,0		9,8	7,6	9,1	8,7	7,7	8,3	7,8	7,5	6,5	4,2			
38,0		9,3	7,1	8,6	8,2	7,2	7,8	7,4	7,1	6,3	3,8			
40,0		8,8	6,7	7,9	7,7	6,8	7,3	7,0	6,7	5,9	3,5			
42,0		8,3	6,2	7,3	7,3	6,3	6,9	6,6	6,4	5,6	3,2			
44,0		7,8	5,9	6,9	6,9	5,9	6,5	6,3	6,0	5,3	2,9			
46,0		7,4	5,7	6,5	6,5	5,6	6,0	5,9	5,6	4,9	2,6			
48,0		6,9	5,4	6,0	6,2	5,3	5,6	5,6	5,3	4,6	1,8			
50,0		6,6	5,1	5,7	5,9	5,0	5,2	5,3	5,0	4,3				
52,0		6,3	4,9	5,3	5,6	4,7	4,8	5,1	4,7	4,1				
54,0		6,0	4,6	4,9	5,3	4,4	4,4	4,8	4,4	3,8				
56,0		5,7	4,4	4,6	5,1	4,2	4,1	4,6	4,1	3,5				
58,0		5,4	4,2	4,2	4,8	3,9	3,8	4,3	3,8	3,3				
60,0			3,9	3,9	4,6	3,7	3,6	4,1	3,5	3,1				
62,0				3,6	4,3	3,5	3,3	3,9	3,3	2,9				
*** n ***	2	2	2	2	2	2	2	2	1	1	1	1		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
%														
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1132	1132	1132	1132	1132	1132	1132	1132	1132	1132	1132	1132		

	T	K 0° 12.2m	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 0° 12.2m

070983 21.20

m >< t CODE > 0047 < B131 1410

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0		
64,0				3,3	4,1	3,2	3,0	3,7	3,0	2,7				
66,0							2,8	3,5	2,8	2,6				
68,0							2,5	3,3	2,6	2,4				
70,0									2,4	2,2				
72,0									2,2	2,0				
74,0									2,0	1,8				
76,0										1,6				
78,0										1,4				
*** n ***	2	2	2	2	2	2	2	2	1	1	1	1		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1132	1132	1132	1132	1132	1132	1132	1132	1132	1132	1132	1132		

	T	K 0° 12.2m	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 0° 12.2m

070983 21.20

m >< t CODE > 0049 < B131 1510

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0		
3,5	16,5													
4,0	16,2													
4,5	16,0													
5,0	15,8													
6,0	15,4													
7,0	15,0													
8,0	14,5													
9,0	14,1													
10,0	13,2	16,5	14,0											
11,0	12,3	16,5	14,0	14,4	13,8									
12,0	11,4	16,3	14,0	14,4	13,8	12,5								
14,0	9,9	16,0	14,0	14,4	13,8	12,5	12,0	11,5	9,6		9,6			
16,0	8,7	15,7	14,0	14,2	13,6	12,5	12,0	11,5	9,6	8,1	9,6	7,0		
18,0	7,6	15,3	13,4	14,0	13,4	12,5	12,0	11,5	9,6	8,1	9,5	6,1		
20,0	6,6	14,9	12,7	13,8	13,2	12,1	11,8	11,4	9,6	8,1	8,6	5,3		
22,0	5,9	14,5	11,9	13,5	13,0	11,5	11,7	11,0	9,6	8,1	7,9	4,6		
24,0	5,3	14,1	11,1	13,2	12,3	10,9	11,6	10,5	9,5	8,1	7,2	3,9		
26,0		13,4	10,4	12,6	11,6	10,3	11,1	10,1	9,2	7,9	6,6	3,3		
28,0		12,6	9,7	11,8	11,0	9,7	10,4	9,6	8,8	7,7	6,0	2,8		
30,0		11,9	9,1	11,1	10,4	9,2	9,9	9,2	8,5	7,4	5,5			
32,0		11,1	8,6	10,4	9,8	8,7	9,3	8,7	8,2	7,1	5,1			
34,0		10,5	8,1	9,7	9,2	8,2	8,8	8,3	7,9	6,8	4,6			
36,0		9,8	7,6	9,1	8,7	7,7	8,3	7,8	7,5	6,5	4,2			
38,0		9,3	7,1	8,6	8,2	7,2	7,8	7,4	7,1	6,3	3,8			
40,0		8,8	6,7	7,9	7,7	6,8	7,3	7,0	6,7	5,9	3,5			
42,0		8,3	6,2	7,3	7,3	6,3	6,9	6,6	6,4	5,6	3,2			
44,0		7,8	5,9	6,9	6,9	5,9	6,5	6,3	6,0	5,3	2,9			
46,0		7,4	5,7	6,5	6,5	5,6	6,0	5,9	5,6	4,9	2,6			
48,0		6,9	5,4	6,0	6,2	5,3	5,6	5,6	5,3	4,6	1,8			
50,0		6,6	5,1	5,7	5,9	5,0	5,2	5,3	5,0	4,3				
52,0		6,3	4,9	5,3	5,6	4,7	4,8	5,1	4,7	4,1				
54,0		6,0	4,6	4,9	5,3	4,4	4,4	4,8	4,4	3,8				
56,0		5,7	4,4	4,6	5,1	4,2	4,1	4,6	4,1	3,5				
58,0		5,4	4,2	4,2	4,8	3,9	3,8	4,3	3,8	3,3				
60,0			3,9	3,9	4,6	3,7	3,6	4,1	3,5	3,1				
62,0				3,6	4,3	3,5	3,3	3,9	3,3	2,9				
*** n ***	2	2	2	2	2	2	2	2	1	1	1	1		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1131	1131	1131	1131	1131	1131	1131	1131	1131	1131	1131	1131		

	T	K 0° 12.2m	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 0° 12.2m

070983 21.20

m >< t CODE > 0049 < B131 1510

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0		
64,0				3,3	4,1	3,2	3,0	3,7	3,0	2,7				
66,0							2,8	3,5	2,8	2,6				
68,0							2,5	3,3	2,6	2,4				
70,0									2,4	2,2				
72,0									2,2	2,0				
74,0									2,0	1,8				
76,0										1,6				
78,0										1,4				
*** n ***	2	2	2	2	2	2	2	2	1	1	1	1		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1131	1131	1131	1131	1131	1131	1131	1131	1131	1131	1131	1131		

	T	K 0° 12.2m	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 0° 22m

070983 21.20

m >< t CODE > 0071 < B131 0E12

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0		
4,0	7,0													
4,5	7,0													
5,0	7,0													
6,0	7,0													
7,0	7,0													
8,0	7,0													
9,0	6,9													
10,0	6,7													
11,0	6,6	7,0	6,5											
12,0	6,5	7,0	6,5	6,6	6,3									
14,0	6,2	7,0	6,5	6,6	6,3	5,9	5,9	5,6						
16,0	5,9	7,0	6,5	6,6	6,3	5,9	5,9	5,6	5,4		5,4			
18,0	5,6	7,0	6,5	6,6	6,3	5,9	5,9	5,6	5,4	4,8	5,4	4,8		
20,0	5,3	6,9	6,4	5,7	6,3	5,9	5,5	5,6	5,4	4,8	5,4	4,8		
22,0	5,1	5,6	6,3	4,3	5,4	5,9	4,2	5,4	4,3	3,9	4,3	3,9		
24,0	4,9	4,4	6,2		4,2	5,2		4,3	3,2		3,2			
26,0	4,8	3,4	5,2		3,2	4,2		3,3						
28,0	4,6		4,3			3,3								
30,0	4,3		3,5											
32,0	4,0		2,8											
34,0	3,6													
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1138	1138	1138	1138	1138	1138	1138	1138	1138	1138	1138	1138		

	T	K 0° 22m	10,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 0° 22m

070983 21.20

m	m >< t													
	CODE > 0073 < B131 0F12													
m	**15,5**	**51,9**	**51,9**	**57,1**	**57,1**	**57,1**	**62,3**	**62,3**	**67,5**	**72,0**	**67,5**	**72,0**		
4,0	7,0													
4,5	7,0													
5,0	7,0													
6,0	7,0													
7,0	7,0													
8,0	7,0													
9,0	6,9													
10,0	6,7													
11,0	6,6	7,0	6,5											
12,0	6,5	7,0	6,5	6,6	6,3									
14,0	6,2	7,0	6,5	6,6	6,3	5,9	5,9	5,6						
16,0	5,9	7,0	6,5	6,6	6,3	5,9	5,9	5,6	5,4		5,4			
18,0	5,6	7,0	6,5	6,6	6,3	5,9	5,9	5,6	5,4	4,8	5,4	4,8		
20,0	5,3	6,9	6,4	6,5	6,3	5,9	5,9	5,6	5,4	4,8	5,4	4,8		
22,0	5,1	6,8	6,3	6,4	6,2	5,9	5,9	5,6	5,3	4,8	5,3	4,4		
24,0	4,9	6,6	6,2	6,3	6,2	5,9	5,8	5,6	5,3	4,8	5,3	3,8		
26,0	4,8	6,5	6,1	6,2	6,1	5,8	5,8	5,5	5,2	4,8	5,2	3,2		
28,0	4,6	6,4	6,0	5,1	6,0	5,8	5,1	5,5	5,2	4,7	5,2	2,7		
30,0	4,3	5,4	5,8	4,2	5,2	5,7	4,1	5,3	4,2	3,9	4,2			
32,0	4,0	4,5	5,7	3,3	4,3	5,3	3,3	4,4	3,4	3,1	3,4			
34,0	3,6	3,7	5,4	2,5	3,6	4,5	2,5	3,7	2,7	2,4	2,7			
36,0		3,0	4,7		2,9	3,8		3,0						
38,0		2,4	4,0		2,3	3,2		2,4						
40,0			3,5			2,6								
42,0			3,0			2,1								
44,0			2,5											
46,0			2,0											
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1137	1137	1137	1137	1137	1137	1137	1137	1137	1137	1137	1137		

	T	K 0° 22m	22,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 0° 22m

070983 21.20

m >< t CODE > 0075 < B131 1012

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0		
4,0	7,0													
4,5	7,0													
5,0	7,0													
6,0	7,0													
7,0	7,0													
8,0	7,0													
9,0	6,9													
10,0	6,7													
11,0	6,6	7,0	6,5											
12,0	6,5	7,0	6,5	6,6	6,3									
14,0	6,2	7,0	6,5	6,6	6,3	5,9	5,9	5,6						
16,0	5,9	7,0	6,5	6,6	6,3	5,9	5,9	5,6	5,4		5,4			
18,0	5,6	7,0	6,5	6,6	6,3	5,9	5,9	5,6	5,4	4,8	5,4	4,8		
20,0	5,3	6,9	6,4	6,5	6,3	5,9	5,9	5,6	5,4	4,8	5,4	4,8		
22,0	5,1	6,8	6,3	6,4	6,2	5,9	5,9	5,6	5,3	4,8	5,3	4,4		
24,0	4,9	6,6	6,2	6,3	6,2	5,9	5,8	5,6	5,3	4,8	5,3	3,8		
26,0	4,8	6,5	6,1	6,2	6,1	5,8	5,8	5,5	5,2	4,8	5,2	3,2		
28,0	4,6	6,4	6,0	6,1	6,0	5,8	5,7	5,5	5,2	4,7	5,2	2,7		
30,0	4,3	6,2	5,8	6,0	5,9	5,7	5,6	5,4	5,1	4,7	5,1			
32,0	4,0	6,1	5,7	5,9	5,8	5,6	5,5	5,4	5,1	4,6	4,9			
34,0	3,6	5,9	5,6	5,6	5,7	5,5	5,5	5,3	5,0	4,6	4,5			
36,0		5,8	5,5	4,8	5,5	5,4	4,7	5,2	4,9	4,6	4,1			
38,0		5,1	5,3	4,0	5,0	5,2	4,0	5,1	4,1	3,9	3,7			
40,0		4,5	5,2	3,4	4,4	5,1	3,4	4,5	3,5	3,2	3,4			
42,0		3,8	5,1	2,8	3,8	4,6	2,8	3,9	2,9	2,7	2,9			
44,0		3,3	4,9	2,2	3,2	4,1	2,2	3,3	2,4	2,1	2,4			
46,0		2,8	4,4		2,7	3,6		2,8	1,9		1,9			
48,0		2,3	3,8		2,2	3,1		2,4						
50,0		1,9	3,4		1,8	2,7		1,9						
52,0			2,9			2,3								
54,0			2,5			1,9								
56,0			2,2			1,5								
58,0			1,8											
60,0			1,5											
62,0			1,2											
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1136	1136	1136	1136	1136	1136	1136	1136	1136	1136	1136	1136		

	T	K 0° 22m	35,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 0° 22m

070983 21.20

m >< t CODE > 0077 < B131 1112

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0		
4,0	7,0													
4,5	7,0													
5,0	7,0													
6,0	7,0													
7,0	7,0													
8,0	7,0													
9,0	6,9													
10,0	6,7													
11,0	6,6	7,0	6,5											
12,0	6,5	7,0	6,5	6,6	6,3									
14,0	6,2	7,0	6,5	6,6	6,3	5,9	5,9	5,6						
16,0	5,9	7,0	6,5	6,6	6,3	5,9	5,9	5,6	5,4		5,4			
18,0	5,6	7,0	6,5	6,6	6,3	5,9	5,9	5,6	5,4	4,8	5,4	4,8		
20,0	5,3	6,9	6,4	6,5	6,3	5,9	5,9	5,6	5,4	4,8	5,4	4,8		
22,0	5,1	6,8	6,3	6,4	6,2	5,9	5,9	5,6	5,3	4,8	5,3	4,4		
24,0	4,9	6,6	6,2	6,3	6,2	5,9	5,8	5,6	5,3	4,8	5,3	3,8		
26,0	4,8	6,5	6,1	6,2	6,1	5,8	5,8	5,5	5,2	4,8	5,2	3,2		
28,0	4,6	6,4	6,0	6,1	6,0	5,8	5,7	5,5	5,2	4,7	5,2	2,7		
30,0	4,3	6,2	5,8	6,0	5,9	5,7	5,6	5,4	5,1	4,7	5,1			
32,0	4,0	6,1	5,7	5,9	5,8	5,6	5,5	5,4	5,1	4,6	4,9			
34,0	3,6	5,9	5,6	5,8	5,7	5,5	5,5	5,3	5,0	4,6	4,5			
36,0		5,8	5,5	5,6	5,5	5,4	5,4	5,2	5,0	4,6	4,1			
38,0		5,6	5,3	5,5	5,4	5,2	5,3	5,1	4,9	4,5	3,7			
40,0		5,5	5,2	5,4	5,3	5,1	5,2	5,1	4,9	4,5	3,4			
42,0		5,3	5,1	5,2	5,2	5,0	5,1	5,0	4,8	4,5	3,0			
44,0		5,2	5,0	4,5	5,1	4,9	4,5	4,9	4,6	4,4	2,7			
46,0		5,0	4,8	3,9	4,9	4,8	3,9	4,8	4,0	3,8	2,5			
48,0		4,3	4,6	3,4	4,4	4,6	3,4	4,5	3,5	3,3	2,2			
50,0		3,8	4,3	2,9	3,8	4,4	2,9	4,0	3,0	2,8	1,8			
52,0		3,3	4,1	2,4	3,4	4,1	2,4	3,5	2,6	2,3				
54,0		2,8	3,9	2,0	2,9	3,6	2,0	3,1	2,2	1,9				
56,0		2,4	3,7	1,6	2,5	3,2	1,6	2,7	1,8	1,5				
58,0		2,0	3,4		2,1	2,8		2,3						
60,0		1,6	3,0		1,7	2,4		1,9						
62,0		1,3	2,7		1,4	2,1		1,6						
64,0			2,4			1,8		1,3						
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
%														
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1135	1135	1135	1135	1135	1135	1135	1135	1135	1135	1135	1135		

	T	K 0° 22m	47,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 0° 22m

070983 21.20

m	m >< t					CODE > 0077 <			B131 1112					
	15,5	**51,9**	**51,9**	**57,1**	**57,1**	**57,1**	**62,3**	**62,3**	**67,5**	**72,0**	**67,5**	**72,0**		
66,0			2,1			1,5								
68,0			1,8			1,2								
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1135	1135	1135	1135	1135	1135	1135	1135	1135	1135	1135	1135		

	T	K 0° 22m	47,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 0° 22m

070983 21.20

m >< t CODE > 0079 < B131 1212

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0		
4,0	7,0													
4,5	7,0													
5,0	7,0													
6,0	7,0													
7,0	7,0													
8,0	7,0													
9,0	6,9													
10,0	6,7													
11,0	6,6	7,0	6,5											
12,0	6,5	7,0	6,5	6,6	6,3									
14,0	6,2	7,0	6,5	6,6	6,3	5,9	5,9	5,6						
16,0	5,9	7,0	6,5	6,6	6,3	5,9	5,9	5,6	5,4		5,4			
18,0	5,6	7,0	6,5	6,6	6,3	5,9	5,9	5,6	5,4	4,8	5,4	4,8		
20,0	5,3	6,9	6,4	6,5	6,3	5,9	5,9	5,6	5,4	4,8	5,4	4,8		
22,0	5,1	6,8	6,3	6,4	6,2	5,9	5,9	5,6	5,3	4,8	5,3	4,4		
24,0	4,9	6,6	6,2	6,3	6,2	5,9	5,8	5,6	5,3	4,8	5,3	3,8		
26,0	4,8	6,5	6,1	6,2	6,1	5,8	5,8	5,5	5,2	4,8	5,2	3,2		
28,0	4,6	6,4	6,0	6,1	6,0	5,8	5,7	5,5	5,2	4,7	5,2	2,7		
30,0	4,3	6,2	5,8	6,0	5,9	5,7	5,6	5,4	5,1	4,7	5,1			
32,0	4,0	6,1	5,7	5,9	5,8	5,6	5,5	5,4	5,1	4,6	4,9			
34,0	3,6	5,9	5,6	5,8	5,7	5,5	5,5	5,3	5,0	4,6	4,5			
36,0		5,8	5,5	5,6	5,5	5,4	5,4	5,2	5,0	4,6	4,1			
38,0		5,6	5,3	5,5	5,4	5,2	5,3	5,1	4,9	4,5	3,7			
40,0		5,5	5,2	5,4	5,3	5,1	5,2	5,1	4,9	4,5	3,4			
42,0		5,3	5,1	5,3	5,2	5,0	5,1	5,0	4,8	4,5	3,0			
44,0		5,2	5,0	5,2	5,1	4,9	5,0	4,9	4,7	4,4	2,7			
46,0		5,1	4,8	5,1	5,0	4,8	4,9	4,8	4,6	4,3	2,5			
48,0		5,0	4,6	5,0	4,9	4,6	4,8	4,7	4,6	4,0	2,2			
50,0		4,9	4,3	4,9	4,8	4,4	4,7	4,6	4,4	3,8	1,8			
52,0		4,8	4,1	4,4	4,7	4,2	4,5	4,4	4,2	3,6				
54,0		4,7	3,9	3,9	4,6	4,0	4,0	4,1	4,0	3,4				
56,0		4,2	3,7	3,4	4,2	3,7	3,5	3,9	3,7	3,2				
58,0		3,7	3,5	2,9	3,8	3,5	3,1	3,8	3,3	3,0				
60,0		3,3	3,4	2,5	3,4	3,3	2,6	3,6	2,9	2,7				
62,0		2,9	3,2	2,1	3,0	3,1	2,2	3,2	2,5	2,3				
64,0		2,5	3,0	1,8	2,6	2,9	1,9	2,8	2,1	1,9				
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1134	1134	1134	1134	1134	1134	1134	1134	1134	1134	1134	1134		

	T	K 0° 22m	60,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 0° 22m

070983 21.20

m	m >< t	CODE > 0079 <												
m	**15,5**	**51,9**	**51,9**	**57,1**	**57,1**	**57,1**	**62,3**	**62,3**	**67,5**	**72,0**	**67,5**	**72,0**		
66,0		2,2	2,9	1,4	2,2	2,8	1,5	2,5	1,8	1,6				
68,0		1,9	2,8	1,1	1,9	2,6	1,2	2,1	1,4	1,3				
70,0					1,6	2,3		1,8	1,1					
72,0					1,4	2,1		1,5						
74,0					1,1	1,8		1,3						
76,0								1,0						
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1134	1134	1134	1134	1134	1134	1134	1134	1134	1134	1134	1134		

	T	K 0° 22m	60,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 0° 22m

070983 21.20

m >< t CODE > 0081 < B131 1312

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0		
4,0	7,0													
4,5	7,0													
5,0	7,0													
6,0	7,0													
7,0	7,0													
8,0	7,0													
9,0	6,9													
10,0	6,7													
11,0	6,6	7,0	6,5											
12,0	6,5	7,0	6,5	6,6	6,3									
14,0	6,2	7,0	6,5	6,6	6,3	5,9	5,9	5,6						
16,0	5,9	7,0	6,5	6,6	6,3	5,9	5,9	5,6	5,4		5,4			
18,0	5,6	7,0	6,5	6,6	6,3	5,9	5,9	5,6	5,4	4,8	5,4	4,8		
20,0	5,3	6,9	6,4	6,5	6,3	5,9	5,9	5,6	5,4	4,8	5,4	4,8		
22,0	5,1	6,8	6,3	6,4	6,2	5,9	5,9	5,6	5,3	4,8	5,3	4,4		
24,0	4,9	6,6	6,2	6,3	6,2	5,9	5,8	5,6	5,3	4,8	5,3	3,8		
26,0	4,8	6,5	6,1	6,2	6,1	5,8	5,8	5,5	5,2	4,8	5,2	3,2		
28,0	4,6	6,4	6,0	6,1	6,0	5,8	5,7	5,5	5,2	4,7	5,2	2,7		
30,0	4,3	6,2	5,8	6,0	5,9	5,7	5,6	5,4	5,1	4,7	5,1			
32,0	4,0	6,1	5,7	5,9	5,8	5,6	5,5	5,4	5,1	4,6	4,9			
34,0	3,6	5,9	5,6	5,8	5,7	5,5	5,5	5,3	5,0	4,6	4,5			
36,0		5,8	5,5	5,6	5,5	5,4	5,4	5,2	5,0	4,6	4,1			
38,0		5,6	5,3	5,5	5,4	5,2	5,3	5,1	4,9	4,5	3,7			
40,0		5,5	5,2	5,4	5,3	5,1	5,2	5,1	4,9	4,5	3,4			
42,0		5,3	5,1	5,3	5,2	5,0	5,1	5,0	4,8	4,5	3,0			
44,0		5,2	5,0	5,2	5,1	4,9	5,0	4,9	4,7	4,4	2,7			
46,0		5,1	4,8	5,1	5,0	4,8	4,9	4,8	4,6	4,3	2,5			
48,0		5,0	4,6	5,0	4,9	4,6	4,8	4,7	4,6	4,0	2,2			
50,0		4,9	4,3	4,9	4,8	4,4	4,7	4,6	4,4	3,8	1,8			
52,0		4,8	4,1	4,8	4,7	4,2	4,6	4,4	4,2	3,6				
54,0		4,8	3,9	4,7	4,6	4,0	4,3	4,1	4,0	3,4				
56,0		4,7	3,7	4,4	4,4	3,7	4,0	3,9	3,7	3,2				
58,0		4,6	3,5	4,1	4,2	3,5	3,8	3,8	3,5	3,0				
60,0		4,4	3,4	3,9	4,0	3,3	3,5	3,6	3,3	2,8				
62,0		4,3	3,2	3,5	3,8	3,1	3,2	3,4	3,1	2,6				
64,0		3,9	3,0	3,1	3,6	2,9	3,0	3,2	2,9	2,5				
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
%														
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1133	1133	1133	1133	1133	1133	1133	1133	1133	1133	1133	1133		

	T	K 0° 22m	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 0° 22m

070983 21.20

m	m >< t	CODE > 0081 < B131 1312											
m	**15,5**	**51,9**	**51,9**	**57,1**	**57,1**	**57,1**	**62,3**	**62,3**	**67,5**	**72,0**	**67,5**	**72,0**	
66,0		3,5	2,9	2,7	3,4	2,8	2,7	3,0	2,7	2,3			
68,0		3,2	2,8	2,4	3,2	2,6	2,5	2,9	2,5	2,2			
70,0				2,0	2,9	2,5	2,1	2,8	2,4	2,0			
72,0				1,7	2,6	2,3	1,8	2,6	2,1	1,8			
74,0				1,5	2,3	2,2	1,5	2,5	1,8	1,6			
76,0							1,2	2,2	1,5	1,3			
78,0							1,0	1,9	1,2	1,1			
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-	
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-	
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-	
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-	
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-	
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	
TAB ***	1133	1133	1133	1133	1133	1133	1133	1133	1133	1133	1133	1133	

	T	K 0° 22m	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 0° 22m

070983 21.20

m	m >< t													
	CODE > 0083 < B131 1412													
m	**15,5**	**51,9**	**51,9**	**57,1**	**57,1**	**57,1**	**62,3**	**62,3**	**67,5**	**72,0**	**67,5**	**72,0**		
4,0	7,0													
4,5	7,0													
5,0	7,0													
6,0	7,0													
7,0	7,0													
8,0	7,0													
9,0	6,9													
10,0	6,7													
11,0	6,6	7,0	6,5											
12,0	6,5	7,0	6,5	6,6	6,3									
14,0	6,2	7,0	6,5	6,6	6,3	5,9	5,9	5,6						
16,0	5,9	7,0	6,5	6,6	6,3	5,9	5,9	5,6	5,4		5,4			
18,0	5,6	7,0	6,5	6,6	6,3	5,9	5,9	5,6	5,4	4,8	5,4	4,8		
20,0	5,3	6,9	6,4	6,5	6,3	5,9	5,9	5,6	5,4	4,8	5,4	4,8		
22,0	5,1	6,8	6,3	6,4	6,2	5,9	5,9	5,6	5,3	4,8	5,3	4,4		
24,0	4,9	6,6	6,2	6,3	6,2	5,9	5,8	5,6	5,3	4,8	5,3	3,8		
26,0	4,8	6,5	6,1	6,2	6,1	5,8	5,8	5,5	5,2	4,8	5,2	3,2		
28,0	4,6	6,4	6,0	6,1	6,0	5,8	5,7	5,5	5,2	4,7	5,2	2,7		
30,0	4,3	6,2	5,8	6,0	5,9	5,7	5,6	5,4	5,1	4,7	5,1			
32,0	4,0	6,1	5,7	5,9	5,8	5,6	5,5	5,4	5,1	4,6	4,9			
34,0	3,6	5,9	5,6	5,8	5,7	5,5	5,5	5,3	5,0	4,6	4,5			
36,0		5,8	5,5	5,6	5,5	5,4	5,4	5,2	5,0	4,6	4,1			
38,0		5,6	5,3	5,5	5,4	5,2	5,3	5,1	4,9	4,5	3,7			
40,0		5,5	5,2	5,4	5,3	5,1	5,2	5,1	4,9	4,5	3,4			
42,0		5,3	5,1	5,3	5,2	5,0	5,1	5,0	4,8	4,5	3,0			
44,0		5,2	5,0	5,2	5,1	4,9	5,0	4,9	4,7	4,4	2,7			
46,0		5,1	4,8	5,1	5,0	4,8	4,9	4,8	4,6	4,3	2,5			
48,0		5,0	4,6	5,0	4,9	4,6	4,8	4,7	4,6	4,0	2,2			
50,0		4,9	4,3	4,9	4,8	4,4	4,7	4,6	4,4	3,8	1,8			
52,0		4,8	4,1	4,8	4,7	4,2	4,6	4,4	4,2	3,6				
54,0		4,8	3,9	4,7	4,6	4,0	4,3	4,1	4,0	3,4				
56,0		4,7	3,7	4,4	4,4	3,7	4,0	3,9	3,7	3,2				
58,0		4,6	3,5	4,1	4,2	3,5	3,8	3,8	3,5	3,0				
60,0		4,4	3,4	3,9	4,0	3,3	3,5	3,6	3,3	2,8				
62,0		4,3	3,2	3,6	3,8	3,1	3,2	3,4	3,1	2,6				
64,0		4,1	3,0	3,4	3,6	2,9	3,0	3,2	2,9	2,5				
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
%														
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1132	1132	1132	1132	1132	1132	1132	1132	1132	1132	1132	1132		

	T	K 0° 22m	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 0° 22m

070983 21.20

m	m >< t	CODE > 0083 < B131 1412												
m	**15,5**	**51,9**	**51,9**	**57,1**	**57,1**	**57,1**	**62,3**	**62,3**	**67,5**	**72,0**	**67,5**	**72,0**		
66,0		3,9	2,9	3,1	3,4	2,8	2,7	3,0	2,7	2,3				
68,0		3,8	2,8	2,9	3,3	2,6	2,6	2,9	2,5	2,2				
70,0				2,7	3,1	2,5	2,4	2,8	2,4	2,0				
72,0				2,5	2,9	2,3	2,2	2,6	2,2	1,8				
74,0				2,3	2,8	2,2	2,1	2,5	2,1	1,7				
76,0							1,9	2,4	1,9	1,5				
78,0							1,7	2,3	1,8	1,3				
80,0									1,6	1,2				
82,0									1,4	1,0				
84,0									1,3					
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1132	1132	1132	1132	1132	1132	1132	1132	1132	1132	1132	1132		

	T	K 0° 22m	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 0° 22m

070983 21.20

m >< t CODE > 0085 < B131 1512

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0		
4,0	7,0													
4,5	7,0													
5,0	7,0													
6,0	7,0													
7,0	7,0													
8,0	7,0													
9,0	6,9													
10,0	6,7													
11,0	6,6	7,0	6,5											
12,0	6,5	7,0	6,5	6,6	6,3									
14,0	6,2	7,0	6,5	6,6	6,3	5,9	5,9	5,6						
16,0	5,9	7,0	6,5	6,6	6,3	5,9	5,9	5,6	5,4		5,4			
18,0	5,6	7,0	6,5	6,6	6,3	5,9	5,9	5,6	5,4	4,8	5,4	4,8		
20,0	5,3	6,9	6,4	6,5	6,3	5,9	5,9	5,6	5,4	4,8	5,4	4,8		
22,0	5,1	6,8	6,3	6,4	6,2	5,9	5,9	5,6	5,3	4,8	5,3	4,4		
24,0	4,9	6,6	6,2	6,3	6,2	5,9	5,8	5,6	5,3	4,8	5,3	3,8		
26,0	4,8	6,5	6,1	6,2	6,1	5,8	5,8	5,5	5,2	4,8	5,2	3,2		
28,0	4,6	6,4	6,0	6,1	6,0	5,8	5,7	5,5	5,2	4,7	5,2	2,7		
30,0	4,3	6,2	5,8	6,0	5,9	5,7	5,6	5,4	5,1	4,7	5,1			
32,0	4,0	6,1	5,7	5,9	5,8	5,6	5,5	5,4	5,1	4,6	4,9			
34,0	3,6	5,9	5,6	5,8	5,7	5,5	5,5	5,3	5,0	4,6	4,5			
36,0		5,8	5,5	5,6	5,5	5,4	5,4	5,2	5,0	4,6	4,1			
38,0		5,6	5,3	5,5	5,4	5,2	5,3	5,1	4,9	4,5	3,7			
40,0		5,5	5,2	5,4	5,3	5,1	5,2	5,1	4,9	4,5	3,4			
42,0		5,3	5,1	5,3	5,2	5,0	5,1	5,0	4,8	4,5	3,0			
44,0		5,2	5,0	5,2	5,1	4,9	5,0	4,9	4,7	4,4	2,7			
46,0		5,1	4,8	5,1	5,0	4,8	4,9	4,8	4,6	4,3	2,5			
48,0		5,0	4,6	5,0	4,9	4,6	4,8	4,7	4,6	4,0	2,2			
50,0		4,9	4,3	4,9	4,8	4,4	4,7	4,6	4,4	3,8	1,8			
52,0		4,8	4,1	4,8	4,7	4,2	4,6	4,4	4,2	3,6				
54,0		4,8	3,9	4,7	4,6	4,0	4,3	4,1	4,0	3,4				
56,0		4,7	3,7	4,4	4,4	3,7	4,0	3,9	3,7	3,2				
58,0		4,6	3,5	4,1	4,2	3,5	3,8	3,8	3,5	3,0				
60,0		4,4	3,4	3,9	4,0	3,3	3,5	3,6	3,3	2,8				
62,0		4,3	3,2	3,6	3,8	3,1	3,2	3,4	3,1	2,6				
64,0		4,1	3,0	3,4	3,6	2,9	3,0	3,2	2,9	2,5				
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1131	1131	1131	1131	1131	1131	1131	1131	1131	1131	1131	1131		

	T	K 0° 22m	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 0° 22m

070983 21.20

m >< t CODE > 0085 < B131 1512

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0		
66,0		3,9	2,9	3,1	3,4	2,8	2,7	3,0	2,7	2,3				
68,0		3,8	2,8	2,9	3,3	2,6	2,6	2,9	2,5	2,2				
70,0				2,7	3,1	2,5	2,4	2,8	2,4	2,0				
72,0				2,5	2,9	2,3	2,2	2,6	2,2	1,8				
74,0				2,3	2,8	2,2	2,1	2,5	2,1	1,7				
76,0							1,9	2,4	1,9	1,5				
78,0							1,7	2,3	1,8	1,3				
80,0									1,6	1,2				
82,0									1,4	1,0				
84,0									1,3					
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1131	1131	1131	1131	1131	1131	1131	1131	1131	1131	1131	1131		

	T	K 0° 22m	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 20° 12.2m

070983 21.20

m >< t CODE > 0141 < B131 0E20

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0		
6,0	13,5													
7,0	13,1													
8,0	12,4													
9,0	11,8													
10,0	11,2													
11,0	10,7													
12,0	10,3													
14,0	9,6	13,3												
16,0	9,1	12,6	12,0	11,0	12,2									
18,0	8,3	10,0	11,5	8,6	9,8	10,8	8,5	9,7						
20,0	7,3	8,0	10,0	6,7	7,8	8,9	6,6	7,8	6,7	6,6	6,7	5,8		
22,0	6,3	6,3	8,3	5,1	6,2	7,2	5,1	6,3	5,2	5,1	5,2	5,1		
24,0	5,5	4,9	6,8	3,7	4,9	5,9	3,8	5,0	3,9	3,9	3,9	3,9		
26,0		3,8	5,7		3,7	4,7		3,9						
28,0			4,6			3,7		2,9						
30,0			3,7			2,9								
32,0			3,0											
*** n ***	2	2	2	2	2	2	1	1	1	1	1	1		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1148	1148	1148	1148	1148	1148	1148	1148	1148	1148	1148	1148		

	T	K 20° 12.2m	10,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 20° 12.2m

070983 21.20

m >< t CODE > 0143 < B131 0F20

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0		
6,0	13,5													
7,0	13,1													
8,0	12,4													
9,0	11,8													
10,0	11,2													
11,0	10,7													
12,0	10,3													
14,0	9,6	13,3												
16,0	9,1	12,7	12,0	12,6	12,3									
18,0	8,3	12,1	11,5	12,1	11,8	11,4	11,5	11,0						
20,0	7,3	11,6	11,1	11,6	11,4	11,0	11,3	10,8	9,6	8,1	9,0	5,8		
22,0	6,3	11,2	10,7	10,0	11,0	10,6	9,9	10,6	9,6	8,1	8,3	5,1		
24,0	5,5	9,6	10,3	8,3	9,4	10,3	8,2	9,5	8,3	8,1	7,6	4,5		
26,0		8,0	9,9	6,8	7,9	8,9	6,8	8,0	6,9	6,9	6,9	3,9		
28,0		6,7	8,6	5,6	6,7	7,7	5,6	6,8	5,7	5,7	5,7	3,3		
30,0		5,6	7,5	4,5	5,6	6,5	4,5	5,7	4,7	4,7	4,7	2,8		
32,0		4,6	6,5	3,5	4,6	5,6	3,6	4,8	3,8	3,8	3,8			
34,0		3,7	5,6	2,6	3,7	4,7	2,7	3,9	3,0	3,0	3,0			
36,0		2,9	4,8		3,0	3,9		3,2	2,2	2,3	2,2			
38,0		2,3	4,1		2,3	3,3		2,5						
40,0			3,5			2,6								
42,0			2,9			2,1								
44,0			2,4											
46,0			1,9											
*** n ***	2	2	2	2	2	2	2	2	1	1	1	1		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1147	1147	1147	1147	1147	1147	1147	1147	1147	1147	1147	1147		

	T	K 20° 12.2m	22,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 20° 12.2m

070983 21.20

m >< t CODE > 0145 < B131 1020

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0		
6,0	13,5													
7,0	13,1													
8,0	12,4													
9,0	11,8													
10,0	11,2													
11,0	10,7													
12,0	10,3													
14,0	9,6	13,3												
16,0	9,1	12,7	12,0	12,6	12,3									
18,0	8,3	12,1	11,5	12,1	11,8	11,4	11,5	11,0						
20,0	7,3	11,6	11,1	11,6	11,4	11,0	11,3	10,8	9,6	8,1	9,0	5,8		
22,0	6,3	11,2	10,7	11,2	11,0	10,6	10,9	10,6	9,6	8,1	8,3	5,1		
24,0	5,5	10,8	10,3	10,8	10,6	10,3	10,6	10,3	9,3	8,1	7,6	4,5		
26,0		10,5	10,0	10,5	10,3	9,9	10,3	9,9	9,1	8,0	6,9	3,9		
28,0		10,1	9,6	9,2	10,0	9,5	9,2	9,5	8,8	7,7	6,4	3,3		
30,0		9,1	9,0	7,9	9,0	9,0	7,9	9,0	8,1	7,4	5,8	2,8		
32,0		7,9	8,5	6,8	7,9	8,5	6,8	8,0	7,0	6,9	5,4			
34,0		6,9	7,9	5,8	6,8	7,8	5,8	7,0	6,0	6,0	4,9			
36,0		6,0	7,5	4,9	5,9	6,9	4,9	6,1	5,1	5,1	4,5			
38,0		5,1	6,9	4,1	5,1	6,1	4,1	5,3	4,4	4,4	4,1			
40,0		4,4	6,1	3,3	4,4	5,3	3,4	4,6	3,7	3,7	3,7			
42,0		3,7	5,4	2,7	3,7	4,7	2,8	3,9	3,0	3,0	3,0			
44,0		3,1	4,7	2,1	3,1	4,1	2,2	3,4	2,4	2,5	2,4			
46,0		2,5	4,1		2,6	3,5		2,8	1,9	1,9	1,9			
48,0		2,0	3,5		2,1	3,0		2,3						
50,0			3,0		1,6	2,5		1,9						
52,0			2,6			2,0								
54,0			2,2			1,6								
56,0			1,8											
58,0			1,4											
*** n ***	2	2	2	2	2	2	2	2	1	1	1	1		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1146	1146	1146	1146	1146	1146	1146	1146	1146	1146	1146	1146		

	T	K 20° 12.2m	35,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 20° 12.2m

070983 21.20

m >< t CODE > 0147 < B131 1120

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0		
6,0	13,5													
7,0	13,1													
8,0	12,4													
9,0	11,8													
10,0	11,2													
11,0	10,7													
12,0	10,3													
14,0	9,6	13,3												
16,0	9,1	12,7	12,0	12,6	12,3									
18,0	8,3	12,1	11,5	12,1	11,8	11,4	11,5	11,0						
20,0	7,3	11,6	11,1	11,6	11,4	11,0	11,3	10,8	9,6	8,1	9,0	5,8		
22,0	6,3	11,2	10,7	11,2	11,0	10,6	10,9	10,6	9,6	8,1	8,3	5,1		
24,0	5,5	10,8	10,3	10,8	10,6	10,3	10,6	10,3	9,3	8,1	7,6	4,5		
26,0		10,5	10,0	10,5	10,3	9,9	10,3	9,9	9,1	8,0	6,9	3,9		
28,0		10,1	9,6	10,2	10,0	9,5	10,0	9,5	8,8	7,7	6,4	3,3		
30,0		9,8	9,0	9,9	9,7	9,0	9,7	9,0	8,4	7,4	5,8	2,8		
32,0		9,6	8,5	9,7	9,5	8,5	9,4	8,5	8,1	7,1	5,4			
34,0		9,3	7,9	8,7	9,2	8,0	8,7	8,1	7,7	6,9	4,9			
36,0		8,8	7,5	7,7	8,8	7,6	7,7	7,7	7,4	6,7	4,5			
38,0		7,8	7,1	6,7	7,8	7,2	6,8	7,4	7,0	6,4	4,1			
40,0		6,9	6,7	5,9	6,9	6,9	5,9	7,0	6,1	6,1	3,8			
42,0		6,0	6,3	5,1	6,2	6,5	5,2	6,4	5,4	5,4	3,4			
44,0		5,3	5,9	4,4	5,5	6,1	4,5	5,7	4,7	4,7	3,1			
46,0		4,6	5,6	3,8	4,7	5,6	3,9	5,0	4,1	4,1	2,8			
48,0		3,9	5,3	3,2	4,1	4,9	3,3	4,4	3,5	3,5	2,5			
50,0		3,3	4,9	2,6	3,5	4,3	2,7	3,9	3,0	3,0	1,8			
52,0		2,8	4,4	2,1	3,0	3,8	2,2	3,3	2,5	2,5				
54,0		2,3	3,9	1,6	2,5	3,3	1,8	2,8	2,0	2,0				
56,0		1,8	3,4		2,0	2,9		2,4	1,6	1,6				
58,0		1,4	3,0		1,6	2,4		2,0						
60,0					1,2	2,0		1,6						
62,0						1,7		1,2						
64,0						1,3								
*** n ***	2	2	2	2	2	2	2	2	1	1	1	1		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1145	1145	1145	1145	1145	1145	1145	1145	1145	1145	1145	1145		

	T	K 20° 12.2m	47,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 20° 12.2m

070983 21.20

m >< t CODE > 0149 < B131 1220

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0		
6,0	13,5													
7,0	13,1													
8,0	12,4													
9,0	11,8													
10,0	11,2													
11,0	10,7													
12,0	10,3													
14,0	9,6	13,3												
16,0	9,1	12,7	12,0	12,6	12,3									
18,0	8,3	12,1	11,5	12,1	11,8	11,4	11,5	11,0						
20,0	7,3	11,6	11,1	11,6	11,4	11,0	11,3	10,8	9,6	8,1	9,0	5,8		
22,0	6,3	11,2	10,7	11,2	11,0	10,6	10,9	10,6	9,6	8,1	8,3	5,1		
24,0	5,5	10,8	10,3	10,8	10,6	10,3	10,6	10,3	9,3	8,1	7,6	4,5		
26,0		10,5	10,0	10,5	10,3	9,9	10,3	9,9	9,1	8,0	6,9	3,9		
28,0		10,1	9,6	10,2	10,0	9,5	10,0	9,5	8,8	7,7	6,4	3,3		
30,0		9,8	9,0	9,9	9,7	9,0	9,7	9,0	8,4	7,4	5,8	2,8		
32,0		9,6	8,5	9,7	9,5	8,5	9,4	8,5	8,1	7,1	5,4			
34,0		9,3	7,9	9,4	9,2	8,0	9,0	8,1	7,7	6,9	4,9			
36,0		9,1	7,5	9,1	8,8	7,6	8,5	7,7	7,4	6,7	4,5			
38,0		8,9	7,1	8,8	8,3	7,2	8,0	7,4	7,1	6,4	4,1			
40,0		8,7	6,7	8,2	7,8	6,9	7,5	7,0	6,8	6,1	3,8			
42,0		8,3	6,3	7,6	7,4	6,5	7,1	6,7	6,5	5,8	3,4			
44,0		7,6	5,9	6,8	6,9	6,1	6,6	6,4	6,2	5,5	3,1			
46,0		6,8	5,6	6,0	6,6	5,7	6,2	6,0	5,9	5,1	2,8			
48,0		6,0	5,3	5,3	6,2	5,3	5,5	5,7	5,5	4,8	2,5			
50,0		5,3	5,1	4,6	5,5	5,0	4,9	5,4	5,2	4,5	1,8			
52,0		4,7	4,9	4,0	4,9	4,7	4,2	5,1	4,6	4,2				
54,0		4,2	4,6	3,4	4,4	4,5	3,7	4,7	4,0	4,0				
56,0		3,6	4,4	2,9	3,8	4,2	3,1	4,2	3,5	3,6				
58,0		3,1	4,2	2,4	3,3	4,0	2,7	3,7	3,0	3,1				
60,0				2,0	2,9	3,7	2,2	3,2	2,6	2,7				
62,0				1,5	2,5	3,3	1,8	2,8	2,2	2,2				
64,0				1,1	2,1	2,9	1,4	2,4	1,8	1,8				
66,0								2,1	1,4	1,5				
68,0								1,7						
*** n ***	2	2	2	2	2	2	2	2	1	1	1	1		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1144	1144	1144	1144	1144	1144	1144	1144	1144	1144	1144	1144		

	T	K 20° 12.2m	60,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 20° 12.2m

070983 21.20

m >< t CODE > 0151 < B131 1320

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0		
6,0	13,5													
7,0	13,1													
8,0	12,4													
9,0	11,8													
10,0	11,2													
11,0	10,7													
12,0	10,3													
14,0	9,6	13,3												
16,0	9,1	12,7	12,0	12,6	12,3									
18,0	8,3	12,1	11,5	12,1	11,8	11,4	11,5	11,0						
20,0	7,3	11,6	11,1	11,6	11,4	11,0	11,3	10,8	9,6	8,1	9,0	5,8		
22,0	6,3	11,2	10,7	11,2	11,0	10,6	10,9	10,6	9,6	8,1	8,3	5,1		
24,0	5,5	10,8	10,3	10,8	10,6	10,3	10,6	10,3	9,3	8,1	7,6	4,5		
26,0		10,5	10,0	10,5	10,3	9,9	10,3	9,9	9,1	8,0	6,9	3,9		
28,0		10,1	9,6	10,2	10,0	9,5	10,0	9,5	8,8	7,7	6,4	3,3		
30,0		9,8	9,0	9,9	9,7	9,0	9,7	9,0	8,4	7,4	5,8	2,8		
32,0		9,6	8,5	9,7	9,5	8,5	9,4	8,5	8,1	7,1	5,4			
34,0		9,3	7,9	9,4	9,2	8,0	9,0	8,1	7,7	6,9	4,9			
36,0		9,1	7,5	9,1	8,8	7,6	8,5	7,7	7,4	6,7	4,5			
38,0		8,9	7,1	8,8	8,3	7,2	8,0	7,4	7,1	6,4	4,1			
40,0		8,7	6,7	8,2	7,8	6,9	7,5	7,0	6,8	6,1	3,8			
42,0		8,3	6,3	7,6	7,4	6,5	7,1	6,7	6,5	5,8	3,4			
44,0		7,8	5,9	7,1	6,9	6,1	6,6	6,4	6,2	5,5	3,1			
46,0		7,4	5,6	6,6	6,6	5,7	6,2	6,0	5,9	5,1	2,8			
48,0		7,0	5,3	6,1	6,2	5,3	5,8	5,7	5,5	4,8	2,5			
50,0		6,6	5,1	5,7	5,9	5,0	5,4	5,4	5,2	4,5	1,8			
52,0		6,3	4,9	5,3	5,5	4,7	5,0	5,1	4,9	4,2				
54,0		5,8	4,6	4,9	5,2	4,5	4,6	4,9	4,5	4,0				
56,0		5,2	4,4	4,5	5,0	4,2	4,2	4,6	4,2	3,7				
58,0		4,7	4,2	3,9	4,7	4,0	3,9	4,4	4,0	3,5				
60,0				3,4	4,4	3,7	3,7	4,2	3,7	3,2				
62,0				3,0	3,9	3,5	3,2	4,0	3,4	3,0				
64,0				2,5	3,5	3,3	2,8	3,7	3,1	2,8				
66,0							2,4	3,4	2,7	2,6				
68,0							2,0	3,0	2,4	2,4				
70,0									2,0	2,0				
*** n ***	2	2	2	2	2	2	2	2	1	1	1	1		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
%														
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1143	1143	1143	1143	1143	1143	1143	1143	1143	1143	1143	1143		

	T	K 20° 12.2m	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 20° 12.2m

070983 21.20

m >< t CODE > 0151 < B131 1320

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0		
72,0									1,7	1,7				
74,0									1,3	1,4				
76,0										1,1				
*** n ***	2	2	2	2	2	2	2	2	1	1	1	1		
% 1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
% 2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
% 3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
% 4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
% 5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1143	1143	1143	1143	1143	1143	1143	1143	1143	1143	1143	1143		

	T	K 20° 12.2m	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 20° 12.2m

070983 21.20

m >< t CODE > 0153 < B131 1420

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0		
6,0	13,5													
7,0	13,1													
8,0	12,4													
9,0	11,8													
10,0	11,2													
11,0	10,7													
12,0	10,3													
14,0	9,6	13,3												
16,0	9,1	12,7	12,0	12,6	12,3									
18,0	8,3	12,1	11,5	12,1	11,8	11,4	11,5	11,0						
20,0	7,3	11,6	11,1	11,6	11,4	11,0	11,3	10,8	9,6	8,1	9,0	5,8		
22,0	6,3	11,2	10,7	11,2	11,0	10,6	10,9	10,6	9,6	8,1	8,3	5,1		
24,0	5,5	10,8	10,3	10,8	10,6	10,3	10,6	10,3	9,3	8,1	7,6	4,5		
26,0		10,5	10,0	10,5	10,3	9,9	10,3	9,9	9,1	8,0	6,9	3,9		
28,0		10,1	9,6	10,2	10,0	9,5	10,0	9,5	8,8	7,7	6,4	3,3		
30,0		9,8	9,0	9,9	9,7	9,0	9,7	9,0	8,4	7,4	5,8	2,8		
32,0		9,6	8,5	9,7	9,5	8,5	9,4	8,5	8,1	7,1	5,4			
34,0		9,3	7,9	9,4	9,2	8,0	9,0	8,1	7,7	6,9	4,9			
36,0		9,1	7,5	9,1	8,8	7,6	8,5	7,7	7,4	6,7	4,5			
38,0		8,9	7,1	8,8	8,3	7,2	8,0	7,4	7,1	6,4	4,1			
40,0		8,7	6,7	8,2	7,8	6,9	7,5	7,0	6,8	6,1	3,8			
42,0		8,3	6,3	7,6	7,4	6,5	7,1	6,7	6,5	5,8	3,4			
44,0		7,8	5,9	7,1	6,9	6,1	6,6	6,4	6,2	5,5	3,1			
46,0		7,4	5,6	6,6	6,6	5,7	6,2	6,0	5,9	5,1	2,8			
48,0		7,0	5,3	6,1	6,2	5,3	5,8	5,7	5,5	4,8	2,5			
50,0		6,6	5,1	5,7	5,9	5,0	5,4	5,4	5,2	4,5	1,8			
52,0		6,3	4,9	5,3	5,5	4,7	5,0	5,1	4,9	4,2				
54,0		6,0	4,6	4,9	5,2	4,5	4,6	4,9	4,5	4,0				
56,0		5,7	4,4	4,5	5,0	4,2	4,2	4,6	4,2	3,7				
58,0		5,5	4,2	4,1	4,7	4,0	3,9	4,4	4,0	3,5				
60,0				3,8	4,5	3,7	3,7	4,2	3,7	3,2				
62,0				3,5	4,3	3,5	3,4	4,0	3,4	3,0				
64,0				3,2	4,0	3,3	3,1	3,7	3,2	2,8				
66,0							2,8	3,5	3,0	2,6				
68,0							2,6	3,3	2,7	2,4				
70,0									2,5	2,2				
*** n ***	2	2	2	2	2	2	2	2	1	1	1	1		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1142	1142	1142	1142	1142	1142	1142	1142	1142	1142	1142	1142		

	T	K 20° 12.2m	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 20° 12.2m

070983 21.20

m >< t CODE > 0153 < B131 1420

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0		
72,0									2,3	2,0				
74,0									2,1	1,8				
76,0										1,6				
78,0										1,4				
*** n ***	2	2	2	2	2	2	2	2	1	1	1	1		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1142	1142	1142	1142	1142	1142	1142	1142	1142	1142	1142	1142		

	T	K 20° 12.2m	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 20° 12.2m

070983 21.20

m >< t CODE > 0155 < B131 1520

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0		
6,0	13,5													
7,0	13,1													
8,0	12,4													
9,0	11,8													
10,0	11,2													
11,0	10,7													
12,0	10,3													
14,0	9,6	13,3												
16,0	9,1	12,7	12,0	12,6	12,3									
18,0	8,3	12,1	11,5	12,1	11,8	11,4	11,5	11,0						
20,0	7,3	11,6	11,1	11,6	11,4	11,0	11,3	10,8	9,6	8,1	9,0	5,8		
22,0	6,3	11,2	10,7	11,2	11,0	10,6	10,9	10,6	9,6	8,1	8,3	5,1		
24,0	5,5	10,8	10,3	10,8	10,6	10,3	10,6	10,3	9,3	8,1	7,6	4,5		
26,0		10,5	10,0	10,5	10,3	9,9	10,3	9,9	9,1	8,0	6,9	3,9		
28,0		10,1	9,6	10,2	10,0	9,5	10,0	9,5	8,8	7,7	6,4	3,3		
30,0		9,8	9,0	9,9	9,7	9,0	9,7	9,0	8,4	7,4	5,8	2,8		
32,0		9,6	8,5	9,7	9,5	8,5	9,4	8,5	8,1	7,1	5,4			
34,0		9,3	7,9	9,4	9,2	8,0	9,0	8,1	7,7	6,9	4,9			
36,0		9,1	7,5	9,1	8,8	7,6	8,5	7,7	7,4	6,7	4,5			
38,0		8,9	7,1	8,8	8,3	7,2	8,0	7,4	7,1	6,4	4,1			
40,0		8,7	6,7	8,2	7,8	6,9	7,5	7,0	6,8	6,1	3,8			
42,0		8,3	6,3	7,6	7,4	6,5	7,1	6,7	6,5	5,8	3,4			
44,0		7,8	5,9	7,1	6,9	6,1	6,6	6,4	6,2	5,5	3,1			
46,0		7,4	5,6	6,6	6,6	5,7	6,2	6,0	5,9	5,1	2,8			
48,0		7,0	5,3	6,1	6,2	5,3	5,8	5,7	5,5	4,8	2,5			
50,0		6,6	5,1	5,7	5,9	5,0	5,4	5,4	5,2	4,5	1,8			
52,0		6,3	4,9	5,3	5,5	4,7	5,0	5,1	4,9	4,2				
54,0		6,0	4,6	4,9	5,2	4,5	4,6	4,9	4,5	4,0				
56,0		5,7	4,4	4,5	5,0	4,2	4,2	4,6	4,2	3,7				
58,0		5,5	4,2	4,1	4,7	4,0	3,9	4,4	4,0	3,5				
60,0				3,8	4,5	3,7	3,7	4,2	3,7	3,2				
62,0				3,5	4,3	3,5	3,4	4,0	3,4	3,0				
64,0				3,2	4,0	3,3	3,1	3,7	3,2	2,8				
66,0							2,8	3,5	3,0	2,6				
68,0							2,6	3,3	2,7	2,4				
70,0									2,5	2,2				
*** n ***	2	2	2	2	2	2	2	2	1	1	1	1		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1141	1141	1141	1141	1141	1141	1141	1141	1141	1141	1141	1141		

	T	K 20° 12.2m	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 20° 12.2m

070983 21.20

m >< t CODE > 0155 < B131 1520

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0		
72,0									2,3	2,0				
74,0									2,1	1,8				
76,0										1,6				
78,0										1,4				
*** n ***	2	2	2	2	2	2	2	2	1	1	1	1		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1141	1141	1141	1141	1141	1141	1141	1141	1141	1141	1141	1141		

	T	K 20° 12.2m	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 20° 22m

070983 21.20

m >< t CODE > 0177 < B131 0E22

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0		
11,0	6,0													
12,0	6,0													
14,0	5,7													
16,0	5,4													
18,0	5,2													
20,0	4,9	6,0	5,7											
22,0	4,7	5,9	5,6	5,8	5,6	5,4								
24,0	4,5	5,7	5,5	5,6	5,5	5,3	5,3	5,2						
26,0	4,4	5,4	5,3	4,4	5,3	5,2	4,3	5,1	4,4		4,4			
28,0	4,3	4,4	5,2	3,4	4,3	5,1	3,3	4,3	3,4		3,4			
30,0	4,1	3,5	4,9		3,4	4,2		3,4	2,6		2,6			
32,0	4,0	2,7	4,1		2,6	3,4		2,7						
34,0	3,8		3,4			2,7								
36,0			2,8											
38,0			2,2											
*** n ***	1	1	1	1	1	1	1	1	1	0	1	0		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1148	1148	1148	1148	1148	1148	1148	1148	1148	1148	1148	1148		

	T	K 20° 22m	10,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 20° 22m

070983 21.20

m >< t CODE > 0179 < B131 0F22

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0		
11,0	6,0													
12,0	6,0													
14,0	5,7													
16,0	5,4													
18,0	5,2													
20,0	4,9	6,0	5,7											
22,0	4,7	5,9	5,6	5,8	5,6	5,4								
24,0	4,5	5,7	5,5	5,6	5,5	5,3	5,3	5,2						
26,0	4,4	5,6	5,3	5,5	5,4	5,2	5,2	5,1	4,9		4,9			
28,0	4,3	5,4	5,2	5,3	5,3	5,1	5,1	5,0	4,8	4,5	4,8	3,6		
30,0	4,1	5,3	5,1	5,2	5,1	5,0	5,0	4,9	4,7	4,5	4,7	3,1		
32,0	4,0	5,2	5,0	5,1	5,0	4,9	4,9	4,8	4,7	4,4	4,7	2,7		
34,0	3,8	5,0	4,9	4,2	4,9	4,8	4,1	4,7	4,2	4,0	4,2			
36,0		4,3	4,8	3,4	4,3	4,7	3,4	4,4	3,5	3,3	3,5			
38,0		3,6	4,7	2,7	3,6	4,3	2,7	3,7	2,8	2,6	2,8			
40,0		3,0	4,5	2,0	2,9	3,7	2,0	3,0	2,2	2,0	2,2			
42,0		2,4	3,9		2,3	3,1		2,5						
44,0			3,3			2,6		1,9						
46,0			2,8			2,1								
48,0			2,4											
50,0			1,9											
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1147	1147	1147	1147	1147	1147	1147	1147	1147	1147	1147	1147		

	T	K 20° 22m	22,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 20° 22m

070983 21.20

m	m >< t													
	CODE > 0181 < B131 1022													
m	**15,5**	**51,9**	**51,9**	**57,1**	**57,1**	**57,1**	**62,3**	**62,3**	**67,5**	**72,0**	**67,5**	**72,0**		
11,0	6,0													
12,0	6,0													
14,0	5,7													
16,0	5,4													
18,0	5,2													
20,0	4,9	6,0	5,7											
22,0	4,7	5,9	5,6	5,8	5,6	5,4								
24,0	4,5	5,7	5,5	5,6	5,5	5,3	5,3	5,2						
26,0	4,4	5,6	5,3	5,5	5,4	5,2	5,2	5,1	4,9		4,9			
28,0	4,3	5,4	5,2	5,3	5,3	5,1	5,1	5,0	4,8	4,5	4,8	3,6		
30,0	4,1	5,3	5,1	5,2	5,1	5,0	5,0	4,9	4,7	4,5	4,7	3,1		
32,0	4,0	5,2	5,0	5,1	5,0	4,9	4,9	4,8	4,7	4,4	4,7	2,7		
34,0	3,8	5,0	4,9	5,0	4,9	4,8	4,8	4,7	4,6	4,4	4,6			
36,0		4,9	4,8	4,9	4,8	4,7	4,7	4,6	4,5	4,3	4,5			
38,0		4,8	4,7	4,8	4,7	4,6	4,6	4,6	4,4	4,3	4,2			
40,0		4,7	4,6	4,7	4,6	4,5	4,6	4,5	4,4	4,2	3,8			
42,0		4,7	4,6	4,0	4,6	4,5	4,0	4,4	4,1	3,9	3,5			
44,0		4,3	4,5	3,3	4,2	4,4	3,4	4,3	3,5	3,3	3,2			
46,0		3,7	4,4	2,8	3,6	4,4	2,8	3,8	2,9	2,7	2,9			
48,0		3,1	4,4	2,2	3,1	3,9	2,3	3,2	2,4	2,2	2,4			
50,0		2,6	4,0	1,7	2,6	3,4	1,8	2,8	2,0	1,8	2,0			
52,0		2,2	3,5		2,2	2,9		2,3						
54,0		1,8	3,1		1,8	2,5		1,9						
56,0			2,6			2,1		1,5						
58,0			2,3			1,8								
60,0			1,9			1,4								
62,0			1,6											
64,0			1,2											
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1		
% 1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
% 2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
% 3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
% 4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
% 5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1146	1146	1146	1146	1146	1146	1146	1146	1146	1146	1146	1146		

	T	K 20° 22m	35,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 20° 22m

070983 21.20

m >< t CODE > 0183 < B131 1122

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0		
11,0	6,0													
12,0	6,0													
14,0	5,7													
16,0	5,4													
18,0	5,2													
20,0	4,9	6,0	5,7											
22,0	4,7	5,9	5,6	5,8	5,6	5,4								
24,0	4,5	5,7	5,5	5,6	5,5	5,3	5,3	5,2						
26,0	4,4	5,6	5,3	5,5	5,4	5,2	5,2	5,1	4,9		4,9			
28,0	4,3	5,4	5,2	5,3	5,3	5,1	5,1	5,0	4,8	4,5	4,8	3,6		
30,0	4,1	5,3	5,1	5,2	5,1	5,0	5,0	4,9	4,7	4,5	4,7	3,1		
32,0	4,0	5,2	5,0	5,1	5,0	4,9	4,9	4,8	4,7	4,4	4,7	2,7		
34,0	3,8	5,0	4,9	5,0	4,9	4,8	4,8	4,7	4,6	4,4	4,6			
36,0		4,9	4,8	4,9	4,8	4,7	4,7	4,6	4,5	4,3	4,5			
38,0		4,8	4,7	4,8	4,7	4,6	4,6	4,6	4,4	4,3	4,2			
40,0		4,7	4,6	4,7	4,6	4,5	4,6	4,5	4,4	4,2	3,8			
42,0		4,7	4,6	4,6	4,6	4,5	4,5	4,4	4,3	4,2	3,5			
44,0		4,6	4,5	4,5	4,5	4,4	4,4	4,4	4,2	4,1	3,2			
46,0		4,5	4,4	4,5	4,4	4,4	4,4	4,3	4,2	4,1	2,9			
48,0		4,4	4,4	4,3	4,4	4,3	4,3	4,3	4,2	4,0	2,6			
50,0		4,4	4,3	3,8	4,3	4,3	3,8	4,2	3,9	3,7	2,3			
52,0		4,0	4,2	3,2	4,1	4,2	3,3	4,2	3,4	3,2	2,1			
54,0		3,5	4,0	2,8	3,6	4,1	2,8	3,8	3,0	2,8	1,7			
56,0		3,0	3,8	2,3	3,1	3,8	2,3	3,3	2,5	2,3				
58,0		2,5	3,6	1,9	2,7	3,3	1,9	2,9	2,1	1,9				
60,0		2,1	3,4	1,5	2,2	2,9	1,5	2,5	1,7	1,5				
62,0		1,7	3,0		1,8	2,5		2,1	1,4					
64,0		1,3	2,7		1,5	2,2		1,7						
66,0			2,3			1,8		1,4						
68,0			2,0			1,5								
70,0						1,2								
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1145	1145	1145	1145	1145	1145	1145	1145	1145	1145	1145	1145		

	T	K 20° 22m	47,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 20° 22m

070983 21.20

m >< t CODE > 0185 < B131 1222

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0		
11,0	6,0													
12,0	6,0													
14,0	5,7													
16,0	5,4													
18,0	5,2													
20,0	4,9	6,0	5,7											
22,0	4,7	5,9	5,6	5,8	5,6	5,4								
24,0	4,5	5,7	5,5	5,6	5,5	5,3	5,3	5,2						
26,0	4,4	5,6	5,3	5,5	5,4	5,2	5,2	5,1	4,9		4,9			
28,0	4,3	5,4	5,2	5,3	5,3	5,1	5,1	5,0	4,8	4,5	4,8	3,6		
30,0	4,1	5,3	5,1	5,2	5,1	5,0	5,0	4,9	4,7	4,5	4,7	3,1		
32,0	4,0	5,2	5,0	5,1	5,0	4,9	4,9	4,8	4,7	4,4	4,7	2,7		
34,0	3,8	5,0	4,9	5,0	4,9	4,8	4,8	4,7	4,6	4,4	4,6			
36,0		4,9	4,8	4,9	4,8	4,7	4,7	4,6	4,5	4,3	4,5			
38,0		4,8	4,7	4,8	4,7	4,6	4,6	4,6	4,4	4,3	4,2			
40,0		4,7	4,6	4,7	4,6	4,5	4,6	4,5	4,4	4,2	3,8			
42,0		4,7	4,6	4,6	4,6	4,5	4,5	4,4	4,3	4,2	3,5			
44,0		4,6	4,5	4,5	4,5	4,4	4,4	4,4	4,2	4,1	3,2			
46,0		4,5	4,4	4,5	4,4	4,4	4,4	4,3	4,2	4,1	2,9			
48,0		4,4	4,4	4,4	4,4	4,3	4,3	4,3	4,2	4,0	2,6			
50,0		4,4	4,3	4,4	4,3	4,3	4,3	4,2	4,1	4,0	2,3			
52,0		4,3	4,2	4,4	4,3	4,2	4,3	4,2	4,1	3,9	2,1			
54,0		4,2	4,0	4,3	4,2	4,1	4,2	4,1	4,0	3,7	1,7			
56,0		4,2	3,8	4,1	4,2	3,9	4,1	4,0	3,9	3,5				
58,0		4,1	3,6	3,6	4,1	3,7	3,8	3,9	3,8	3,3				
60,0		3,8	3,5	3,1	3,9	3,5	3,3	3,7	3,5	3,1				
62,0		3,3	3,3	2,7	3,4	3,3	2,8	3,5	3,1	2,9				
64,0		2,9	3,1	2,2	3,0	3,1	2,4	3,3	2,7	2,6				
66,0		2,5	3,0	1,8	2,6	2,9	2,0	2,9	2,3	2,2				
68,0		2,1	2,8	1,5	2,3	2,7	1,6	2,5	1,9	1,9				
70,0				1,1	1,9	2,6	1,3	2,2	1,6	1,5				
72,0					1,6	2,3		1,9	1,3	1,2				
74,0								1,6						
76,0								1,3						
78,0								1,0						
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1144	1144	1144	1144	1144	1144	1144	1144	1144	1144	1144	1144		

	T	K 20° 22m	60,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 20° 22m

070983 21.20

m >< t CODE > 0187 < B131 1322

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0		
11,0	6,0													
12,0	6,0													
14,0	5,7													
16,0	5,4													
18,0	5,2													
20,0	4,9	6,0	5,7											
22,0	4,7	5,9	5,6	5,8	5,6	5,4								
24,0	4,5	5,7	5,5	5,6	5,5	5,3	5,3	5,2						
26,0	4,4	5,6	5,3	5,5	5,4	5,2	5,2	5,1	4,9		4,9			
28,0	4,3	5,4	5,2	5,3	5,3	5,1	5,1	5,0	4,8	4,5	4,8	3,6		
30,0	4,1	5,3	5,1	5,2	5,1	5,0	5,0	4,9	4,7	4,5	4,7	3,1		
32,0	4,0	5,2	5,0	5,1	5,0	4,9	4,9	4,8	4,7	4,4	4,7	2,7		
34,0	3,8	5,0	4,9	5,0	4,9	4,8	4,8	4,7	4,6	4,4	4,6			
36,0		4,9	4,8	4,9	4,8	4,7	4,7	4,6	4,5	4,3	4,5			
38,0		4,8	4,7	4,8	4,7	4,6	4,6	4,6	4,4	4,3	4,2			
40,0		4,7	4,6	4,7	4,6	4,5	4,6	4,5	4,4	4,2	3,8			
42,0		4,7	4,6	4,6	4,6	4,5	4,5	4,4	4,3	4,2	3,5			
44,0		4,6	4,5	4,5	4,5	4,4	4,4	4,4	4,2	4,1	3,2			
46,0		4,5	4,4	4,5	4,4	4,4	4,4	4,3	4,2	4,1	2,9			
48,0		4,4	4,4	4,4	4,4	4,3	4,3	4,3	4,2	4,0	2,6			
50,0		4,4	4,3	4,4	4,3	4,3	4,3	4,2	4,1	4,0	2,3			
52,0		4,3	4,2	4,4	4,3	4,2	4,3	4,2	4,1	3,9	2,1			
54,0		4,2	4,0	4,3	4,2	4,1	4,2	4,1	4,0	3,7	1,7			
56,0		4,2	3,8	4,2	4,2	3,9	4,1	4,0	3,9	3,5				
58,0		4,1	3,6	4,1	4,1	3,7	4,0	3,9	3,8	3,3				
60,0		4,0	3,5	4,0	4,0	3,5	3,8	3,7	3,6	3,1				
62,0		4,0	3,3	3,8	3,9	3,3	3,5	3,5	3,4	2,9				
64,0		4,0	3,1	3,5	3,7	3,1	3,3	3,3	3,2	2,7				
66,0		3,8	3,0	3,2	3,5	2,9	3,0	3,2	2,9	2,5				
68,0		3,4	2,8	2,7	3,3	2,7	2,7	3,0	2,7	2,4				
70,0				2,4	3,1	2,6	2,5	2,8	2,5	2,2				
72,0				2,0	2,8	2,4	2,2	2,7	2,3	2,0				
74,0							1,8	2,6	2,1	1,9				
76,0							1,5	2,4	1,8	1,7				
78,0							1,2	2,1	1,5	1,4				
80,0									1,2	1,1				
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1143	1143	1143	1143	1143	1143	1143	1143	1143	1143	1143	1143		

	T	K 20° 22m	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 20° 22m

070983 21.20

m >< t CODE > 0189 < B131 1422

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0		
11,0	6,0													
12,0	6,0													
14,0	5,7													
16,0	5,4													
18,0	5,2													
20,0	4,9	6,0	5,7											
22,0	4,7	5,9	5,6	5,8	5,6	5,4								
24,0	4,5	5,7	5,5	5,6	5,5	5,3	5,3	5,2						
26,0	4,4	5,6	5,3	5,5	5,4	5,2	5,2	5,1	4,9		4,9			
28,0	4,3	5,4	5,2	5,3	5,3	5,1	5,1	5,0	4,8	4,5	4,8	3,6		
30,0	4,1	5,3	5,1	5,2	5,1	5,0	5,0	4,9	4,7	4,5	4,7	3,1		
32,0	4,0	5,2	5,0	5,1	5,0	4,9	4,9	4,8	4,7	4,4	4,7	2,7		
34,0	3,8	5,0	4,9	5,0	4,9	4,8	4,8	4,7	4,6	4,4	4,6			
36,0		4,9	4,8	4,9	4,8	4,7	4,7	4,6	4,5	4,3	4,5			
38,0		4,8	4,7	4,8	4,7	4,6	4,6	4,6	4,4	4,3	4,2			
40,0		4,7	4,6	4,7	4,6	4,5	4,6	4,5	4,4	4,2	3,8			
42,0		4,7	4,6	4,6	4,6	4,5	4,5	4,4	4,3	4,2	3,5			
44,0		4,6	4,5	4,5	4,5	4,4	4,4	4,4	4,2	4,1	3,2			
46,0		4,5	4,4	4,5	4,4	4,4	4,4	4,3	4,2	4,1	2,9			
48,0		4,4	4,4	4,4	4,4	4,3	4,3	4,3	4,2	4,0	2,6			
50,0		4,4	4,3	4,4	4,3	4,3	4,3	4,2	4,1	4,0	2,3			
52,0		4,3	4,2	4,4	4,3	4,2	4,3	4,2	4,1	3,9	2,1			
54,0		4,2	4,0	4,3	4,2	4,1	4,2	4,1	4,0	3,7	1,7			
56,0		4,2	3,8	4,2	4,2	3,9	4,1	4,0	3,9	3,5				
58,0		4,1	3,6	4,1	4,1	3,7	4,0	3,9	3,8	3,3				
60,0		4,0	3,5	4,0	4,0	3,5	3,8	3,7	3,6	3,1				
62,0		4,0	3,3	3,8	3,9	3,3	3,5	3,5	3,4	2,9				
64,0		4,0	3,1	3,5	3,7	3,1	3,3	3,3	3,2	2,7				
66,0		3,9	3,0	3,2	3,5	2,9	3,0	3,2	2,9	2,5				
68,0		3,8	2,8	2,9	3,3	2,7	2,7	3,0	2,7	2,4				
70,0				2,7	3,1	2,6	2,5	2,8	2,5	2,2				
72,0				2,5	2,9	2,4	2,3	2,7	2,3	2,0				
74,0							2,2	2,6	2,2	1,9				
76,0							2,0	2,4	2,0	1,7				
78,0							1,8	2,3	1,8	1,5				
80,0									1,7	1,3				
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1142	1142	1142	1142	1142	1142	1142	1142	1142	1142	1142	1142		

	T	K 20° 22m	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 20° 22m

070983 21.20

m >< t CODE > 0189 < B131 1422

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0		
82,0									1,5	1,2				
84,0									1,3	1,0				
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1		
% 1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
% 2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
% 3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
% 4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
% 5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1142	1142	1142	1142	1142	1142	1142	1142	1142	1142	1142	1142		

	T	K 20° 22m	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 20° 22m

070983 21.20

m >< t CODE > 0191 < B131 1522

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0		
11,0	6,0													
12,0	6,0													
14,0	5,7													
16,0	5,4													
18,0	5,2													
20,0	4,9	6,0	5,7											
22,0	4,7	5,9	5,6	5,8	5,6	5,4								
24,0	4,5	5,7	5,5	5,6	5,5	5,3	5,3	5,2						
26,0	4,4	5,6	5,3	5,5	5,4	5,2	5,2	5,1	4,9		4,9			
28,0	4,3	5,4	5,2	5,3	5,3	5,1	5,1	5,0	4,8	4,5	4,8	3,6		
30,0	4,1	5,3	5,1	5,2	5,1	5,0	5,0	4,9	4,7	4,5	4,7	3,1		
32,0	4,0	5,2	5,0	5,1	5,0	4,9	4,9	4,8	4,7	4,4	4,7	2,7		
34,0	3,8	5,0	4,9	5,0	4,9	4,8	4,8	4,7	4,6	4,4	4,6			
36,0		4,9	4,8	4,9	4,8	4,7	4,7	4,6	4,5	4,3	4,5			
38,0		4,8	4,7	4,8	4,7	4,6	4,6	4,6	4,4	4,3	4,2			
40,0		4,7	4,6	4,7	4,6	4,5	4,6	4,5	4,4	4,2	3,8			
42,0		4,7	4,6	4,6	4,6	4,5	4,5	4,4	4,3	4,2	3,5			
44,0		4,6	4,5	4,5	4,5	4,4	4,4	4,4	4,2	4,1	3,2			
46,0		4,5	4,4	4,5	4,4	4,4	4,4	4,3	4,2	4,1	2,9			
48,0		4,4	4,4	4,4	4,4	4,3	4,3	4,3	4,2	4,0	2,6			
50,0		4,4	4,3	4,4	4,3	4,3	4,3	4,2	4,1	4,0	2,3			
52,0		4,3	4,2	4,4	4,3	4,2	4,3	4,2	4,1	3,9	2,1			
54,0		4,2	4,0	4,3	4,2	4,1	4,2	4,1	4,0	3,7	1,7			
56,0		4,2	3,8	4,2	4,2	3,9	4,1	4,0	3,9	3,5				
58,0		4,1	3,6	4,1	4,1	3,7	4,0	3,9	3,8	3,3				
60,0		4,0	3,5	4,0	4,0	3,5	3,8	3,7	3,6	3,1				
62,0		4,0	3,3	3,8	3,9	3,3	3,5	3,5	3,4	2,9				
64,0		4,0	3,1	3,5	3,7	3,1	3,3	3,3	3,2	2,7				
66,0		3,9	3,0	3,2	3,5	2,9	3,0	3,2	2,9	2,5				
68,0		3,8	2,8	2,9	3,3	2,7	2,7	3,0	2,7	2,4				
70,0				2,7	3,1	2,6	2,5	2,8	2,5	2,2				
72,0				2,5	2,9	2,4	2,3	2,7	2,3	2,0				
74,0							2,2	2,6	2,2	1,9				
76,0							2,0	2,4	2,0	1,7				
78,0							1,8	2,3	1,8	1,5				
80,0									1,7	1,3				
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1141	1141	1141	1141	1141	1141	1141	1141	1141	1141	1141	1141		

	T	K 20° 22m	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 20° 22m

070983 21.20

m >< t CODE > 0191 < B131 1522

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0		
82,0									1,5	1,2				
84,0									1,3	1,0				
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1		
% 1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
% 2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
% 3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
% 4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
% 5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1141	1141	1141	1141	1141	1141	1141	1141	1141	1141	1141	1141		

	T	K 20° 22m	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 40° 12.2m

070983 21.20

m >< t CODE > 0247 < B131 0E30

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0		
9,0	9,4													
10,0	9,4													
11,0	9,1													
12,0	8,9													
14,0	8,5													
16,0	8,2													
18,0	8,1	9,4	9,1	9,3										
20,0	7,8	9,2	8,9	8,2	9,0	8,8	8,1							
22,0	6,6	7,6	8,8	6,5	7,5	8,4	6,4	7,5						
24,0	6,6	6,1	7,8	5,0	6,0	6,9	5,0	6,1	5,1		5,1			
26,0		4,8	6,5	3,7	4,7	5,6	3,7	4,9	3,9	3,9	3,9	3,9		
28,0		3,6	5,4		3,6	4,6		3,8	2,9	2,9	2,9	2,9		
30,0		2,7	4,4		2,7	3,6		2,9						
32,0			3,6			2,8								
34,0			2,8											
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
%														
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1158	1158	1158	1158	1158	1158	1158	1158	1158	1158	1158	1158		

	T	K 40° 12.2m	10,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 40° 12.2m

070983 21.20

m >< t CODE > 0249 < B131 0F30

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0		
9,0	9,4													
10,0	9,4													
11,0	9,1													
12,0	8,9													
14,0	8,5													
16,0	8,2													
18,0	8,1	9,4	9,1	9,3										
20,0	7,8	9,2	8,9	9,1	9,0	8,8	8,9							
22,0	6,6	9,0	8,8	8,9	8,8	8,7	8,8	8,6						
24,0	6,6	8,8	8,6	8,8	8,7	8,5	8,6	8,5	8,3		7,9			
26,0		8,7	8,5	7,9	8,5	8,4	7,9	8,4	8,0	7,9	7,2	4,3		
28,0		7,7	8,4	6,6	7,6	8,3	6,6	7,7	6,7	6,7	6,7	3,7		
30,0		6,4	8,2	5,4	6,4	7,3	5,4	6,5	5,6	5,6	5,6	3,2		
32,0		5,3	7,1	4,3	5,3	6,3	4,4	5,5	4,6	4,6	4,6	2,7		
34,0		4,4	6,1	3,4	4,4	5,3	3,5	4,6	3,7	3,7	3,7	2,3		
36,0		3,5	5,3	2,5	3,6	4,5	2,7	3,8	2,9	2,9	2,9			
38,0		2,8	4,5		2,8	3,8		3,1	2,2	2,2	2,2			
40,0		2,1	3,8		2,2	3,1		2,4						
42,0			3,2			2,5								
44,0			2,7			1,9								
46,0			2,2											
48,0			1,7											
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1157	1157	1157	1157	1157	1157	1157	1157	1157	1157	1157	1157		

	T	K 40° 12.2m	22,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 40° 12.2m

070983 21.20

m >< t CODE > 0251 < B131 1030

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0		
9,0	9,4													
10,0	9,4													
11,0	9,1													
12,0	8,9													
14,0	8,5													
16,0	8,2													
18,0	8,1	9,4	9,1	9,3										
20,0	7,8	9,2	8,9	9,1	9,0	8,8	8,9							
22,0	6,6	9,0	8,8	8,9	8,8	8,7	8,8	8,6						
24,0	6,6	8,8	8,6	8,8	8,7	8,5	8,6	8,5	8,3		7,9			
26,0		8,7	8,5	8,6	8,5	8,4	8,5	8,4	8,2	7,9	7,2	4,3		
28,0		8,5	8,4	8,5	8,4	8,3	8,4	8,3	8,1	7,8	6,7	3,7		
30,0		8,4	8,3	8,4	8,3	8,2	8,3	8,2	8,0	7,5	6,1	3,2		
32,0		8,3	8,1	7,6	8,2	8,1	7,6	8,1	7,8	7,3	5,6	2,7		
34,0		7,5	7,9	6,5	7,5	7,9	6,5	7,6	6,7	6,7	5,1	2,3		
36,0		6,5	7,5	5,5	6,5	7,4	5,6	6,7	5,8	5,8	4,7			
38,0		5,6	7,1	4,6	5,7	6,6	4,7	5,9	5,0	5,0	4,3			
40,0		4,8	6,5	3,9	4,9	5,8	4,0	5,1	4,2	4,2	3,9			
42,0		4,1	5,7	3,1	4,2	5,1	3,3	4,4	3,5	3,5	3,5			
44,0		3,4	5,0	2,5	3,5	4,4	2,6	3,8	2,9	2,9	2,9			
46,0		2,8	4,3	1,9	2,9	3,8	2,0	3,2	2,3	2,4	2,3			
48,0		2,2	3,7		2,4	3,2		2,6	1,8	1,8	1,8			
50,0		1,7	3,2		1,9	2,7		2,1						
52,0			2,7			2,2		1,7						
54,0			2,2			1,8								
56,0			1,8											
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1156	1156	1156	1156	1156	1156	1156	1156	1156	1156	1156	1156		

	T	K 40° 12.2m	35,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 40° 12.2m

070983 21.20

m >< t CODE > 0253 < B131 1130

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0		
9,0	9,4													
10,0	9,4													
11,0	9,1													
12,0	8,9													
14,0	8,5													
16,0	8,2													
18,0	8,1	9,4	9,1	9,3										
20,0	7,8	9,2	8,9	9,1	9,0	8,8	8,9							
22,0	6,6	9,0	8,8	8,9	8,8	8,7	8,8	8,6						
24,0	6,6	8,8	8,6	8,8	8,7	8,5	8,6	8,5	8,3		7,9			
26,0		8,7	8,5	8,6	8,5	8,4	8,5	8,4	8,2	7,9	7,2	4,3		
28,0		8,5	8,4	8,5	8,4	8,3	8,4	8,3	8,1	7,8	6,7	3,7		
30,0		8,4	8,3	8,4	8,3	8,2	8,3	8,2	8,0	7,5	6,1	3,2		
32,0		8,3	8,1	8,3	8,2	8,1	8,2	8,1	7,9	7,3	5,6	2,7		
34,0		8,2	7,9	8,2	8,1	7,9	8,1	7,9	7,7	7,0	5,1	2,3		
36,0		8,1	7,5	8,1	8,0	7,5	8,0	7,6	7,4	6,7	4,7			
38,0		8,1	7,1	7,3	7,9	7,2	7,4	7,2	7,1	6,5	4,3			
40,0		7,4	6,7	6,4	7,4	6,8	6,5	6,9	6,7	6,2	3,9			
42,0		6,4	6,3	5,6	6,6	6,5	5,7	6,6	5,9	5,9	3,6			
44,0		5,6	6,0	4,8	5,8	6,2	4,9	6,1	5,2	5,2	3,3			
46,0		4,8	5,7	4,1	5,1	5,8	4,3	5,4	4,5	4,5	3,0			
48,0		4,1	5,4	3,5	4,4	5,2	3,6	4,8	3,9	3,9	2,7			
50,0		3,5	5,1	2,9	3,8	4,6	3,1	4,2	3,3	3,4	2,3			
52,0		2,9	4,5	2,3	3,2	4,0	2,5	3,6	2,8	2,8	1,6			
54,0		2,4	3,9	1,8	2,7	3,5	2,0	3,1	2,3	2,4				
56,0		1,9	3,4		2,2	3,0	1,6	2,6	1,9	1,9				
58,0					1,7	2,5		2,1	1,5	1,5				
60,0					1,3	2,1		1,7						
62,0								1,3						
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1155	1155	1155	1155	1155	1155	1155	1155	1155	1155	1155	1155		

	T	K 40° 12.2m	47,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 40° 12.2m

070983 21.20

m >< t CODE > 0255 < B131 1230

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0		
9,0	9,4													
10,0	9,4													
11,0	9,1													
12,0	8,9													
14,0	8,5													
16,0	8,2													
18,0	8,1	9,4	9,1	9,3										
20,0	7,8	9,2	8,9	9,1	9,0	8,8	8,9							
22,0	6,6	9,0	8,8	8,9	8,8	8,7	8,8	8,6						
24,0	6,6	8,8	8,6	8,8	8,7	8,5	8,6	8,5	8,3		7,9			
26,0		8,7	8,5	8,6	8,5	8,4	8,5	8,4	8,2	7,9	7,2	4,3		
28,0		8,5	8,4	8,5	8,4	8,3	8,4	8,3	8,1	7,8	6,7	3,7		
30,0		8,4	8,3	8,4	8,3	8,2	8,3	8,2	8,0	7,5	6,1	3,2		
32,0		8,3	8,1	8,3	8,2	8,1	8,2	8,1	7,9	7,3	5,6	2,7		
34,0		8,2	7,9	8,2	8,1	7,9	8,1	7,9	7,7	7,0	5,1	2,3		
36,0		8,1	7,5	8,1	8,0	7,5	8,0	7,6	7,4	6,7	4,7			
38,0		8,1	7,1	8,0	7,9	7,2	7,9	7,2	7,1	6,5	4,3			
40,0		8,0	6,7	7,9	7,8	6,8	7,7	6,9	6,8	6,2	3,9			
42,0		7,9	6,3	7,8	7,4	6,5	7,3	6,6	6,6	6,0	3,6			
44,0		7,8	6,0	7,3	7,0	6,2	6,8	6,3	6,3	5,7	3,3			
46,0		7,1	5,7	6,4	6,7	5,8	6,4	6,0	6,1	5,4	3,0			
48,0		6,3	5,4	5,6	6,3	5,5	5,9	5,8	5,7	5,0	2,7			
50,0		5,5	5,1	4,9	5,8	5,1	5,2	5,5	5,3	4,7	2,3			
52,0		4,9	4,9	4,2	5,1	4,8	4,5	5,2	4,9	4,4	1,6			
54,0		4,2	4,6	3,6	4,5	4,5	3,9	4,9	4,3	4,1				
56,0		3,7	4,4	3,0	4,0	4,2	3,4	4,4	3,8	3,9				
58,0				2,5	3,4	3,9	2,8	3,9	3,2	3,3				
60,0				2,0	2,9	3,7	2,3	3,4	2,8	2,9				
62,0							1,9	2,9	2,3	2,4				
64,0							1,5	2,5	1,9	2,0				
66,0								2,1	1,5	1,6				
68,0									1,1	1,2				
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1154	1154	1154	1154	1154	1154	1154	1154	1154	1154	1154	1154		

	T	K 40° 12.2m	60,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 40° 12.2m

070983 21.20

m >< t CODE > 0257 < B131 1330

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0		
9,0	9,4													
10,0	9,4													
11,0	9,1													
12,0	8,9													
14,0	8,5													
16,0	8,2													
18,0	8,1	9,4	9,1	9,3										
20,0	7,8	9,2	8,9	9,1	9,0	8,8	8,9							
22,0	6,6	9,0	8,8	8,9	8,8	8,7	8,8	8,6						
24,0	6,6	8,8	8,6	8,8	8,7	8,5	8,6	8,5	8,3		7,9			
26,0		8,7	8,5	8,6	8,5	8,4	8,5	8,4	8,2	7,9	7,2	4,3		
28,0		8,5	8,4	8,5	8,4	8,3	8,4	8,3	8,1	7,8	6,7	3,7		
30,0		8,4	8,3	8,4	8,3	8,2	8,3	8,2	8,0	7,5	6,1	3,2		
32,0		8,3	8,1	8,3	8,2	8,1	8,2	8,1	7,9	7,3	5,6	2,7		
34,0		8,2	7,9	8,2	8,1	7,9	8,1	7,9	7,7	7,0	5,1	2,3		
36,0		8,1	7,5	8,1	8,0	7,5	8,0	7,6	7,4	6,7	4,7			
38,0		8,1	7,1	8,0	7,9	7,2	7,9	7,2	7,1	6,5	4,3			
40,0		8,0	6,7	7,9	7,8	6,8	7,7	6,9	6,8	6,2	3,9			
42,0		7,9	6,3	7,8	7,4	6,5	7,3	6,6	6,6	6,0	3,6			
44,0		7,8	6,0	7,3	7,0	6,2	6,8	6,3	6,3	5,7	3,3			
46,0		7,4	5,7	6,8	6,7	5,8	6,4	6,0	6,1	5,4	3,0			
48,0		7,1	5,4	6,4	6,3	5,5	6,0	5,8	5,7	5,0	2,7			
50,0		6,7	5,1	5,9	5,9	5,1	5,6	5,5	5,3	4,7	2,3			
52,0		6,4	4,9	5,4	5,6	4,8	5,2	5,2	5,0	4,4	1,6			
54,0		5,9	4,6	5,0	5,3	4,5	4,8	4,9	4,7	4,1				
56,0		5,2	4,4	4,6	5,0	4,2	4,5	4,6	4,4	3,9				
58,0				4,0	4,8	3,9	4,1	4,4	4,1	3,6				
60,0				3,5	4,4	3,7	3,8	4,2	3,8	3,4				
62,0							3,3	3,9	3,5	3,1				
64,0							2,8	3,7	3,2	2,9				
66,0							2,4	3,4	2,8	2,7				
68,0									2,4	2,5				
70,0									2,0	2,1				
72,0										1,7				
74,0										1,4				
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1153	1153	1153	1153	1153	1153	1153	1153	1153	1153	1153	1153		

	T	K 40° 12.2m	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 40° 12.2m

070983 21.20

m >< t CODE > 0259 < B131 1430

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0		
9,0	9,4													
10,0	9,4													
11,0	9,1													
12,0	8,9													
14,0	8,5													
16,0	8,2													
18,0	8,1	9,4	9,1	9,3										
20,0	7,8	9,2	8,9	9,1	9,0	8,8	8,9							
22,0	6,6	9,0	8,8	8,9	8,8	8,7	8,8	8,6						
24,0	6,6	8,8	8,6	8,8	8,7	8,5	8,6	8,5	8,3		7,9			
26,0		8,7	8,5	8,6	8,5	8,4	8,5	8,4	8,2	7,9	7,2	4,3		
28,0		8,5	8,4	8,5	8,4	8,3	8,4	8,3	8,1	7,8	6,7	3,7		
30,0		8,4	8,3	8,4	8,3	8,2	8,3	8,2	8,0	7,5	6,1	3,2		
32,0		8,3	8,1	8,3	8,2	8,1	8,2	8,1	7,9	7,3	5,6	2,7		
34,0		8,2	7,9	8,2	8,1	7,9	8,1	7,9	7,7	7,0	5,1	2,3		
36,0		8,1	7,5	8,1	8,0	7,5	8,0	7,6	7,4	6,7	4,7			
38,0		8,1	7,1	8,0	7,9	7,2	7,9	7,2	7,1	6,5	4,3			
40,0		8,0	6,7	7,9	7,8	6,8	7,7	6,9	6,8	6,2	3,9			
42,0		7,9	6,3	7,8	7,4	6,5	7,3	6,6	6,6	6,0	3,6			
44,0		7,8	6,0	7,3	7,0	6,2	6,8	6,3	6,3	5,7	3,3			
46,0		7,4	5,7	6,8	6,7	5,8	6,4	6,0	6,1	5,4	3,0			
48,0		7,1	5,4	6,4	6,3	5,5	6,0	5,8	5,7	5,0	2,7			
50,0		6,7	5,1	5,9	5,9	5,1	5,6	5,5	5,3	4,7	2,3			
52,0		6,4	4,9	5,4	5,6	4,8	5,2	5,2	5,0	4,4	1,6			
54,0		6,0	4,6	5,0	5,3	4,5	4,8	4,9	4,7	4,1				
56,0		5,7	4,4	4,6	5,0	4,2	4,5	4,6	4,4	3,9				
58,0				4,3	4,8	3,9	4,1	4,4	4,1	3,6				
60,0				3,9	4,5	3,7	3,8	4,2	3,8	3,4				
62,0							3,5	3,9	3,5	3,1				
64,0							3,1	3,7	3,2	2,9				
66,0							2,8	3,5	2,9	2,7				
68,0									2,7	2,5				
70,0									2,4	2,2				
72,0										2,0				
74,0										1,8				
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1152	1152	1152	1152	1152	1152	1152	1152	1152	1152	1152	1152		

	T	K 40° 12.2m	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 40° 12.2m

070983 21.20

m >< t CODE > 0261 < B131 1530

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0		
9,0	9,4													
10,0	9,4													
11,0	9,1													
12,0	8,9													
14,0	8,5													
16,0	8,2													
18,0	8,1	9,4	9,1	9,3										
20,0	7,8	9,2	8,9	9,1	9,0	8,8	8,9							
22,0	6,6	9,0	8,8	8,9	8,8	8,7	8,8	8,6						
24,0	6,6	8,8	8,6	8,8	8,7	8,5	8,6	8,5	8,3		7,9			
26,0		8,7	8,5	8,6	8,5	8,4	8,5	8,4	8,2	7,9	7,2	4,3		
28,0		8,5	8,4	8,5	8,4	8,3	8,4	8,3	8,1	7,8	6,7	3,7		
30,0		8,4	8,3	8,4	8,3	8,2	8,3	8,2	8,0	7,5	6,1	3,2		
32,0		8,3	8,1	8,3	8,2	8,1	8,2	8,1	7,9	7,3	5,6	2,7		
34,0		8,2	7,9	8,2	8,1	7,9	8,1	7,9	7,7	7,0	5,1	2,3		
36,0		8,1	7,5	8,1	8,0	7,5	8,0	7,6	7,4	6,7	4,7			
38,0		8,1	7,1	8,0	7,9	7,2	7,9	7,2	7,1	6,5	4,3			
40,0		8,0	6,7	7,9	7,8	6,8	7,7	6,9	6,8	6,2	3,9			
42,0		7,9	6,3	7,8	7,4	6,5	7,3	6,6	6,6	6,0	3,6			
44,0		7,8	6,0	7,3	7,0	6,2	6,8	6,3	6,3	5,7	3,3			
46,0		7,4	5,7	6,8	6,7	5,8	6,4	6,0	6,1	5,4	3,0			
48,0		7,1	5,4	6,4	6,3	5,5	6,0	5,8	5,7	5,0	2,7			
50,0		6,7	5,1	5,9	5,9	5,1	5,6	5,5	5,3	4,7	2,3			
52,0		6,4	4,9	5,4	5,6	4,8	5,2	5,2	5,0	4,4	1,6			
54,0		6,0	4,6	5,0	5,3	4,5	4,8	4,9	4,7	4,1				
56,0		5,7	4,4	4,6	5,0	4,2	4,5	4,6	4,4	3,9				
58,0				4,3	4,8	3,9	4,1	4,4	4,1	3,6				
60,0				3,9	4,5	3,7	3,8	4,2	3,8	3,4				
62,0							3,5	3,9	3,5	3,1				
64,0							3,1	3,7	3,2	2,9				
66,0							2,8	3,5	2,9	2,7				
68,0									2,7	2,5				
70,0									2,4	2,2				
72,0										2,0				
74,0										1,8				
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1151	1151	1151	1151	1151	1151	1151	1151	1151	1151	1151	1151		

	T	K 40° 12.2m	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 40° 22m

070983 21.20

m >< t CODE > 0283 < B131 0E32

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0		
18,0	4,7													
20,0	4,5													
22,0	4,3													
24,0	4,1													
26,0	4,0	4,7	4,6	4,6										
28,0	3,9	4,6	4,5	4,6	4,5	4,4	4,4							
30,0	3,8	4,5	4,4	4,2	4,5	4,4	4,1	4,3	4,2		4,2			
32,0	3,8	4,1	4,3	3,2	4,0	4,3	3,2	4,0	3,3	3,1	3,3	3,1		
34,0		3,2	4,2	2,4	3,2	3,9	2,4	3,2	2,5	2,3	2,5	2,3		
36,0		2,5	3,8		2,4	3,1		2,5						
38,0			3,1			2,5								
40,0			2,5											
42,0			2,0											
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
%														
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1158	1158	1158	1158	1158	1158	1158	1158	1158	1158	1158	1158		

	T	K 40° 22m	10,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 40° 22m

070983 21.20

m >< t CODE > 0285 < B131 0F32

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0		
18,0	4,7													
20,0	4,5													
22,0	4,3													
24,0	4,1													
26,0	4,0	4,7	4,6	4,6										
28,0	3,9	4,6	4,5	4,6	4,5	4,4	4,4							
30,0	3,8	4,5	4,4	4,5	4,5	4,4	4,4	4,3	4,2		4,2			
32,0	3,8	4,4	4,3	4,4	4,4	4,3	4,3	4,3	4,2	4,0	4,2	3,3		
34,0		4,3	4,2	4,3	4,3	4,2	4,2	4,2	4,1	4,0	4,1	2,9		
36,0		4,2	4,1	4,2	4,2	4,1	4,2	4,1	4,0	3,9	4,0	2,5		
38,0		4,1	4,1	3,9	4,1	4,1	3,9	4,1	4,0	3,8	4,0	2,1		
40,0		3,9	4,0	3,1	3,9	4,0	3,1	4,0	3,3	3,1	3,3			
42,0		3,3	4,0	2,4	3,2	4,0	2,5	3,4	2,6	2,5	2,6			
44,0		2,6	3,9		2,6	3,4	1,9	2,8	2,0	1,9	2,0			
46,0		2,0	3,4		2,1	2,8		2,2						
48,0			2,9			2,3		1,7						
50,0			2,4			1,8								
52,0			2,0											
54,0			1,6											
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1157	1157	1157	1157	1157	1157	1157	1157	1157	1157	1157	1157		

	T	K 40° 22m	22,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 40° 22m

070983 21.20

m >< t CODE > 0287 < B131 1032

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0		
18,0	4,7													
20,0	4,5													
22,0	4,3													
24,0	4,1													
26,0	4,0	4,7	4,6	4,6										
28,0	3,9	4,6	4,5	4,6	4,5	4,4	4,4							
30,0	3,8	4,5	4,4	4,5	4,5	4,4	4,4	4,3	4,2		4,2			
32,0	3,8	4,4	4,3	4,4	4,4	4,3	4,3	4,3	4,2	4,0	4,2	3,3		
34,0		4,3	4,2	4,3	4,3	4,2	4,2	4,2	4,1	4,0	4,1	2,9		
36,0		4,2	4,1	4,2	4,2	4,1	4,2	4,1	4,0	3,9	4,0	2,5		
38,0		4,1	4,1	4,2	4,1	4,1	4,1	4,1	4,0	3,8	4,0	2,1		
40,0		4,1	4,0	4,1	4,1	4,0	4,1	4,0	3,9	3,8	3,9			
42,0		4,0	4,0	4,1	4,0	4,0	4,0	3,9	3,9	3,7	3,9			
44,0		4,0	3,9	4,0	4,0	3,9	3,9	3,9	3,8	3,7	3,5			
46,0		3,9	3,9	3,6	3,9	3,9	3,6	3,9	3,8	3,6	3,2			
48,0		3,8	3,9	3,0	3,8	3,9	3,0	3,8	3,2	3,1	2,9			
50,0		3,2	3,8	2,4	3,3	3,8	2,5	3,4	2,7	2,5	2,6			
52,0		2,7	3,8	1,9	2,7	3,5	2,0	2,9	2,2	2,0	2,2			
54,0		2,2	3,4		2,3	3,0	1,5	2,4	1,7	1,6	1,7			
56,0		1,7	3,0		1,8	2,5		2,0						
58,0			2,5			2,1		1,6						
60,0			2,1			1,7								
62,0			1,7			1,3								
64,0			1,3											
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1156	1156	1156	1156	1156	1156	1156	1156	1156	1156	1156	1156		

	T	K 40° 22m	35,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 40° 22m

070983 21.20

m >< t CODE > 0289 < B131 1132

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0		
18,0	4,7													
20,0	4,5													
22,0	4,3													
24,0	4,1													
26,0	4,0	4,7	4,6	4,6										
28,0	3,9	4,6	4,5	4,6	4,5	4,4	4,4							
30,0	3,8	4,5	4,4	4,5	4,5	4,4	4,4	4,3	4,2		4,2			
32,0	3,8	4,4	4,3	4,4	4,4	4,3	4,3	4,3	4,2	4,0	4,2	3,3		
34,0		4,3	4,2	4,3	4,3	4,2	4,2	4,2	4,1	4,0	4,1	2,9		
36,0		4,2	4,1	4,2	4,2	4,1	4,2	4,1	4,0	3,9	4,0	2,5		
38,0		4,1	4,1	4,2	4,1	4,1	4,1	4,1	4,0	3,8	4,0	2,1		
40,0		4,1	4,0	4,1	4,1	4,0	4,1	4,0	3,9	3,8	3,9			
42,0		4,0	4,0	4,1	4,0	4,0	4,0	3,9	3,9	3,7	3,9			
44,0		4,0	3,9	4,0	4,0	3,9	3,9	3,9	3,8	3,7	3,5			
46,0		3,9	3,9	4,0	3,9	3,9	3,9	3,9	3,8	3,7	3,2			
48,0		3,9	3,9	3,9	3,9	3,9	3,9	3,8	3,7	3,6	2,9			
50,0		3,9	3,8	3,9	3,9	3,8	3,8	3,8	3,7	3,6	2,6			
52,0		3,8	3,8	3,9	3,9	3,8	3,8	3,8	3,7	3,6	2,4			
54,0		3,8	3,8	3,3	3,9	3,8	3,4	3,7	3,6	3,4	2,1			
56,0		3,4	3,8	2,8	3,5	3,8	2,9	3,7	3,1	2,9	1,9			
58,0		2,8	3,7	2,3	3,0	3,7	2,4	3,3	2,6	2,5				
60,0		2,3	3,5	1,8	2,6	3,2	2,0	2,9	2,2	2,1				
62,0		1,9	3,2	1,4	2,1	2,8	1,5	2,4	1,8	1,7				
64,0		1,4	2,7		1,7	2,4		2,0	1,4					
66,0			2,3		1,3	2,0		1,6						
68,0						1,6		1,3						
70,0						1,2								
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1155	1155	1155	1155	1155	1155	1155	1155	1155	1155	1155	1155		

	T	K 40° 22m	47,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 40° 22m

070983 21.20

m >< t CODE > 0291 < B131 1232

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0		
18,0	4,7													
20,0	4,5													
22,0	4,3													
24,0	4,1													
26,0	4,0	4,7	4,6	4,6										
28,0	3,9	4,6	4,5	4,6	4,5	4,4	4,4							
30,0	3,8	4,5	4,4	4,5	4,5	4,4	4,4	4,3	4,2		4,2			
32,0	3,8	4,4	4,3	4,4	4,4	4,3	4,3	4,3	4,2	4,0	4,2	3,3		
34,0		4,3	4,2	4,3	4,3	4,2	4,2	4,2	4,1	4,0	4,1	2,9		
36,0		4,2	4,1	4,2	4,2	4,1	4,2	4,1	4,0	3,9	4,0	2,5		
38,0		4,1	4,1	4,2	4,1	4,1	4,1	4,1	4,0	3,8	4,0	2,1		
40,0		4,1	4,0	4,1	4,1	4,0	4,1	4,0	3,9	3,8	3,9			
42,0		4,0	4,0	4,1	4,0	4,0	4,0	3,9	3,9	3,7	3,9			
44,0		4,0	3,9	4,0	4,0	3,9	3,9	3,9	3,8	3,7	3,5			
46,0		3,9	3,9	4,0	3,9	3,9	3,9	3,9	3,8	3,7	3,2			
48,0		3,9	3,9	3,9	3,9	3,9	3,9	3,8	3,7	3,6	2,9			
50,0		3,9	3,8	3,9	3,9	3,8	3,8	3,8	3,7	3,6	2,6			
52,0		3,8	3,8	3,9	3,9	3,8	3,8	3,8	3,7	3,6	2,4			
54,0		3,8	3,8	3,9	3,9	3,8	3,8	3,7	3,7	3,5	2,1			
56,0		3,8	3,8	3,8	3,8	3,8	3,8	3,7	3,7	3,5	1,9			
58,0		3,8	3,7	3,8	3,8	3,8	3,8	3,7	3,7	3,5				
60,0		3,8	3,5	3,5	3,8	3,6	3,7	3,7	3,7	3,4				
62,0		3,5	3,3	3,0	3,7	3,4	3,2	3,6	3,5	3,2				
64,0		3,0	3,2	2,5	3,2	3,1	2,7	3,5	3,1	2,9				
66,0		2,5	3,0	2,0	2,8	2,9	2,3	3,1	2,6	2,6				
68,0				1,6	2,4	2,7	1,9	2,7	2,2	2,2				
70,0				1,1	1,9	2,5	1,5	2,3	1,8	1,8				
72,0							1,1	2,0	1,5	1,5				
74,0								1,6	1,1	1,1				
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1154	1154	1154	1154	1154	1154	1154	1154	1154	1154	1154	1154		

	T	K 40° 22m	60,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 40° 22m

070983 21.20

m >< t CODE > 0293 < B131 1332

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0		
18,0	4,7													
20,0	4,5													
22,0	4,3													
24,0	4,1													
26,0	4,0	4,7	4,6	4,6										
28,0	3,9	4,6	4,5	4,6	4,5	4,4	4,4							
30,0	3,8	4,5	4,4	4,5	4,5	4,4	4,4	4,3	4,2		4,2			
32,0	3,8	4,4	4,3	4,4	4,4	4,3	4,3	4,3	4,2	4,0	4,2	3,3		
34,0		4,3	4,2	4,3	4,3	4,2	4,2	4,2	4,1	4,0	4,1	2,9		
36,0		4,2	4,1	4,2	4,2	4,1	4,2	4,1	4,0	3,9	4,0	2,5		
38,0		4,1	4,1	4,2	4,1	4,1	4,1	4,1	4,0	3,8	4,0	2,1		
40,0		4,1	4,0	4,1	4,1	4,0	4,1	4,0	3,9	3,8	3,9			
42,0		4,0	4,0	4,1	4,0	4,0	4,0	3,9	3,9	3,7	3,9			
44,0		4,0	3,9	4,0	4,0	3,9	3,9	3,9	3,8	3,7	3,5			
46,0		3,9	3,9	4,0	3,9	3,9	3,9	3,9	3,8	3,7	3,2			
48,0		3,9	3,9	3,9	3,9	3,9	3,9	3,8	3,7	3,6	2,9			
50,0		3,9	3,8	3,9	3,9	3,8	3,8	3,8	3,7	3,6	2,6			
52,0		3,8	3,8	3,9	3,9	3,8	3,8	3,8	3,7	3,6	2,4			
54,0		3,8	3,8	3,9	3,9	3,8	3,8	3,7	3,7	3,5	2,1			
56,0		3,8	3,8	3,8	3,8	3,8	3,8	3,7	3,7	3,5	1,9			
58,0		3,8	3,7	3,8	3,8	3,8	3,8	3,7	3,7	3,5				
60,0		3,8	3,5	3,8	3,8	3,6	3,8	3,7	3,7	3,4				
62,0		3,8	3,3	3,8	3,8	3,4	3,6	3,6	3,5	3,2				
64,0		3,8	3,2	3,6	3,7	3,1	3,4	3,5	3,3	2,9				
66,0		3,8	3,0	3,3	3,5	2,9	3,2	3,3	3,1	2,7				
68,0				2,9	3,3	2,7	2,9	3,1	2,8	2,5				
70,0				2,4	3,1	2,5	2,6	2,9	2,6	2,3				
72,0							2,3	2,7	2,4	2,2				
74,0							1,9	2,5	2,2	2,0				
76,0									1,9	1,8				
78,0									1,5	1,6				
80,0									1,2	1,2				
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1153	1153	1153	1153	1153	1153	1153	1153	1153	1153	1153	1153		

	T	K 40° 22m	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 40° 22m

070983 21.20

m >< t CODE > 0295 < B131 1432

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0		
18,0	4,7													
20,0	4,5													
22,0	4,3													
24,0	4,1													
26,0	4,0	4,7	4,6	4,6										
28,0	3,9	4,6	4,5	4,6	4,5	4,4	4,4							
30,0	3,8	4,5	4,4	4,5	4,5	4,4	4,4	4,3	4,2		4,2			
32,0	3,8	4,4	4,3	4,4	4,4	4,3	4,3	4,3	4,2	4,0	4,2	3,3		
34,0		4,3	4,2	4,3	4,3	4,2	4,2	4,2	4,1	4,0	4,1	2,9		
36,0		4,2	4,1	4,2	4,2	4,1	4,2	4,1	4,0	3,9	4,0	2,5		
38,0		4,1	4,1	4,2	4,1	4,1	4,1	4,1	4,0	3,8	4,0	2,1		
40,0		4,1	4,0	4,1	4,1	4,0	4,1	4,0	3,9	3,8	3,9			
42,0		4,0	4,0	4,1	4,0	4,0	4,0	3,9	3,9	3,7	3,9			
44,0		4,0	3,9	4,0	4,0	3,9	3,9	3,9	3,8	3,7	3,5			
46,0		3,9	3,9	4,0	3,9	3,9	3,9	3,9	3,8	3,7	3,2			
48,0		3,9	3,9	3,9	3,9	3,9	3,9	3,8	3,7	3,6	2,9			
50,0		3,9	3,8	3,9	3,9	3,8	3,8	3,8	3,7	3,6	2,6			
52,0		3,8	3,8	3,9	3,9	3,8	3,8	3,8	3,7	3,6	2,4			
54,0		3,8	3,8	3,9	3,9	3,8	3,8	3,7	3,7	3,5	2,1			
56,0		3,8	3,8	3,8	3,8	3,8	3,8	3,7	3,7	3,5	1,9			
58,0		3,8	3,7	3,8	3,8	3,8	3,8	3,7	3,7	3,5				
60,0		3,8	3,5	3,8	3,8	3,6	3,8	3,7	3,7	3,4				
62,0		3,8	3,3	3,8	3,8	3,4	3,6	3,6	3,5	3,2				
64,0		3,8	3,2	3,6	3,7	3,1	3,4	3,5	3,3	2,9				
66,0		3,8	3,0	3,3	3,5	2,9	3,2	3,3	3,1	2,7				
68,0				3,0	3,3	2,7	2,9	3,1	2,8	2,5				
70,0				2,7	3,1	2,5	2,6	2,9	2,6	2,3				
72,0							2,4	2,7	2,4	2,2				
74,0							2,1	2,5	2,2	2,0				
76,0									2,0	1,8				
78,0									1,8	1,6				
80,0									1,6	1,4				
82,0										1,1				
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1152	1152	1152	1152	1152	1152	1152	1152	1152	1152	1152	1152		

	T	K 40° 22m	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	K 40° 22m

070983 21.20

m >< t CODE > 0297 < B131 1532

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0		
18,0	4,7													
20,0	4,5													
22,0	4,3													
24,0	4,1													
26,0	4,0	4,7	4,6	4,6										
28,0	3,9	4,6	4,5	4,6	4,5	4,4	4,4							
30,0	3,8	4,5	4,4	4,5	4,5	4,4	4,4	4,3	4,2		4,2			
32,0	3,8	4,4	4,3	4,4	4,4	4,3	4,3	4,3	4,2	4,0	4,2	3,3		
34,0		4,3	4,2	4,3	4,3	4,2	4,2	4,2	4,1	4,0	4,1	2,9		
36,0		4,2	4,1	4,2	4,2	4,1	4,2	4,1	4,0	3,9	4,0	2,5		
38,0		4,1	4,1	4,2	4,1	4,1	4,1	4,1	4,0	3,8	4,0	2,1		
40,0		4,1	4,0	4,1	4,1	4,0	4,1	4,0	3,9	3,8	3,9			
42,0		4,0	4,0	4,1	4,0	4,0	4,0	3,9	3,9	3,7	3,9			
44,0		4,0	3,9	4,0	4,0	3,9	3,9	3,9	3,8	3,7	3,5			
46,0		3,9	3,9	4,0	3,9	3,9	3,9	3,9	3,8	3,7	3,2			
48,0		3,9	3,9	3,9	3,9	3,9	3,9	3,8	3,7	3,6	2,9			
50,0		3,9	3,8	3,9	3,9	3,8	3,8	3,8	3,7	3,6	2,6			
52,0		3,8	3,8	3,9	3,9	3,8	3,8	3,8	3,7	3,6	2,4			
54,0		3,8	3,8	3,9	3,9	3,8	3,8	3,7	3,7	3,5	2,1			
56,0		3,8	3,8	3,8	3,8	3,8	3,8	3,7	3,7	3,5	1,9			
58,0		3,8	3,7	3,8	3,8	3,8	3,8	3,7	3,7	3,5				
60,0		3,8	3,5	3,8	3,8	3,6	3,8	3,7	3,7	3,4				
62,0		3,8	3,3	3,8	3,8	3,4	3,6	3,6	3,5	3,2				
64,0		3,8	3,2	3,6	3,7	3,1	3,4	3,5	3,3	2,9				
66,0		3,8	3,0	3,3	3,5	2,9	3,2	3,3	3,1	2,7				
68,0				3,0	3,3	2,7	2,9	3,1	2,8	2,5				
70,0				2,7	3,1	2,5	2,6	2,9	2,6	2,3				
72,0							2,4	2,7	2,4	2,2				
74,0							2,1	2,5	2,2	2,0				
76,0									2,0	1,8				
78,0									1,8	1,6				
80,0									1,6	1,4				
82,0										1,1				
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1		
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-		
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-		
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-		
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	1151	1151	1151	1151	1151	1151	1151	1151	1151	1151	1151	1151		

	T	K 40° 22m	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 12.2m

070983 21.20

m >< t CODE > 0670 < B131 0D40

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0	15,5	51,9
3,5	16,5													
4,0	16,2													
4,5	16,0													
5,0	15,8													
6,0	15,4													
7,0	15,0													
8,0	14,5													
9,0	14,1													
10,0	13,2	13,7	13,8											
11,0	12,3	11,6	13,8	9,5										
12,0	11,4	9,7	12,3	7,8	9,3	10,7								
14,0	9,9	6,9	9,3	5,2	6,6	7,9		6,6	5,4		5,4			
16,0	8,7	4,7	7,1		4,6	5,8		4,7						
18,0	7,6		5,3			4,2								
20,0	6,6		3,9											
22,0	5,4													
24,0	4,1													
*** n ***	2	2	2	1	1	2	0	1	1	0	1	0	0	0
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.0	20.0
% 1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-	0+	46+
% 2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+
% 3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+
% 4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-	0+	46+
% 5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-	0+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1789	1789	1789	1789	1789	1789	1789	1789	1789	---	1789	---	---	---

	T	NZK xx° 12.2m	0,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 12.2m

070983 21.20

m >< t CODE > 0670 < B131 0D40

m	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0	15,5	51,9	51,9	57,1
3,5 4,0														
4,5 5,0														
6,0 7,0														
8,0 9,0														
10,0 11,0														
12,0 14,0														
16,0 18,0														
20,0 22,0														
24,0														
* n *	0	0	0	0	0	0	0	0	0	0	0	0	0	0
xx	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	45.0	45.0	45.0	45.0
% 1	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-	0+	46+	0+	92+
% 2	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+	46+	92+
% 3	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+	92+	92+
% 4	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-	0+	46+	92+	46+
% 5	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-	0+	46+	92+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	---	---	---	---	---	---	---	---	---	---	---	---	---	---

	T	NZK xx° 12.2m	0,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 12.2m

070983 21.20

m >< t CODE > 0670 < B131 0D40

m	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0						
3,5 4,0														
4,5 5,0														
6,0 7,0														
8,0 9,0														
10,0 11,0														
12,0 14,0														
16,0 18,0														
20,0 22,0														
24,0														
* n *	0	0	0	0	0	0	0	0						
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0						
% 1	46+	0+	92+	46+	92+	100+	92-	100-						
% 2	92+	92+	92+	92+	92+	100+	92-	100-						
% 3	92+	92+	92+	92+	92+	100+	92-	100-						
% 4	92+	92+	92+	92+	92+	100+	92-	100-						
% 5	46+	92+	46+	92+	92+	100+	92-	100-						
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	---	---	---	---	---	---	---	---						

	T	NZK xx° 12.2m	0,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 12.2m

070983 21.20

m >< t CODE > 0671 < B131 0E40

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0	15,5	51,9
3,5	16,5													
4,0	16,2													
4,5	16,0													
5,0	15,8													
6,0	15,4												13,5	
7,0	15,0												13,1	
8,0	14,5												12,4	
9,0	14,1												11,8	
10,0	13,2	16,4	13,8										11,2	
11,0	12,3	16,4	13,8	14,3									10,7	
12,0	11,4	16,2	13,8	14,3	13,6	12,3							10,3	
14,0	9,9	13,4	13,8	11,5	12,9	12,3	11,2	11,3	9,4		9,4		9,6	13,1
16,0	8,7	10,4	12,8	8,8	10,1	11,4	8,6	10,1	8,9	7,9	8,9	6,9	9,1	12,5
18,0	7,6	8,1	10,4	6,6	7,9	9,2	6,5	8,0	6,9	6,5	6,9	6,0	8,3	10,0
20,0	6,6	6,3	8,5	4,9	6,2	7,4	4,9	6,3	5,2	4,9	5,2	4,9	7,3	8,0
22,0	5,9	4,8	7,0	3,4	4,7	5,9	3,5	4,9	3,9	3,6	3,9	3,6	6,3	6,3
24,0	5,3	3,5	5,7		3,5	4,6		3,7					5,5	4,9
26,0			4,6			3,6								3,7
28,0			3,6											
30,0			2,8											
32,0														
34,0														
*** n ***	2	2	2	2	2	2	2	2	1	1	1	1	2	2
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.0	20.0
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-	0+	46+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-	0+	46+
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-	0+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1788	1788	1788	1788	1788	1788	1788	1788	1788	1788	1788	1788	1798	1798

	T	NZK xx° 12.2m	10,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 12.2m

070983 21.20

m >< t CODE > 0671 < B131 0E40

m	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0	15,5	51,9	51,9	57,1
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0											8,7			
11,0											8,6			
12,0											8,4			
14,0											8,1			
16,0	11,8	11,0	12,1								7,9			
18,0	11,4	8,6	9,7	10,8	8,5	9,7					7,7	8,7	8,4	
20,0	9,9	6,6	7,8	8,8	6,6	7,8	6,9		6,9		7,6	8,6	8,4	8,5
22,0	8,2	5,0	6,2	7,2	5,0	6,2	5,4	5,1	5,4	5,0	6,5	7,8	8,3	6,7
24,0	6,8	3,7	4,8	5,8	3,7	4,9	4,1	3,8	4,1	3,8		6,3	7,9	5,2
26,0	5,6		3,6	4,6		3,8	3,0		3,0			4,9	6,6	3,9
28,0	4,5			3,6		2,8						3,7	5,4	2,7
30,0	3,6			2,8								2,7	4,4	
32,0	2,8												3,6	
34,0													2,8	
*** n ***	2	2	2	2	1	1	1	1	1	1	1	1	1	1
xx	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	45.0	45.0	45.0	45.0
1	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-	0+	46+	0+	92+
2	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+	46+	92+
3	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+	92+	92+
4	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-	0+	46+	92+	46+
5 %	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-	0+	46+	92+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1798	1798	1798	1798	1798	1798	1798	1798	1798	1798	1808	1808	1808	1808

	T	NZK xx° 12.2m	10,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 12.2m

070983 21.20

m >< t CODE > 0671 < B131 0E40

m	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0						
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
14,0														
16,0														
18,0														
20,0	8,5	8,3												
22,0	7,7	8,2	6,7	7,7										
24,0	6,2	7,1	5,2	6,2	5,5		5,5							
26,0	4,9	5,8	3,9	5,0	4,3	4,0	4,3	4,0						
28,0	3,7	4,6	2,8	3,9	3,2	3,0	3,2	3,0						
30,0	2,8	3,7		3,0										
32,0		2,8												
34,0														
*** n ***	1	1	1	1	1	1	1	1						
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0						
1	46+	0+	92+	46+	92+	100+	92-	100-						
2	92+	92+	92+	92+	92+	100+	92-	100-						
3	92+	92+	92+	92+	92+	100+	92-	100-						
4	92+	92+	92+	92+	92+	100+	92-	100-						
5	46+	92+	46+	92+	92+	100+	92-	100-						
%														
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1808	1808	1808	1808	1808	1808	1808	1808						

	T	NZK xx° 12.2m	10,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 12.2m

070983 21.20

m >< t CODE > 0673 < B131 0F40

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0	15,5	51,9
3,5	16,5													
4,0	16,2													
4,5	16,0													
5,0	15,8													
6,0	15,4												13,5	
7,0	15,0												13,1	
8,0	14,5												12,4	
9,0	14,1												11,8	
10,0	13,2	16,4	13,8										11,2	
11,0	12,3	16,4	13,8	14,3									10,7	
12,0	11,4	16,2	13,8	14,3	13,6	12,3							10,3	
14,0	9,9	15,9	13,8	14,2	13,6	12,3	11,9	11,3	9,4		9,4		9,6	13,1
16,0	8,7	15,5	13,8	14,0	13,4	12,3	11,9	11,3	9,4	7,9	9,4	6,9	9,1	12,5
18,0	7,6	14,1	13,3	12,5	13,2	12,3	11,8	11,3	9,4	7,9	9,4	6,0	8,3	12,0
20,0	6,6	11,8	12,5	10,3	11,6	11,9	10,2	11,2	9,4	7,9	8,5	5,2	7,3	11,5
22,0	5,9	9,8	11,7	8,4	9,6	10,8	8,3	9,7	8,7	7,9	7,8	4,5	6,3	11,1
24,0	5,3	8,2	10,3	6,8	8,0	9,2	6,8	8,1	7,1	6,8	7,1	3,8	5,5	9,5
26,0		6,8	8,8	5,4	6,7	7,8	5,5	6,8	5,9	5,6	5,9	3,2		8,0
28,0		5,5	7,6	4,3	5,5	6,6	4,3	5,7	4,8	4,5	4,8			6,6
30,0		4,5	6,5	3,3	4,5	5,5	3,3	4,7	3,8	3,5	3,8			5,5
32,0		3,6	5,6		3,6	4,6	2,5	3,8	2,9	2,7	2,9			4,5
34,0		2,8	4,8		2,8	3,8		3,0						3,6
36,0			4,0			3,1		2,3						2,8
38,0			3,4			2,5								2,1
40,0			2,8											
42,0			2,3											
44,0														
46,0														
*** n ***	2	2	2	2	2	2	2	2	1	1	1	1	2	2
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.0	20.0
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-	0+	46+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-	0+	46+
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-	0+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1787	1787	1787	1787	1787	1787	1787	1787	1787	1787	1787	1787	1797	1797

	T	NZK xx° 12.2m	22,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 12.2m

070983 21.20

m >< t CODE > 0673 < B131 0F40

m	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0	15,5	51,9	51,9	57,1
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0											8,7			
11,0											8,6			
12,0											8,4			
14,0											8,1			
16,0	11,8	12,4	12,1								7,9			
18,0	11,4	11,9	11,7	11,2	11,3	10,9					7,7	8,7	8,4	
20,0	10,9	11,5	11,2	10,8	11,1	10,7	9,5		9,0		7,6	8,6	8,4	8,5
22,0	10,6	10,0	10,9	10,5	9,9	10,4	9,4	7,9	8,2	5,0	6,5	8,4	8,3	8,4
24,0	10,2	8,2	9,3	10,2	8,2	9,4	8,5	7,9	7,5	4,4		8,3	8,1	8,3
26,0	9,9	6,7	7,9	8,9	6,7	7,9	7,1	6,8	6,9	3,8		8,2	8,1	8,1
28,0	8,5	5,5	6,6	7,6	5,5	6,7	5,9	5,6	5,9	3,2		7,8	8,0	6,7
30,0	7,4	4,4	5,5	6,4	4,4	5,6	4,8	4,6	4,8	2,7		6,5	7,9	5,4
32,0	6,4	3,4	4,5	5,5	3,5	4,7	3,9	3,7	3,9			5,4	7,1	4,4
34,0	5,5	2,5	3,6	4,6	2,6	3,8	3,1	2,9	3,1			4,4	6,1	3,4
36,0	4,7		2,9	3,8		3,1	2,3		2,3			3,5	5,3	2,6
38,0	4,0		2,2	3,1		2,4						2,7	4,5	
40,0	3,3			2,5								2,0	3,8	
42,0	2,8			1,9									3,1	
44,0	2,2												2,6	
46,0	1,8												2,0	
*** n ***	2	2	2	2	2	2	1	1	1	1	1	1	1	1
xx	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	45.0	45.0	45.0	45.0
1	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-	0+	46+	0+	92+
2	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+	46+	92+
3	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+	92+	92+
4	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-	0+	46+	92+	46+
5 %	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-	0+	46+	92+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1797	1797	1797	1797	1797	1797	1797	1797	1797	1797	1807	1807	1807	1807

	T	NZK xx° 12.2m	22,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 12.2m

070983 21.20

m >< t CODE > 0673 < B131 0F40

m	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0						
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
14,0														
16,0														
18,0														
20,0	8,5	8,3												
22,0	8,4	8,2	8,3	8,2										
24,0	8,2	8,1	8,2	8,1	8,0		7,9							
26,0	8,1	8,0	8,1	8,0	7,9	7,7	7,2	4,3						
28,0	7,7	7,9	6,7	7,8	7,0	6,8	6,6	3,7						
30,0	6,5	7,4	5,5	6,6	5,9	5,6	5,9	3,2						
32,0	5,4	6,3	4,4	5,5	4,8	4,6	4,8	2,7						
34,0	4,4	5,3	3,5	4,6	3,9	3,7	3,9							
36,0	3,6	4,5	2,7	3,8	3,1	3,0	3,1							
38,0	2,8	3,7		3,1	2,4	2,2	2,4							
40,0	2,1	3,0		2,4										
42,0		2,4												
44,0		1,8												
46,0														
*** n ***	1	1	1	1	1	1	1	1						
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0						
1	46+	0+	92+	46+	92+	100+	92-	100-						
2	92+	92+	92+	92+	92+	100+	92-	100-						
3	92+	92+	92+	92+	92+	100+	92-	100-						
4	92+	92+	92+	92+	92+	100+	92-	100-						
5	46+	92+	46+	92+	92+	100+	92-	100-						
%														
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1807	1807	1807	1807	1807	1807	1807	1807						

	T	NZK xx° 12.2m	22,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 12.2m

070983 21.20

m >< t CODE > 0675 < B131 1040

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0	15,5	51,9
3,5	16,5													
4,0	16,2													
4,5	16,0													
5,0	15,8													
6,0	15,4												13,5	
7,0	15,0												13,1	
8,0	14,5												12,4	
9,0	14,1												11,8	
10,0	13,2	16,4	13,8										11,2	
11,0	12,3	16,4	13,8	14,3									10,7	
12,0	11,4	16,2	13,8	14,3	13,6	12,3							10,3	
14,0	9,9	15,9	13,8	14,2	13,6	12,3	11,9	11,3	9,4		9,4		9,6	13,1
16,0	8,7	15,5	13,8	14,0	13,4	12,3	11,9	11,3	9,4	7,9	9,4	6,9	9,1	12,5
18,0	7,6	15,1	13,3	13,8	13,2	12,3	11,8	11,3	9,4	7,9	9,4	6,0	8,3	12,0
20,0	6,6	14,7	12,5	13,6	13,1	11,9	11,7	11,2	9,4	7,9	8,5	5,2	7,3	11,5
22,0	5,9	14,3	11,7	12,8	12,8	11,3	11,6	10,8	9,4	7,9	7,8	4,5	6,3	11,1
24,0	5,3	12,4	10,9	10,9	12,1	10,7	10,9	10,3	9,3	7,9	7,1	3,8	5,5	10,7
26,0		10,7	10,2	9,3	10,5	10,1	9,3	9,9	9,0	7,7	6,5	3,2		10,4
28,0		9,3	9,6	8,0	9,1	9,5	8,0	9,2	8,3	7,5	5,9			10,0
30,0		8,0	9,0	6,8	7,9	9,0	6,8	8,1	7,2	6,9	5,4			9,0
32,0		6,9	8,4	5,7	6,9	7,9	5,7	7,0	6,1	5,9	4,9			7,8
34,0		6,0	7,9	4,8	5,9	6,9	4,8	6,1	5,2	5,0	4,5			6,8
36,0		5,1	7,0	3,9	5,1	6,1	4,0	5,3	4,4	4,2	4,1			5,8
38,0		4,3	6,2	3,2	4,3	5,3	3,3	4,5	3,7	3,5	3,7			5,0
40,0		3,6	5,5	2,5	3,6	4,6	2,6	3,8	3,0	2,8	3,0			4,2
42,0		3,0	4,8		3,0	4,0	2,0	3,2	2,4	2,2	2,4			3,6
44,0		2,4	4,1		2,5	3,4		2,7	1,9		1,9			3,0
46,0		1,9	3,6		2,0	2,9		2,2						2,4
48,0			3,1			2,4		1,7						1,8
50,0			2,6			2,0								
52,0			2,2			1,5								
54,0			1,8											
56,0			1,4											
58,0			1,1											
*** n ***	2	2	2	2	2	2	2	2	1	1	1	1	2	2
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.0	20.0
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-	0+	46+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-	0+	46+
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-	0+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1786	1786	1786	1786	1786	1786	1786	1786	1786	1786	1786	1786	1796	1796

	T	NZK xx° 12.2m	35,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 12.2m

070983 21.20

m >< t CODE > 0675 < B131 1040

m	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0	15,5	51,9	51,9	57,1
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0											8,7			
11,0											8,6			
12,0											8,4			
14,0											8,1			
16,0	11,8	12,4	12,1								7,9			
18,0	11,4	11,9	11,7	11,2	11,3	10,9					7,7	8,7	8,4	
20,0	10,9	11,5	11,2	10,8	11,1	10,7	9,5		9,0		7,6	8,6	8,4	8,5
22,0	10,6	11,1	10,9	10,5	10,8	10,4	9,4	7,9	8,2	5,0	6,5	8,4	8,3	8,4
24,0	10,2	10,7	10,5	10,2	10,4	10,1	9,2	7,9	7,5	4,4		8,3	8,1	8,3
26,0	9,9	10,4	10,2	9,8	10,2	9,7	8,9	7,8	6,9	3,8		8,2	8,1	8,2
28,0	9,4	9,1	9,9	9,4	9,1	9,3	8,6	7,5	6,3	3,2		8,1	8,0	8,1
30,0	8,8	7,8	8,9	8,8	7,8	8,8	8,2	7,3	5,7	2,7		8,0	7,9	8,0
32,0	8,3	6,7	7,7	8,3	6,7	7,9	7,1	6,8	5,3			7,9	7,8	7,6
34,0	7,8	5,7	6,7	7,7	5,7	6,9	6,1	5,9	4,8			7,5	7,7	6,5
36,0	7,3	4,8	5,8	6,8	4,8	6,0	5,2	5,0	4,4			6,5	7,4	5,5
38,0	6,8	3,9	5,0	5,9	4,0	5,2	4,4	4,2	4,0			5,6	7,0	4,6
40,0	6,0	3,2	4,3	5,2	3,3	4,5	3,7	3,5	3,6			4,8	6,4	3,8
42,0	5,2	2,5	3,6	4,5	2,6	3,8	3,1	2,9	3,1			4,0	5,6	3,1
44,0	4,6	1,9	3,0	3,9	2,0	3,2	2,5	2,3	2,5			3,3	4,9	2,4
46,0	4,0		2,4	3,4		2,7	1,9	1,8	1,9			2,7	4,2	1,8
48,0	3,4		1,9	2,9		2,2						2,1	3,6	
50,0	2,9			2,3		1,7							3,1	
52,0	2,4			1,9									2,6	
54,0	2,0			1,5									2,1	
56,0	1,6													
58,0	1,3													
*** n ***	2	2	2	2	2	2	1	1	1	1	1	1	1	1
xx	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	45.0	45.0	45.0	45.0
1	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-	0+	46+	0+	92+
2	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+	46+	92+
3	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+	92+	92+
4	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-	0+	46+	92+	46+
5 %	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-	0+	46+	92+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1796	1796	1796	1796	1796	1796	1796	1796	1796	1796	1806	1806	1806	1806

	T	NZK xx° 12.2m	35,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 12.2m

070983 21.20

m >< t CODE > 0675 < B131 1040

m	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0						
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
14,0														
16,0														
18,0														
20,0	8,5	8,3												
22,0	8,4	8,2	8,3	8,2										
24,0	8,2	8,1	8,2	8,1	8,0		7,9							
26,0	8,1	8,0	8,1	8,0	7,9	7,7	7,2	4,3						
28,0	8,0	7,9	8,0	7,9	7,9	7,6	6,6	3,7						
30,0	7,9	7,9	7,9	7,9	7,8	7,4	6,1	3,2						
32,0	7,9	7,8	7,7	7,8	7,8	7,2	5,6	2,7						
34,0	7,5	7,7	6,6	7,7	7,0	6,7	5,1							
36,0	6,5	7,4	5,6	6,7	6,0	5,8	4,7							
38,0	5,6	6,5	4,7	5,8	5,2	5,0	4,2							
40,0	4,8	5,7	3,9	5,1	4,4	4,2	3,9							
42,0	4,1	5,0	3,2	4,3	3,7	3,5	3,5							
44,0	3,4	4,3	2,6	3,7	3,0	2,9	3,0							
46,0	2,8	3,7	2,0	3,1	2,4	2,3	2,4							
48,0	2,3	3,2		2,5	1,9	1,8	1,9							
50,0	1,7	2,6		2,0										
52,0		2,1		1,6										
54,0		1,6												
56,0														
58,0														
*** n ***	1	1	1	1	1	1	1	1						
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0						
1	46+	0+	92+	46+	92+	100+	92-	100-						
2	92+	92+	92+	92+	92+	100+	92-	100-						
3	92+	92+	92+	92+	92+	100+	92-	100-						
4	92+	92+	92+	92+	92+	100+	92-	100-						
5	46+	92+	46+	92+	92+	100+	92-	100-						
%														
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1806	1806	1806	1806	1806	1806	1806	1806						

	T	NZK xx° 12.2m	35,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 12.2m

070983 21.20

m >< t CODE > 0677 < B131 1140

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0	15,5	51,9
3,5	16,5													
4,0	16,2													
4,5	16,0													
5,0	15,8													
6,0	15,4												13,5	
7,0	15,0												13,1	
8,0	14,5												12,4	
9,0	14,1												11,8	
10,0	13,2	16,4	13,8										11,2	
11,0	12,3	16,4	13,8	14,3									10,7	
12,0	11,4	16,2	13,8	14,3	13,6	12,3							10,3	
14,0	9,9	15,9	13,8	14,2	13,6	12,3	11,9	11,3	9,4		9,4		9,6	13,1
16,0	8,7	15,5	13,8	14,0	13,4	12,3	11,9	11,3	9,4	7,9	9,4	6,9	9,1	12,5
18,0	7,6	15,1	13,3	13,8	13,2	12,3	11,8	11,3	9,4	7,9	9,4	6,0	8,3	12,0
20,0	6,6	14,7	12,5	13,6	13,1	11,9	11,7	11,2	9,4	7,9	8,5	5,2	7,3	11,5
22,0	5,9	14,3	11,7	13,3	12,8	11,3	11,6	10,8	9,4	7,9	7,8	4,5	6,3	11,1
24,0	5,3	13,9	10,9	13,0	12,1	10,7	11,4	10,3	9,3	7,9	7,1	3,8	5,5	10,7
26,0		13,2	10,2	12,4	11,4	10,1	10,9	9,9	9,0	7,7	6,5	3,2		10,4
28,0		12,4	9,6	11,5	10,8	9,5	10,3	9,4	8,6	7,5	5,9			10,0
30,0		11,4	9,0	10,1	10,2	9,0	9,7	9,0	8,3	7,2	5,4			9,7
32,0		10,1	8,4	8,8	9,6	8,5	8,8	8,5	8,0	6,9	4,9			9,5
34,0		9,0	7,9	7,7	8,9	8,0	7,7	8,1	7,7	6,7	4,5			9,2
36,0		7,9	7,4	6,7	7,9	7,5	6,8	7,7	7,2	6,4	4,1			8,7
38,0		7,0	7,0	5,8	7,0	7,1	5,9	7,1	6,3	6,1	3,7			7,7
40,0		6,2	6,5	5,1	6,2	6,6	5,1	6,4	5,5	5,3	3,4			6,8
42,0		5,3	6,1	4,3	5,5	6,2	4,4	5,6	4,8	4,6	3,1			5,9
44,0		4,6	5,8	3,7	4,8	5,6	3,7	5,0	4,2	4,0	2,8			5,1
46,0		4,0	5,5	3,1	4,1	5,0	3,2	4,4	3,6	3,4	2,4			4,4
48,0		3,4	5,0	2,5	3,5	4,4	2,6	3,8	3,0	2,8				3,8
50,0		2,8	4,5	2,0	3,0	3,8	2,1	3,3	2,5	2,3				3,2
52,0		2,3	4,0	1,5	2,5	3,3	1,7	2,8	2,1	1,9				2,7
54,0		1,9	3,5		2,0	2,9		2,3	1,6					2,2
56,0		1,5	3,1		1,6	2,4		1,9						1,7
58,0		1,1	2,7			2,1		1,5						1,3
60,0			2,4			1,7								
62,0						1,4								
*** n ***	2	2	2	2	2	2	2	2	1	1	1	1	2	2
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.0	20.0
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-	0+	46+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-	0+	46+
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-	0+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1785	1785	1785	1785	1785	1785	1785	1785	1785	1785	1785	1785	1795	1795

	T	NZK xx° 12.2m	47,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 12.2m

070983 21.20

m >< t CODE > 0677 < B131 1140

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0	15,5	51,9
64,0						1,1								
*** n ***	2	2	2	2	2	2	2	2	1	1	1	1	2	2
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.0	20.0
% 1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-	0+	46+
% 2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+
% 3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+
% 4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-	0+	46+
% 5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-	0+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1785	1785	1785	1785	1785	1785	1785	1785	1785	1785	1785	1785	1795	1795

	T	NZK xx° 12.2m	47,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 12.2m

070983 21.20

m >< t CODE > 0677 < B131 1140

m	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0	15,5	51,9	51,9	57,1
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0											8,7			
11,0											8,6			
12,0											8,4			
14,0											8,1			
16,0	11,8	12,4	12,1								7,9			
18,0	11,4	11,9	11,7	11,2	11,3	10,9					7,7	8,7	8,4	
20,0	10,9	11,5	11,2	10,8	11,1	10,7	9,5		9,0		7,6	8,6	8,4	8,5
22,0	10,6	11,1	10,9	10,5	10,8	10,4	9,4	7,9	8,2	5,0	6,5	8,4	8,3	8,4
24,0	10,2	10,7	10,5	10,2	10,4	10,1	9,2	7,9	7,5	4,4		8,3	8,1	8,3
26,0	9,9	10,4	10,2	9,8	10,2	9,7	8,9	7,8	6,9	3,8		8,2	8,1	8,2
28,0	9,4	10,1	9,9	9,4	9,9	9,3	8,6	7,5	6,3	3,2		8,1	8,0	8,1
30,0	8,8	9,8	9,7	8,8	9,6	8,8	8,3	7,3	5,7	2,7		8,0	7,9	8,0
32,0	8,3	9,6	9,4	8,3	9,3	8,4	7,9	7,0	5,3			7,9	7,8	7,9
34,0	7,8	8,6	9,1	7,9	8,6	8,0	7,6	6,7	4,8			7,8	7,7	7,8
36,0	7,3	7,6	8,6	7,4	7,6	7,6	7,3	6,5	4,4			7,8	7,4	7,7
38,0	6,9	6,6	7,7	7,1	6,7	7,2	7,0	6,3	4,0			7,7	7,0	7,3
40,0	6,5	5,8	6,8	6,7	5,8	6,9	6,2	5,9	3,6			7,3	6,6	6,4
42,0	6,1	5,0	6,0	6,3	5,1	6,2	5,5	5,3	3,3			6,4	6,2	5,5
44,0	5,8	4,3	5,3	5,9	4,4	5,5	4,8	4,6	3,0			5,5	5,9	4,8
46,0	5,4	3,6	4,6	5,4	3,7	4,9	4,1	4,0	2,7			4,7	5,6	4,0
48,0	5,2	3,0	4,0	4,8	3,1	4,3	3,6	3,4	2,4			4,0	5,3	3,4
50,0	4,8	2,5	3,4	4,2	2,6	3,7	3,0	2,8	1,7			3,4	4,9	2,8
52,0	4,2	1,9	2,9	3,7	2,1	3,2	2,5	2,4				2,8	4,3	2,2
54,0	3,7		2,4	3,2	1,6	2,7	2,1	1,9				2,2	3,8	1,6
56,0	3,3		1,9	2,7		2,3	1,6	1,5						
58,0	2,8		1,5	2,3		1,8								
60,0				1,9		1,5								
62,0				1,5										
*** n ***	2	2	2	2	2	2	1	1	1	1	1	1	1	1
xx	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	45.0	45.0	45.0	45.0
1	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-	0+	46+	0+	92+
2	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+	46+	92+
3	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+	92+	92+
4	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-	0+	46+	92+	46+
5 %	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-	0+	46+	92+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1795	1795	1795	1795	1795	1795	1795	1795	1795	1795	1805	1805	1805	1805

	T	NZK xx° 12.2m	47,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 12.2m

070983 21.20

m	m >< t	CODE > 0677 <												B131 1140
	51,9	**57,1**	**57,1**	**57,1**	**62,3**	**62,3**	**67,5**	**72,0**	**67,5**	**72,0**	**15,5**	**51,9**	**51,9**	**57,1**
64,0				1,2										
*** n ***	2	2	2	2	2	2	1	1	1	1	1	1	1	1
xx	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	45.0	45.0	45.0	45.0
1	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-	0+	46+	0+	92+
2	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+	46+	92+
3	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+	92+	92+
4	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-	0+	46+	92+	46+
5 %	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-	0+	46+	92+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1795	1795	1795	1795	1795	1795	1795	1795	1795	1795	1805	1805	1805	1805

	T	NZK xx° 12.2m	47,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 12.2m

070983 21.20

m >< t CODE > 0677 < B131 1140

m	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0						
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
14,0														
16,0														
18,0														
20,0	8,5	8,3												
22,0	8,4	8,2	8,3	8,2										
24,0	8,2	8,1	8,2	8,1	8,0		7,9							
26,0	8,1	8,0	8,1	8,0	7,9	7,7	7,2	4,3						
28,0	8,0	7,9	8,0	7,9	7,9	7,6	6,6	3,7						
30,0	7,9	7,9	7,9	7,9	7,8	7,4	6,1	3,2						
32,0	7,9	7,8	7,9	7,8	7,8	7,2	5,6	2,7						
34,0	7,8	7,7	7,8	7,7	7,6	6,9	5,1							
36,0	7,7	7,5	7,8	7,6	7,3	6,6	4,7							
38,0	7,7	7,1	7,4	7,3	7,0	6,4	4,2							
40,0	7,4	6,8	6,5	6,9	6,7	6,1	3,9							
42,0	6,6	6,4	5,6	6,6	6,1	5,8	3,5							
44,0	5,8	6,1	4,9	6,0	5,3	5,1	3,2							
46,0	5,0	5,7	4,2	5,3	4,6	4,5	2,9							
48,0	4,3	5,1	3,6	4,7	4,0	3,9	2,6							
50,0	3,7	4,5	3,0	4,1	3,4	3,3	2,2							
52,0	3,1	3,9	2,4	3,5	2,9	2,7								
54,0	2,5	3,3	1,9	3,0	2,4	2,2								
56,0	2,0	2,8	1,4	2,5	1,9	1,8								
58,0	1,6	2,4		2,0	1,5									
60,0				1,6										
62,0														
*** n ***	1	1	1	1	1	1	1	1						
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0						
1	46+	0+	92+	46+	92+	100+	92-	100-						
2	92+	92+	92+	92+	92+	100+	92-	100-						
3	92+	92+	92+	92+	92+	100+	92-	100-						
4	92+	92+	92+	92+	92+	100+	92-	100-						
5	46+	92+	46+	92+	92+	100+	92-	100-						
%														
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1805	1805	1805	1805	1805	1805	1805	1805						

	T	NZK xx° 12.2m	47,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 12.2m

070983 21.20

m >< t CODE > 0677 < B131 1140

m	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0						
64,0														
* n *	1	1	1	1	1	1	1	1						
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0						
% 1	46+	0+	92+	46+	92+	100+	92-	100-						
% 2	92+	92+	92+	92+	92+	100+	92-	100-						
% 3	92+	92+	92+	92+	92+	100+	92-	100-						
% 4	92+	92+	92+	92+	92+	100+	92-	100-						
% 5	46+	92+	46+	92+	92+	100+	92-	100-						
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1805	1805	1805	1805	1805	1805	1805	1805						

	T	NZK xx° 12.2m	47,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 12.2m

070983 21.20

m >< t CODE > 0679 < B131 1240

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0	15,5	51,9
3,5	16,5													
4,0	16,2													
4,5	16,0													
5,0	15,8													
6,0	15,4												13,5	
7,0	15,0												13,1	
8,0	14,5												12,4	
9,0	14,1												11,8	
10,0	13,2	16,4	13,8										11,2	
11,0	12,3	16,4	13,8	14,3									10,7	
12,0	11,4	16,2	13,8	14,3	13,6	12,3							10,3	
14,0	9,9	15,9	13,8	14,2	13,6	12,3	11,9	11,3	9,4		9,4		9,6	13,1
16,0	8,7	15,5	13,8	14,0	13,4	12,3	11,9	11,3	9,4	7,9	9,4	6,9	9,1	12,5
18,0	7,6	15,1	13,3	13,8	13,2	12,3	11,8	11,3	9,4	7,9	9,4	6,0	8,3	12,0
20,0	6,6	14,7	12,5	13,6	13,1	11,9	11,7	11,2	9,4	7,9	8,5	5,2	7,3	11,5
22,0	5,9	14,3	11,7	13,3	12,8	11,3	11,6	10,8	9,4	7,9	7,8	4,5	6,3	11,1
24,0	5,3	13,9	10,9	13,0	12,1	10,7	11,4	10,3	9,3	7,9	7,1	3,8	5,5	10,7
26,0		13,2	10,2	12,4	11,4	10,1	10,9	9,9	9,0	7,7	6,5	3,2		10,4
28,0		12,4	9,6	11,6	10,8	9,5	10,3	9,4	8,6	7,5	5,9			10,0
30,0		11,7	9,0	10,9	10,2	9,0	9,7	9,0	8,3	7,2	5,4			9,7
32,0		11,0	8,4	10,2	9,6	8,5	9,2	8,5	8,0	6,9	4,9			9,5
34,0		10,3	7,9	9,6	9,1	8,0	8,6	8,1	7,7	6,7	4,5			9,2
36,0		9,6	7,4	9,0	8,6	7,5	8,1	7,7	7,3	6,4	4,1			9,0
38,0		9,1	7,0	8,4	8,1	7,1	7,7	7,2	6,9	6,1	3,7			8,8
40,0		8,6	6,5	7,8	7,6	6,6	7,2	6,8	6,6	5,8	3,4			8,6
42,0		7,8	6,1	7,0	7,1	6,2	6,7	6,5	6,2	5,4	3,1			8,1
44,0		6,9	5,8	6,1	6,7	5,8	6,3	6,1	5,9	5,1	2,8			7,5
46,0		6,2	5,5	5,4	6,3	5,4	5,6	5,7	5,5	4,8	2,4			6,6
48,0		5,5	5,2	4,7	5,6	5,1	4,9	5,4	5,2	4,5				5,9
50,0		4,8	5,0	4,0	5,0	4,8	4,2	5,1	4,7	4,2				5,2
52,0		4,3	4,7	3,4	4,4	4,6	3,7	4,7	4,1	3,9				4,6
54,0		3,7	4,5	2,9	3,9	4,3	3,1	4,2	3,6	3,5				4,0
56,0		3,3	4,2	2,4	3,4	4,0	2,6	3,7	3,1	3,0				3,5
58,0		2,8	4,0	2,0	3,0	3,8	2,2	3,3	2,7	2,6				3,0
60,0			3,8	1,6	2,5	3,4	1,8	2,8	2,2	2,2				
62,0				1,2	2,2	3,0	1,4	2,5	1,8	1,8				
*** n ***	2	2	2	2	2	2	2	2	1	1	1	1	2	2
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.0	20.0
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-	0+	46+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-	0+	46+
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-	0+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1784	1784	1784	1784	1784	1784	1784	1784	1784	1784	1784	1784	1794	1794

	T	NZK xx° 12.2m	60,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 12.2m

070983 21.20

m >< t CODE > 0679 < B131 1240

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0	15,5	51,9
64,0					1,8	2,6		2,1	1,5	1,4				
66,0								1,8						
68,0								1,5						
*** n ***	2	2	2	2	2	2	2	2	1	1	1	1	2	2
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.0	20.0
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-	0+	46+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-	0+	46+
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-	0+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1784	1784	1784	1784	1784	1784	1784	1784	1784	1784	1784	1784	1794	1794

	T	NZK xx° 12.2m	60,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 12.2m

070983 21.20

m >< t CODE > 0679 < B131 1240

m	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0	15,5	51,9	51,9	57,1
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0											8,7			
11,0											8,6			
12,0											8,4			
14,0											8,1			
16,0	11,8	12,4	12,1								7,9			
18,0	11,4	11,9	11,7	11,2	11,3	10,9					7,7	8,7	8,4	
20,0	10,9	11,5	11,2	10,8	11,1	10,7	9,5		9,0		7,6	8,6	8,4	8,5
22,0	10,6	11,1	10,9	10,5	10,8	10,4	9,4	7,9	8,2	5,0	6,5	8,4	8,3	8,4
24,0	10,2	10,7	10,5	10,2	10,4	10,1	9,2	7,9	7,5	4,4		8,3	8,1	8,3
26,0	9,9	10,4	10,2	9,8	10,2	9,7	8,9	7,8	6,9	3,8		8,2	8,1	8,2
28,0	9,4	10,1	9,9	9,4	9,9	9,3	8,6	7,5	6,3	3,2		8,1	8,0	8,1
30,0	8,8	9,8	9,7	8,8	9,6	8,8	8,3	7,3	5,7	2,7		8,0	7,9	8,0
32,0	8,3	9,6	9,4	8,3	9,3	8,4	7,9	7,0	5,3			7,9	7,8	7,9
34,0	7,8	9,3	9,1	7,9	8,9	8,0	7,6	6,7	4,8			7,8	7,7	7,8
36,0	7,3	9,0	8,6	7,4	8,4	7,6	7,3	6,5	4,4			7,8	7,4	7,7
38,0	6,9	8,6	8,1	7,1	7,9	7,2	7,0	6,3	4,0			7,7	7,0	7,7
40,0	6,5	8,1	7,7	6,7	7,4	6,9	6,7	5,9	3,6			7,7	6,6	7,6
42,0	6,1	7,5	7,2	6,3	6,9	6,5	6,4	5,7	3,3			7,6	6,2	7,6
44,0	5,8	6,7	6,8	5,9	6,5	6,2	6,1	5,3	3,0			7,6	5,9	7,2
46,0	5,4	5,9	6,4	5,5	6,0	5,9	5,7	5,0	2,7			7,0	5,6	6,3
48,0	5,2	5,2	6,1	5,2	5,4	5,5	5,4	4,7	2,4			6,1	5,3	5,5
50,0	4,9	4,5	5,4	4,9	4,7	5,2	5,1	4,4	1,7			5,4	5,0	4,8
52,0	4,7	3,9	4,8	4,6	4,1	5,0	4,6	4,1				4,7	4,7	4,1
54,0	4,5	3,3	4,2	4,3	3,5	4,6	4,0	3,8				4,1	4,5	3,5
56,0	4,2	2,8	3,7	4,0	3,0	4,0	3,5	3,4						2,9
58,0	4,0	2,3	3,2	3,8	2,5	3,6	3,0	3,0						2,4
60,0		1,8	2,8	3,5	2,1	3,1	2,6	2,5						
62,0		1,4	2,3	3,1	1,7	2,7	2,1	2,1						
*** n ***	2	2	2	2	2	2	1	1	1	1	1	1	1	1
xx	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	45.0	45.0	45.0	45.0
1	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-	0+	46+	0+	92+
2	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+	46+	92+
3	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+	92+	92+
4	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-	0+	46+	92+	46+
5 %	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-	0+	46+	92+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1794	1794	1794	1794	1794	1794	1794	1794	1794	1794	1804	1804	1804	1804

	T	NZK xx° 12.2m	60,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 12.2m

070983 21.20

m	m >< t	CODE > 0679 < B131 1240												
m	**51,9**	**57,1**	**57,1**	**57,1**	**62,3**	**62,3**	**67,5**	**72,0**	**67,5**	**72,0**	**15,5**	**51,9**	**51,9**	**57,1**
64,0		1,0	1,9	2,7	1,3	2,3	1,7	1,7						
66,0						1,9	1,4	1,3						
68,0						1,6								
*** n ***	2	2	2	2	2	2	1	1	1	1	1	1	1	1
xx	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	45.0	45.0	45.0	45.0
1	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-	0+	46+	0+	92+
2	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+	46+	92+
3	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+	92+	92+
4	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-	0+	46+	92+	46+
5 %	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-	0+	46+	92+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1794	1794	1794	1794	1794	1794	1794	1794	1794	1794	1804	1804	1804	1804

	T	NZK xx° 12.2m	60,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 12.2m

070983 21.20

m >< t CODE > 0679 < B131 1240

m	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0						
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
14,0														
16,0														
18,0														
20,0	8,5	8,3												
22,0	8,4	8,2	8,3	8,2										
24,0	8,2	8,1	8,2	8,1	8,0		7,9							
26,0	8,1	8,0	8,1	8,0	7,9	7,7	7,2	4,3						
28,0	8,0	7,9	8,0	7,9	7,9	7,6	6,6	3,7						
30,0	7,9	7,9	7,9	7,9	7,8	7,4	6,1	3,2						
32,0	7,9	7,8	7,9	7,8	7,8	7,2	5,6	2,7						
34,0	7,8	7,7	7,8	7,7	7,6	6,9	5,1							
36,0	7,7	7,5	7,8	7,6	7,3	6,6	4,7							
38,0	7,7	7,1	7,7	7,3	7,0	6,4	4,2							
40,0	7,6	6,8	7,7	6,9	6,7	6,1	3,9							
42,0	7,4	6,4	7,2	6,6	6,4	5,8	3,5							
44,0	7,0	6,1	6,7	6,3	6,2	5,6	3,2							
46,0	6,6	5,7	6,3	6,0	5,9	5,3	2,9							
48,0	6,2	5,3	5,8	5,7	5,6	4,9	2,6							
50,0	5,7	5,0	5,1	5,4	5,2	4,6	2,2							
52,0	5,0	4,7	4,4	5,1	4,9	4,3								
54,0	4,4	4,4	3,8	4,8	4,3	4,0								
56,0	3,8	4,1	3,2	4,2	3,8	3,7								
58,0	3,3	3,8	2,7	3,7	3,2	3,2								
60,0			2,2	3,2	2,7	2,8								
62,0			1,7	2,8	2,3	2,3								
*** n ***	1	1	1	1	1	1	1	1						
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0						
1	46+	0+	92+	46+	92+	100+	92-	100-						
2	92+	92+	92+	92+	92+	100+	92-	100-						
3	92+	92+	92+	92+	92+	100+	92-	100-						
4	92+	92+	92+	92+	92+	100+	92-	100-						
5	46+	92+	46+	92+	92+	100+	92-	100-						
%														
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1804	1804	1804	1804	1804	1804	1804	1804						

	T	NZK xx° 12.2m	60,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 12.2m

070983 21.20

m >< t CODE > 0679 < B131 1240

m	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0						
64,0					1,8	1,9								
66,0					1,4	1,5								
68,0														
*** n ***	1	1	1	1	1	1	1	1						
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0						
1	46+	0+	92+	46+	92+	100+	92-	100-						
2	92+	92+	92+	92+	92+	100+	92-	100-						
3	92+	92+	92+	92+	92+	100+	92-	100-						
4	92+	92+	92+	92+	92+	100+	92-	100-						
5 %	46+	92+	46+	92+	92+	100+	92-	100-						
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1804	1804	1804	1804	1804	1804	1804	1804						

	T	NZK xx° 12.2m	60,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 12.2m

070983 21.20

m >< t CODE > 0681 < B131 1340

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0	15,5	51,9
3,5	16,5													
4,0	16,2													
4,5	16,0													
5,0	15,8													
6,0	15,4												13,5	
7,0	15,0												13,1	
8,0	14,5												12,4	
9,0	14,1												11,8	
10,0	13,2	16,4	13,8										11,2	
11,0	12,3	16,4	13,8	14,3									10,7	
12,0	11,4	16,2	13,8	14,3	13,6	12,3							10,3	
14,0	9,9	15,9	13,8	14,2	13,6	12,3	11,9	11,3	9,4		9,4		9,6	13,1
16,0	8,7	15,5	13,8	14,0	13,4	12,3	11,9	11,3	9,4	7,9	9,4	6,9	9,1	12,5
18,0	7,6	15,1	13,3	13,8	13,2	12,3	11,8	11,3	9,4	7,9	9,4	6,0	8,3	12,0
20,0	6,6	14,7	12,5	13,6	13,1	11,9	11,7	11,2	9,4	7,9	8,5	5,2	7,3	11,5
22,0	5,9	14,3	11,7	13,3	12,8	11,3	11,6	10,8	9,4	7,9	7,8	4,5	6,3	11,1
24,0	5,3	13,9	10,9	13,0	12,1	10,7	11,4	10,3	9,3	7,9	7,1	3,8	5,5	10,7
26,0		13,2	10,2	12,4	11,4	10,1	10,9	9,9	9,0	7,7	6,5	3,2		10,4
28,0		12,4	9,6	11,6	10,8	9,5	10,3	9,4	8,6	7,5	5,9			10,0
30,0		11,7	9,0	10,9	10,2	9,0	9,7	9,0	8,3	7,2	5,4			9,7
32,0		11,0	8,4	10,2	9,6	8,5	9,2	8,5	8,0	6,9	4,9			9,5
34,0		10,3	7,9	9,6	9,1	8,0	8,6	8,1	7,7	6,7	4,5			9,2
36,0		9,6	7,4	9,0	8,6	7,5	8,1	7,7	7,3	6,4	4,1			9,0
38,0		9,1	7,0	8,4	8,1	7,1	7,7	7,2	6,9	6,1	3,7			8,8
40,0		8,6	6,5	7,8	7,6	6,6	7,2	6,8	6,6	5,8	3,4			8,6
42,0		8,1	6,1	7,2	7,1	6,2	6,7	6,5	6,2	5,4	3,1			8,1
44,0		7,6	5,8	6,7	6,7	5,8	6,3	6,1	5,9	5,1	2,8			7,7
46,0		7,2	5,5	6,3	6,4	5,4	5,9	5,7	5,5	4,8	2,4			7,3
48,0		6,8	5,2	5,9	6,1	5,1	5,4	5,4	5,2	4,5				6,9
50,0		6,4	5,0	5,5	5,8	4,8	5,0	5,1	4,9	4,2				6,5
52,0		6,0	4,7	5,1	5,5	4,6	4,6	4,9	4,6	3,9				6,2
54,0		5,4	4,5	4,6	5,2	4,3	4,3	4,7	4,2	3,7				5,7
56,0		4,8	4,2	4,0	4,9	4,0	4,0	4,4	3,9	3,4				5,1
58,0		4,4	4,0	3,5	4,5	3,8	3,7	4,2	3,6	3,2				4,5
60,0			3,8	3,1	4,0	3,5	3,2	4,0	3,3	3,0				
62,0				2,6	3,6	3,3	2,8	3,8	3,1	2,8				
*** n ***	2	2	2	2	2	2	2	2	1	1	1	1	2	2
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.0	20.0
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-	0+	46+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-	0+	46+
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-	0+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1783	1783	1783	1783	1783	1783	1783	1783	1783	1783	1783	1783	1793	1793

	T	NZK xx° 12.2m	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 12.2m

070983 21.20

m >< t CODE > 0681 < B131 1340

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0	15,5	51,9
64,0				2,2	3,2	3,1	2,4	3,5	2,8	2,6				
66,0							2,0	3,1	2,4	2,4				
68,0							1,7	2,8	2,1	2,0				
70,0									1,8	1,7				
72,0									1,4	1,4				
74,0									1,2	1,1				
*** n ***	2	2	2	2	2	2	2	2	1	1	1	1	2	2
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.0	20.0
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-	0+	46+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-	0+	46+
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-	0+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1783	1783	1783	1783	1783	1783	1783	1783	1783	1783	1783	1783	1793	1793

	T	NZK xx° 12.2m	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 12.2m

070983 21.20

m >< t CODE > 0681 < B131 1340

m	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0	15,5	51,9	51,9	57,1
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0											8,7			
11,0											8,6			
12,0											8,4			
14,0											8,1			
16,0	11,8	12,4	12,1								7,9			
18,0	11,4	11,9	11,7	11,2	11,3	10,9					7,7	8,7	8,4	
20,0	10,9	11,5	11,2	10,8	11,1	10,7	9,5		9,0		7,6	8,6	8,4	8,5
22,0	10,6	11,1	10,9	10,5	10,8	10,4	9,4	7,9	8,2	5,0	6,5	8,4	8,3	8,4
24,0	10,2	10,7	10,5	10,2	10,4	10,1	9,2	7,9	7,5	4,4		8,3	8,1	8,3
26,0	9,9	10,4	10,2	9,8	10,2	9,7	8,9	7,8	6,9	3,8		8,2	8,1	8,2
28,0	9,4	10,1	9,9	9,4	9,9	9,3	8,6	7,5	6,3	3,2		8,1	8,0	8,1
30,0	8,8	9,8	9,7	8,8	9,6	8,8	8,3	7,3	5,7	2,7		8,0	7,9	8,0
32,0	8,3	9,6	9,4	8,3	9,3	8,4	7,9	7,0	5,3			7,9	7,8	7,9
34,0	7,8	9,3	9,1	7,9	8,9	8,0	7,6	6,7	4,8			7,8	7,7	7,8
36,0	7,3	9,0	8,6	7,4	8,4	7,6	7,3	6,5	4,4			7,8	7,4	7,7
38,0	6,9	8,6	8,1	7,1	7,9	7,2	7,0	6,3	4,0			7,7	7,0	7,7
40,0	6,5	8,1	7,7	6,7	7,4	6,9	6,7	5,9	3,6			7,7	6,6	7,6
42,0	6,1	7,5	7,2	6,3	6,9	6,5	6,4	5,7	3,3			7,6	6,2	7,6
44,0	5,8	6,9	6,8	5,9	6,5	6,2	6,1	5,3	3,0			7,6	5,9	7,2
46,0	5,4	6,4	6,4	5,5	6,0	5,9	5,7	5,0	2,7			7,3	5,6	6,7
48,0	5,2	6,0	6,1	5,2	5,6	5,5	5,4	4,7	2,4			7,0	5,3	6,2
50,0	4,9	5,5	5,7	4,9	5,2	5,2	5,1	4,4	1,7			6,6	5,0	5,7
52,0	4,7	5,1	5,4	4,6	4,8	5,0	4,7	4,1				6,3	4,7	5,2
54,0	4,5	4,7	5,1	4,3	4,5	4,7	4,4	3,8				5,7	4,5	4,8
56,0	4,2	4,3	4,8	4,0	4,1	4,5	4,1	3,6						4,4
58,0	4,0	3,8	4,6	3,8	3,8	4,2	3,8	3,3						3,9
60,0		3,3	4,2	3,5	3,5	4,0	3,6	3,1						
62,0		2,8	3,8	3,3	3,1	3,8	3,3	2,9						
*** n ***	2	2	2	2	2	2	1	1	1	1	1	1	1	1
xx	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	45.0	45.0	45.0	45.0
1	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-	0+	46+	0+	92+
2	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+	46+	92+
3	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+	92+	92+
4	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-	0+	46+	92+	46+
5 %	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-	0+	46+	92+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1793	1793	1793	1793	1793	1793	1793	1793	1793	1793	1803	1803	1803	1803

	T	NZK xx° 12.2m	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 12.2m

070983 21.20

m >< t CODE > 0681 < B131 1340

m	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0	15,5	51,9	51,9	57,1
64,0		2,4	3,3	3,0	2,6	3,6	3,1	2,6						
66,0					2,2	3,3	2,7	2,4						
68,0					1,8	2,9	2,3	2,2						
70,0							1,9	1,9						
72,0							1,6	1,5						
74,0							1,3	1,2						
*** n ***	2	2	2	2	2	2	1	1	1	1	1	1	1	1
xx	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	45.0	45.0	45.0	45.0
1	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-	0+	46+	0+	92+
2	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+	46+	92+
3	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+	92+	92+
4	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-	0+	46+	92+	46+
5 %	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-	0+	46+	92+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1793	1793	1793	1793	1793	1793	1793	1793	1793	1793	1803	1803	1803	1803

	T	NZK xx° 12.2m	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 12.2m

070983 21.20

m >< t CODE > 0681 < B131 1340

m	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0						
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
14,0														
16,0														
18,0														
20,0	8,5	8,3												
22,0	8,4	8,2	8,3	8,2										
24,0	8,2	8,1	8,2	8,1	8,0		7,9							
26,0	8,1	8,0	8,1	8,0	7,9	7,7	7,2	4,3						
28,0	8,0	7,9	8,0	7,9	7,9	7,6	6,6	3,7						
30,0	7,9	7,9	7,9	7,9	7,8	7,4	6,1	3,2						
32,0	7,9	7,8	7,9	7,8	7,8	7,2	5,6	2,7						
34,0	7,8	7,7	7,8	7,7	7,6	6,9	5,1							
36,0	7,7	7,5	7,8	7,6	7,3	6,6	4,7							
38,0	7,7	7,1	7,7	7,3	7,0	6,4	4,2							
40,0	7,6	6,8	7,7	6,9	6,7	6,1	3,9							
42,0	7,4	6,4	7,2	6,6	6,4	5,8	3,5							
44,0	7,0	6,1	6,7	6,3	6,2	5,6	3,2							
46,0	6,6	5,7	6,3	6,0	5,9	5,3	2,9							
48,0	6,2	5,3	5,8	5,7	5,6	4,9	2,6							
50,0	5,8	5,0	5,4	5,4	5,2	4,6	2,2							
52,0	5,5	4,7	5,0	5,1	4,9	4,3								
54,0	5,2	4,4	4,6	4,8	4,6	4,0								
56,0	4,9	4,1	4,3	4,5	4,2	3,7								
58,0	4,6	3,8	3,9	4,3	3,9	3,5								
60,0			3,6	4,0	3,6	3,2								
62,0			3,2	3,8	3,3	3,0								
*** n ***	1	1	1	1	1	1	1	1						
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0						
1	46+	0+	92+	46+	92+	100+	92-	100-						
2	92+	92+	92+	92+	92+	100+	92-	100-						
3	92+	92+	92+	92+	92+	100+	92-	100-						
4	92+	92+	92+	92+	92+	100+	92-	100-						
5	46+	92+	46+	92+	92+	100+	92-	100-						
%														
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1803	1803	1803	1803	1803	1803	1803	1803						

	T	NZK xx° 12.2m	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 12.2m

070983 21.20

m >< t CODE > 0681 < B131 1340

m	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0						
64,0					3,0	2,8								
66,0					2,8	2,6								
68,0					2,3	2,3								
70,0						2,0								
72,0						1,6								
74,0														
*** n ***	1	1	1	1	1	1	1	1						
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0						
1	46+	0+	92+	46+	92+	100+	92-	100-						
2	92+	92+	92+	92+	92+	100+	92-	100-						
3	92+	92+	92+	92+	92+	100+	92-	100-						
4	92+	92+	92+	92+	92+	100+	92-	100-						
5	46+	92+	46+	92+	92+	100+	92-	100-						
%														
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1803	1803	1803	1803	1803	1803	1803	1803						

	T	NZK xx° 12.2m	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 12.2m

070983 21.20

m >< t CODE > 0682 < B131 1440

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0	15,5	51,9
3,5	16,5													
4,0	16,2													
4,5	16,0													
5,0	15,8													
6,0	15,4												13,5	
7,0	15,0												13,1	
8,0	14,5												12,4	
9,0	14,1												11,8	
10,0	13,2	16,4	13,8										11,2	
11,0	12,3	16,4	13,8	14,3									10,7	
12,0	11,4	16,2	13,8	14,3	13,6	12,3							10,3	
14,0	9,9	15,9	13,8	14,2	13,6	12,3	11,9	11,3	9,4		9,4		9,6	13,1
16,0	8,7	15,5	13,8	14,0	13,4	12,3	11,9	11,3	9,4	7,9	9,4	6,9	9,1	12,5
18,0	7,6	15,1	13,3	13,8	13,2	12,3	11,8	11,3	9,4	7,9	9,4	6,0	8,3	12,0
20,0	6,6	14,7	12,5	13,6	13,1	11,9	11,7	11,2	9,4	7,9	8,5	5,2	7,3	11,5
22,0	5,9	14,3	11,7	13,3	12,8	11,3	11,6	10,8	9,4	7,9	7,8	4,5	6,3	11,1
24,0	5,3	13,9	10,9	13,0	12,1	10,7	11,4	10,3	9,3	7,9	7,1	3,8	5,5	10,7
26,0		13,2	10,2	12,4	11,4	10,1	10,9	9,9	9,0	7,7	6,5	3,2		10,4
28,0		12,4	9,6	11,6	10,8	9,5	10,3	9,4	8,6	7,5	5,9			10,0
30,0		11,7	9,0	10,9	10,2	9,0	9,7	9,0	8,3	7,2	5,4			9,7
32,0		11,0	8,4	10,2	9,6	8,5	9,2	8,5	8,0	6,9	4,9			9,5
34,0		10,3	7,9	9,6	9,1	8,0	8,6	8,1	7,7	6,7	4,5			9,2
36,0		9,6	7,4	9,0	8,6	7,5	8,1	7,7	7,3	6,4	4,1			9,0
38,0		9,1	7,0	8,4	8,1	7,1	7,7	7,2	6,9	6,1	3,7			8,8
40,0		8,6	6,5	7,8	7,6	6,6	7,2	6,8	6,6	5,8	3,4			8,6
42,0		8,1	6,1	7,2	7,1	6,2	6,7	6,5	6,2	5,4	3,1			8,1
44,0		7,6	5,8	6,7	6,7	5,8	6,3	6,1	5,9	5,1	2,8			7,7
46,0		7,2	5,5	6,3	6,4	5,4	5,9	5,7	5,5	4,8	2,4			7,3
48,0		6,8	5,2	5,9	6,1	5,1	5,4	5,4	5,2	4,5				6,9
50,0		6,4	5,0	5,5	5,8	4,8	5,0	5,1	4,9	4,2				6,5
52,0		6,1	4,7	5,1	5,5	4,6	4,6	4,9	4,6	3,9				6,2
54,0		5,8	4,5	4,8	5,2	4,3	4,3	4,7	4,2	3,7				5,9
56,0		5,5	4,2	4,4	4,9	4,0	4,0	4,4	3,9	3,4				5,6
58,0		5,2	4,0	4,1	4,7	3,8	3,7	4,2	3,6	3,2				5,3
60,0			3,8	3,7	4,4	3,5	3,4	4,0	3,3	3,0				
62,0				3,4	4,2	3,3	3,2	3,8	3,1	2,8				
*** n ***	2	2	2	2	2	2	2	2	1	1	1	1	2	2
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.0	20.0
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-	0+	46+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-	0+	46+
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-	0+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1782	1782	1782	1782	1782	1782	1782	1782	1782	1782	1782	1782	1792	1792

	T	NZK xx° 12.2m	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 12.2m

070983 21.20

m >< t CODE > 0682 < B131 1440

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0	15,5	51,9
64,0				3,1	3,9	3,1	2,9	3,5	2,9	2,6				
66,0							2,7	3,3	2,7	2,4				
68,0							2,4	3,1	2,5	2,2				
70,0									2,3	2,0				
72,0									2,1	1,8				
74,0									1,9	1,6				
76,0										1,4				
78,0										1,2				
*** n ***	2	2	2	2	2	2	2	2	1	1	1	1	2	2
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.0	20.0
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-	0+	46+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-	0+	46+
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-	0+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1782	1782	1782	1782	1782	1782	1782	1782	1782	1782	1782	1782	1792	1792

	T	NZK xx° 12.2m	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 12.2m

070983 21.20

m >< t CODE > 0682 < B131 1440

m	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0	15,5	51,9	51,9	57,1
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0											8,7			
11,0											8,6			
12,0											8,4			
14,0											8,1			
16,0	11,8	12,4	12,1								7,9			
18,0	11,4	11,9	11,7	11,2	11,3	10,9					7,7	8,7	8,4	
20,0	10,9	11,5	11,2	10,8	11,1	10,7	9,5		9,0		7,6	8,6	8,4	8,5
22,0	10,6	11,1	10,9	10,5	10,8	10,4	9,4	7,9	8,2	5,0	6,5	8,4	8,3	8,4
24,0	10,2	10,7	10,5	10,2	10,4	10,1	9,2	7,9	7,5	4,4		8,3	8,1	8,3
26,0	9,9	10,4	10,2	9,8	10,2	9,7	8,9	7,8	6,9	3,8		8,2	8,1	8,2
28,0	9,4	10,1	9,9	9,4	9,9	9,3	8,6	7,5	6,3	3,2		8,1	8,0	8,1
30,0	8,8	9,8	9,7	8,8	9,6	8,8	8,3	7,3	5,7	2,7		8,0	7,9	8,0
32,0	8,3	9,6	9,4	8,3	9,3	8,4	7,9	7,0	5,3			7,9	7,8	7,9
34,0	7,8	9,3	9,1	7,9	8,9	8,0	7,6	6,7	4,8			7,8	7,7	7,8
36,0	7,3	9,0	8,6	7,4	8,4	7,6	7,3	6,5	4,4			7,8	7,4	7,7
38,0	6,9	8,6	8,1	7,1	7,9	7,2	7,0	6,3	4,0			7,7	7,0	7,7
40,0	6,5	8,1	7,7	6,7	7,4	6,9	6,7	5,9	3,6			7,7	6,6	7,6
42,0	6,1	7,5	7,2	6,3	6,9	6,5	6,4	5,7	3,3			7,6	6,2	7,6
44,0	5,8	6,9	6,8	5,9	6,5	6,2	6,1	5,3	3,0			7,6	5,9	7,2
46,0	5,4	6,4	6,4	5,5	6,0	5,9	5,7	5,0	2,7			7,3	5,6	6,7
48,0	5,2	6,0	6,1	5,2	5,6	5,5	5,4	4,7	2,4			7,0	5,3	6,2
50,0	4,9	5,5	5,7	4,9	5,2	5,2	5,1	4,4	1,7			6,6	5,0	5,7
52,0	4,7	5,1	5,4	4,6	4,8	5,0	4,7	4,1				6,3	4,7	5,2
54,0	4,5	4,7	5,1	4,3	4,5	4,7	4,4	3,8				5,9	4,5	4,8
56,0	4,2	4,3	4,8	4,0	4,1	4,5	4,1	3,6						4,4
58,0	4,0	4,0	4,6	3,8	3,8	4,2	3,8	3,3						4,0
60,0		3,7	4,3	3,5	3,5	4,0	3,6	3,1						
62,0		3,4	4,1	3,3	3,2	3,8	3,3	2,9						
*** n ***	2	2	2	2	2	2	1	1	1	1	1	1	1	1
xx	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	45.0	45.0	45.0	45.0
1	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-	0+	46+	0+	92+
2	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+	46+	92+
3	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+	92+	92+
4	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-	0+	46+	92+	46+
5 %	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-	0+	46+	92+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1792	1792	1792	1792	1792	1792	1792	1792	1792	1792	1802	1802	1802	1802

	T	NZK xx° 12.2m	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 12.2m

070983 21.20

m >< t CODE > 0682 < B131 1440

m	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0	15,5	51,9	51,9	57,1
64,0		3,1	3,9	3,0	3,0	3,6	3,1	2,6						
66,0					2,7	3,4	2,8	2,4						
68,0					2,5	3,2	2,6	2,2						
70,0							2,4	2,1						
72,0							2,2	1,8						
74,0							1,9	1,6						
76,0								1,4						
78,0								1,2						
*** n ***	2	2	2	2	2	2	1	1	1	1	1	1	1	1
xx	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	45.0	45.0	45.0	45.0
1	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-	0+	46+	0+	92+
2	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+	46+	92+
3	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+	92+	92+
4	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-	0+	46+	92+	46+
5 %	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-	0+	46+	92+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1792	1792	1792	1792	1792	1792	1792	1792	1792	1792	1802	1802	1802	1802

	T	NZK xx° 12.2m	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 12.2m

070983 21.20

m >< t CODE > 0682 < B131 1440

m	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0						
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
14,0														
16,0														
18,0														
20,0	8,5	8,3												
22,0	8,4	8,2	8,3	8,2										
24,0	8,2	8,1	8,2	8,1	8,0		7,9							
26,0	8,1	8,0	8,1	8,0	7,9	7,7	7,2	4,3						
28,0	8,0	7,9	8,0	7,9	7,9	7,6	6,6	3,7						
30,0	7,9	7,9	7,9	7,9	7,8	7,4	6,1	3,2						
32,0	7,9	7,8	7,9	7,8	7,8	7,2	5,6	2,7						
34,0	7,8	7,7	7,8	7,7	7,6	6,9	5,1							
36,0	7,7	7,5	7,8	7,6	7,3	6,6	4,7							
38,0	7,7	7,1	7,7	7,3	7,0	6,4	4,2							
40,0	7,6	6,8	7,7	6,9	6,7	6,1	3,9							
42,0	7,4	6,4	7,2	6,6	6,4	5,8	3,5							
44,0	7,0	6,1	6,7	6,3	6,2	5,6	3,2							
46,0	6,6	5,7	6,3	6,0	5,9	5,3	2,9							
48,0	6,2	5,3	5,8	5,7	5,6	4,9	2,6							
50,0	5,8	5,0	5,4	5,4	5,2	4,6	2,2							
52,0	5,5	4,7	5,0	5,1	4,9	4,3								
54,0	5,2	4,4	4,6	4,8	4,6	4,0								
56,0	4,9	4,1	4,3	4,5	4,2	3,7								
58,0	4,6	3,8	3,9	4,3	3,9	3,5								
60,0			3,6	4,0	3,6	3,2								
62,0			3,2	3,8	3,3	3,0								
*** n ***	1	1	1	1	1	1	1	1						
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0						
1	46+	0+	92+	46+	92+	100+	92-	100-						
2	92+	92+	92+	92+	92+	100+	92-	100-						
3	92+	92+	92+	92+	92+	100+	92-	100-						
4	92+	92+	92+	92+	92+	100+	92-	100-						
5	46+	92+	46+	92+	92+	100+	92-	100-						
%														
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1802	1802	1802	1802	1802	1802	1802	1802						

	T	NZK xx° 12.2m	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 12.2m

070983 21.20

m >< t CODE > 0682 < B131 1440

m	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0						
64,0					3,0	2,8								
66,0					2,8	2,6								
68,0					2,5	2,3								
70,0						2,1								
72,0						1,8								
74,0														
76,0														
78,0														
*** n ***	1	1	1	1	1	1	1	1						
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0						
1	46+	0+	92+	46+	92+	100+	92-	100-						
2	92+	92+	92+	92+	92+	100+	92-	100-						
3	92+	92+	92+	92+	92+	100+	92-	100-						
4	92+	92+	92+	92+	92+	100+	92-	100-						
5 %	46+	92+	46+	92+	92+	100+	92-	100-						
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1802	1802	1802	1802	1802	1802	1802	1802						

	T	NZK xx° 12.2m	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 12.2m

070983 21.20

m >< t CODE > 0683 < B131 1540

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0	15,5	51,9
3,5	16,5													
4,0	16,2													
4,5	16,0													
5,0	15,8													
6,0	15,4												13,5	
7,0	15,0												13,1	
8,0	14,5												12,4	
9,0	14,1												11,8	
10,0	13,2	16,4	13,8										11,2	
11,0	12,3	16,4	13,8	14,3									10,7	
12,0	11,4	16,2	13,8	14,3	13,6	12,3							10,3	
14,0	9,9	15,9	13,8	14,2	13,6	12,3	11,9	11,3	9,4		9,4		9,6	13,1
16,0	8,7	15,5	13,8	14,0	13,4	12,3	11,9	11,3	9,4	7,9	9,4	6,9	9,1	12,5
18,0	7,6	15,1	13,3	13,8	13,2	12,3	11,8	11,3	9,4	7,9	9,4	6,0	8,3	12,0
20,0	6,6	14,7	12,5	13,6	13,1	11,9	11,7	11,2	9,4	7,9	8,5	5,2	7,3	11,5
22,0	5,9	14,3	11,7	13,3	12,8	11,3	11,6	10,8	9,4	7,9	7,8	4,5	6,3	11,1
24,0	5,3	13,9	10,9	13,0	12,1	10,7	11,4	10,3	9,3	7,9	7,1	3,8	5,5	10,7
26,0		13,2	10,2	12,4	11,4	10,1	10,9	9,9	9,0	7,7	6,5	3,2		10,4
28,0		12,4	9,6	11,6	10,8	9,5	10,3	9,4	8,6	7,5	5,9			10,0
30,0		11,7	9,0	10,9	10,2	9,0	9,7	9,0	8,3	7,2	5,4			9,7
32,0		11,0	8,4	10,2	9,6	8,5	9,2	8,5	8,0	6,9	4,9			9,5
34,0		10,3	7,9	9,6	9,1	8,0	8,6	8,1	7,7	6,7	4,5			9,2
36,0		9,6	7,4	9,0	8,6	7,5	8,1	7,7	7,3	6,4	4,1			9,0
38,0		9,1	7,0	8,4	8,1	7,1	7,7	7,2	6,9	6,1	3,7			8,8
40,0		8,6	6,5	7,8	7,6	6,6	7,2	6,8	6,6	5,8	3,4			8,6
42,0		8,1	6,1	7,2	7,1	6,2	6,7	6,5	6,2	5,4	3,1			8,1
44,0		7,6	5,8	6,7	6,7	5,8	6,3	6,1	5,9	5,1	2,8			7,7
46,0		7,2	5,5	6,3	6,4	5,4	5,9	5,7	5,5	4,8	2,4			7,3
48,0		6,8	5,2	5,9	6,1	5,1	5,4	5,4	5,2	4,5				6,9
50,0		6,4	5,0	5,5	5,8	4,8	5,0	5,1	4,9	4,2				6,5
52,0		6,1	4,7	5,1	5,5	4,6	4,6	4,9	4,6	3,9				6,2
54,0		5,8	4,5	4,8	5,2	4,3	4,3	4,7	4,2	3,7				5,9
56,0		5,5	4,2	4,4	4,9	4,0	4,0	4,4	3,9	3,4				5,6
58,0		5,2	4,0	4,1	4,7	3,8	3,7	4,2	3,6	3,2				5,3
60,0			3,8	3,7	4,4	3,5	3,4	4,0	3,3	3,0				
62,0				3,4	4,2	3,3	3,2	3,8	3,1	2,8				
*** n ***	2	2	2	2	2	2	2	2	1	1	1	1	2	2
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.0	20.0
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-	0+	46+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-	0+	46+
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-	0+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1781	1781	1781	1781	1781	1781	1781	1781	1781	1781	1781	1781	1791	1791

	T	NZK xx° 12.2m	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 12.2m

070983 21.20

m >< t CODE > 0683 < B131 1540

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0	15,5	51,9
64,0				3,1	3,9	3,1	2,9	3,5	2,9	2,6				
66,0							2,7	3,3	2,7	2,4				
68,0							2,4	3,1	2,5	2,2				
70,0									2,3	2,0				
72,0									2,1	1,8				
74,0									1,9	1,6				
76,0										1,4				
78,0										1,2				
*** n ***	2	2	2	2	2	2	2	2	1	1	1	1	2	2
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.0	20.0
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-	0+	46+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-	0+	46+
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-	0+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1781	1781	1781	1781	1781	1781	1781	1781	1781	1781	1781	1781	1791	1791

	T	NZK xx° 12.2m	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 12.2m

070983 21.20

m >< t CODE > 0683 < B131 1540

m	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0	15,5	51,9	51,9	57,1
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0											8,7			
11,0											8,6			
12,0											8,4			
14,0											8,1			
16,0	11,8	12,4	12,1								7,9			
18,0	11,4	11,9	11,7	11,2	11,3	10,9					7,7	8,7	8,4	
20,0	10,9	11,5	11,2	10,8	11,1	10,7	9,5		9,0		7,6	8,6	8,4	8,5
22,0	10,6	11,1	10,9	10,5	10,8	10,4	9,4	7,9	8,2	5,0	6,5	8,4	8,3	8,4
24,0	10,2	10,7	10,5	10,2	10,4	10,1	9,2	7,9	7,5	4,4		8,3	8,1	8,3
26,0	9,9	10,4	10,2	9,8	10,2	9,7	8,9	7,8	6,9	3,8		8,2	8,1	8,2
28,0	9,4	10,1	9,9	9,4	9,9	9,3	8,6	7,5	6,3	3,2		8,1	8,0	8,1
30,0	8,8	9,8	9,7	8,8	9,6	8,8	8,3	7,3	5,7	2,7		8,0	7,9	8,0
32,0	8,3	9,6	9,4	8,3	9,3	8,4	7,9	7,0	5,3			7,9	7,8	7,9
34,0	7,8	9,3	9,1	7,9	8,9	8,0	7,6	6,7	4,8			7,8	7,7	7,8
36,0	7,3	9,0	8,6	7,4	8,4	7,6	7,3	6,5	4,4			7,8	7,4	7,7
38,0	6,9	8,6	8,1	7,1	7,9	7,2	7,0	6,3	4,0			7,7	7,0	7,7
40,0	6,5	8,1	7,7	6,7	7,4	6,9	6,7	5,9	3,6			7,7	6,6	7,6
42,0	6,1	7,5	7,2	6,3	6,9	6,5	6,4	5,7	3,3			7,6	6,2	7,6
44,0	5,8	6,9	6,8	5,9	6,5	6,2	6,1	5,3	3,0			7,6	5,9	7,2
46,0	5,4	6,4	6,4	5,5	6,0	5,9	5,7	5,0	2,7			7,3	5,6	6,7
48,0	5,2	6,0	6,1	5,2	5,6	5,5	5,4	4,7	2,4			7,0	5,3	6,2
50,0	4,9	5,5	5,7	4,9	5,2	5,2	5,1	4,4	1,7			6,6	5,0	5,7
52,0	4,7	5,1	5,4	4,6	4,8	5,0	4,7	4,1				6,3	4,7	5,2
54,0	4,5	4,7	5,1	4,3	4,5	4,7	4,4	3,8				5,9	4,5	4,8
56,0	4,2	4,3	4,8	4,0	4,1	4,5	4,1	3,6						4,4
58,0	4,0	4,0	4,6	3,8	3,8	4,2	3,8	3,3						4,0
60,0		3,7	4,3	3,5	3,5	4,0	3,6	3,1						
62,0		3,4	4,1	3,3	3,2	3,8	3,3	2,9						
*** n ***	2	2	2	2	2	2	1	1	1	1	1	1	1	1
xx	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	45.0	45.0	45.0	45.0
1	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-	0+	46+	0+	92+
2	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+	46+	92+
3	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+	92+	92+
4	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-	0+	46+	92+	46+
5 %	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-	0+	46+	92+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1791	1791	1791	1791	1791	1791	1791	1791	1791	1791	1801	1801	1801	1801

	T	NZK xx° 12.2m	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 12.2m

070983 21.20

m >< t CODE > 0683 < B131 1540

m	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0	15,5	51,9	51,9	57,1
64,0		3,1	3,9	3,0	3,0	3,6	3,1	2,6						
66,0					2,7	3,4	2,8	2,4						
68,0					2,5	3,2	2,6	2,2						
70,0							2,4	2,1						
72,0							2,2	1,8						
74,0							1,9	1,6						
76,0								1,4						
78,0								1,2						
*** n ***	2	2	2	2	2	2	1	1	1	1	1	1	1	1
xx	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	45.0	45.0	45.0	45.0
1	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-	0+	46+	0+	92+
2	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+	46+	92+
3	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+	92+	92+
4	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-	0+	46+	92+	46+
5 %	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-	0+	46+	92+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1791	1791	1791	1791	1791	1791	1791	1791	1791	1791	1801	1801	1801	1801

	T	NZK xx° 12.2m	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 12.2m

070983 21.20

m >< t CODE > 0683 < B131 1540

m	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0						
3,5														
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
14,0														
16,0														
18,0														
20,0	8,5	8,3												
22,0	8,4	8,2	8,3	8,2										
24,0	8,2	8,1	8,2	8,1	8,0		7,9							
26,0	8,1	8,0	8,1	8,0	7,9	7,7	7,2	4,3						
28,0	8,0	7,9	8,0	7,9	7,9	7,6	6,6	3,7						
30,0	7,9	7,9	7,9	7,9	7,8	7,4	6,1	3,2						
32,0	7,9	7,8	7,9	7,8	7,8	7,2	5,6	2,7						
34,0	7,8	7,7	7,8	7,7	7,6	6,9	5,1							
36,0	7,7	7,5	7,8	7,6	7,3	6,6	4,7							
38,0	7,7	7,1	7,7	7,3	7,0	6,4	4,2							
40,0	7,6	6,8	7,7	6,9	6,7	6,1	3,9							
42,0	7,4	6,4	7,2	6,6	6,4	5,8	3,5							
44,0	7,0	6,1	6,7	6,3	6,2	5,6	3,2							
46,0	6,6	5,7	6,3	6,0	5,9	5,3	2,9							
48,0	6,2	5,3	5,8	5,7	5,6	4,9	2,6							
50,0	5,8	5,0	5,4	5,4	5,2	4,6	2,2							
52,0	5,5	4,7	5,0	5,1	4,9	4,3								
54,0	5,2	4,4	4,6	4,8	4,6	4,0								
56,0	4,9	4,1	4,3	4,5	4,2	3,7								
58,0	4,6	3,8	3,9	4,3	3,9	3,5								
60,0			3,6	4,0	3,6	3,2								
62,0			3,2	3,8	3,3	3,0								
*** n ***	1	1	1	1	1	1	1	1						
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0						
1	46+	0+	92+	46+	92+	100+	92-	100-						
2	92+	92+	92+	92+	92+	100+	92-	100-						
3	92+	92+	92+	92+	92+	100+	92-	100-						
4	92+	92+	92+	92+	92+	100+	92-	100-						
5	46+	92+	46+	92+	92+	100+	92-	100-						
%														
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1801	1801	1801	1801	1801	1801	1801	1801						

	T	NZK xx° 12.2m	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 12.2m

070983 21.20

m >< t CODE > 0683 < B131 1540

m	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0						
64,0					3,0	2,8								
66,0					2,8	2,6								
68,0					2,5	2,3								
70,0						2,1								
72,0						1,8								
74,0														
76,0														
78,0														
*** n ***	1	1	1	1	1	1	1	1						
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0						
1	46+	0+	92+	46+	92+	100+	92-	100-						
2	92+	92+	92+	92+	92+	100+	92-	100-						
3	92+	92+	92+	92+	92+	100+	92-	100-						
4	92+	92+	92+	92+	92+	100+	92-	100-						
5	46+	92+	46+	92+	92+	100+	92-	100-						
%														
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1801	1801	1801	1801	1801	1801	1801	1801						

	T	NZK xx° 12.2m	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 22m

070983 21.20

m >< t CODE > 0698 < B131 0E42

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0	15,5	51,9
4,0	7,0													
4,5	7,0													
5,0	7,0													
6,0	7,0													
7,0	7,0													
8,0	7,0													
9,0	6,9													
10,0	6,7													
11,0	6,6	7,0	6,4										6,0	
12,0	6,5	7,0	6,4	6,6									6,0	
14,0	6,2	7,0	6,4	6,6	6,2	5,8	5,8	5,5					5,7	
16,0	5,9	7,0	6,4	6,6	6,2	5,8	5,8	5,5	5,3		5,3		5,4	
18,0	5,6	7,0	6,4	6,6	6,2	5,8	5,8	5,5	5,3	4,7	5,3	4,7	5,2	
20,0	5,3	6,9	6,3	5,6	6,2	5,8	5,5	5,5	5,3	4,7	5,3	4,7	4,9	5,9
22,0	5,1	5,6	6,2	4,3	5,4	5,8	4,2	5,4	4,2	3,9	4,2	3,9	4,7	5,8
24,0	4,9	4,4	6,2		4,2	5,2		4,2	3,2		3,2		4,5	5,7
26,0	4,8	3,3	5,1		3,2	4,2		3,3					4,4	5,4
28,0	4,6		4,2			3,3							4,3	4,4
30,0	4,3		3,4										4,1	3,4
32,0	4,0		2,7										4,0	2,6
34,0	3,6												3,8	
36,0														
38,0														
40,0														
42,0														
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.0	20.0
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-	0+	46+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-	0+	46+
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-	0+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1788	1788	1788	1788	1788	1788	1788	1788	1788	1788	1788	1788	1798	1798

	T	NZK xx° 22m	10,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 22m

070983 21.20

m >< t CODE > 0698 < B131 0E42

m	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0	15,5	51,9	51,9	57,1
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
14,0														
16,0														
18,0											4,4			
20,0	5,6										4,3			
22,0	5,5	5,7	5,5	5,3							4,1			
24,0	5,4	5,5	5,4	5,3	5,2	5,1					3,9			
26,0	5,2	4,4	5,3	5,2	4,3	5,0	4,4		4,4		3,8	4,4		
28,0	5,1	3,4	4,2	5,0	3,3	4,3	3,4		3,4		3,8	4,3	4,2	4,3
30,0	4,9		3,3	4,1		3,4	2,5		2,5		3,8	4,2	4,1	4,2
32,0	4,1		2,5	3,3		2,6					3,8	4,1	4,1	3,5
34,0	3,3			2,6								3,4	4,0	2,6
36,0	2,7											2,6	3,9	
38,0	2,1												3,2	
40,0													2,6	
42,0													2,0	
*** n ***	1	1	1	1	1	1	1	0	1	0	1	1	1	1
xx	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	45.0	45.0	45.0	45.0
1	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-	0+	46+	0+	92+
2	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+	46+	92+
3	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+	92+	92+
4	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-	0+	46+	92+	46+
5 %	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-	0+	46+	92+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1798	1798	1798	1798	1798	1798	1798	1798	1798	1798	1808	1808	1808	1808

	T	NZK xx° 22m	10,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 22m

070983 21.20

m >< t CODE > 0698 < B131 0E42

m	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0						
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
14,0														
16,0														
18,0														
20,0														
22,0														
24,0														
26,0														
28,0	4,2	4,2												
30,0	4,2	4,1	4,2	4,1										
32,0	4,1	4,1	3,5	4,1	3,6		3,6							
34,0	3,4	4,0	2,7	3,5	2,8		2,8							
36,0	2,6	3,3		2,7										
38,0		2,6		2,0										
40,0		2,0												
42,0														
*** n ***	1	1	1	1	1	0	1	0						
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0						
1	46+	0+	92+	46+	92+	100+	92-	100-						
2	92+	92+	92+	92+	92+	100+	92-	100-						
3	92+	92+	92+	92+	92+	100+	92-	100-						
4	92+	92+	92+	92+	92+	100+	92-	100-						
5	46+	92+	46+	92+	92+	100+	92-	100-						
%														
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1808	1808	1808	1808	1808	1808	1808	1808						

	T	NZK xx° 22m	10,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 22m

070983 21.20

m >< t CODE > 0700 < B131 0F42

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0	15,5	51,9
4,0	7,0													
4,5	7,0													
5,0	7,0													
6,0	7,0													
7,0	7,0													
8,0	7,0													
9,0	6,9													
10,0	6,7													
11,0	6,6	7,0	6,4										6,0	
12,0	6,5	7,0	6,4	6,6									6,0	
14,0	6,2	7,0	6,4	6,6	6,2	5,8	5,8	5,5					5,7	
16,0	5,9	7,0	6,4	6,6	6,2	5,8	5,8	5,5	5,3		5,3		5,4	
18,0	5,6	7,0	6,4	6,6	6,2	5,8	5,8	5,5	5,3	4,7	5,3	4,7	5,2	
20,0	5,3	6,9	6,3	6,5	6,2	5,8	5,8	5,5	5,3	4,7	5,3	4,7	4,9	5,9
22,0	5,1	6,7	6,2	6,4	6,2	5,8	5,8	5,5	5,2	4,7	5,2	4,3	4,7	5,8
24,0	4,9	6,6	6,2	6,3	6,1	5,8	5,8	5,5	5,2	4,7	5,2	3,7	4,5	5,7
26,0	4,8	6,5	6,1	6,2	6,1	5,8	5,7	5,5	5,2	4,7	5,2	3,2	4,4	5,5
28,0	4,6	6,3	5,9	5,1	6,0	5,7	5,0	5,4	5,1	4,7	5,1		4,3	5,4
30,0	4,3	5,3	5,8	4,1	5,1	5,6	4,1	5,2	4,2	3,9	4,2		4,1	5,2
32,0	4,0	4,4	5,7	3,2	4,3	5,2	3,2	4,4	3,3	3,1	3,3		4,0	5,1
34,0	3,6	3,6	5,3	2,5	3,5	4,4	2,5	3,6	2,6	2,3	2,6		3,8	5,0
36,0		2,9	4,6		2,8	3,7		2,9						4,3
38,0		2,3	3,9		2,2	3,1		2,3						3,5
40,0			3,4			2,5								2,9
42,0			2,8			2,0								2,3
44,0			2,4											
46,0			1,9											
48,0														
50,0														
52,0														
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.0	20.0
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-	0+	46+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-	0+	46+
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-	0+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1787	1787	1787	1787	1787	1787	1787	1787	1787	1787	1787	1787	1797	1797

	T	NZK xx° 22m	22,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 22m

070983 21.20

m >< t CODE > 0700 < B131 0F42

m	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0	15,5	51,9	51,9	57,1
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
14,0														
16,0														
18,0											4,4			
20,0	5,6										4,3			
22,0	5,5	5,7	5,5	5,3							4,1			
24,0	5,4	5,5	5,4	5,3	5,2	5,1					3,9			
26,0	5,2	5,4	5,3	5,2	5,2	5,0	4,8		4,8		3,8	4,4		
28,0	5,1	5,3	5,2	5,1	5,1	4,9	4,8	4,4	4,8	3,5	3,8	4,3	4,2	4,3
30,0	5,0	5,2	5,1	5,0	5,0	4,8	4,7	4,4	4,7	3,0	3,8	4,2	4,1	4,2
32,0	4,9	5,0	5,0	4,9	4,9	4,8	4,6	4,4	4,6	2,6	3,8	4,1	4,1	4,1
34,0	4,8	4,1	4,9	4,8	4,1	4,7	4,2	3,9	4,2			4,1	4,0	4,1
36,0	4,7	3,3	4,2	4,7	3,3	4,3	3,4	3,2	3,4			4,0	4,0	4,0
38,0	4,6	2,6	3,5	4,3	2,6	3,6	2,7	2,5	2,7			4,0	3,9	4,0
40,0	4,4		2,8	3,6		2,9	2,1		2,1			3,9	3,9	3,3
42,0	3,8		2,2	3,0		2,4						3,3	3,8	2,6
44,0	3,2			2,5		1,8						2,7	3,8	1,9
46,0	2,7			2,0								2,1	3,4	
48,0	2,3												2,9	
50,0	1,8												2,4	
52,0													1,9	
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	45.0	45.0	45.0	45.0
1	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-	0+	46+	0+	92+
2	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+	46+	92+
3	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+	92+	92+
4	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-	0+	46+	92+	46+
5 %	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-	0+	46+	92+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1797	1797	1797	1797	1797	1797	1797	1797	1797	1797	1807	1807	1807	1807

	T	NZK xx° 22m	22,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 22m

070983 21.20

m >< t CODE > 0700 < B131 0F42

m	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0						
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
14,0														
16,0														
18,0														
20,0														
22,0														
24,0														
26,0														
28,0	4,2	4,2												
30,0	4,2	4,1	4,2	4,1										
32,0	4,1	4,1	4,1	4,1	4,0		4,0							
34,0	4,1	4,0	4,1	4,0	4,0	3,9	4,0	3,0						
36,0	4,0	4,0	4,0	4,0	3,9	3,8	3,9	2,5						
38,0	4,0	3,9	4,0	3,9	3,9	3,8	3,9	2,1						
40,0	3,9	3,9	3,3	3,9	3,4	3,3	3,4							
42,0	3,3	3,8	2,6	3,5	2,8	2,6	2,8							
44,0	2,7	3,4	2,0	2,9	2,1	2,0	2,1							
46,0	2,1	2,8		2,3										
48,0		2,3		1,8										
50,0		1,8												
52,0														
*** n ***	1	1	1	1	1	1	1	1						
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0						
1	46+	0+	92+	46+	92+	100+	92-	100-						
2	92+	92+	92+	92+	92+	100+	92-	100-						
3	92+	92+	92+	92+	92+	100+	92-	100-						
4	92+	92+	92+	92+	92+	100+	92-	100-						
5	46+	92+	46+	92+	92+	100+	92-	100-						
%														
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1807	1807	1807	1807	1807	1807	1807	1807						

	T	NZK xx° 22m	22,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 22m

070983 21.20

m >< t CODE > 0702 < B131 1042

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0	15,5	51,9
4,0	7,0													
4,5	7,0													
5,0	7,0													
6,0	7,0													
7,0	7,0													
8,0	7,0													
9,0	6,9													
10,0	6,7													
11,0	6,6	7,0	6,4										6,0	
12,0	6,5	7,0	6,4	6,6									6,0	
14,0	6,2	7,0	6,4	6,6	6,2	5,8	5,8	5,5					5,7	
16,0	5,9	7,0	6,4	6,6	6,2	5,8	5,8	5,5	5,3		5,3		5,4	
18,0	5,6	7,0	6,4	6,6	6,2	5,8	5,8	5,5	5,3	4,7	5,3	4,7	5,2	
20,0	5,3	6,9	6,3	6,5	6,2	5,8	5,8	5,5	5,3	4,7	5,3	4,7	4,9	5,9
22,0	5,1	6,7	6,2	6,4	6,2	5,8	5,8	5,5	5,2	4,7	5,2	4,3	4,7	5,8
24,0	4,9	6,6	6,2	6,3	6,1	5,8	5,8	5,5	5,2	4,7	5,2	3,7	4,5	5,7
26,0	4,8	6,5	6,1	6,2	6,1	5,8	5,7	5,5	5,2	4,7	5,2	3,2	4,4	5,5
28,0	4,6	6,3	5,9	6,1	6,0	5,7	5,6	5,4	5,1	4,7	5,1		4,3	5,4
30,0	4,3	6,2	5,8	6,0	5,9	5,6	5,6	5,4	5,1	4,6	5,1		4,1	5,2
32,0	4,0	6,0	5,7	5,9	5,7	5,5	5,5	5,3	5,0	4,6	4,8		4,0	5,1
34,0	3,6	5,9	5,6	5,5	5,6	5,4	5,4	5,3	5,0	4,6	4,4		3,8	5,0
36,0		5,7	5,4	4,7	5,5	5,3	4,6	5,2	4,8	4,5	4,0			4,9
38,0		5,0	5,3	3,9	4,9	5,2	3,9	5,0	4,0	3,8	3,6			4,8
40,0		4,4	5,2	3,3	4,3	5,1	3,3	4,4	3,4	3,1	3,3			4,7
42,0		3,7	5,1	2,7	3,7	4,5	2,7	3,8	2,8	2,6	2,8			4,6
44,0		3,2	4,8	2,1	3,1	3,9	2,1	3,2	2,3	2,0	2,3			4,2
46,0		2,7	4,3		2,6	3,4		2,7	1,8		1,8			3,6
48,0		2,2	3,7		2,1	3,0		2,2						3,0
50,0		1,8	3,2		1,7	2,5		1,8						2,5
52,0			2,8			2,1								2,1
54,0			2,4			1,8								1,6
56,0			2,0											
58,0			1,7											
60,0			1,4											
62,0														
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.0	20.0
% 1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-	0+	46+
% 2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+
% 3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+
% 4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-	0+	46+
% 5	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-	0+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1786	1786	1786	1786	1786	1786	1786	1786	1786	1786	1786	1786	1796	1796

	T	NZK xx° 22m	35,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 22m

070983 21.20

m >< t CODE > 0702 < B131 1042

m	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0	15,5	51,9	51,9	57,1
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
14,0														
16,0														
18,0											4,4			
20,0	5,6										4,3			
22,0	5,5	5,7	5,5	5,3							4,1			
24,0	5,4	5,5	5,4	5,3	5,2	5,1					3,9			
26,0	5,2	5,4	5,3	5,2	5,2	5,0	4,8		4,8		3,8	4,4		
28,0	5,1	5,3	5,2	5,1	5,1	4,9	4,8	4,4	4,8	3,5	3,8	4,3	4,2	4,3
30,0	5,0	5,2	5,1	5,0	5,0	4,8	4,7	4,4	4,7	3,0	3,8	4,2	4,1	4,2
32,0	4,9	5,1	5,0	4,9	4,9	4,8	4,6	4,4	4,6	2,6	3,8	4,1	4,1	4,1
34,0	4,8	4,9	4,9	4,8	4,8	4,7	4,5	4,3	4,5			4,1	4,0	4,1
36,0	4,7	4,8	4,8	4,7	4,7	4,6	4,5	4,2	4,5			4,0	4,0	4,0
38,0	4,6	4,7	4,7	4,6	4,6	4,5	4,4	4,2	4,1			4,0	3,9	4,0
40,0	4,6	4,6	4,6	4,5	4,5	4,5	4,3	4,2	3,7			3,9	3,9	3,9
42,0	4,5	3,9	4,5	4,5	3,9	4,4	4,0	3,8	3,4			3,9	3,8	3,9
44,0	4,5	3,2	4,1	4,4	3,3	4,2	3,4	3,2	3,1			3,8	3,8	3,8
46,0	4,4	2,7	3,5	4,3	2,7	3,7	2,8	2,6	2,8			3,8	3,8	3,6
48,0	4,3	2,1	3,0	3,8	2,2	3,1	2,3	2,1	2,3			3,8	3,8	3,0
50,0	3,9		2,5	3,3	1,7	2,7	1,8	1,6	1,8			3,2	3,8	2,4
52,0	3,4		2,1	2,8		2,2						2,6	3,8	1,9
54,0	3,0		1,6	2,4		1,8						2,1	3,4	
56,0	2,5			2,0								1,6	2,9	
58,0	2,1			1,6									2,4	
60,0	1,8												2,0	
62,0	1,4												1,5	
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	45.0	45.0	45.0	45.0
1	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-	0+	46+	0+	92+
2	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+	46+	92+
3	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+	92+	92+
4	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-	0+	46+	92+	46+
5	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-	0+	46+	92+	46+
%														
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1796	1796	1796	1796	1796	1796	1796	1796	1796	1796	1806	1806	1806	1806

	T	NZK xx° 22m	35,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 22m

070983 21.20

m >< t CODE > 0702 < B131 1042

m	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0						
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
14,0														
16,0														
18,0														
20,0														
22,0														
24,0														
26,0														
28,0	4,2	4,2												
30,0	4,2	4,1	4,2	4,1										
32,0	4,1	4,1	4,1	4,1	4,0		4,0							
34,0	4,1	4,0	4,1	4,0	4,0	3,9	4,0	3,0						
36,0	4,0	4,0	4,0	4,0	3,9	3,8	3,9	2,5						
38,0	4,0	3,9	4,0	3,9	3,9	3,8	3,9	2,1						
40,0	3,9	3,9	3,9	3,9	3,8	3,7	3,8							
42,0	3,9	3,8	3,9	3,8	3,8	3,7	3,8							
44,0	3,8	3,8	3,8	3,8	3,8	3,7	3,5							
46,0	3,8	3,8	3,7	3,8	3,7	3,6	3,2							
48,0	3,8	3,8	3,1	3,8	3,3	3,1	2,9							
50,0	3,2	3,8	2,5	3,4	2,7	2,6	2,6							
52,0	2,7	3,4	2,0	2,9	2,2	2,1	2,2							
54,0	2,2	2,9		2,4	1,7	1,6	1,7							
56,0	1,7	2,5		2,0										
58,0		2,0		1,5										
60,0		1,6												
62,0														
*** n ***	1	1	1	1	1	1	1	1						
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0						
1	46+	0+	92+	46+	92+	100+	92-	100-						
2	92+	92+	92+	92+	92+	100+	92-	100-						
3	92+	92+	92+	92+	92+	100+	92-	100-						
4	92+	92+	92+	92+	92+	100+	92-	100-						
5	46+	92+	46+	92+	92+	100+	92-	100-						
%														
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1806	1806	1806	1806	1806	1806	1806	1806						

	T	NZK xx° 22m	35,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 22m

070983 21.20

m >< t CODE > 0704 < B131 1142

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0	15,5	51,9
4,0	7,0													
4,5	7,0													
5,0	7,0													
6,0	7,0													
7,0	7,0													
8,0	7,0													
9,0	6,9													
10,0	6,7													
11,0	6,6	7,0	6,4										6,0	
12,0	6,5	7,0	6,4	6,6									6,0	
14,0	6,2	7,0	6,4	6,6	6,2	5,8	5,8	5,5					5,7	
16,0	5,9	7,0	6,4	6,6	6,2	5,8	5,8	5,5	5,3		5,3		5,4	
18,0	5,6	7,0	6,4	6,6	6,2	5,8	5,8	5,5	5,3	4,7	5,3	4,7	5,2	
20,0	5,3	6,9	6,3	6,5	6,2	5,8	5,8	5,5	5,3	4,7	5,3	4,7	4,9	5,9
22,0	5,1	6,7	6,2	6,4	6,2	5,8	5,8	5,5	5,2	4,7	5,2	4,3	4,7	5,8
24,0	4,9	6,6	6,2	6,3	6,1	5,8	5,8	5,5	5,2	4,7	5,2	3,7	4,5	5,7
26,0	4,8	6,5	6,1	6,2	6,1	5,8	5,7	5,5	5,2	4,7	5,2	3,2	4,4	5,5
28,0	4,6	6,3	5,9	6,1	6,0	5,7	5,6	5,4	5,1	4,7	5,1		4,3	5,4
30,0	4,3	6,2	5,8	6,0	5,9	5,6	5,6	5,4	5,1	4,6	5,1		4,1	5,2
32,0	4,0	6,0	5,7	5,9	5,7	5,5	5,5	5,3	5,0	4,6	4,8		4,0	5,1
34,0	3,6	5,9	5,6	5,7	5,6	5,4	5,4	5,3	5,0	4,6	4,4		3,8	5,0
36,0		5,7	5,4	5,6	5,5	5,3	5,3	5,2	4,9	4,5	4,0			4,9
38,0		5,6	5,3	5,5	5,4	5,2	5,2	5,1	4,9	4,5	3,6			4,8
40,0		5,4	5,2	5,4	5,3	5,1	5,1	5,0	4,8	4,5	3,3			4,7
42,0		5,3	5,1	5,1	5,2	5,0	5,0	4,9	4,7	4,4	2,9			4,6
44,0		5,2	4,9	4,4	5,1	4,9	4,4	4,8	4,5	4,2	2,6			4,5
46,0		4,9	4,7	3,8	4,8	4,8	3,8	4,7	3,9	3,7	2,4			4,5
48,0		4,2	4,5	3,3	4,2	4,5	3,3	4,3	3,4	3,1	2,1			4,4
50,0		3,7	4,2	2,8	3,7	4,3	2,8	3,8	2,9	2,7	1,7			4,3
52,0		3,2	4,0	2,3	3,2	4,0	2,3	3,4	2,4	2,2				3,9
54,0		2,7	3,8	1,9	2,8	3,5	1,9	2,9	2,0	1,8				3,4
56,0		2,3	3,6	1,5	2,3	3,1	1,5	2,5	1,6					2,9
58,0		1,9	3,3		1,9	2,7		2,2						2,4
60,0		1,5	2,9		1,6	2,3		1,8						2,0
62,0			2,6			2,0		1,4						1,6
64,0			2,2			1,6								1,2
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.0	20.0
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-	0+	46+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-	0+	46+
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-	0+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1785	1785	1785	1785	1785	1785	1785	1785	1785	1785	1785	1785	1795	1795

	T	NZK xx° 22m	47,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 22m

070983 21.20

m >< t CODE > 0704 < B131 1142

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0	15,5	51,9
66,0			2,0			1,3								
68,0			1,7			1,1								
70,0														
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.0	20.0
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-	0+	46+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-	0+	46+
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-	0+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1785	1785	1785	1785	1785	1785	1785	1785	1785	1785	1785	1785	1795	1795

	T	NZK xx° 22m	47,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 22m

070983 21.20

m >< t CODE > 0704 < B131 1142

m	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0	15,5	51,9	51,9	57,1
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
14,0														
16,0														
18,0											4,4			
20,0	5,6										4,3			
22,0	5,5	5,7	5,5	5,3							4,1			
24,0	5,4	5,5	5,4	5,3	5,2	5,1					3,9			
26,0	5,2	5,4	5,3	5,2	5,2	5,0	4,8		4,8		3,8	4,4		
28,0	5,1	5,3	5,2	5,1	5,1	4,9	4,8	4,4	4,8	3,5	3,8	4,3	4,2	4,3
30,0	5,0	5,2	5,1	5,0	5,0	4,8	4,7	4,4	4,7	3,0	3,8	4,2	4,1	4,2
32,0	4,9	5,1	5,0	4,9	4,9	4,8	4,6	4,4	4,6	2,6	3,8	4,1	4,1	4,1
34,0	4,8	4,9	4,9	4,8	4,8	4,7	4,5	4,3	4,5			4,1	4,0	4,1
36,0	4,7	4,8	4,8	4,7	4,7	4,6	4,5	4,2	4,5			4,0	4,0	4,0
38,0	4,6	4,7	4,7	4,6	4,6	4,5	4,4	4,2	4,1			4,0	3,9	4,0
40,0	4,6	4,7	4,6	4,5	4,5	4,5	4,3	4,2	3,7			3,9	3,9	3,9
42,0	4,5	4,6	4,5	4,5	4,4	4,4	4,3	4,1	3,4			3,9	3,8	3,9
44,0	4,5	4,5	4,5	4,4	4,4	4,3	4,2	4,1	3,1			3,8	3,8	3,8
46,0	4,4	4,5	4,4	4,4	4,4	4,3	4,2	4,0	2,8			3,8	3,8	3,8
48,0	4,3	4,2	4,3	4,3	4,2	4,3	4,2	3,9	2,5			3,8	3,8	3,8
50,0	4,2	3,7	4,3	4,2	3,7	4,2	3,8	3,6	2,2			3,8	3,8	3,8
52,0	4,1	3,1	4,0	4,1	3,2	4,1	3,3	3,1	2,0			3,8	3,8	3,8
54,0	3,9	2,6	3,5	4,0	2,7	3,7	2,8	2,6	1,6			3,8	3,8	3,3
56,0	3,7	2,2	3,0	3,7	2,2	3,2	2,4	2,2				3,3	3,8	2,7
58,0	3,5	1,7	2,5	3,2	1,8	2,8	2,0	1,8				2,7	3,6	2,2
60,0	3,3		2,1	2,8	1,4	2,4	1,6	1,4				2,2	3,4	1,7
62,0	2,9		1,7	2,4		2,0						1,7	3,0	
64,0	2,5		1,4	2,0		1,6						1,2	2,6	
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	45.0	45.0	45.0	45.0
1	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-	0+	46+	0+	92+
2	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+	46+	92+
3	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+	92+	92+
4	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-	0+	46+	92+	46+
5 %	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-	0+	46+	92+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1795	1795	1795	1795	1795	1795	1795	1795	1795	1795	1805	1805	1805	1805

	T	NZK xx° 22m	47,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 22m

070983 21.20

m >< t CODE > 0704 < B131 1142

m	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0	15,5	51,9	51,9	57,1
66,0	2,2			1,7		1,3								
68,0	1,8			1,4										
70,0				1,1										
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	45.0	45.0	45.0	45.0
1	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-	0+	46+	0+	92+
2	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+	46+	92+
3	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+	92+	92+
4	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-	0+	46+	92+	46+
5 %	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-	0+	46+	92+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1795	1795	1795	1795	1795	1795	1795	1795	1795	1795	1805	1805	1805	1805

	T	NZK xx° 22m	47,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 22m

070983 21.20

m >< t CODE > 0704 < B131 1142

m	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0						
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
14,0														
16,0														
18,0														
20,0														
22,0														
24,0														
26,0														
28,0	4,2	4,2												
30,0	4,2	4,1	4,2	4,1										
32,0	4,1	4,1	4,1	4,1	4,0		4,0							
34,0	4,1	4,0	4,1	4,0	4,0	3,9	4,0	3,0						
36,0	4,0	4,0	4,0	4,0	3,9	3,8	3,9	2,5						
38,0	4,0	3,9	4,0	3,9	3,9	3,8	3,9	2,1						
40,0	3,9	3,9	3,9	3,9	3,8	3,7	3,8							
42,0	3,9	3,8	3,9	3,8	3,8	3,7	3,8							
44,0	3,8	3,8	3,8	3,8	3,8	3,7	3,5							
46,0	3,8	3,8	3,8	3,8	3,7	3,6	3,2							
48,0	3,8	3,8	3,8	3,8	3,7	3,6	2,9							
50,0	3,8	3,8	3,8	3,7	3,7	3,6	2,6							
52,0	3,8	3,8	3,8	3,7	3,7	3,5	2,3							
54,0	3,8	3,8	3,4	3,7	3,6	3,4	2,1							
56,0	3,5	3,8	2,9	3,7	3,1	2,9	1,8							
58,0	3,0	3,6	2,4	3,3	2,6	2,5								
60,0	2,5	3,1	1,9	2,8	2,1	2,0								
62,0	2,0	2,7	1,5	2,4	1,7	1,6								
64,0	1,6	2,2		1,9	1,3									
*** n ***	1	1	1	1	1	1	1	1						
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0						
1	46+	0+	92+	46+	92+	100+	92-	100-						
2	92+	92+	92+	92+	92+	100+	92-	100-						
3	92+	92+	92+	92+	92+	100+	92-	100-						
4	92+	92+	92+	92+	92+	100+	92-	100-						
5	46+	92+	46+	92+	92+	100+	92-	100-						
%														
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1805	1805	1805	1805	1805	1805	1805	1805						

	T	NZK xx° 22m	47,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 22m

070983 21.20

m >< t CODE > 0704 < B131 1142

m	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0						
66,0		1,8		1,5										
68,0		1,4												
70,0														
*** n ***	1	1	1	1	1	1	1	1						
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0						
1	46+	0+	92+	46+	92+	100+	92-	100-						
2	92+	92+	92+	92+	92+	100+	92-	100-						
3	92+	92+	92+	92+	92+	100+	92-	100-						
4	92+	92+	92+	92+	92+	100+	92-	100-						
5	46+	92+	46+	92+	92+	100+	92-	100-						
%														
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1805	1805	1805	1805	1805	1805	1805	1805						

	T	NZK xx° 22m	47,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 22m

070983 21.20

m >< t CODE > 0706 < B131 1242

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0	15,5	51,9
4,0	7,0													
4,5	7,0													
5,0	7,0													
6,0	7,0													
7,0	7,0													
8,0	7,0													
9,0	6,9													
10,0	6,7													
11,0	6,6	7,0	6,4										6,0	
12,0	6,5	7,0	6,4	6,6									6,0	
14,0	6,2	7,0	6,4	6,6	6,2	5,8	5,8	5,5					5,7	
16,0	5,9	7,0	6,4	6,6	6,2	5,8	5,8	5,5	5,3		5,3		5,4	
18,0	5,6	7,0	6,4	6,6	6,2	5,8	5,8	5,5	5,3	4,7	5,3	4,7	5,2	
20,0	5,3	6,9	6,3	6,5	6,2	5,8	5,8	5,5	5,3	4,7	5,3	4,7	4,9	5,9
22,0	5,1	6,7	6,2	6,4	6,2	5,8	5,8	5,5	5,2	4,7	5,2	4,3	4,7	5,8
24,0	4,9	6,6	6,2	6,3	6,1	5,8	5,8	5,5	5,2	4,7	5,2	3,7	4,5	5,7
26,0	4,8	6,5	6,1	6,2	6,1	5,8	5,7	5,5	5,2	4,7	5,2	3,2	4,4	5,5
28,0	4,6	6,3	5,9	6,1	6,0	5,7	5,6	5,4	5,1	4,7	5,1		4,3	5,4
30,0	4,3	6,2	5,8	6,0	5,9	5,6	5,6	5,4	5,1	4,6	5,1		4,1	5,2
32,0	4,0	6,0	5,7	5,9	5,7	5,5	5,5	5,3	5,0	4,6	4,8		4,0	5,1
34,0	3,6	5,9	5,6	5,7	5,6	5,4	5,4	5,3	5,0	4,6	4,4		3,8	5,0
36,0		5,7	5,4	5,6	5,5	5,3	5,3	5,2	4,9	4,5	4,0			4,9
38,0		5,6	5,3	5,5	5,4	5,2	5,2	5,1	4,9	4,5	3,6			4,8
40,0		5,4	5,2	5,4	5,3	5,1	5,1	5,0	4,8	4,5	3,3			4,7
42,0		5,3	5,1	5,2	5,2	5,0	5,1	4,9	4,7	4,4	2,9			4,6
44,0		5,2	4,9	5,1	5,1	4,9	5,0	4,8	4,7	4,3	2,6			4,5
46,0		5,1	4,7	5,0	5,0	4,8	4,9	4,7	4,6	4,2	2,4			4,5
48,0		5,0	4,5	4,9	4,9	4,5	4,8	4,6	4,5	3,9	2,1			4,4
50,0		4,9	4,2	4,8	4,8	4,3	4,7	4,4	4,3	3,7	1,7			4,3
52,0		4,8	4,0	4,3	4,7	4,1	4,4	4,2	4,1	3,5				4,2
54,0		4,6	3,8	3,8	4,5	3,9	3,9	4,0	3,9	3,3				4,2
56,0		4,1	3,6	3,3	4,1	3,6	3,4	3,8	3,6	3,1				4,1
58,0		3,6	3,4	2,8	3,7	3,4	2,9	3,6	3,2	2,9				4,0
60,0		3,2	3,2	2,4	3,2	3,2	2,5	3,4	2,8	2,5				3,7
62,0		2,8	3,1	2,0	2,8	3,0	2,1	3,0	2,4	2,1				3,2
64,0		2,4	2,9	1,6	2,5	2,8	1,7	2,7	2,0	1,8				2,8
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.0	20.0
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-	0+	46+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-	0+	46+
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-	0+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1784	1784	1784	1784	1784	1784	1784	1784	1784	1784	1784	1784	1794	1794

	T	NZK xx° 22m	60,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 22m

070983 21.20

m >< t CODE > 0706 < B131 1242

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0	15,5	51,9
66,0		2,1	2,8	1,3	2,1	2,7	1,4	2,3	1,6	1,5				2,4
68,0		1,8	2,6		1,8	2,5		2,0	1,3					2,0
70,0					1,5	2,2		1,7						
72,0					1,2	1,9		1,4						
74,0					1,0	1,7		1,1						
76,0														
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.0	20.0
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-	0+	46+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-	0+	46+
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-	0+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1784	1784	1784	1784	1784	1784	1784	1784	1784	1784	1784	1784	1794	1794

	T	NZK xx° 22m	60,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 22m

070983 21.20

m >< t CODE > 0706 < B131 1242

m	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0	15,5	51,9	51,9	57,1
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
14,0														
16,0														
18,0											4,4			
20,0	5,6										4,3			
22,0	5,5	5,7	5,5	5,3							4,1			
24,0	5,4	5,5	5,4	5,3	5,2	5,1					3,9			
26,0	5,2	5,4	5,3	5,2	5,2	5,0	4,8		4,8		3,8	4,4		
28,0	5,1	5,3	5,2	5,1	5,1	4,9	4,8	4,4	4,8	3,5	3,8	4,3	4,2	4,3
30,0	5,0	5,2	5,1	5,0	5,0	4,8	4,7	4,4	4,7	3,0	3,8	4,2	4,1	4,2
32,0	4,9	5,1	5,0	4,9	4,9	4,8	4,6	4,4	4,6	2,6	3,8	4,1	4,1	4,1
34,0	4,8	4,9	4,9	4,8	4,8	4,7	4,5	4,3	4,5			4,1	4,0	4,1
36,0	4,7	4,8	4,8	4,7	4,7	4,6	4,5	4,2	4,5			4,0	4,0	4,0
38,0	4,6	4,7	4,7	4,6	4,6	4,5	4,4	4,2	4,1			4,0	3,9	4,0
40,0	4,6	4,7	4,6	4,5	4,5	4,5	4,3	4,2	3,7			3,9	3,9	3,9
42,0	4,5	4,6	4,5	4,5	4,4	4,4	4,3	4,1	3,4			3,9	3,8	3,9
44,0	4,5	4,5	4,5	4,4	4,4	4,3	4,2	4,1	3,1			3,8	3,8	3,8
46,0	4,4	4,5	4,4	4,4	4,4	4,3	4,2	4,0	2,8			3,8	3,8	3,8
48,0	4,3	4,4	4,3	4,3	4,3	4,3	4,2	3,9	2,5			3,8	3,8	3,8
50,0	4,2	4,4	4,3	4,2	4,3	4,2	4,1	3,9	2,2			3,8	3,8	3,8
52,0	4,1	4,3	4,2	4,1	4,2	4,1	4,0	3,8	2,0			3,8	3,8	3,8
54,0	3,9	4,2	4,2	4,0	4,1	4,0	4,0	3,6	1,6			3,8	3,8	3,8
56,0	3,7	4,0	4,1	3,8	4,0	3,9	3,9	3,4				3,8	3,8	3,8
58,0	3,5	3,5	4,0	3,6	3,7	3,8	3,7	3,2				3,8	3,6	3,8
60,0	3,3	3,0	3,8	3,4	3,2	3,6	3,4	3,0				3,8	3,4	3,4
62,0	3,2	2,5	3,3	3,2	2,7	3,4	3,0	2,8				3,3	3,2	2,8
64,0	3,0	2,1	2,9	3,0	2,3	3,2	2,6	2,4				2,8	3,0	2,3
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	45.0	45.0	45.0	45.0
1	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-	0+	46+	0+	92+
2	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+	46+	92+
3	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+	92+	92+
4	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-	0+	46+	92+	46+
5 %	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-	0+	46+	92+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1794	1794	1794	1794	1794	1794	1794	1794	1794	1794	1804	1804	1804	1804

	T	NZK xx° 22m	60,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 22m

070983 21.20

m >< t CODE > 0706 < B131 1242

m	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0	15,5	51,9	51,9	57,1
66,0	2,9	1,7	2,5	2,8	1,9	2,8	2,2	2,1						1,9
68,0	2,7	1,3	2,1	2,6	1,5	2,4	1,8	1,7						1,4
70,0			1,8	2,4	1,2	2,1	1,5	1,4						
72,0			1,4	2,1		1,7	1,1							
74,0						1,4								
76,0						1,1								
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	45.0	45.0	45.0	45.0
1	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-	0+	46+	0+	92+
2	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+	46+	92+
3	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+	92+	92+
4	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-	0+	46+	92+	46+
5 %	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-	0+	46+	92+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1794	1794	1794	1794	1794	1794	1794	1794	1794	1794	1804	1804	1804	1804

	T	NZK xx° 22m	60,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 22m

070983 21.20

m >< t CODE > 0706 < B131 1242

m	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0						
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
14,0														
16,0														
18,0														
20,0														
22,0														
24,0														
26,0														
28,0	4,2	4,2												
30,0	4,2	4,1	4,2	4,1										
32,0	4,1	4,1	4,1	4,1	4,0		4,0							
34,0	4,1	4,0	4,1	4,0	4,0	3,9	4,0	3,0						
36,0	4,0	4,0	4,0	4,0	3,9	3,8	3,9	2,5						
38,0	4,0	3,9	4,0	3,9	3,9	3,8	3,9	2,1						
40,0	3,9	3,9	3,9	3,9	3,8	3,7	3,8							
42,0	3,9	3,8	3,9	3,8	3,8	3,7	3,8							
44,0	3,8	3,8	3,8	3,8	3,8	3,7	3,5							
46,0	3,8	3,8	3,8	3,8	3,7	3,6	3,2							
48,0	3,8	3,8	3,8	3,8	3,7	3,6	2,9							
50,0	3,8	3,8	3,8	3,7	3,7	3,6	2,6							
52,0	3,8	3,8	3,8	3,7	3,7	3,5	2,3							
54,0	3,8	3,8	3,8	3,7	3,7	3,5	2,1							
56,0	3,8	3,8	3,8	3,7	3,7	3,5	1,8							
58,0	3,8	3,8	3,8	3,7	3,7	3,5								
60,0	3,8	3,5	3,6	3,7	3,6	3,3								
62,0	3,6	3,3	3,1	3,6	3,5	3,1								
64,0	3,1	3,0	2,6	3,4	3,0	2,8								
*** n ***	1	1	1	1	1	1	1	1						
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0						
1	46+	0+	92+	46+	92+	100+	92-	100-						
2	92+	92+	92+	92+	92+	100+	92-	100-						
3	92+	92+	92+	92+	92+	100+	92-	100-						
4	92+	92+	92+	92+	92+	100+	92-	100-						
5	46+	92+	46+	92+	92+	100+	92-	100-						
%														
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1804	1804	1804	1804	1804	1804	1804	1804						

	T	NZK xx° 22m	60,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 22m

070983 21.20

m >< t CODE > 0706 < B131 1242

m	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0						
66,0	2,6	2,8	2,2	3,0	2,5	2,5								
68,0	2,2	2,6	1,7	2,6	2,1	2,1								
70,0			1,3	2,2	1,7	1,7								
72,0				1,8	1,3	1,3								
74,0														
76,0														
*** n ***	1	1	1	1	1	1	1	1						
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0						
1	46+	0+	92+	46+	92+	100+	92-	100-						
2	92+	92+	92+	92+	92+	100+	92-	100-						
3	92+	92+	92+	92+	92+	100+	92-	100-						
4	92+	92+	92+	92+	92+	100+	92-	100-						
5 %	46+	92+	46+	92+	92+	100+	92-	100-						
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1804	1804	1804	1804	1804	1804	1804	1804						

	T	NZK xx° 22m	60,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 22m

070983 21.20

m >< t CODE > 0708 < B131 1342

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0	15,5	51,9
4,0	7,0													
4,5	7,0													
5,0	7,0													
6,0	7,0													
7,0	7,0													
8,0	7,0													
9,0	6,9													
10,0	6,7													
11,0	6,6	7,0	6,4										6,0	
12,0	6,5	7,0	6,4	6,6									6,0	
14,0	6,2	7,0	6,4	6,6	6,2	5,8	5,8	5,5					5,7	
16,0	5,9	7,0	6,4	6,6	6,2	5,8	5,8	5,5	5,3		5,3		5,4	
18,0	5,6	7,0	6,4	6,6	6,2	5,8	5,8	5,5	5,3	4,7	5,3	4,7	5,2	
20,0	5,3	6,9	6,3	6,5	6,2	5,8	5,8	5,5	5,3	4,7	5,3	4,7	4,9	5,9
22,0	5,1	6,7	6,2	6,4	6,2	5,8	5,8	5,5	5,2	4,7	5,2	4,3	4,7	5,8
24,0	4,9	6,6	6,2	6,3	6,1	5,8	5,8	5,5	5,2	4,7	5,2	3,7	4,5	5,7
26,0	4,8	6,5	6,1	6,2	6,1	5,8	5,7	5,5	5,2	4,7	5,2	3,2	4,4	5,5
28,0	4,6	6,3	5,9	6,1	6,0	5,7	5,6	5,4	5,1	4,7	5,1		4,3	5,4
30,0	4,3	6,2	5,8	6,0	5,9	5,6	5,6	5,4	5,1	4,6	5,1		4,1	5,2
32,0	4,0	6,0	5,7	5,9	5,7	5,5	5,5	5,3	5,0	4,6	4,8		4,0	5,1
34,0	3,6	5,9	5,6	5,7	5,6	5,4	5,4	5,3	5,0	4,6	4,4		3,8	5,0
36,0		5,7	5,4	5,6	5,5	5,3	5,3	5,2	4,9	4,5	4,0			4,9
38,0		5,6	5,3	5,5	5,4	5,2	5,2	5,1	4,9	4,5	3,6			4,8
40,0		5,4	5,2	5,4	5,3	5,1	5,1	5,0	4,8	4,5	3,3			4,7
42,0		5,3	5,1	5,2	5,2	5,0	5,1	4,9	4,7	4,4	2,9			4,6
44,0		5,2	4,9	5,1	5,1	4,9	5,0	4,8	4,7	4,3	2,6			4,5
46,0		5,1	4,7	5,0	5,0	4,8	4,9	4,7	4,6	4,2	2,4			4,5
48,0		5,0	4,5	4,9	4,9	4,5	4,8	4,6	4,5	3,9	2,1			4,4
50,0		4,9	4,2	4,8	4,8	4,3	4,7	4,4	4,3	3,7	1,7			4,3
52,0		4,8	4,0	4,7	4,7	4,1	4,5	4,2	4,1	3,5				4,2
54,0		4,7	3,8	4,6	4,5	3,9	4,2	4,0	3,9	3,3				4,2
56,0		4,6	3,6	4,3	4,3	3,6	3,9	3,8	3,6	3,1				4,1
58,0		4,5	3,4	4,0	4,1	3,4	3,7	3,6	3,4	2,9				4,0
60,0		4,3	3,2	3,8	3,9	3,2	3,4	3,4	3,2	2,7				4,0
62,0		4,2	3,1	3,4	3,7	3,0	3,1	3,3	3,0	2,5				3,9
64,0		3,8	2,9	3,0	3,5	2,8	2,9	3,1	2,8	2,4				3,9
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.0	20.0
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-	0+	46+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-	0+	46+
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-	0+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1783	1783	1783	1783	1783	1783	1783	1783	1783	1783	1783	1783	1793	1793

	T	NZK xx° 22m	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 22m

070983 21.20

m >< t CODE > 0708 < B131 1342

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0	15,5	51,9
66,0		3,4	2,8	2,6	3,3	2,7	2,6	2,9	2,6	2,2				3,7
68,0		3,0	2,6	2,3	3,1	2,5	2,4	2,8	2,4	2,0				3,2
70,0				1,9	2,7	2,4	2,0	2,6	2,2	1,9				
72,0				1,6	2,4	2,2	1,7	2,5	1,9	1,7				
74,0				1,3	2,1	2,1	1,4	2,3	1,6	1,5				
76,0							1,1	2,0	1,3	1,2				
78,0								1,8	1,1					
80,0														
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.0	20.0
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-	0+	46+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-	0+	46+
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-	0+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1783	1783	1783	1783	1783	1783	1783	1783	1783	1783	1783	1783	1793	1793

	T	NZK xx° 22m	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 22m

070983 21.20

m >< t CODE > 0708 < B131 1342

m	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0	15,5	51,9	51,9	57,1
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
14,0														
16,0														
18,0											4,4			
20,0	5,6										4,3			
22,0	5,5	5,7	5,5	5,3							4,1			
24,0	5,4	5,5	5,4	5,3	5,2	5,1					3,9			
26,0	5,2	5,4	5,3	5,2	5,2	5,0	4,8		4,8		3,8	4,4		
28,0	5,1	5,3	5,2	5,1	5,1	4,9	4,8	4,4	4,8	3,5	3,8	4,3	4,2	4,3
30,0	5,0	5,2	5,1	5,0	5,0	4,8	4,7	4,4	4,7	3,0	3,8	4,2	4,1	4,2
32,0	4,9	5,1	5,0	4,9	4,9	4,8	4,6	4,4	4,6	2,6	3,8	4,1	4,1	4,1
34,0	4,8	4,9	4,9	4,8	4,8	4,7	4,5	4,3	4,5			4,1	4,0	4,1
36,0	4,7	4,8	4,8	4,7	4,7	4,6	4,5	4,2	4,5			4,0	4,0	4,0
38,0	4,6	4,7	4,7	4,6	4,6	4,5	4,4	4,2	4,1			4,0	3,9	4,0
40,0	4,6	4,7	4,6	4,5	4,5	4,5	4,3	4,2	3,7			3,9	3,9	3,9
42,0	4,5	4,6	4,5	4,5	4,4	4,4	4,3	4,1	3,4			3,9	3,8	3,9
44,0	4,5	4,5	4,5	4,4	4,4	4,3	4,2	4,1	3,1			3,8	3,8	3,8
46,0	4,4	4,5	4,4	4,4	4,4	4,3	4,2	4,0	2,8			3,8	3,8	3,8
48,0	4,3	4,4	4,3	4,3	4,3	4,3	4,2	3,9	2,5			3,8	3,8	3,8
50,0	4,2	4,4	4,3	4,2	4,3	4,2	4,1	3,9	2,2			3,8	3,8	3,8
52,0	4,1	4,3	4,2	4,1	4,2	4,1	4,0	3,8	2,0			3,8	3,8	3,8
54,0	3,9	4,2	4,2	4,0	4,1	4,0	4,0	3,6	1,6			3,8	3,8	3,8
56,0	3,7	4,1	4,1	3,8	4,0	3,9	3,9	3,4				3,8	3,8	3,8
58,0	3,5	4,0	4,0	3,6	3,9	3,8	3,7	3,2				3,8	3,6	3,8
60,0	3,3	3,9	3,9	3,4	3,7	3,6	3,5	3,0				3,8	3,4	3,8
62,0	3,2	3,6	3,8	3,2	3,4	3,4	3,3	2,8				3,8	3,2	3,8
64,0	3,0	3,3	3,6	3,0	3,1	3,2	3,1	2,6				3,8	3,0	3,5
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	45.0	45.0	45.0	45.0
1	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-	0+	46+	0+	92+
2	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+	46+	92+
3	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+	92+	92+
4	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-	0+	46+	92+	46+
5 %	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-	0+	46+	92+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1793	1793	1793	1793	1793	1793	1793	1793	1793	1793	1803	1803	1803	1803

	T	NZK xx° 22m	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 22m

070983 21.20

m >< t CODE > 0708 < B131 1342

m	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0	15,5	51,9	51,9	57,1
66,0	2,9	3,0	3,4	2,8	2,9	3,0	2,8	2,4						3,1
68,0	2,7	2,6	3,2	2,6	2,6	2,8	2,6	2,3						2,7
70,0		2,2	3,0	2,4	2,4	2,7	2,4	2,1						
72,0		1,8	2,6	2,3	2,0	2,6	2,2	1,9						
74,0					1,7	2,4	2,0	1,7						
76,0					1,4	2,3	1,7	1,5						
78,0					1,0	1,9	1,4	1,3						
80,0							1,1	1,0						
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	45.0	45.0	45.0	45.0
1	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-	0+	46+	0+	92+
2	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+	46+	92+
3	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+	92+	92+
4	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-	0+	46+	92+	46+
5 %	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-	0+	46+	92+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1793	1793	1793	1793	1793	1793	1793	1793	1793	1793	1803	1803	1803	1803

	T	NZK xx° 22m	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 22m

070983 21.20

m >< t CODE > 0708 < B131 1342

m	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0						
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
14,0														
16,0														
18,0														
20,0														
22,0														
24,0														
26,0														
28,0	4,2	4,2												
30,0	4,2	4,1	4,2	4,1										
32,0	4,1	4,1	4,1	4,1	4,0		4,0							
34,0	4,1	4,0	4,1	4,0	4,0	3,9	4,0	3,0						
36,0	4,0	4,0	4,0	4,0	3,9	3,8	3,9	2,5						
38,0	4,0	3,9	4,0	3,9	3,9	3,8	3,9	2,1						
40,0	3,9	3,9	3,9	3,9	3,8	3,7	3,8							
42,0	3,9	3,8	3,9	3,8	3,8	3,7	3,8							
44,0	3,8	3,8	3,8	3,8	3,8	3,7	3,5							
46,0	3,8	3,8	3,8	3,8	3,7	3,6	3,2							
48,0	3,8	3,8	3,8	3,8	3,7	3,6	2,9							
50,0	3,8	3,8	3,8	3,7	3,7	3,6	2,6							
52,0	3,8	3,8	3,8	3,7	3,7	3,5	2,3							
54,0	3,8	3,8	3,8	3,7	3,7	3,5	2,1							
56,0	3,8	3,8	3,8	3,7	3,7	3,5	1,8							
58,0	3,8	3,8	3,8	3,7	3,7	3,5								
60,0	3,8	3,5	3,8	3,7	3,6	3,3								
62,0	3,8	3,3	3,6	3,6	3,5	3,1								
64,0	3,7	3,0	3,3	3,4	3,2	2,8								
*** n ***	1	1	1	1	1	1	1	1						
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0						
1	46+	0+	92+	46+	92+	100+	92-	100-						
2	92+	92+	92+	92+	92+	100+	92-	100-						
3	92+	92+	92+	92+	92+	100+	92-	100-						
4	92+	92+	92+	92+	92+	100+	92-	100-						
5	46+	92+	46+	92+	92+	100+	92-	100-						
%														
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1803	1803	1803	1803	1803	1803	1803	1803						

	T	NZK xx° 22m	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 22m

070983 21.20

m >< t CODE > 0708 < B131 1342

m	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0						
66,0	3,4	2,8	3,1	3,2	3,0	2,6								
68,0	3,2	2,6	2,8	3,0	2,7	2,4								
70,0			2,5	2,8	2,5	2,2								
72,0			2,1	2,6	2,3	2,0								
74,0					2,0	1,8								
76,0					1,7	1,6								
78,0						1,3								
80,0						1,1								
*** n ***	1	1	1	1	1	1	1	1						
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0						
1	46+	0+	92+	46+	92+	100+	92-	100-						
2	92+	92+	92+	92+	92+	100+	92-	100-						
3	92+	92+	92+	92+	92+	100+	92-	100-						
4	92+	92+	92+	92+	92+	100+	92-	100-						
5 %	46+	92+	46+	92+	92+	100+	92-	100-						
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1803	1803	1803	1803	1803	1803	1803	1803						

	T	NZK xx° 22m	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 22m

070983 21.20

m >< t CODE > 0709 < B131 1442

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0	15,5	51,9
4,0	7,0													
4,5	7,0													
5,0	7,0													
6,0	7,0													
7,0	7,0													
8,0	7,0													
9,0	6,9													
10,0	6,7													
11,0	6,6	7,0	6,4										6,0	
12,0	6,5	7,0	6,4	6,6									6,0	
14,0	6,2	7,0	6,4	6,6	6,2	5,8	5,8	5,5					5,7	
16,0	5,9	7,0	6,4	6,6	6,2	5,8	5,8	5,5	5,3		5,3		5,4	
18,0	5,6	7,0	6,4	6,6	6,2	5,8	5,8	5,5	5,3	4,7	5,3	4,7	5,2	
20,0	5,3	6,9	6,3	6,5	6,2	5,8	5,8	5,5	5,3	4,7	5,3	4,7	4,9	5,9
22,0	5,1	6,7	6,2	6,4	6,2	5,8	5,8	5,5	5,2	4,7	5,2	4,3	4,7	5,8
24,0	4,9	6,6	6,2	6,3	6,1	5,8	5,8	5,5	5,2	4,7	5,2	3,7	4,5	5,7
26,0	4,8	6,5	6,1	6,2	6,1	5,8	5,7	5,5	5,2	4,7	5,2	3,2	4,4	5,5
28,0	4,6	6,3	5,9	6,1	6,0	5,7	5,6	5,4	5,1	4,7	5,1		4,3	5,4
30,0	4,3	6,2	5,8	6,0	5,9	5,6	5,6	5,4	5,1	4,6	5,1		4,1	5,2
32,0	4,0	6,0	5,7	5,9	5,7	5,5	5,5	5,3	5,0	4,6	4,8		4,0	5,1
34,0	3,6	5,9	5,6	5,7	5,6	5,4	5,4	5,3	5,0	4,6	4,4		3,8	5,0
36,0		5,7	5,4	5,6	5,5	5,3	5,3	5,2	4,9	4,5	4,0			4,9
38,0		5,6	5,3	5,5	5,4	5,2	5,2	5,1	4,9	4,5	3,6			4,8
40,0		5,4	5,2	5,4	5,3	5,1	5,1	5,0	4,8	4,5	3,3			4,7
42,0		5,3	5,1	5,2	5,2	5,0	5,1	4,9	4,7	4,4	2,9			4,6
44,0		5,2	4,9	5,1	5,1	4,9	5,0	4,8	4,7	4,3	2,6			4,5
46,0		5,1	4,7	5,0	5,0	4,8	4,9	4,7	4,6	4,2	2,4			4,5
48,0		5,0	4,5	4,9	4,9	4,5	4,8	4,6	4,5	3,9	2,1			4,4
50,0		4,9	4,2	4,8	4,8	4,3	4,7	4,4	4,3	3,7	1,7			4,3
52,0		4,8	4,0	4,7	4,7	4,1	4,5	4,2	4,1	3,5				4,2
54,0		4,7	3,8	4,6	4,5	3,9	4,2	4,0	3,9	3,3				4,2
56,0		4,6	3,6	4,3	4,3	3,6	3,9	3,8	3,6	3,1				4,1
58,0		4,5	3,4	4,0	4,1	3,4	3,7	3,6	3,4	2,9				4,0
60,0		4,3	3,2	3,8	3,9	3,2	3,4	3,4	3,2	2,7				4,0
62,0		4,2	3,1	3,5	3,7	3,0	3,1	3,3	3,0	2,5				3,9
64,0		4,0	2,9	3,3	3,5	2,8	2,9	3,1	2,8	2,4				3,9
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.0	20.0
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-	0+	46+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-	0+	46+
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-	0+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1782	1782	1782	1782	1782	1782	1782	1782	1782	1782	1782	1782	1792	1792

	T	NZK xx° 22m	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 22m

070983 21.20

m >< t CODE > 0709 < B131 1442

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0	15,5	51,9
66,0		3,8	2,8	3,0	3,3	2,7	2,6	2,9	2,6	2,2				3,8
68,0		3,6	2,6	2,8	3,2	2,5	2,5	2,8	2,4	2,0				3,7
70,0				2,6	3,0	2,4	2,3	2,6	2,3	1,9				
72,0				2,4	2,8	2,2	2,1	2,5	2,1	1,7				
74,0				2,2	2,7	2,1	1,9	2,4	1,9	1,5				
76,0							1,8	2,3	1,8	1,3				
78,0							1,6	2,1	1,6	1,2				
80,0									1,4	1,0				
82,0									1,3					
84,0									1,1					
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.0	20.0
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-	0+	46+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-	0+	46+
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-	0+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1782	1782	1782	1782	1782	1782	1782	1782	1782	1782	1782	1782	1792	1792

	T	NZK xx° 22m	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 22m

070983 21.20

m >< t CODE > 0709 < B131 1442

m	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0	15,5	51,9	51,9	57,1
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
14,0														
16,0														
18,0											4,4			
20,0	5,6										4,3			
22,0	5,5	5,7	5,5	5,3							4,1			
24,0	5,4	5,5	5,4	5,3	5,2	5,1					3,9			
26,0	5,2	5,4	5,3	5,2	5,2	5,0	4,8		4,8		3,8	4,4		
28,0	5,1	5,3	5,2	5,1	5,1	4,9	4,8	4,4	4,8	3,5	3,8	4,3	4,2	4,3
30,0	5,0	5,2	5,1	5,0	5,0	4,8	4,7	4,4	4,7	3,0	3,8	4,2	4,1	4,2
32,0	4,9	5,1	5,0	4,9	4,9	4,8	4,6	4,4	4,6	2,6	3,8	4,1	4,1	4,1
34,0	4,8	4,9	4,9	4,8	4,8	4,7	4,5	4,3	4,5			4,1	4,0	4,1
36,0	4,7	4,8	4,8	4,7	4,7	4,6	4,5	4,2	4,5			4,0	4,0	4,0
38,0	4,6	4,7	4,7	4,6	4,6	4,5	4,4	4,2	4,1			4,0	3,9	4,0
40,0	4,6	4,7	4,6	4,5	4,5	4,5	4,3	4,2	3,7			3,9	3,9	3,9
42,0	4,5	4,6	4,5	4,5	4,4	4,4	4,3	4,1	3,4			3,9	3,8	3,9
44,0	4,5	4,5	4,5	4,4	4,4	4,3	4,2	4,1	3,1			3,8	3,8	3,8
46,0	4,4	4,5	4,4	4,4	4,4	4,3	4,2	4,0	2,8			3,8	3,8	3,8
48,0	4,3	4,4	4,3	4,3	4,3	4,3	4,2	3,9	2,5			3,8	3,8	3,8
50,0	4,2	4,4	4,3	4,2	4,3	4,2	4,1	3,9	2,2			3,8	3,8	3,8
52,0	4,1	4,3	4,2	4,1	4,2	4,1	4,0	3,8	2,0			3,8	3,8	3,8
54,0	3,9	4,2	4,2	4,0	4,1	4,0	4,0	3,6	1,6			3,8	3,8	3,8
56,0	3,7	4,1	4,1	3,8	4,0	3,9	3,9	3,4				3,8	3,8	3,8
58,0	3,5	4,0	4,0	3,6	3,9	3,8	3,7	3,2				3,8	3,6	3,8
60,0	3,3	3,9	3,9	3,4	3,7	3,6	3,5	3,0				3,8	3,4	3,8
62,0	3,2	3,6	3,8	3,2	3,4	3,4	3,3	2,8				3,8	3,2	3,8
64,0	3,0	3,3	3,6	3,0	3,1	3,2	3,1	2,6				3,8	3,0	3,5
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	45.0	45.0	45.0	45.0
1	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-	0+	46+	0+	92+
2	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+	46+	92+
3	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+	92+	92+
4	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-	0+	46+	92+	46+
5 %	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-	0+	46+	92+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1792	1792	1792	1792	1792	1792	1792	1792	1792	1792	1802	1802	1802	1802

	T	NZK xx° 22m	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 22m

070983 21.20

m >< t CODE > 0709 < B131 1442

m	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0	15,5	51,9	51,9	57,1
66,0	2,9	3,1	3,4	2,8	2,9	3,0	2,8	2,4						3,1
68,0	2,7	2,8	3,2	2,6	2,6	2,8	2,6	2,3						2,8
70,0		2,6	3,0	2,4	2,4	2,7	2,4	2,1						
72,0		2,4	2,8	2,3	2,2	2,6	2,2	1,9						
74,0					2,0	2,4	2,0	1,7						
76,0					1,9	2,3	1,9	1,5						
78,0					1,7	2,2	1,7	1,4						
80,0							1,5	1,2						
82,0							1,3	1,0						
84,0							1,1							
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	45.0	45.0	45.0	45.0
1	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-	0+	46+	0+	92+
2	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+	46+	92+
3	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+	92+	92+
4	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-	0+	46+	92+	46+
5 %	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-	0+	46+	92+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1792	1792	1792	1792	1792	1792	1792	1792	1792	1792	1802	1802	1802	1802

	T	NZK xx° 22m	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 22m

070983 21.20

m >< t CODE > 0709 < B131 1442

m	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0						
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
14,0														
16,0														
18,0														
20,0														
22,0														
24,0														
26,0														
28,0	4,2	4,2												
30,0	4,2	4,1	4,2	4,1										
32,0	4,1	4,1	4,1	4,1	4,0		4,0							
34,0	4,1	4,0	4,1	4,0	4,0	3,9	4,0	3,0						
36,0	4,0	4,0	4,0	4,0	3,9	3,8	3,9	2,5						
38,0	4,0	3,9	4,0	3,9	3,9	3,8	3,9	2,1						
40,0	3,9	3,9	3,9	3,9	3,8	3,7	3,8							
42,0	3,9	3,8	3,9	3,8	3,8	3,7	3,8							
44,0	3,8	3,8	3,8	3,8	3,8	3,7	3,5							
46,0	3,8	3,8	3,8	3,8	3,7	3,6	3,2							
48,0	3,8	3,8	3,8	3,8	3,7	3,6	2,9							
50,0	3,8	3,8	3,8	3,7	3,7	3,6	2,6							
52,0	3,8	3,8	3,8	3,7	3,7	3,5	2,3							
54,0	3,8	3,8	3,8	3,7	3,7	3,5	2,1							
56,0	3,8	3,8	3,8	3,7	3,7	3,5	1,8							
58,0	3,8	3,8	3,8	3,7	3,7	3,5								
60,0	3,8	3,5	3,8	3,7	3,6	3,3								
62,0	3,8	3,3	3,6	3,6	3,5	3,1								
64,0	3,7	3,0	3,3	3,4	3,2	2,8								
*** n ***	1	1	1	1	1	1	1	1						
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0						
1	46+	0+	92+	46+	92+	100+	92-	100-						
2	92+	92+	92+	92+	92+	100+	92-	100-						
3	92+	92+	92+	92+	92+	100+	92-	100-						
4	92+	92+	92+	92+	92+	100+	92-	100-						
5	46+	92+	46+	92+	92+	100+	92-	100-						
%														
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1802	1802	1802	1802	1802	1802	1802	1802						

	T	NZK xx° 22m	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 22m

070983 21.20

m >< t CODE > 0709 < B131 1442

m	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0						
66,0	3,4	2,8	3,1	3,2	3,0	2,6								
68,0	3,2	2,6	2,8	3,0	2,7	2,4								
70,0			2,5	2,8	2,5	2,2								
72,0			2,2	2,6	2,3	2,0								
74,0					2,0	1,8								
76,0					1,8	1,6								
78,0						1,3								
80,0						1,1								
82,0														
84,0														
*** n ***	1	1	1	1	1	1	1	1						
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0						
1	46+	0+	92+	46+	92+	100+	92-	100-						
2	92+	92+	92+	92+	92+	100+	92-	100-						
3	92+	92+	92+	92+	92+	100+	92-	100-						
4	92+	92+	92+	92+	92+	100+	92-	100-						
5 %	46+	92+	46+	92+	92+	100+	92-	100-						
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1802	1802	1802	1802	1802	1802	1802	1802						

	T	NZK xx° 22m	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 22m

070983 21.20

m >< t CODE > 0710 < B131 1542

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0	15,5	51,9
4,0	7,0													
4,5	7,0													
5,0	7,0													
6,0	7,0													
7,0	7,0													
8,0	7,0													
9,0	6,9													
10,0	6,7													
11,0	6,6	7,0	6,4										6,0	
12,0	6,5	7,0	6,4	6,6									6,0	
14,0	6,2	7,0	6,4	6,6	6,2	5,8	5,8	5,5					5,7	
16,0	5,9	7,0	6,4	6,6	6,2	5,8	5,8	5,5	5,3		5,3		5,4	
18,0	5,6	7,0	6,4	6,6	6,2	5,8	5,8	5,5	5,3	4,7	5,3	4,7	5,2	
20,0	5,3	6,9	6,3	6,5	6,2	5,8	5,8	5,5	5,3	4,7	5,3	4,7	4,9	5,9
22,0	5,1	6,7	6,2	6,4	6,2	5,8	5,8	5,5	5,2	4,7	5,2	4,3	4,7	5,8
24,0	4,9	6,6	6,2	6,3	6,1	5,8	5,8	5,5	5,2	4,7	5,2	3,7	4,5	5,7
26,0	4,8	6,5	6,1	6,2	6,1	5,8	5,7	5,5	5,2	4,7	5,2	3,2	4,4	5,5
28,0	4,6	6,3	5,9	6,1	6,0	5,7	5,6	5,4	5,1	4,7	5,1		4,3	5,4
30,0	4,3	6,2	5,8	6,0	5,9	5,6	5,6	5,4	5,1	4,6	5,1		4,1	5,2
32,0	4,0	6,0	5,7	5,9	5,7	5,5	5,5	5,3	5,0	4,6	4,8		4,0	5,1
34,0	3,6	5,9	5,6	5,7	5,6	5,4	5,4	5,3	5,0	4,6	4,4		3,8	5,0
36,0		5,7	5,4	5,6	5,5	5,3	5,3	5,2	4,9	4,5	4,0			4,9
38,0		5,6	5,3	5,5	5,4	5,2	5,2	5,1	4,9	4,5	3,6			4,8
40,0		5,4	5,2	5,4	5,3	5,1	5,1	5,0	4,8	4,5	3,3			4,7
42,0		5,3	5,1	5,2	5,2	5,0	5,1	4,9	4,7	4,4	2,9			4,6
44,0		5,2	4,9	5,1	5,1	4,9	5,0	4,8	4,7	4,3	2,6			4,5
46,0		5,1	4,7	5,0	5,0	4,8	4,9	4,7	4,6	4,2	2,4			4,5
48,0		5,0	4,5	4,9	4,9	4,5	4,8	4,6	4,5	3,9	2,1			4,4
50,0		4,9	4,2	4,8	4,8	4,3	4,7	4,4	4,3	3,7	1,7			4,3
52,0		4,8	4,0	4,7	4,7	4,1	4,5	4,2	4,1	3,5				4,2
54,0		4,7	3,8	4,6	4,5	3,9	4,2	4,0	3,9	3,3				4,2
56,0		4,6	3,6	4,3	4,3	3,6	3,9	3,8	3,6	3,1				4,1
58,0		4,5	3,4	4,0	4,1	3,4	3,7	3,6	3,4	2,9				4,0
60,0		4,3	3,2	3,8	3,9	3,2	3,4	3,4	3,2	2,7				4,0
62,0		4,2	3,1	3,5	3,7	3,0	3,1	3,3	3,0	2,5				3,9
64,0		4,0	2,9	3,3	3,5	2,8	2,9	3,1	2,8	2,4				3,9
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.0	20.0
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-	0+	46+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-	0+	46+
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-	0+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1781	1781	1781	1781	1781	1781	1781	1781	1781	1781	1781	1781	1791	1791

	T	NZK xx° 22m	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 22m

070983 21.20

m >< t CODE > 0710 < B131 1542

m	15,5	51,9	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0	15,5	51,9
66,0		3,8	2,8	3,0	3,3	2,7	2,6	2,9	2,6	2,2				3,8
68,0		3,6	2,6	2,8	3,2	2,5	2,5	2,8	2,4	2,0				3,7
70,0				2,6	3,0	2,4	2,3	2,6	2,3	1,9				
72,0				2,4	2,8	2,2	2,1	2,5	2,1	1,7				
74,0				2,2	2,7	2,1	1,9	2,4	1,9	1,5				
76,0							1,8	2,3	1,8	1,3				
78,0							1,6	2,1	1,6	1,2				
80,0									1,4	1,0				
82,0									1,3					
84,0									1,1					
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.0	20.0
1	0+	46+	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-	0+	46+
2	0+	92+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+
3	0+	92+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+
4	0+	46+	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-	0+	46+
5 %	0+	46+	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-	0+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1781	1781	1781	1781	1781	1781	1781	1781	1781	1781	1781	1781	1791	1791

	T	NZK xx° 22m	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 22m

070983 21.20

m >< t CODE > 0710 < B131 1542

m	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0	15,5	51,9	51,9	57,1
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
14,0														
16,0														
18,0											4,4			
20,0	5,6										4,3			
22,0	5,5	5,7	5,5	5,3							4,1			
24,0	5,4	5,5	5,4	5,3	5,2	5,1					3,9			
26,0	5,2	5,4	5,3	5,2	5,2	5,0	4,8		4,8		3,8	4,4		
28,0	5,1	5,3	5,2	5,1	5,1	4,9	4,8	4,4	4,8	3,5	3,8	4,3	4,2	4,3
30,0	5,0	5,2	5,1	5,0	5,0	4,8	4,7	4,4	4,7	3,0	3,8	4,2	4,1	4,2
32,0	4,9	5,1	5,0	4,9	4,9	4,8	4,6	4,4	4,6	2,6	3,8	4,1	4,1	4,1
34,0	4,8	4,9	4,9	4,8	4,8	4,7	4,5	4,3	4,5			4,1	4,0	4,1
36,0	4,7	4,8	4,8	4,7	4,7	4,6	4,5	4,2	4,5			4,0	4,0	4,0
38,0	4,6	4,7	4,7	4,6	4,6	4,5	4,4	4,2	4,1			4,0	3,9	4,0
40,0	4,6	4,7	4,6	4,5	4,5	4,5	4,3	4,2	3,7			3,9	3,9	3,9
42,0	4,5	4,6	4,5	4,5	4,4	4,4	4,3	4,1	3,4			3,9	3,8	3,9
44,0	4,5	4,5	4,5	4,4	4,4	4,3	4,2	4,1	3,1			3,8	3,8	3,8
46,0	4,4	4,5	4,4	4,4	4,4	4,3	4,2	4,0	2,8			3,8	3,8	3,8
48,0	4,3	4,4	4,3	4,3	4,3	4,3	4,2	3,9	2,5			3,8	3,8	3,8
50,0	4,2	4,4	4,3	4,2	4,3	4,2	4,1	3,9	2,2			3,8	3,8	3,8
52,0	4,1	4,3	4,2	4,1	4,2	4,1	4,0	3,8	2,0			3,8	3,8	3,8
54,0	3,9	4,2	4,2	4,0	4,1	4,0	4,0	3,6	1,6			3,8	3,8	3,8
56,0	3,7	4,1	4,1	3,8	4,0	3,9	3,9	3,4				3,8	3,8	3,8
58,0	3,5	4,0	4,0	3,6	3,9	3,8	3,7	3,2				3,8	3,6	3,8
60,0	3,3	3,9	3,9	3,4	3,7	3,6	3,5	3,0				3,8	3,4	3,8
62,0	3,2	3,6	3,8	3,2	3,4	3,4	3,3	2,8				3,8	3,2	3,8
64,0	3,0	3,3	3,6	3,0	3,1	3,2	3,1	2,6				3,8	3,0	3,5
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	45.0	45.0	45.0	45.0
1	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-	0+	46+	0+	92+
2	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+	46+	92+
3	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+	92+	92+
4	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-	0+	46+	92+	46+
5 %	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-	0+	46+	92+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1791	1791	1791	1791	1791	1791	1791	1791	1791	1791	1801	1801	1801	1801

	T	NZK xx° 22m	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 22m

070983 21.20

m >< t CODE > 0710 < B131 1542

m	51,9	57,1	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0	15,5	51,9	51,9	57,1
66,0	2,9	3,1	3,4	2,8	2,9	3,0	2,8	2,4						3,1
68,0	2,7	2,8	3,2	2,6	2,6	2,8	2,6	2,3						2,8
70,0		2,6	3,0	2,4	2,4	2,7	2,4	2,1						
72,0		2,4	2,8	2,3	2,2	2,6	2,2	1,9						
74,0					2,0	2,4	2,0	1,7						
76,0					1,9	2,3	1,9	1,5						
78,0					1,7	2,2	1,7	1,4						
80,0							1,5	1,2						
82,0							1,3	1,0						
84,0							1,1							
*** n ***	1	1	1	1	1	1	1	1	1	1	1	1	1	1
xx	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	45.0	45.0	45.0	45.0
1	0+	92+	46+	0+	92+	46+	92+	100+	92-	100-	0+	46+	0+	92+
2	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+	46+	92+
3	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-	0+	92+	92+	92+
4	92+	46+	92+	92+	92+	92+	92+	100+	92-	100-	0+	46+	92+	46+
5 %	92+	46+	46+	92+	46+	92+	92+	100+	92-	100-	0+	46+	92+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1791	1791	1791	1791	1791	1791	1791	1791	1791	1791	1801	1801	1801	1801

	T	NZK xx° 22m	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 22m

070983 21.20

m >< t CODE > 0710 < B131 1542

m	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0						
4,0														
4,5														
5,0														
6,0														
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
14,0														
16,0														
18,0														
20,0														
22,0														
24,0														
26,0														
28,0	4,2	4,2												
30,0	4,2	4,1	4,2	4,1										
32,0	4,1	4,1	4,1	4,1	4,0		4,0							
34,0	4,1	4,0	4,1	4,0	4,0	3,9	4,0	3,0						
36,0	4,0	4,0	4,0	4,0	3,9	3,8	3,9	2,5						
38,0	4,0	3,9	4,0	3,9	3,9	3,8	3,9	2,1						
40,0	3,9	3,9	3,9	3,9	3,8	3,7	3,8							
42,0	3,9	3,8	3,9	3,8	3,8	3,7	3,8							
44,0	3,8	3,8	3,8	3,8	3,8	3,7	3,5							
46,0	3,8	3,8	3,8	3,8	3,7	3,6	3,2							
48,0	3,8	3,8	3,8	3,8	3,7	3,6	2,9							
50,0	3,8	3,8	3,8	3,7	3,7	3,6	2,6							
52,0	3,8	3,8	3,8	3,7	3,7	3,5	2,3							
54,0	3,8	3,8	3,8	3,7	3,7	3,5	2,1							
56,0	3,8	3,8	3,8	3,7	3,7	3,5	1,8							
58,0	3,8	3,8	3,8	3,7	3,7	3,5								
60,0	3,8	3,5	3,8	3,7	3,6	3,3								
62,0	3,8	3,3	3,6	3,6	3,5	3,1								
64,0	3,7	3,0	3,3	3,4	3,2	2,8								
*** n ***	1	1	1	1	1	1	1	1						
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0						
1	46+	0+	92+	46+	92+	100+	92-	100-						
2	92+	92+	92+	92+	92+	100+	92-	100-						
3	92+	92+	92+	92+	92+	100+	92-	100-						
4	92+	92+	92+	92+	92+	100+	92-	100-						
5	46+	92+	46+	92+	92+	100+	92-	100-						
%														
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1801	1801	1801	1801	1801	1801	1801	1801						

	T	NZK xx° 22m	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	NZK xx° 22m

070983 21.20

m >< t CODE > 0710 < B131 1542

m	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0						
66,0	3,4	2,8	3,1	3,2	3,0	2,6								
68,0	3,2	2,6	2,8	3,0	2,7	2,4								
70,0			2,5	2,8	2,5	2,2								
72,0			2,2	2,6	2,3	2,0								
74,0					2,0	1,8								
76,0					1,8	1,6								
78,0						1,3								
80,0						1,1								
82,0														
84,0														
*** n ***	1	1	1	1	1	1	1	1						
xx	45.0	45.0	45.0	45.0	45.0	45.0	45.0	45.0						
1	46+	0+	92+	46+	92+	100+	92-	100-						
2	92+	92+	92+	92+	92+	100+	92-	100-						
3	92+	92+	92+	92+	92+	100+	92-	100-						
4	92+	92+	92+	92+	92+	100+	92-	100-						
5 %	46+	92+	46+	92+	92+	100+	92-	100-						
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1801	1801	1801	1801	1801	1801	1801	1801						

	T	NZK xx° 22m	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 0° 14m

070983 21.20

m >< t CODE > 0455 < B131 0E60

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5						
3,0	17,9													
3,5	17,9													
4,0	17,9													
4,5	17,9													
5,0	17,7													
6,0	17,3													
7,0	16,8													
8,0	16,1													
9,0	15,2													
10,0	14,2	17,9	17,2											
11,0	13,2	17,9	17,1	14,5	13,6									
12,0	12,3	16,1	17,1	14,5	13,5									
14,0	10,6	12,3	13,3	11,5	12,8	11,1	10,1	8,7						
16,0	9,0	9,4	10,4	8,7	10,0	8,5	10,1	8,7						
18,0	7,7	7,1	8,1	6,6	7,8	6,4	8,0	6,7						
20,0	6,5	5,3	6,2	4,8	6,0	4,8	6,3	5,1						
22,0	5,5	3,8	4,7	3,4	4,6	3,4	4,9	3,7						
24,0	4,6		3,5		3,4		3,7							
26,0	3,9													
28,0	3,1													
*** n ***	2	2	2	2	2	2	1	1						
1	0+	92+	46+	92+	46+	92+	46+	92+						
2	0+	92+	92+	92+	92+	92+	92+	92+						
3	0+	46+	92+	92+	92+	92+	92+	92+						
4	0+	46+	46+	46+	92+	92+	92+	92+						
5	0+	46+	46+	46+	46+	46+	92+	92+						
%														
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1508	1508	1508	1508	1508	1508	1508	1508						

	T	F 0° 14m	10,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 0° 14m

070983 21.20

m >< t CODE > 0456 < B131 0F60

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5
3,0	17,9							
3,5	17,9							
4,0	17,9							
4,5	17,9							
5,0	17,7							
6,0	17,3							
7,0	16,8							
8,0	16,1							
9,0	15,2							
10,0	14,2	17,9	17,2					
11,0	13,2	17,9	17,1	14,5	13,6			
12,0	12,3	17,9	17,1	14,5	13,5			
14,0	10,6	17,5	16,9	14,4	13,5	11,6	10,1	8,7
16,0	9,0	15,8	16,1	14,3	13,3	11,5	10,1	8,7
18,0	7,7	13,0	14,0	12,4	12,7	11,4	9,9	8,7
20,0	6,5	10,7	11,6	10,2	11,3	10,0	9,5	8,6
22,0	5,5	8,7	9,7	8,3	9,5	8,1	9,2	8,4
24,0	4,6	7,1	8,0	6,7	7,8	6,6	8,1	6,9
26,0	3,9	5,7	6,6	5,3	6,5	5,3	6,8	5,6
28,0	3,1	4,5	5,4	4,2	5,3	4,1	5,6	4,5
30,0		3,4	4,4	3,1	4,3	3,2	4,6	3,5
32,0		2,5	3,4		3,4		3,7	2,7
34,0			2,6		2,6		2,9	
36,0							2,2	
*** n ***	2	2	2	2	2	2	1	1
% 1	0+	92+	46+	92+	46+	92+	46+	92+
% 2	0+	92+	92+	92+	92+	92+	92+	92+
% 3	0+	46+	92+	92+	92+	92+	92+	92+
% 4	0+	46+	46+	46+	92+	92+	92+	92+
% 5	0+	46+	46+	46+	46+	46+	92+	92+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1507	1507	1507	1507	1507	1507	1507	1507

T	F 0° 14m	22,5 t	8,85 x 8,5 m	360°

Courtesy of Crane.Market

ISO DIN

T	F 0° 14m

070983 21.20

m >< t CODE > 0458 < B131 1160

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5						
3,0	17,9													
3,5	17,9													
4,0	17,9													
4,5	17,9													
5,0	17,7													
6,0	17,3													
7,0	16,8													
8,0	16,1													
9,0	15,2													
10,0	14,2	17,9	17,2											
11,0	13,2	17,9	17,1	14,5	13,6									
12,0	12,3	17,9	17,1	14,5	13,5									
14,0	10,6	17,5	16,9	14,4	13,5	11,6	10,1	8,7						
16,0	9,0	17,1	16,1	14,3	13,3	11,5	10,1	8,7						
18,0	7,7	16,6	15,3	13,9	12,7	11,4	9,9	8,7						
20,0	6,5	15,9	14,6	13,4	12,1	11,1	9,5	8,6						
22,0	5,5	15,1	13,8	12,9	11,5	10,7	9,2	8,5						
24,0	4,6	14,1	13,0	12,2	11,0	10,3	8,9	8,2						
26,0	3,9	13,3	12,2	11,5	10,4	9,9	8,6	8,0						
28,0	3,1	11,7	11,4	10,8	9,9	9,4	8,2	7,8						
30,0		10,3	10,7	9,9	9,3	8,9	7,8	7,5						
32,0		9,0	9,9	8,6	8,8	8,4	7,4	7,1						
34,0		7,8	8,7	7,5	8,3	7,5	7,0	6,8						
36,0		6,8	7,7	6,5	7,6	6,5	6,7	6,5						
38,0		5,9	6,8	5,6	6,7	5,6	6,3	6,0						
40,0		5,1	6,0	4,8	5,9	4,8	6,0	5,2						
42,0		4,4	5,2	4,1	5,2	4,1	5,5	4,5						
44,0		3,7	4,5	3,4	4,5	3,5	4,8	3,8						
46,0		3,1	3,9	2,8	3,9	2,9	4,2	3,3						
48,0		2,5	3,2	2,3	3,3	2,3	3,7	2,7						
50,0		1,9	2,7	1,8	2,8	1,8	3,1	2,2						
52,0			2,2		2,3		2,7	1,7						
54,0			1,7		1,8		2,2							
56,0			1,3		1,4		1,8							
58,0							1,4							
*** n ***	2	2	2	2	2	2	1	1						
1	0+	92+	46+	92+	46+	92+	46+	92+						
2	0+	92+	92+	92+	92+	92+	92+	92+						
3	0+	46+	92+	92+	92+	92+	92+	92+						
4	0+	46+	46+	46+	92+	92+	92+	92+						
5 %	0+	46+	46+	46+	46+	46+	92+	92+						
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1505	1505	1505	1505	1505	1505	1505	1505						

	T	F 0° 14m	47,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 0° 14m

070983 21.20

m >< t CODE > 0460 < B131 1360

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5						
3,0	17,9													
3,5	17,9													
4,0	17,9													
4,5	17,9													
5,0	17,7													
6,0	17,3													
7,0	16,8													
8,0	16,1													
9,0	15,2													
10,0	14,2	17,9	17,2											
11,0	13,2	17,9	17,1	14,5	13,6									
12,0	12,3	17,9	17,1	14,5	13,5									
14,0	10,6	17,5	16,9	14,4	13,5	11,6	10,1	8,7						
16,0	9,0	17,1	16,1	14,3	13,3	11,5	10,1	8,7						
18,0	7,7	16,6	15,3	13,9	12,7	11,4	9,9	8,7						
20,0	6,5	15,9	14,6	13,4	12,1	11,1	9,5	8,6						
22,0	5,5	15,1	13,8	12,9	11,5	10,7	9,2	8,5						
24,0	4,6	14,1	13,0	12,2	11,0	10,3	8,9	8,2						
26,0	3,9	13,3	12,2	11,5	10,4	9,9	8,6	8,0						
28,0	3,1	12,4	11,4	10,8	9,9	9,4	8,2	7,8						
30,0		11,6	10,7	10,1	9,3	8,9	7,8	7,5						
32,0		10,8	10,1	9,5	8,8	8,4	7,4	7,1						
34,0		10,1	9,5	8,9	8,3	7,9	7,0	6,8						
36,0		9,4	8,9	8,4	7,8	7,4	6,7	6,5						
38,0		8,7	8,4	7,8	7,3	7,0	6,3	6,2						
40,0		8,1	7,9	7,3	6,9	6,6	6,0	5,9						
42,0		7,5	7,4	6,8	6,5	6,1	5,7	5,7						
44,0		7,0	6,9	6,3	6,1	5,7	5,4	5,3						
46,0		6,4	6,4	5,8	5,7	5,4	5,2	5,0						
48,0		5,9	5,9	5,4	5,4	5,0	4,9	4,7						
50,0		5,5	5,5	4,9	5,0	4,6	4,6	4,4						
52,0		5,1	5,1	4,5	4,7	4,2	4,3	4,1						
54,0		4,5	4,8	4,2	4,4	3,9	4,0	3,8						
56,0		3,9	4,4	3,9	4,1	3,5	3,8	3,5						
58,0		3,4	4,1	3,4	3,8	3,3	3,6	3,2						
60,0		2,9	3,7	2,9	3,5	3,0	3,4	2,9						
*** n ***	2	2	2	2	2	2	1	1						
1	0+	92+	46+	92+	46+	92+	46+	92+						
2	0+	92+	92+	92+	92+	92+	92+	92+						
3	0+	46+	92+	92+	92+	92+	92+	92+						
4	0+	46+	46+	46+	92+	92+	92+	92+						
5 %	0+	46+	46+	46+	46+	46+	92+	92+						
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1503	1503	1503	1503	1503	1503	1503	1503						

	T	F 0° 14m	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 0° 14m

070983 21.20

m >< t CODE > 0460 < B131 1360

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5						
62,0		2,5	3,3	2,4	3,2	2,6	3,2	2,7						
64,0				2,0	2,9	2,2	3,0	2,5						
66,0				1,7	2,6	1,8	2,7	2,2						
68,0						1,4	2,5	1,8						
70,0						1,1	2,2	1,5						
72,0							1,9	1,2						
*** n ***	2	2	2	2	2	2	1	1						
% 1	0+	92+	46+	92+	46+	92+	46+	92+						
% 2	0+	92+	92+	92+	92+	92+	92+	92+						
% 3	0+	46+	92+	92+	92+	92+	92+	92+						
% 4	0+	46+	46+	46+	92+	92+	92+	92+						
% 5	0+	46+	46+	46+	46+	46+	92+	92+						
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1503	1503	1503	1503	1503	1503	1503	1503						

	T	F 0° 14m	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 0° 14m

070983 21.20

m >< t CODE > 0461 < B131 1460

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5						
3,0	17,9													
3,5	17,9													
4,0	17,9													
4,5	17,9													
5,0	17,7													
6,0	17,3													
7,0	16,8													
8,0	16,1													
9,0	15,2													
10,0	14,2	17,9	17,2											
11,0	13,2	17,9	17,1	14,5	13,6									
12,0	12,3	17,9	17,1	14,5	13,5									
14,0	10,6	17,5	16,9	14,4	13,5	11,6	10,1	8,7						
16,0	9,0	17,1	16,1	14,3	13,3	11,5	10,1	8,7						
18,0	7,7	16,6	15,3	13,9	12,7	11,4	9,9	8,7						
20,0	6,5	15,9	14,6	13,4	12,1	11,1	9,5	8,6						
22,0	5,5	15,1	13,8	12,9	11,5	10,7	9,2	8,5						
24,0	4,6	14,1	13,0	12,2	11,0	10,3	8,9	8,2						
26,0	3,9	13,3	12,2	11,5	10,4	9,9	8,6	8,0						
28,0	3,1	12,4	11,4	10,8	9,9	9,4	8,2	7,8						
30,0		11,6	10,7	10,1	9,3	8,9	7,8	7,5						
32,0		10,8	10,1	9,5	8,8	8,4	7,4	7,1						
34,0		10,1	9,5	8,9	8,3	7,9	7,0	6,8						
36,0		9,4	8,9	8,4	7,8	7,4	6,7	6,5						
38,0		8,7	8,4	7,8	7,3	7,0	6,3	6,2						
40,0		8,1	7,9	7,3	6,9	6,6	6,0	5,9						
42,0		7,5	7,4	6,8	6,5	6,1	5,7	5,7						
44,0		7,0	6,9	6,3	6,1	5,7	5,4	5,3						
46,0		6,4	6,4	5,8	5,7	5,4	5,2	5,0						
48,0		5,9	5,9	5,4	5,4	5,0	4,9	4,7						
50,0		5,5	5,5	4,9	5,0	4,6	4,6	4,4						
52,0		5,1	5,1	4,5	4,7	4,2	4,3	4,1						
54,0		4,8	4,8	4,2	4,4	3,9	4,0	3,8						
56,0		4,4	4,4	3,9	4,1	3,5	3,8	3,5						
58,0		4,1	4,1	3,6	3,8	3,3	3,6	3,2						
60,0		3,7	3,7	3,3	3,5	3,0	3,4	2,9						
*** n ***	2	2	2	2	2	2	1	1						
1	0+	92+	46+	92+	46+	92+	46+	92+						
2	0+	92+	92+	92+	92+	92+	92+	92+						
3	0+	46+	92+	92+	92+	92+	92+	92+						
4	0+	46+	46+	46+	92+	92+	92+	92+						
5 %	0+	46+	46+	46+	46+	46+	92+	92+						
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1502	1502	1502	1502	1502	1502	1502	1502						

	T	F 0° 14m	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 0° 14m

070983 21.20

m >< t CODE > 0461 < B131 1460

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5						
62,0		3,4	3,4	3,0	3,2	2,8	3,2	2,7						
64,0				2,7	3,0	2,6	3,0	2,5						
66,0				2,5	2,7	2,3	2,7	2,3						
68,0						2,1	2,5	2,1						
70,0						1,9	2,3	1,9						
72,0						1,7	2,1	1,7						
74,0								1,5						
76,0								1,3						
*** n ***	2	2	2	2	2	2	1	1						
% 1	0+	92+	46+	92+	46+	92+	46+	92+						
% 2	0+	92+	92+	92+	92+	92+	92+	92+						
% 3	0+	46+	92+	92+	92+	92+	92+	92+						
% 4	0+	46+	46+	46+	92+	92+	92+	92+						
% 5	0+	46+	46+	46+	46+	46+	92+	92+						
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1502	1502	1502	1502	1502	1502	1502	1502						

	T	F 0° 14m	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 0° 14m

070983 21.20

m >< t CODE > 0462 < B131 1560

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5						
3,0	17,9													
3,5	17,9													
4,0	17,9													
4,5	17,9													
5,0	17,7													
6,0	17,3													
7,0	16,8													
8,0	16,1													
9,0	15,2													
10,0	14,2	17,9	17,2											
11,0	13,2	17,9	17,1	14,5	13,6									
12,0	12,3	17,9	17,1	14,5	13,5									
14,0	10,6	17,5	16,9	14,4	13,5	11,6	10,1	8,7						
16,0	9,0	17,1	16,1	14,3	13,3	11,5	10,1	8,7						
18,0	7,7	16,6	15,3	13,9	12,7	11,4	9,9	8,7						
20,0	6,5	15,9	14,6	13,4	12,1	11,1	9,5	8,6						
22,0	5,5	15,1	13,8	12,9	11,5	10,7	9,2	8,5						
24,0	4,6	14,1	13,0	12,2	11,0	10,3	8,9	8,2						
26,0	3,9	13,3	12,2	11,5	10,4	9,9	8,6	8,0						
28,0	3,1	12,4	11,4	10,8	9,9	9,4	8,2	7,8						
30,0		11,6	10,7	10,1	9,3	8,9	7,8	7,5						
32,0		10,8	10,1	9,5	8,8	8,4	7,4	7,1						
34,0		10,1	9,5	8,9	8,3	7,9	7,0	6,8						
36,0		9,4	8,9	8,4	7,8	7,4	6,7	6,5						
38,0		8,7	8,4	7,8	7,3	7,0	6,3	6,2						
40,0		8,1	7,9	7,3	6,9	6,6	6,0	5,9						
42,0		7,5	7,4	6,8	6,5	6,1	5,7	5,7						
44,0		7,0	6,9	6,3	6,1	5,7	5,4	5,3						
46,0		6,4	6,4	5,8	5,7	5,4	5,2	5,0						
48,0		5,9	5,9	5,4	5,4	5,0	4,9	4,7						
50,0		5,5	5,5	4,9	5,0	4,6	4,6	4,4						
52,0		5,1	5,1	4,5	4,7	4,2	4,3	4,1						
54,0		4,8	4,8	4,2	4,4	3,9	4,0	3,8						
56,0		4,4	4,4	3,9	4,1	3,5	3,8	3,5						
58,0		4,1	4,1	3,6	3,8	3,3	3,6	3,2						
60,0		3,7	3,7	3,3	3,5	3,0	3,4	2,9						
*** n ***	2	2	2	2	2	2	1	1						
1	0+	92+	46+	92+	46+	92+	46+	92+						
2	0+	92+	92+	92+	92+	92+	92+	92+						
3	0+	46+	92+	92+	92+	92+	92+	92+						
4	0+	46+	46+	46+	92+	92+	92+	92+						
5 %	0+	46+	46+	46+	46+	46+	92+	92+						
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1501	1501	1501	1501	1501	1501	1501	1501						

	T	F 0° 14m	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 0° 14m

070983 21.20

m >< t CODE > 0462 < B131 1560

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5						
62,0		3,4	3,4	3,0	3,2	2,8	3,2	2,7						
64,0				2,7	3,0	2,6	3,0	2,5						
66,0				2,5	2,7	2,3	2,7	2,3						
68,0						2,1	2,5	2,1						
70,0						1,9	2,3	1,9						
72,0						1,7	2,1	1,7						
74,0								1,5						
76,0								1,3						
*** n ***	2	2	2	2	2	2	1	1						
% 1	0+	92+	46+	92+	46+	92+	46+	92+						
% 2	0+	92+	92+	92+	92+	92+	92+	92+						
% 3	0+	46+	92+	92+	92+	92+	92+	92+						
% 4	0+	46+	46+	46+	92+	92+	92+	92+						
% 5	0+	46+	46+	46+	46+	46+	92+	92+						
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1501	1501	1501	1501	1501	1501	1501	1501						

	T	F 0° 14m	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 0° 21m

070983 21.20

m >< t CODE > 0463 < B131 0E61

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5						
4,0	13,6													
4,5	13,6													
5,0	13,4													
6,0	13,2													
7,0	12,8													
8,0	12,3													
9,0	11,8													
10,0	11,4													
11,0	11,0													
12,0	10,7	13,4	12,9											
14,0	9,9	12,2	12,6	10,8	10,1	8,6	8,0							
16,0	9,2	9,5	10,4	9,0	10,0	8,6	8,0	6,8						
18,0	8,3	7,3	8,2	7,0	8,1	6,7	7,9	6,7						
20,0	7,4	5,5	6,4	5,3	6,4	5,1	6,3	5,1						
22,0	6,4	4,1	4,9	3,9	4,9	3,8	4,9	3,8						
24,0	5,5		3,7		3,7		3,8							
26,0	4,7													
28,0	4,1													
30,0	3,6													
32,0	3,0													
34,0	2,5													
*** n ***	2	2	2	2	1	1	1	1						
% 1	0+	92+	46+	92+	46+	92+	46+	92+						
% 2	0+	92+	92+	92+	92+	92+	92+	92+						
% 3	0+	46+	92+	92+	92+	92+	92+	92+						
% 4	0+	46+	46+	46+	92+	92+	92+	92+						
% 5	0+	46+	46+	46+	46+	46+	92+	92+						
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1508	1508	1508	1508	1508	1508	1508	1508						

	T	F 0° 21m	10,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 0° 21m

070983 21.20

m	m >< t													
	CODE > 0464 < B131 0F61													
m	**15,5**	**51,9**	**51,9**	**57,1**	**57,1**	**62,3**	**62,3**	**67,5**						
4,0	13,6													
4,5	13,6													
5,0	13,4													
6,0	13,2													
7,0	12,8													
8,0	12,3													
9,0	11,8													
10,0	11,4													
11,0	11,0													
12,0	10,7	13,4	12,9											
14,0	9,9	13,1	12,6	10,8	10,1	8,6	8,0							
16,0	9,2	12,6	12,3	10,8	10,0	8,6	8,0	6,8						
18,0	8,3	12,1	11,8	10,5	9,9	8,6	7,9	6,8						
20,0	7,4	10,8	11,4	10,3	9,6	8,5	7,7	6,8						
22,0	6,4	8,9	9,8	8,6	9,3	8,4	7,5	6,8						
24,0	5,5	7,3	8,2	7,1	8,1	6,9	7,2	6,6						
26,0	4,7	6,0	6,8	5,8	6,8	5,6	6,8	5,7						
28,0	4,1	4,8	5,6	4,6	5,6	4,5	5,7	4,6						
30,0	3,6	3,8	4,6	3,6	4,6	3,6	4,7	3,7						
32,0	3,0	2,9	3,7	2,7	3,8	2,7	3,8	2,8						
34,0	2,5		2,9		3,0		3,1							
36,0			2,2		2,3		2,4							
*** n ***	2	2	2	2	1	1	1	1						
% 1	0+	92+	46+	92+	46+	92+	46+	92+						
% 2	0+	92+	92+	92+	92+	92+	92+	92+						
% 3	0+	46+	92+	92+	92+	92+	92+	92+						
% 4	0+	46+	46+	46+	92+	92+	92+	92+						
% 5	0+	46+	46+	46+	46+	46+	92+	92+						
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1507	1507	1507	1507	1507	1507	1507	1507						

	T	F 0° 21m	22,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 0° 21m

070983 21.20

m >< t CODE > 0466 < B131 1161

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5						
4,0	13,6													
4,5	13,6													
5,0	13,4													
6,0	13,2													
7,0	12,8													
8,0	12,3													
9,0	11,8													
10,0	11,4													
11,0	11,0													
12,0	10,7	13,4	12,9											
14,0	9,9	13,1	12,6	10,8	10,1	8,6	8,0							
16,0	9,2	12,6	12,3	10,8	10,0	8,6	8,0	6,8						
18,0	8,3	12,1	11,8	10,5	9,9	8,6	7,9	6,8						
20,0	7,4	11,7	11,4	10,3	9,6	8,5	7,7	6,8						
22,0	6,4	11,3	11,0	10,2	9,3	8,5	7,5	6,8						
24,0	5,5	10,9	10,7	10,0	9,0	8,3	7,2	6,6						
26,0	4,7	10,5	10,3	9,8	8,7	8,0	7,0	6,5						
28,0	4,1	10,1	9,9	9,4	8,2	7,8	6,8	6,3						
30,0	3,6	9,8	9,4	8,9	7,8	7,5	6,5	6,1						
32,0	3,0	9,2	8,9	8,4	7,5	7,1	6,2	5,9						
34,0	2,5	8,1	8,4	7,9	7,1	6,8	5,9	5,6						
36,0		7,1	7,9	6,9	6,7	6,5	5,7	5,4						
38,0		6,2	7,0	6,0	6,4	6,0	5,4	5,2						
40,0		5,4	6,1	5,2	6,1	5,2	5,2	5,0						
42,0		4,6	5,4	4,5	5,5	4,5	4,9	4,6						
44,0		4,0	4,7	3,8	4,8	3,8	4,6	3,9						
46,0		3,4	4,1	3,2	4,2	3,2	4,3	3,4						
48,0		2,8	3,6	2,7	3,6	2,7	3,7	2,8						
50,0		2,3	3,1	2,2	3,1	2,2	3,2	2,3						
52,0		1,8	2,6	1,7	2,7	1,7	2,8	1,9						
54,0			2,1		2,2		2,3							
56,0			1,7		1,8		1,9							
58,0					1,4		1,6							
*** n ***	2	2	2	2	1	1	1	1						
1	0+	92+	46+	92+	46+	92+	46+	92+						
2	0+	92+	92+	92+	92+	92+	92+	92+						
3	0+	46+	92+	92+	92+	92+	92+	92+						
4	0+	46+	46+	46+	92+	92+	92+	92+						
5 %	0+	46+	46+	46+	46+	46+	92+	92+						
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1505	1505	1505	1505	1505	1505	1505	1505						

	T	F 0° 21m	47,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 0° 21m

070983 21.20

m >< t CODE > 0468 < B131 1361

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5						
4,0	13,6													
4,5	13,6													
5,0	13,4													
6,0	13,2													
7,0	12,8													
8,0	12,3													
9,0	11,8													
10,0	11,4													
11,0	11,0													
12,0	10,7	13,4	12,9											
14,0	9,9	13,1	12,6	10,8	10,1	8,6	8,0							
16,0	9,2	12,6	12,3	10,8	10,0	8,6	8,0	6,8						
18,0	8,3	12,1	11,8	10,5	9,9	8,6	7,9	6,8						
20,0	7,4	11,7	11,4	10,3	9,6	8,5	7,7	6,8						
22,0	6,4	11,3	11,0	10,2	9,3	8,5	7,5	6,8						
24,0	5,5	10,9	10,7	10,0	9,0	8,3	7,2	6,6						
26,0	4,7	10,5	10,3	9,8	8,7	8,0	7,0	6,5						
28,0	4,1	10,1	9,9	9,4	8,2	7,8	6,8	6,3						
30,0	3,6	9,8	9,4	8,9	7,8	7,5	6,5	6,1						
32,0	3,0	9,4	8,9	8,4	7,5	7,1	6,2	5,9						
34,0	2,5	9,0	8,4	8,0	7,1	6,8	5,9	5,6						
36,0		8,5	7,9	7,5	6,7	6,5	5,7	5,4						
38,0		8,1	7,4	7,1	6,4	6,2	5,4	5,2						
40,0		7,6	7,0	6,7	6,1	5,9	5,2	5,0						
42,0		7,1	6,6	6,3	5,7	5,6	4,9	4,8						
44,0		6,6	6,3	5,9	5,4	5,3	4,6	4,6						
46,0		6,2	5,9	5,5	5,1	4,9	4,4	4,4						
48,0		5,7	5,6	5,2	4,8	4,6	4,2	4,2						
50,0		5,3	5,2	4,8	4,6	4,3	4,0	3,9						
52,0		4,9	4,9	4,4	4,3	4,0	3,8	3,7						
54,0		4,6	4,5	4,1	4,0	3,7	3,6	3,4						
56,0		4,2	4,2	3,7	3,8	3,4	3,4	3,2						
58,0		3,8	3,9	3,5	3,6	3,2	3,1	3,0						
60,0		3,4	3,7	3,2	3,4	2,9	2,9	2,8						
62,0		2,9	3,4	2,9	3,2	2,7	2,8	2,5						
64,0		2,5	3,1	2,5	2,9	2,5	2,6	2,3						
*** n ***	2	2	2	2	1	1	1	1						
1	0+	92+	46+	92+	46+	92+	46+	92+						
2	0+	92+	92+	92+	92+	92+	92+	92+						
3	0+	46+	92+	92+	92+	92+	92+	92+						
4	0+	46+	46+	46+	92+	92+	92+	92+						
5 %	0+	46+	46+	46+	46+	46+	92+	92+						
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1503	1503	1503	1503	1503	1503	1503	1503						

	T	F 0° 21m	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 0° 21m

070983 21.20

m >< t CODE > 0468 < B131 1361

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5						
66,0		2,1	2,8	2,1	2,7	2,2	2,5	2,1						
68,0		1,8	2,4	1,7	2,5	1,8	2,3	1,9						
70,0				1,4	2,2	1,5	2,2	1,7						
72,0				1,1	1,9	1,1	2,0	1,4						
74,0					1,6		1,8	1,1						
76,0							1,5							
78,0							1,2							
*** n ***	2	2	2	2	1	1	1	1						
1	0+	92+	46+	92+	46+	92+	46+	92+						
2	0+	92+	92+	92+	92+	92+	92+	92+						
3	0+	46+	92+	92+	92+	92+	92+	92+						
4	0+	46+	46+	46+	92+	92+	92+	92+						
5 %	0+	46+	46+	46+	46+	46+	92+	92+						
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1503	1503	1503	1503	1503	1503	1503	1503						

	T	F 0° 21m	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 0° 21m

070983 21.20

m >< t CODE > 0469 < B131 1461

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5						
4,0	13,6													
4,5	13,6													
5,0	13,4													
6,0	13,2													
7,0	12,8													
8,0	12,3													
9,0	11,8													
10,0	11,4													
11,0	11,0													
12,0	10,7	13,4	12,9											
14,0	9,9	13,1	12,6	10,8	10,1	8,6	8,0							
16,0	9,2	12,6	12,3	10,8	10,0	8,6	8,0	6,8						
18,0	8,3	12,1	11,8	10,5	9,9	8,6	7,9	6,8						
20,0	7,4	11,7	11,4	10,3	9,6	8,5	7,7	6,8						
22,0	6,4	11,3	11,0	10,2	9,3	8,5	7,5	6,8						
24,0	5,5	10,9	10,7	10,0	9,0	8,3	7,2	6,6						
26,0	4,7	10,5	10,3	9,8	8,7	8,0	7,0	6,5						
28,0	4,1	10,1	9,9	9,4	8,2	7,8	6,8	6,3						
30,0	3,6	9,8	9,4	8,9	7,8	7,5	6,5	6,1						
32,0	3,0	9,4	8,9	8,4	7,5	7,1	6,2	5,9						
34,0	2,5	9,0	8,4	8,0	7,1	6,8	5,9	5,6						
36,0		8,5	7,9	7,5	6,7	6,5	5,7	5,4						
38,0		8,1	7,4	7,1	6,4	6,2	5,4	5,2						
40,0		7,6	7,0	6,7	6,1	5,9	5,2	5,0						
42,0		7,1	6,6	6,3	5,7	5,6	4,9	4,8						
44,0		6,6	6,3	5,9	5,4	5,3	4,6	4,6						
46,0		6,2	5,9	5,5	5,1	4,9	4,4	4,4						
48,0		5,7	5,6	5,2	4,8	4,6	4,2	4,2						
50,0		5,3	5,2	4,8	4,6	4,3	4,0	3,9						
52,0		4,9	4,9	4,4	4,3	4,0	3,8	3,7						
54,0		4,6	4,5	4,1	4,0	3,7	3,6	3,4						
56,0		4,2	4,2	3,7	3,8	3,4	3,4	3,2						
58,0		3,9	3,9	3,5	3,6	3,2	3,1	3,0						
60,0		3,7	3,7	3,2	3,4	2,9	2,9	2,8						
62,0		3,4	3,4	3,0	3,2	2,7	2,8	2,5						
64,0		3,1	3,1	2,8	2,9	2,5	2,6	2,3						
*** n ***	2	2	2	2	1	1	1	1						
1	0+	92+	46+	92+	46+	92+	46+	92+						
2	0+	92+	92+	92+	92+	92+	92+	92+						
3	0+	46+	92+	92+	92+	92+	92+	92+						
4	0+	46+	46+	46+	92+	92+	92+	92+						
5 %	0+	46+	46+	46+	46+	46+	92+	92+						
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1502	1502	1502	1502	1502	1502	1502	1502						

	T	F 0° 21m	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 0° 21m

070983 21.20

m >< t CODE > 0469 < B131 1461

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5						
66,0		2,9	2,9	2,5	2,7	2,3	2,5	2,1						
68,0		2,6	2,6	2,3	2,5	2,1	2,3	1,9						
70,0				2,1	2,3	1,9	2,2	1,7						
72,0				1,9	2,1	1,6	2,0	1,5						
74,0				1,7	1,9	1,4	1,9	1,4						
76,0						1,3	1,7	1,2						
78,0						1,1	1,5	1,0						
*** n ***	2	2	2	2	1	1	1	1						
1	0+	92+	46+	92+	46+	92+	46+	92+						
2	0+	92+	92+	92+	92+	92+	92+	92+						
3	0+	46+	92+	92+	92+	92+	92+	92+						
4	0+	46+	46+	46+	92+	92+	92+	92+						
5 %	0+	46+	46+	46+	46+	46+	92+	92+						
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1502	1502	1502	1502	1502	1502	1502	1502						

	T	F 0° 21m	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 0° 21m

070983 21.20

m >< t CODE > 0470 < B131 1561

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5						
4,0	13,6													
4,5	13,6													
5,0	13,4													
6,0	13,2													
7,0	12,8													
8,0	12,3													
9,0	11,8													
10,0	11,4													
11,0	11,0													
12,0	10,7	13,4	12,9											
14,0	9,9	13,1	12,6	10,8	10,1	8,6	8,0							
16,0	9,2	12,6	12,3	10,8	10,0	8,6	8,0	6,8						
18,0	8,3	12,1	11,8	10,5	9,9	8,6	7,9	6,8						
20,0	7,4	11,7	11,4	10,3	9,6	8,5	7,7	6,8						
22,0	6,4	11,3	11,0	10,2	9,3	8,5	7,5	6,8						
24,0	5,5	10,9	10,7	10,0	9,0	8,3	7,2	6,6						
26,0	4,7	10,5	10,3	9,8	8,7	8,0	7,0	6,5						
28,0	4,1	10,1	9,9	9,4	8,2	7,8	6,8	6,3						
30,0	3,6	9,8	9,4	8,9	7,8	7,5	6,5	6,1						
32,0	3,0	9,4	8,9	8,4	7,5	7,1	6,2	5,9						
34,0	2,5	9,0	8,4	8,0	7,1	6,8	5,9	5,6						
36,0		8,5	7,9	7,5	6,7	6,5	5,7	5,4						
38,0		8,1	7,4	7,1	6,4	6,2	5,4	5,2						
40,0		7,6	7,0	6,7	6,1	5,9	5,2	5,0						
42,0		7,1	6,6	6,3	5,7	5,6	4,9	4,8						
44,0		6,6	6,3	5,9	5,4	5,3	4,6	4,6						
46,0		6,2	5,9	5,5	5,1	4,9	4,4	4,4						
48,0		5,7	5,6	5,2	4,8	4,6	4,2	4,2						
50,0		5,3	5,2	4,8	4,6	4,3	4,0	3,9						
52,0		4,9	4,9	4,4	4,3	4,0	3,8	3,7						
54,0		4,6	4,5	4,1	4,0	3,7	3,6	3,4						
56,0		4,2	4,2	3,7	3,8	3,4	3,4	3,2						
58,0		3,9	3,9	3,5	3,6	3,2	3,1	3,0						
60,0		3,7	3,7	3,2	3,4	2,9	2,9	2,8						
62,0		3,4	3,4	3,0	3,2	2,7	2,8	2,5						
64,0		3,1	3,1	2,8	2,9	2,5	2,6	2,3						
*** n ***	2	2	2	2	1	1	1	1						
1	0+	92+	46+	92+	46+	92+	46+	92+						
2	0+	92+	92+	92+	92+	92+	92+	92+						
3	0+	46+	92+	92+	92+	92+	92+	92+						
4	0+	46+	46+	46+	92+	92+	92+	92+						
5 %	0+	46+	46+	46+	46+	46+	92+	92+						
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1501	1501	1501	1501	1501	1501	1501	1501						

	T	F 0° 21m	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 0° 21m

070983 21.20

m >< t CODE > 0470 < B131 1561

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5						
66,0		2,9	2,9	2,5	2,7	2,3	2,5	2,1						
68,0		2,6	2,6	2,3	2,5	2,1	2,3	1,9						
70,0				2,1	2,3	1,9	2,2	1,7						
72,0				1,9	2,1	1,6	2,0	1,5						
74,0				1,7	1,9	1,4	1,9	1,4						
76,0						1,3	1,7	1,2						
78,0						1,1	1,5	1,0						
*** n ***	2	2	2	2	1	1	1	1						
1	0+	92+	46+	92+	46+	92+	46+	92+						
2	0+	92+	92+	92+	92+	92+	92+	92+						
3	0+	46+	92+	92+	92+	92+	92+	92+						
4	0+	46+	46+	46+	92+	92+	92+	92+						
5 %	0+	46+	46+	46+	46+	46+	92+	92+						
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1501	1501	1501	1501	1501	1501	1501	1501						

	T	F 0° 21m	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 0° 28m

070983 21.20

m >< t CODE > 0471 < B131 0E62

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5						
7,0	9,7													
8,0	9,4													
9,0	9,0													
10,0	8,6													
11,0	8,3													
12,0	8,0													
14,0	7,4	9,7	9,4	8,5										
16,0	6,9	9,3	9,1	8,4	7,9	6,9	6,3							
18,0	6,4	7,7	8,5	7,1	7,6	6,8	6,3	5,3						
20,0	6,0	6,0	6,8	5,4	6,4	5,2	6,2	5,1						
22,0	5,7	4,6	5,3	4,1	5,1	3,9	5,0	3,9						
24,0	5,3	3,4	4,1		3,9		3,8							
26,0	5,0		3,1		2,9		2,9							
28,0	4,6													
30,0	4,2													
32,0	3,6													
34,0	3,2													
36,0	2,8													
38,0	2,4													
40,0	2,0													
42,0	1,6													
*** n ***	1	1	1	1	1	1	1	1						
% 1	0+	92+	46+	92+	46+	92+	46+	92+						
% 2	0+	92+	92+	92+	92+	92+	92+	92+						
% 3	0+	46+	92+	92+	92+	92+	92+	92+						
% 4	0+	46+	46+	46+	92+	92+	92+	92+						
% 5	0+	46+	46+	46+	46+	46+	92+	92+						
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1508	1508	1508	1508	1508	1508	1508	1508						

	T	F 0° 28m	10,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 0° 28m

070983 21.20

m >< t CODE > 0472 < B131 0F62

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5						
7,0	9,7													
8,0	9,4													
9,0	9,0													
10,0	8,6													
11,0	8,3													
12,0	8,0													
14,0	7,4	9,7	9,4	8,5										
16,0	6,9	9,3	9,1	8,4	7,9	6,9	6,3							
18,0	6,4	8,9	8,7	8,0	7,6	6,9	6,3	5,3						
20,0	6,0	8,5	8,3	7,7	7,4	6,8	6,2	5,3						
22,0	5,7	8,2	8,0	7,5	7,1	6,6	6,1	5,3						
24,0	5,3	7,7	7,7	7,2	6,9	6,4	5,9	5,3						
26,0	5,0	6,4	7,2	5,9	6,7	5,8	5,7	5,2						
28,0	4,6	5,3	6,0	4,8	5,8	4,7	5,5	4,7						
30,0	4,2	4,2	5,0	3,9	4,8	3,7	4,8	3,7						
32,0	3,6	3,4	4,1	3,0	3,9	2,9	3,9	2,9						
34,0	3,2	2,6	3,3		3,2		3,2							
36,0	2,8		2,6		2,5		2,5							
38,0	2,4													
40,0	2,0													
42,0	1,6													
*** n ***	1	1	1	1	1	1	1	1						
1	0+	92+	46+	92+	46+	92+	46+	92+						
2	0+	92+	92+	92+	92+	92+	92+	92+						
3	0+	46+	92+	92+	92+	92+	92+	92+						
4	0+	46+	46+	46+	92+	92+	92+	92+						
5 %	0+	46+	46+	46+	46+	46+	92+	92+						
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1507	1507	1507	1507	1507	1507	1507	1507						

	T	F 0° 28m	22,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 0° 28m

070983 21.20

m >< t CODE > 0474 < B131 1162

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5						
7,0	9,7													
8,0	9,4													
9,0	9,0													
10,0	8,6													
11,0	8,3													
12,0	8,0													
14,0	7,4	9,7	9,4	8,5										
16,0	6,9	9,3	9,1	8,4	7,9	6,9	6,3							
18,0	6,4	8,9	8,7	8,0	7,6	6,9	6,3	5,3						
20,0	6,0	8,5	8,3	7,7	7,4	6,8	6,2	5,3						
22,0	5,7	8,2	8,0	7,5	7,1	6,6	6,1	5,3						
24,0	5,3	7,8	7,7	7,2	6,9	6,4	5,9	5,3						
26,0	5,0	7,5	7,4	7,0	6,7	6,3	5,7	5,2						
28,0	4,6	7,2	7,1	6,8	6,5	6,1	5,5	5,1						
30,0	4,2	7,0	6,8	6,5	6,3	6,0	5,3	4,9						
32,0	3,6	6,7	6,6	6,3	6,1	5,8	5,1	4,8						
34,0	3,2	6,4	6,3	6,1	5,9	5,6	4,9	4,6						
36,0	2,8	6,2	6,1	5,9	5,7	5,5	4,7	4,4						
38,0	2,4	6,0	5,9	5,7	5,5	5,3	4,5	4,2						
40,0	2,0	5,8	5,7	5,4	5,2	5,1	4,3	4,1						
42,0	1,6	5,1	5,5	4,7	5,0	4,6	4,1	3,9						
44,0		4,4	5,1	4,1	4,7	4,0	3,9	3,8						
46,0		3,8	4,5	3,5	4,3	3,4	3,8	3,5						
48,0		3,2	3,9	2,9	3,8	2,9	3,6	2,9						
50,0		2,7	3,4	2,4	3,3	2,4	3,3	2,4						
52,0		2,3	3,0	2,0	2,8	1,9	2,9	2,0						
54,0		1,8	2,5	1,5	2,4	1,5	2,4	1,6						
56,0		1,4	2,1		2,0		2,0							
58,0			1,7		1,6		1,7							
60,0			1,4				1,3							
*** n ***	1	1	1	1	1	1	1	1						
1	0+	92+	46+	92+	46+	92+	46+	92+						
2	0+	92+	92+	92+	92+	92+	92+	92+						
3	0+	46+	92+	92+	92+	92+	92+	92+						
4	0+	46+	46+	46+	92+	92+	92+	92+						
5 %	0+	46+	46+	46+	46+	46+	92+	92+						
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1505	1505	1505	1505	1505	1505	1505	1505						

	T	F 0° 28m	47,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 0° 28m

070983 21.20

m	m >< t													
	CODE > 0476 < B131 1362													
m	**15,5**	**51,9**	**51,9**	**57,1**	**57,1**	**62,3**	**62,3**	**67,5**						
7,0	9,7													
8,0	9,4													
9,0	9,0													
10,0	8,6													
11,0	8,3													
12,0	8,0													
14,0	7,4	9,7	9,4	8,5										
16,0	6,9	9,3	9,1	8,4	7,9	6,9	6,3							
18,0	6,4	8,9	8,7	8,0	7,6	6,9	6,3	5,3						
20,0	6,0	8,5	8,3	7,7	7,4	6,8	6,2	5,3						
22,0	5,7	8,2	8,0	7,5	7,1	6,6	6,1	5,3						
24,0	5,3	7,8	7,7	7,2	6,9	6,4	5,9	5,3						
26,0	5,0	7,5	7,4	7,0	6,7	6,3	5,7	5,2						
28,0	4,6	7,2	7,1	6,8	6,5	6,1	5,5	5,1						
30,0	4,2	7,0	6,8	6,5	6,3	6,0	5,3	4,9						
32,0	3,6	6,7	6,6	6,3	6,1	5,8	5,1	4,8						
34,0	3,2	6,4	6,3	6,1	5,9	5,6	4,9	4,6						
36,0	2,8	6,2	6,1	5,9	5,7	5,5	4,7	4,4						
38,0	2,4	6,0	5,9	5,7	5,5	5,3	4,5	4,2						
40,0	2,0	5,8	5,7	5,6	5,2	5,1	4,3	4,1						
42,0	1,6	5,6	5,5	5,4	5,0	4,9	4,1	3,9						
44,0		5,4	5,4	5,3	4,7	4,6	3,9	3,8						
46,0		5,3	5,2	5,1	4,5	4,4	3,8	3,6						
48,0		5,1	5,0	4,8	4,3	4,2	3,6	3,5						
50,0		4,9	4,8	4,5	4,1	3,9	3,4	3,4						
52,0		4,7	4,5	4,2	3,8	3,7	3,2	3,2						
54,0		4,5	4,3	3,9	3,6	3,5	3,1	3,1						
56,0		4,2	4,0	3,6	3,4	3,2	2,9	2,9						
58,0		3,8	3,8	3,4	3,2	3,0	2,8	2,7						
60,0		3,6	3,6	3,1	3,0	2,8	2,6	2,5						
62,0		3,3	3,3	2,8	2,8	2,6	2,5	2,3						
64,0		3,0	3,1	2,6	2,6	2,3	2,3	2,1						
66,0		2,6	2,9	2,4	2,5	2,1	2,2	1,9						
68,0		2,2	2,7	2,1	2,4	1,9	2,1	1,8						
70,0		1,9	2,5	1,7	2,2	1,7	1,9	1,6						
72,0		1,5	2,2	1,4	2,0	1,4	1,8	1,4						
*** n ***	1	1	1	1	1	1	1	1						
1	0+	92+	46+	92+	46+	92+	46+	92+						
2	0+	92+	92+	92+	92+	92+	92+	92+						
3	0+	46+	92+	92+	92+	92+	92+	92+						
4	0+	46+	46+	46+	92+	92+	92+	92+						
5 %	0+	46+	46+	46+	46+	46+	92+	92+						
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1503	1503	1503	1503	1503	1503	1503	1503						

	T	F 0° 28m	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 0° 28m

070983 21.20

m	m >< t				CODE > 0476 <		B131 1362							
	15,5	**51,9**	**51,9**	**57,1**	**57,1**	**62,3**	**62,3**	**67,5**						
74,0		1,2	1,8	1,1	1,8	1,1	1,7	1,2						
76,0			1,6		1,5		1,6	1,0						
78,0					1,3		1,4							
80,0					1,0		1,1							
*** n ***	1	1	1	1	1	1	1	1						
1	0+	92+	46+	92+	46+	92+	46+	92+						
2	0+	92+	92+	92+	92+	92+	92+	92+						
3	0+	46+	92+	92+	92+	92+	92+	92+						
4	0+	46+	46+	46+	92+	92+	92+	92+						
5 %	0+	46+	46+	46+	46+	46+	92+	92+						
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1503	1503	1503	1503	1503	1503	1503	1503						

	T	F 0° 28m	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 0° 28m

070983 21.20

m	m >< t													
	CODE > 0478 < B131 1562													
m	**15,5**	**51,9**	**51,9**	**57,1**	**57,1**	**62,3**	**62,3**	**67,5**						
7,0	9,7													
8,0	9,4													
9,0	9,0													
10,0	8,6													
11,0	8,3													
12,0	8,0													
14,0	7,4	9,7	9,4	8,5										
16,0	6,9	9,3	9,1	8,4	7,9	6,9	6,3							
18,0	6,4	8,9	8,7	8,0	7,6	6,9	6,3	5,3						
20,0	6,0	8,5	8,3	7,7	7,4	6,8	6,2	5,3						
22,0	5,7	8,2	8,0	7,5	7,1	6,6	6,1	5,3						
24,0	5,3	7,8	7,7	7,2	6,9	6,4	5,9	5,3						
26,0	5,0	7,5	7,4	7,0	6,7	6,3	5,7	5,2						
28,0	4,6	7,2	7,1	6,8	6,5	6,1	5,5	5,1						
30,0	4,2	7,0	6,8	6,5	6,3	6,0	5,3	4,9						
32,0	3,6	6,7	6,6	6,3	6,1	5,8	5,1	4,8						
34,0	3,2	6,4	6,3	6,1	5,9	5,6	4,9	4,6						
36,0	2,8	6,2	6,1	5,9	5,7	5,5	4,7	4,4						
38,0	2,4	6,0	5,9	5,7	5,5	5,3	4,5	4,2						
40,0	2,0	5,8	5,7	5,6	5,2	5,1	4,3	4,1						
42,0	1,6	5,6	5,5	5,4	5,0	4,9	4,1	3,9						
44,0		5,4	5,4	5,3	4,7	4,6	3,9	3,8						
46,0		5,3	5,2	5,1	4,5	4,4	3,8	3,6						
48,0		5,1	5,0	4,8	4,3	4,2	3,6	3,5						
50,0		4,9	4,8	4,5	4,1	3,9	3,4	3,4						
52,0		4,7	4,5	4,2	3,8	3,7	3,2	3,2						
54,0		4,5	4,3	3,9	3,6	3,5	3,1	3,1						
56,0		4,2	4,0	3,6	3,4	3,2	2,9	2,9						
58,0		3,8	3,8	3,4	3,2	3,0	2,8	2,7						
60,0		3,6	3,6	3,1	3,0	2,8	2,6	2,5						
62,0		3,3	3,3	2,8	2,8	2,6	2,5	2,3						
64,0		3,1	3,1	2,6	2,6	2,3	2,3	2,1						
66,0		2,9	2,9	2,4	2,5	2,1	2,2	1,9						
68,0		2,7	2,7	2,2	2,4	1,9	2,1	1,8						
70,0		2,5	2,5	2,0	2,2	1,7	1,9	1,6						
72,0		2,2	2,3	1,8	2,0	1,5	1,8	1,4						
*** n ***	1	1	1	1	1	1	1	1						
1	0+	92+	46+	92+	46+	92+	46+	92+						
2	0+	92+	92+	92+	92+	92+	92+	92+						
3	0+	46+	92+	92+	92+	92+	92+	92+						
4	0+	46+	46+	46+	92+	92+	92+	92+						
5 %	0+	46+	46+	46+	46+	46+	92+	92+						
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1501	1501	1501	1501	1501	1501	1501	1501						

	T	F 0° 28m	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 0° 28m

070983 21.20

m >< t CODE > 0478 < B131 1562

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5						
74,0		2,0	2,1	1,6	1,9	1,4	1,7	1,2						
76,0		1,8	1,9	1,5	1,7	1,2	1,6	1,0						
78,0				1,3	1,5	1,0	1,4							
80,0				1,1	1,3		1,2							
82,0							1,1							
*** n ***	1	1	1	1	1	1	1	1						
% 1	0+	92+	46+	92+	46+	92+	46+	92+						
% 2	0+	92+	92+	92+	92+	92+	92+	92+						
% 3	0+	46+	92+	92+	92+	92+	92+	92+						
% 4	0+	46+	46+	46+	92+	92+	92+	92+						
% 5	0+	46+	46+	46+	46+	46+	92+	92+						
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1501	1501	1501	1501	1501	1501	1501	1501						

	T	F 0° 28m	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 0° 35m

070983 21.20

m >< t CODE > 0479 < B131 0E63

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5	72,0	72,0				
11,0	6,4													
12,0	6,2													
14,0	5,7													
16,0	5,3	6,9	6,8	6,3	6,0									
18,0	4,9	6,7	6,5	6,1	5,8	5,3	4,7							
20,0	4,6	6,0	6,2	5,4	5,6	5,1	4,7	3,7						
22,0	4,3	4,6	5,3	4,1	5,0	3,9	4,7	3,7						
24,0	4,0	3,5	4,2		3,9		3,8	2,7						
26,0	3,7		3,2		2,9									
28,0	3,5													
30,0	3,3													
32,0	3,1													
34,0	2,8													
36,0	2,6													
38,0	2,5													
40,0	2,3													
42,0	2,0													
44,0	1,7													
46,0	1,4													
48,0	1,1													
*** n ***	1	1	1	1	1	1	1	1	0	0				
% 1	0+	92+	46+	92+	46+	92+	46+	92+	100+	100-				
% 2	0+	92+	92+	92+	92+	92+	92+	92+	100+	100-				
% 3	0+	46+	92+	92+	92+	92+	92+	92+	100+	100-				
% 4	0+	46+	46+	46+	92+	92+	92+	92+	100+	100-				
% 5	0+	46+	46+	46+	46+	46+	92+	92+	100+	100-				
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0				
TAB ***	1508	1508	1508	1508	1508	1508	1508	1508	---	---				

	T	F 0° 35m	10,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 0° 35m

070983 21.20

m >< t CODE > 0480 < B131 0F63

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5	72,0
11,0	6,4								
12,0	6,2								
14,0	5,7								
16,0	5,3	6,9	6,8	6,3	6,0				
18,0	4,9	6,7	6,5	6,1	5,8	5,3	4,7		
20,0	4,6	6,4	6,2	5,9	5,6	5,1	4,7	3,7	
22,0	4,3	6,1	6,0	5,6	5,4	4,9	4,7	3,7	
24,0	4,0	5,9	5,7	5,4	5,2	4,8	4,5	3,7	
26,0	3,7	5,6	5,5	5,2	5,0	4,6	4,3	3,7	
28,0	3,5	5,3	5,2	4,8	4,8	4,5	4,2	3,7	2,7
30,0	3,3	4,3	5,0	3,9	4,6	3,7	4,1	3,7	2,7
32,0	3,1	3,5	4,2	3,1	3,9	2,9	3,9	2,9	2,6
34,0	2,8	2,7	3,4	2,3	3,2		3,1	2,2	
36,0	2,6		2,7		2,5		2,5		
38,0	2,5		2,1						
40,0	2,3								
42,0	2,0								
44,0	1,7								
46,0	1,4								
48,0	1,1								
*** n ***	1	1	1	1	1	1	1	1	1
1	0+	92+	46+	92+	46+	92+	46+	92+	100+
2	0+	92+	92+	92+	92+	92+	92+	92+	100+
3	0+	46+	92+	92+	92+	92+	92+	92+	100+
4	0+	46+	46+	46+	92+	92+	92+	92+	100+
5 %	0+	46+	46+	46+	46+	46+	92+	92+	100+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1507	1507	1507	1507	1507	1507	1507	1507	1507

	T	F 0° 35m	22,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 0° 35m

070983 21.20

m >< t CODE > 0482 < B131 1163

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5	72,0					
11,0	6,4													
12,0	6,2													
14,0	5,7													
16,0	5,3	6,9	6,8	6,3	6,0									
18,0	4,9	6,7	6,5	6,1	5,8	5,3	4,7							
20,0	4,6	6,4	6,2	5,9	5,6	5,1	4,7	3,7						
22,0	4,3	6,1	6,0	5,6	5,4	4,9	4,7	3,7						
24,0	4,0	5,9	5,7	5,4	5,2	4,8	4,5	3,7						
26,0	3,7	5,6	5,5	5,2	5,0	4,6	4,3	3,7						
28,0	3,5	5,4	5,2	5,0	4,8	4,5	4,2	3,7	2,7					
30,0	3,3	5,1	5,0	4,8	4,6	4,3	4,1	3,7	2,7					
32,0	3,1	4,9	4,8	4,6	4,4	4,2	4,0	3,7	2,7					
34,0	2,8	4,7	4,6	4,4	4,3	4,1	3,8	3,6	2,7					
36,0	2,6	4,5	4,4	4,3	4,1	3,9	3,7	3,5	2,7					
38,0	2,5	4,3	4,2	4,1	4,0	3,8	3,6	3,4	2,7					
40,0	2,3	4,2	4,1	4,0	3,8	3,7	3,4	3,2	2,7					
42,0	2,0	4,0	3,9	3,8	3,7	3,6	3,3	3,1	2,7					
44,0	1,7	3,8	3,8	3,7	3,6	3,5	3,1	3,0	2,6					
46,0	1,4	3,7	3,6	3,5	3,5	3,4	3,0	2,9	2,5					
48,0	1,1	3,3	3,5	3,0	3,3	2,9	2,8	2,7	2,3					
50,0		2,8	3,4	2,5	3,3	2,4	2,7	2,4	2,1					
52,0		2,4	3,0	2,0	2,8	1,9	2,6	1,9	1,7					
54,0		1,9	2,6	1,6	2,4	1,5	2,4	1,5						
56,0		1,5	2,2		2,0		2,0							
58,0			1,8		1,6		1,6							
60,0			1,4											
*** n ***	1	1	1	1	1	1	1	1	1					
% 1	0+	92+	46+	92+	46+	92+	46+	92+	100+					
% 2	0+	92+	92+	92+	92+	92+	92+	92+	100+					
% 3	0+	46+	92+	92+	92+	92+	92+	92+	100+					
% 4	0+	46+	46+	46+	92+	92+	92+	92+	100+					
% 5	0+	46+	46+	46+	46+	46+	92+	92+	100+					
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					
TAB ***	1505	1505	1505	1505	1505	1505	1505	1505	1505					

	T	F 0° 35m	47,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 0° 35m

070983 21.20

m >< t CODE > 0484 < B131 1363

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5	72,0					
11,0	6,4													
12,0	6,2													
14,0	5,7													
16,0	5,3	6,9	6,8	6,3	6,0									
18,0	4,9	6,7	6,5	6,1	5,8	5,3	4,7							
20,0	4,6	6,4	6,2	5,9	5,6	5,1	4,7	3,7						
22,0	4,3	6,1	6,0	5,6	5,4	4,9	4,7	3,7						
24,0	4,0	5,9	5,7	5,4	5,2	4,8	4,5	3,7						
26,0	3,7	5,6	5,5	5,2	5,0	4,6	4,3	3,7						
28,0	3,5	5,4	5,2	5,0	4,8	4,5	4,2	3,7	2,7					
30,0	3,3	5,1	5,0	4,8	4,6	4,3	4,1	3,7	2,7					
32,0	3,1	4,9	4,8	4,6	4,4	4,2	4,0	3,7	2,7					
34,0	2,8	4,7	4,6	4,4	4,3	4,1	3,8	3,6	2,7					
36,0	2,6	4,5	4,4	4,3	4,1	3,9	3,7	3,5	2,7					
38,0	2,5	4,3	4,2	4,1	4,0	3,8	3,6	3,4	2,7					
40,0	2,3	4,2	4,1	4,0	3,8	3,7	3,4	3,2	2,7					
42,0	2,0	4,0	3,9	3,8	3,7	3,6	3,3	3,1	2,7					
44,0	1,7	3,8	3,8	3,7	3,6	3,5	3,1	3,0	2,6					
46,0	1,4	3,7	3,6	3,6	3,5	3,4	3,0	2,9	2,5					
48,0	1,1	3,6	3,5	3,4	3,3	3,3	2,8	2,7	2,3					
50,0		3,4	3,4	3,3	3,3	3,2	2,7	2,6	2,2					
52,0		3,3	3,3	3,3	3,2	3,1	2,6	2,5	2,1					
54,0		3,2	3,1	3,2	3,1	3,0	2,5	2,4	1,9					
56,0		3,1	3,0	3,1	2,9	2,8	2,4	2,3	1,8					
58,0		2,9	2,9	3,0	2,8	2,6	2,3	2,2	1,6					
60,0		2,8	2,8	2,9	2,6	2,4	2,2	2,1	1,5					
62,0		2,7	2,6	2,7	2,5	2,2	2,1	1,9	1,3					
64,0		2,6	2,6	2,4	2,3	2,0	1,9	1,7						
66,0		2,5	2,5	2,2	2,2	1,9	1,8	1,6						
68,0		2,4	2,4	2,0	2,0	1,7	1,7	1,4						
70,0		2,1	2,3	1,8	1,9	1,5	1,6	1,3						
72,0		1,7	2,1	1,6	1,8	1,3	1,4	1,1						
74,0		1,4	2,0	1,3	1,7	1,1	1,3	1,0						
76,0		1,1	1,7		1,5		1,2							
78,0			1,4		1,3		1,1							
80,0			1,2		1,1		1,0							
*** n ***	1	1	1	1	1	1	1	1	1					
1	0+	92+	46+	92+	46+	92+	46+	92+	100+					
2	0+	92+	92+	92+	92+	92+	92+	92+	100+					
3	0+	46+	92+	92+	92+	92+	92+	92+	100+					
4	0+	46+	46+	46+	92+	92+	92+	92+	100+					
5	0+	46+	46+	46+	46+	46+	92+	92+	100+					
%														
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					
TAB ***	1503	1503	1503	1503	1503	1503	1503	1503	1503					

	T	F 0° 35m	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 0° 35m

070983 21.20

m >< t CODE > 0485 < B131 1463

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5	72,0					
11,0	6,4													
12,0	6,2													
14,0	5,7													
16,0	5,3	6,9	6,8	6,3	6,0									
18,0	4,9	6,7	6,5	6,1	5,8	5,3	4,7							
20,0	4,6	6,4	6,2	5,9	5,6	5,1	4,7	3,7						
22,0	4,3	6,1	6,0	5,6	5,4	4,9	4,7	3,7						
24,0	4,0	5,9	5,7	5,4	5,2	4,8	4,5	3,7						
26,0	3,7	5,6	5,5	5,2	5,0	4,6	4,3	3,7						
28,0	3,5	5,4	5,2	5,0	4,8	4,5	4,2	3,7	2,7					
30,0	3,3	5,1	5,0	4,8	4,6	4,3	4,1	3,7	2,7					
32,0	3,1	4,9	4,8	4,6	4,4	4,2	4,0	3,7	2,7					
34,0	2,8	4,7	4,6	4,4	4,3	4,1	3,8	3,6	2,7					
36,0	2,6	4,5	4,4	4,3	4,1	3,9	3,7	3,5	2,7					
38,0	2,5	4,3	4,2	4,1	4,0	3,8	3,6	3,4	2,7					
40,0	2,3	4,2	4,1	4,0	3,8	3,7	3,4	3,2	2,7					
42,0	2,0	4,0	3,9	3,8	3,7	3,6	3,3	3,1	2,7					
44,0	1,7	3,8	3,8	3,7	3,6	3,5	3,1	3,0	2,6					
46,0	1,4	3,7	3,6	3,6	3,5	3,4	3,0	2,9	2,5					
48,0	1,1	3,6	3,5	3,4	3,3	3,3	2,8	2,7	2,3					
50,0		3,4	3,4	3,3	3,3	3,2	2,7	2,6	2,2					
52,0		3,3	3,3	3,3	3,2	3,1	2,6	2,5	2,1					
54,0		3,2	3,1	3,2	3,1	3,0	2,5	2,4	1,9					
56,0		3,1	3,0	3,1	2,9	2,8	2,4	2,3	1,8					
58,0		2,9	2,9	3,0	2,8	2,6	2,3	2,2	1,6					
60,0		2,8	2,8	2,9	2,6	2,4	2,2	2,1	1,5					
62,0		2,7	2,6	2,7	2,5	2,2	2,1	1,9	1,3					
64,0		2,6	2,6	2,4	2,3	2,0	1,9	1,7						
66,0		2,5	2,5	2,2	2,2	1,9	1,8	1,6						
68,0		2,5	2,4	2,0	2,0	1,7	1,7	1,4						
70,0		2,3	2,3	1,8	1,9	1,5	1,6	1,3						
72,0		2,1	2,1	1,6	1,8	1,3	1,4	1,1						
74,0		2,0	2,0	1,5	1,7	1,1	1,3	1,0						
76,0		1,8	1,8	1,3	1,5		1,2							
78,0		1,6	1,6	1,1	1,3		1,1							
80,0		1,4	1,5		1,2		1,0							
*** n ***	1	1	1	1	1	1	1	1	1					
1	0+	92+	46+	92+	46+	92+	46+	92+	100+					
2	0+	92+	92+	92+	92+	92+	92+	92+	100+					
3	0+	46+	92+	92+	92+	92+	92+	92+	100+					
4	0+	46+	46+	46+	92+	92+	92+	92+	100+					
5	0+	46+	46+	46+	46+	46+	92+	92+	100+					
%														
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					
TAB ***	1502	1502	1502	1502	1502	1502	1502	1502	1502					

	T	F 0° 35m	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 0° 35m

070983 21.20

m	m >< t	CODE > 0485 < B131 1463												
	15,5	**51,9**	**51,9**	**57,1**	**57,1**	**62,3**	**62,3**	**67,5**	**72,0**					
82,0		1,2	1,3		1,0									
*** n ***	1	1	1	1	1	1	1	1	1					
% 1	0+	92+	46+	92+	46+	92+	46+	92+	100+					
% 2	0+	92+	92+	92+	92+	92+	92+	92+	100+					
% 3	0+	46+	92+	92+	92+	92+	92+	92+	100+					
% 4	0+	46+	46+	46+	92+	92+	92+	92+	100+					
% 5	0+	46+	46+	46+	46+	46+	92+	92+	100+					
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					
TAB ***	1502	1502	1502	1502	1502	1502	1502	1502	1502					

	T	F 0° 35m	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 0° 35m

070983 21.20

m >< t CODE > 0486 < B131 1563

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5	72,0					
11,0	6,4													
12,0	6,2													
14,0	5,7													
16,0	5,3	6,9	6,8	6,3	6,0									
18,0	4,9	6,7	6,5	6,1	5,8	5,3	4,7							
20,0	4,6	6,4	6,2	5,9	5,6	5,1	4,7	3,7						
22,0	4,3	6,1	6,0	5,6	5,4	4,9	4,7	3,7						
24,0	4,0	5,9	5,7	5,4	5,2	4,8	4,5	3,7						
26,0	3,7	5,6	5,5	5,2	5,0	4,6	4,3	3,7						
28,0	3,5	5,4	5,2	5,0	4,8	4,5	4,2	3,7	2,7					
30,0	3,3	5,1	5,0	4,8	4,6	4,3	4,1	3,7	2,7					
32,0	3,1	4,9	4,8	4,6	4,4	4,2	4,0	3,7	2,7					
34,0	2,8	4,7	4,6	4,4	4,3	4,1	3,8	3,6	2,7					
36,0	2,6	4,5	4,4	4,3	4,1	3,9	3,7	3,5	2,7					
38,0	2,5	4,3	4,2	4,1	4,0	3,8	3,6	3,4	2,7					
40,0	2,3	4,2	4,1	4,0	3,8	3,7	3,4	3,2	2,7					
42,0	2,0	4,0	3,9	3,8	3,7	3,6	3,3	3,1	2,7					
44,0	1,7	3,8	3,8	3,7	3,6	3,5	3,1	3,0	2,6					
46,0	1,4	3,7	3,6	3,6	3,5	3,4	3,0	2,9	2,5					
48,0	1,1	3,6	3,5	3,4	3,3	3,3	2,8	2,7	2,3					
50,0		3,4	3,4	3,3	3,3	3,2	2,7	2,6	2,2					
52,0		3,3	3,3	3,3	3,2	3,1	2,6	2,5	2,1					
54,0		3,2	3,1	3,2	3,1	3,0	2,5	2,4	1,9					
56,0		3,1	3,0	3,1	2,9	2,8	2,4	2,3	1,8					
58,0		2,9	2,9	3,0	2,8	2,6	2,3	2,2	1,6					
60,0		2,8	2,8	2,9	2,6	2,4	2,2	2,1	1,5					
62,0		2,7	2,6	2,7	2,5	2,2	2,1	1,9	1,3					
64,0		2,6	2,6	2,4	2,3	2,0	1,9	1,7						
66,0		2,5	2,5	2,2	2,2	1,9	1,8	1,6						
68,0		2,5	2,4	2,0	2,0	1,7	1,7	1,4						
70,0		2,3	2,3	1,8	1,9	1,5	1,6	1,3						
72,0		2,1	2,1	1,6	1,8	1,3	1,4	1,1						
74,0		2,0	2,0	1,5	1,7	1,1	1,3	1,0						
76,0		1,8	1,8	1,3	1,5		1,2							
78,0		1,6	1,6	1,1	1,3		1,1							
80,0		1,4	1,5		1,2		1,0							
*** n ***	1	1	1	1	1	1	1	1	1					
1	0+	92+	46+	92+	46+	92+	46+	92+	100+					
2	0+	92+	92+	92+	92+	92+	92+	92+	100+					
3	0+	46+	92+	92+	92+	92+	92+	92+	100+					
4	0+	46+	46+	46+	92+	92+	92+	92+	100+					
5 %	0+	46+	46+	46+	46+	46+	92+	92+	100+					
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					
TAB ***	1501	1501	1501	1501	1501	1501	1501	1501	1501					

	T	F 0° 35m	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 0° 35m

070983 21.20

m	m >< t	CODE > 0486 < B131 1563												
	15,5	**51,9**	**51,9**	**57,1**	**57,1**	**62,3**	**62,3**	**67,5**	**72,0**					
82,0		1,2	1,3		1,0									
*** n ***	1	1	1	1	1	1	1	1	1					
% 1	0+	92+	46+	92+	46+	92+	46+	92+	100+					
% 2	0+	92+	92+	92+	92+	92+	92+	92+	100+					
% 3	0+	46+	92+	92+	92+	92+	92+	92+	100+					
% 4	0+	46+	46+	46+	92+	92+	92+	92+	100+					
% 5	0+	46+	46+	46+	46+	46+	92+	92+	100+					
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					
TAB ***	1501	1501	1501	1501	1501	1501	1501	1501	1501					

	T	F 0° 35m	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 0° 42m

070983 21.20

m >< t CODE > 0488 < B131 0F64

m	15,5	51,9	51,9	57,1	57,1									
12,0	4,7													
14,0	4,4													
16,0	4,1	5,2	5,1											
18,0	3,8	5,0	4,9	4,5	4,3									
20,0	3,5	4,8	4,7	4,3	4,2									
22,0	3,3	4,6	4,5	4,2	4,0									
24,0	3,0	4,4	4,3	4,0	3,9									
26,0	2,8	4,2	4,1	3,9	3,7									
28,0	2,6	4,0	3,9	3,7	3,5									
30,0	2,4	3,8	3,7	3,6	3,4									
32,0	2,3	3,6	3,6	3,1	3,2									
34,0	2,2	2,8	3,4	2,4	3,1									
36,0	2,1	2,1	2,8		2,5									
38,0	1,9		2,2											
40,0	1,8													
42,0	1,7													
44,0	1,6													
46,0	1,5													
48,0	1,4													
50,0	1,1													
52,0	1,0													
54,0	1,0													
56,0	1,0													
*** n ***	1	1	1	1	1									
% 1	0+	92+	46+	92+	46+									
% 2	0+	92+	92+	92+	92+									
% 3	0+	46+	92+	92+	92+									
% 4	0+	46+	46+	46+	92+									
% 5	0+	46+	46+	46+	46+									
m/s	9,0	9,0	9,0	9,0	9,0									
TAB ***	1507	1507	1507	1507	1507									

	T	F 0° 42m	22,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 0° 42m

070983 21.20

m >< t CODE > 0490 < B131 1164

m	15,5	51,9	51,9	57,1	57,1
12,0	4,7				
14,0	4,4				
16,0	4,1	5,2	5,1		
18,0	3,8	5,0	4,9	4,5	4,3
20,0	3,5	4,8	4,7	4,3	4,2
22,0	3,3	4,6	4,5	4,2	4,0
24,0	3,0	4,4	4,3	4,0	3,9
26,0	2,8	4,2	4,1	3,9	3,7
28,0	2,6	4,0	3,9	3,7	3,5
30,0	2,4	3,8	3,7	3,6	3,4
32,0	2,3	3,6	3,6	3,4	3,2
34,0	2,2	3,5	3,4	3,3	3,1
36,0	2,1	3,3	3,2	3,1	3,0
38,0	1,9	3,2	3,1	3,0	2,9
40,0	1,8	3,0	3,0	2,9	2,8
42,0	1,7	2,9	2,8	2,8	2,7
44,0	1,6	2,7	2,7	2,7	2,6
46,0	1,5	2,6	2,6	2,5	2,5
48,0	1,4	2,5	2,5	2,4	2,4
50,0	1,1	2,4	2,4	2,4	2,3
52,0	1,0	2,4	2,3	2,1	2,2
54,0	1,0	2,0	2,3	1,7	2,1
56,0	1,0	1,6	2,2		2,0
58,0			1,9		1,7
60,0			1,5		
*** n ***	1	1	1	1	1
% 1	0+	92+	46+	92+	46+
% 2	0+	92+	92+	92+	92+
% 3	0+	46+	92+	92+	92+
% 4	0+	46+	46+	46+	92+
% 5	0+	46+	46+	46+	46+
m/s	9,0	9,0	9,0	9,0	9,0
TAB ***	1505	1505	1505	1505	1505

	T	F 0° 42m	47,5 t	8,85 x 8,5 m	360°

Courtesy of Crane.Market

ISO DIN

T	F 0° 42m

070983 21.20

m	m >< t				CODE > 0492 < B131 1364									
	15,5	**51,9**	**51,9**	**57,1**	**57,1**									
12,0	4,7													
14,0	4,4													
16,0	4,1	5,2	5,1											
18,0	3,8	5,0	4,9	4,5	4,3									
20,0	3,5	4,8	4,7	4,3	4,2									
22,0	3,3	4,6	4,5	4,2	4,0									
24,0	3,0	4,4	4,3	4,0	3,9									
26,0	2,8	4,2	4,1	3,9	3,7									
28,0	2,6	4,0	3,9	3,7	3,5									
30,0	2,4	3,8	3,7	3,6	3,4									
32,0	2,3	3,6	3,6	3,4	3,2									
34,0	2,2	3,5	3,4	3,3	3,1									
36,0	2,1	3,3	3,2	3,1	3,0									
38,0	1,9	3,2	3,1	3,0	2,9									
40,0	1,8	3,0	3,0	2,9	2,8									
42,0	1,7	2,9	2,8	2,8	2,7									
44,0	1,6	2,7	2,7	2,7	2,6									
46,0	1,5	2,6	2,6	2,5	2,5									
48,0	1,4	2,5	2,5	2,4	2,4									
50,0	1,1	2,4	2,4	2,4	2,3									
52,0	1,0	2,4	2,3	2,3	2,2									
54,0	1,0	2,3	2,3	2,2	2,1									
56,0	1,0	2,2	2,2	2,1	2,1									
58,0		2,1	2,1	2,1	2,0									
60,0		2,1	2,0	2,0	2,0									
62,0		2,0	1,9	2,0	1,9									
64,0		1,9	1,9	1,9	1,9									
66,0		1,8	1,8	1,8	1,8									
68,0		1,7	1,7	1,8	1,7									
70,0		1,7	1,7	1,6	1,6									
72,0		1,6	1,6	1,5	1,5									
74,0		1,6	1,6	1,3	1,3									
76,0		1,4	1,5	1,1	1,2									
78,0		1,1	1,5		1,1									
80,0			1,3		1,0									
82,0			1,1											
*** n ***	1	1	1	1	1									
1	0+	92+	46+	92+	46+									
2	0+	92+	92+	92+	92+									
3	0+	46+	92+	92+	92+									
4	0+	46+	46+	46+	92+									
5 %	0+	46+	46+	46+	46+									
m/s	9,0	9,0	9,0	9,0	9,0									
TAB ***	1503	1503	1503	1503	1503									

	T	F 0° 42m	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 0° 42m

070983 21.20

m	m >< t				CODE > 0493 < B131 1464									
	15,5	**51,9**	**51,9**	**57,1**	**57,1**									
12,0	4,7													
14,0	4,4													
16,0	4,1	5,2	5,1											
18,0	3,8	5,0	4,9	4,5	4,3									
20,0	3,5	4,8	4,7	4,3	4,2									
22,0	3,3	4,6	4,5	4,2	4,0									
24,0	3,0	4,4	4,3	4,0	3,9									
26,0	2,8	4,2	4,1	3,9	3,7									
28,0	2,6	4,0	3,9	3,7	3,5									
30,0	2,4	3,8	3,7	3,6	3,4									
32,0	2,3	3,6	3,6	3,4	3,2									
34,0	2,2	3,5	3,4	3,3	3,1									
36,0	2,1	3,3	3,2	3,1	3,0									
38,0	1,9	3,2	3,1	3,0	2,9									
40,0	1,8	3,0	3,0	2,9	2,8									
42,0	1,7	2,9	2,8	2,8	2,7									
44,0	1,6	2,7	2,7	2,7	2,6									
46,0	1,5	2,6	2,6	2,5	2,5									
48,0	1,4	2,5	2,5	2,4	2,4									
50,0	1,1	2,4	2,4	2,4	2,3									
52,0	1,0	2,4	2,3	2,3	2,2									
54,0	1,0	2,3	2,3	2,2	2,1									
56,0	1,0	2,2	2,2	2,1	2,1									
58,0		2,1	2,1	2,1	2,0									
60,0		2,1	2,0	2,0	2,0									
62,0		2,0	1,9	2,0	1,9									
64,0		1,9	1,9	1,9	1,9									
66,0		1,8	1,8	1,8	1,8									
68,0		1,7	1,7	1,8	1,7									
70,0		1,7	1,7	1,6	1,6									
72,0		1,6	1,6	1,5	1,5									
74,0		1,6	1,6	1,3	1,3									
76,0		1,5	1,5	1,1	1,2									
78,0		1,5	1,5	1,0	1,1									
80,0		1,3	1,3		1,0									
82,0		1,1	1,2											
*** n ***	1	1	1	1	1									
1	0+	92+	46+	92+	46+									
2	0+	92+	92+	92+	92+									
3	0+	46+	92+	92+	92+									
4	0+	46+	46+	46+	92+									
5 %	0+	46+	46+	46+	46+									
m/s	9,0	9,0	9,0	9,0	9,0									
TAB ***	1502	1502	1502	1502	1502									

	T	F 0° 42m	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 0° 42m

070983 21.20

m	m >< t	CODE > 0493 < B131 1464												
	15,5	**51,9**	**51,9**	**57,1**	**57,1**									
84,0		1,0	1,0											
*** n ***	1	1	1	1	1									
1	0+	92+	46+	92+	46+									
2	0+	92+	92+	92+	92+									
3	0+	46+	92+	92+	92+									
4	0+	46+	46+	46+	92+									
5	0+	46+	46+	46+	46+									
%														
m/s	9,0	9,0	9,0	9,0	9,0									
TAB ***	1502	1502	1502	1502	1502									

	T	F 0° 42m	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 0° 42m

070983 21.20

m	m >< t				CODE > 0494 < B131 1564									
	15,5	**51,9**	**51,9**	**57,1**	**57,1**									
12,0	4,7													
14,0	4,4													
16,0	4,1	5,2	5,1											
18,0	3,8	5,0	4,9	4,5	4,3									
20,0	3,5	4,8	4,7	4,3	4,2									
22,0	3,3	4,6	4,5	4,2	4,0									
24,0	3,0	4,4	4,3	4,0	3,9									
26,0	2,8	4,2	4,1	3,9	3,7									
28,0	2,6	4,0	3,9	3,7	3,5									
30,0	2,4	3,8	3,7	3,6	3,4									
32,0	2,3	3,6	3,6	3,4	3,2									
34,0	2,2	3,5	3,4	3,3	3,1									
36,0	2,1	3,3	3,2	3,1	3,0									
38,0	1,9	3,2	3,1	3,0	2,9									
40,0	1,8	3,0	3,0	2,9	2,8									
42,0	1,7	2,9	2,8	2,8	2,7									
44,0	1,6	2,7	2,7	2,7	2,6									
46,0	1,5	2,6	2,6	2,5	2,5									
48,0	1,4	2,5	2,5	2,4	2,4									
50,0	1,1	2,4	2,4	2,4	2,3									
52,0	1,0	2,4	2,3	2,3	2,2									
54,0	1,0	2,3	2,3	2,2	2,1									
56,0	1,0	2,2	2,2	2,1	2,1									
58,0		2,1	2,1	2,1	2,0									
60,0		2,1	2,0	2,0	2,0									
62,0		2,0	1,9	2,0	1,9									
64,0		1,9	1,9	1,9	1,9									
66,0		1,8	1,8	1,8	1,8									
68,0		1,7	1,7	1,8	1,7									
70,0		1,7	1,7	1,6	1,6									
72,0		1,6	1,6	1,5	1,5									
74,0		1,6	1,6	1,3	1,3									
76,0		1,5	1,5	1,1	1,2									
78,0		1,5	1,5	1,0	1,1									
80,0		1,3	1,3		1,0									
82,0		1,1	1,2											
*** n ***	1	1	1	1	1									
1	0+	92+	46+	92+	46+									
2	0+	92+	92+	92+	92+									
3	0+	46+	92+	92+	92+									
4	0+	46+	46+	46+	92+									
5 %	0+	46+	46+	46+	46+									
m/s	9,0	9,0	9,0	9,0	9,0									
TAB ***	1501	1501	1501	1501	1501									

	T	F 0° 42m	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 0° 42m

070983 21.20

m >< t CODE > 0494 < B131 1564

m	15,5	51,9	51,9	57,1	57,1									
84,0		1,0	1,0											
*** n ***	1	1	1	1	1									
1	0+	92+	46+	92+	46+									
2	0+	92+	92+	92+	92+									
3	0+	46+	92+	92+	92+									
4	0+	46+	46+	46+	92+									
5	0+	46+	46+	46+	46+									
%														
m/s	9,0	9,0	9,0	9,0	9,0									
TAB ***	1501	1501	1501	1501	1501									

	T	F 0° 42m	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 20° 14m

070983 21.20

m	m >< t				CODE > 0495 <		B131 0E70							
m	**15,5**	**51,9**	**51,9**	**57,1**	**57,1**	**62,3**	**62,3**	**67,5**						
8,0	16,1													
9,0	15,3													
10,0	14,5													
11,0	13,8													
12,0	13,1													
14,0	12,0													
16,0	11,0	12,3	13,1											
18,0	9,4	9,6	10,4	9,1	10,1									
20,0	7,9	7,5	8,3	7,1	8,1	6,9	8,2							
22,0	6,5	5,8	6,6	5,4	6,4	5,3	6,6	5,6						
24,0	5,4	4,3	5,1	4,0	5,0	4,0	5,3	4,3						
26,0	4,3	3,1	3,9		3,8	2,8	4,1	3,2						
28,0	3,4		2,9		2,8		3,1							
*** n ***	2	2	2	1	1	1	1	1						
1	0+	92+	46+	92+	46+	92+	46+	92+						
2	0+	92+	92+	92+	92+	92+	92+	92+						
3	0+	46+	92+	92+	92+	92+	92+	92+						
4	0+	46+	46+	46+	92+	92+	92+	92+						
5 %	0+	46+	46+	46+	46+	46+	92+	92+						
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1528	1528	1528	1528	1528	1528	1528	1528						

	T	F 20° 14m	10,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 20° 14m

070983 21.20

m	m >< t													
	CODE > 0496 < B131 0F70													
m	**15,5**	**51,9**	**51,9**	**57,1**	**57,1**	**62,3**	**62,3**	**67,5**						
8,0	16,1													
9,0	15,3													
10,0	14,5													
11,0	13,8													
12,0	13,1													
14,0	12,0													
16,0	11,0	15,4	15,0											
18,0	9,4	14,7	14,3	13,7	12,3									
20,0	7,9	12,9	13,7	12,3	11,7	10,6	9,3							
22,0	6,5	10,7	11,5	10,3	11,2	10,1	8,9	8,4						
24,0	5,4	8,9	9,7	8,5	9,5	8,4	8,6	8,1						
26,0	4,3	7,3	8,2	7,0	8,0	6,9	8,2	7,2						
28,0	3,4	6,0	6,8	5,7	6,7	5,6	6,9	6,0						
30,0		4,8	5,6	4,5	5,5	4,5	5,8	4,9						
32,0		3,8	4,6	3,5	4,5	3,5	4,9	3,9						
34,0		2,9	3,7	2,6	3,6	2,7	4,0	3,1						
36,0			2,9		2,9		3,2	2,3						
38,0			2,2		2,1		2,5							
*** n ***	2	2	2	2	2	1	1	1						
% 1	0+	92+	46+	92+	46+	92+	46+	92+						
% 2	0+	92+	92+	92+	92+	92+	92+	92+						
% 3	0+	46+	92+	92+	92+	92+	92+	92+						
% 4	0+	46+	46+	46+	92+	92+	92+	92+						
% 5	0+	46+	46+	46+	46+	46+	92+	92+						
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1527	1527	1527	1527	1527	1527	1527	1527						

	T	F 20° 14m	22,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 20° 14m

070983 21.20

m >< t CODE > 0498 < B131 1170

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5						
8,0	16,1													
9,0	15,3													
10,0	14,5													
11,0	13,8													
12,0	13,1													
14,0	12,0													
16,0	11,0	15,4	15,0											
18,0	9,4	14,7	14,3	13,7	12,3									
20,0	7,9	14,0	13,7	13,1	11,7	10,6	9,3							
22,0	6,5	13,4	13,2	12,7	11,2	10,2	8,9	8,4						
24,0	5,4	12,9	12,5	12,1	10,7	9,9	8,6	8,1						
26,0	4,3	12,4	11,8	11,6	10,1	9,5	8,2	7,8						
28,0	3,4	11,9	11,2	11,0	9,6	9,1	7,9	7,5						
30,0		11,5	10,6	10,5	9,1	8,7	7,6	7,2						
32,0		10,2	10,1	9,9	8,6	8,3	7,3	7,0						
34,0		9,0	9,5	8,7	8,1	7,9	6,9	6,7						
36,0		7,9	8,7	7,6	7,7	7,5	6,6	6,4						
38,0		6,9	7,7	6,6	7,3	6,6	6,3	6,2						
40,0		6,0	6,8	5,7	6,7	5,7	6,0	5,9						
42,0		5,1	6,0	4,9	5,9	5,0	5,7	5,3						
44,0		4,4	5,2	4,2	5,2	4,2	5,4	4,6						
46,0		3,7	4,5	3,5	4,5	3,6	4,9	4,0						
48,0		3,1	3,8	2,9	3,9	3,0	4,3	3,4						
50,0		2,5	3,2	2,4	3,4	2,4	3,7	2,8						
52,0		1,9	2,6	1,8	2,8	1,9	3,2	2,3						
54,0		1,4	2,1		2,3	1,4	2,7	1,9						
56,0			1,6		1,8		2,2	1,4						
58,0			1,2		1,4		1,8							
60,0							1,4							
*** n ***	2	2	2	2	2	1	1	1						
1	0+	92+	46+	92+	46+	92+	46+	92+						
2	0+	92+	92+	92+	92+	92+	92+	92+						
3	0+	46+	92+	92+	92+	92+	92+	92+						
4	0+	46+	46+	46+	92+	92+	92+	92+						
5 %	0+	46+	46+	46+	46+	46+	92+	92+						
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1525	1525	1525	1525	1525	1525	1525	1525						

	T	F 20° 14m	47,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 20° 14m

070983 21.20

m >< t CODE > 0500 < B131 1370

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5						
8,0	16,1													
9,0	15,3													
10,0	14,5													
11,0	13,8													
12,0	13,1													
14,0	12,0													
16,0	11,0	15,4	15,0											
18,0	9,4	14,7	14,3	13,7	12,3									
20,0	7,9	14,0	13,7	13,1	11,7	10,6	9,3							
22,0	6,5	13,4	13,2	12,7	11,2	10,2	8,9	8,4						
24,0	5,4	12,9	12,5	12,1	10,7	9,9	8,6	8,1						
26,0	4,3	12,4	11,8	11,6	10,1	9,5	8,2	7,8						
28,0	3,4	11,9	11,2	11,0	9,6	9,1	7,9	7,5						
30,0		11,5	10,6	10,5	9,1	8,7	7,6	7,2						
32,0		11,1	10,1	9,9	8,6	8,3	7,3	7,0						
34,0		10,3	9,5	9,3	8,1	7,9	6,9	6,7						
36,0		9,7	8,9	8,7	7,7	7,5	6,6	6,4						
38,0		9,0	8,4	8,1	7,3	7,2	6,3	6,2						
40,0		8,4	7,9	7,6	7,0	6,9	6,0	5,9						
42,0		7,8	7,5	7,1	6,6	6,5	5,7	5,6						
44,0		7,2	7,0	6,6	6,2	6,1	5,4	5,4						
46,0		6,7	6,6	6,1	5,8	5,7	5,2	5,1						
48,0		6,2	6,2	5,6	5,5	5,3	4,9	4,9						
50,0		5,7	5,7	5,2	5,1	4,9	4,7	4,6						
52,0		5,3	5,3	4,8	4,8	4,5	4,4	4,3						
54,0		4,9	4,9	4,4	4,6	4,2	4,1	4,0						
56,0		4,3	4,5	4,0	4,2	3,9	3,9	3,7						
58,0		3,7	4,1	3,7	3,9	3,5	3,7	3,4						
60,0				3,2	3,6	3,3	3,4	3,2						
62,0				2,7	3,2	3,0	3,2	2,9						
64,0						2,5	3,0	2,7						
66,0						2,1	2,7	2,5						
68,0								2,1						
70,0								1,7						
72,0								1,4						
*** n ***	2	2	2	2	2	1	1	1						
1	0+	92+	46+	92+	46+	92+	46+	92+						
2	0+	92+	92+	92+	92+	92+	92+	92+						
3	0+	46+	92+	92+	92+	92+	92+	92+						
4	0+	46+	46+	46+	92+	92+	92+	92+						
5 %	0+	46+	46+	46+	46+	46+	92+	92+						
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1523	1523	1523	1523	1523	1523	1523	1523						

	T	F 20° 14m	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 20° 14m

070983 21.20

m >< t CODE > 0501 < B131 1470

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5						
8,0	16,1													
9,0	15,3													
10,0	14,5													
11,0	13,8													
12,0	13,1													
14,0	12,0													
16,0	11,0	15,4	15,0											
18,0	9,4	14,7	14,3	13,7	12,3									
20,0	7,9	14,0	13,7	13,1	11,7	10,6	9,3							
22,0	6,5	13,4	13,2	12,7	11,2	10,2	8,9	8,4						
24,0	5,4	12,9	12,5	12,1	10,7	9,9	8,6	8,1						
26,0	4,3	12,4	11,8	11,6	10,1	9,5	8,2	7,8						
28,0	3,4	11,9	11,2	11,0	9,6	9,1	7,9	7,5						
30,0		11,5	10,6	10,5	9,1	8,7	7,6	7,2						
32,0		11,1	10,1	9,9	8,6	8,3	7,3	7,0						
34,0		10,3	9,5	9,3	8,1	7,9	6,9	6,7						
36,0		9,7	8,9	8,7	7,7	7,5	6,6	6,4						
38,0		9,0	8,4	8,1	7,3	7,2	6,3	6,2						
40,0		8,4	7,9	7,6	7,0	6,9	6,0	5,9						
42,0		7,8	7,5	7,1	6,6	6,5	5,7	5,6						
44,0		7,2	7,0	6,6	6,2	6,1	5,4	5,4						
46,0		6,7	6,6	6,1	5,8	5,7	5,2	5,1						
48,0		6,2	6,2	5,6	5,5	5,3	4,9	4,9						
50,0		5,7	5,7	5,2	5,1	4,9	4,7	4,6						
52,0		5,3	5,3	4,8	4,8	4,5	4,4	4,3						
54,0		4,9	4,9	4,4	4,6	4,2	4,1	4,0						
56,0		4,5	4,5	4,0	4,2	3,9	3,9	3,7						
58,0		4,1	4,1	3,7	3,9	3,5	3,7	3,4						
60,0				3,3	3,6	3,3	3,4	3,2						
62,0				3,0	3,2	3,0	3,2	2,9						
64,0						2,7	3,0	2,7						
66,0						2,4	2,7	2,5						
68,0								2,2						
70,0								2,0						
72,0								1,8						
*** n ***	2	2	2	2	2	1	1	1						
1	0+	92+	46+	92+	46+	92+	46+	92+						
2	0+	92+	92+	92+	92+	92+	92+	92+						
3	0+	46+	92+	92+	92+	92+	92+	92+						
4	0+	46+	46+	46+	92+	92+	92+	92+						
5	0+	46+	46+	46+	46+	46+	92+	92+						
%														
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1522	1522	1522	1522	1522	1522	1522	1522						

	T	F 20° 14m	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 20° 14m

070983 21.20

m >< t CODE > 0502 < B131 1570

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5						
8,0	16,1													
9,0	15,3													
10,0	14,5													
11,0	13,8													
12,0	13,1													
14,0	12,0													
16,0	11,0	15,4	15,0											
18,0	9,4	14,7	14,3	13,7	12,3									
20,0	7,9	14,0	13,7	13,1	11,7	10,6	9,3							
22,0	6,5	13,4	13,2	12,7	11,2	10,2	8,9	8,4						
24,0	5,4	12,9	12,5	12,1	10,7	9,9	8,6	8,1						
26,0	4,3	12,4	11,8	11,6	10,1	9,5	8,2	7,8						
28,0	3,4	11,9	11,2	11,0	9,6	9,1	7,9	7,5						
30,0		11,5	10,6	10,5	9,1	8,7	7,6	7,2						
32,0		11,1	10,1	9,9	8,6	8,3	7,3	7,0						
34,0		10,3	9,5	9,3	8,1	7,9	6,9	6,7						
36,0		9,7	8,9	8,7	7,7	7,5	6,6	6,4						
38,0		9,0	8,4	8,1	7,3	7,2	6,3	6,2						
40,0		8,4	7,9	7,6	7,0	6,9	6,0	5,9						
42,0		7,8	7,5	7,1	6,6	6,5	5,7	5,6						
44,0		7,2	7,0	6,6	6,2	6,1	5,4	5,4						
46,0		6,7	6,6	6,1	5,8	5,7	5,2	5,1						
48,0		6,2	6,2	5,6	5,5	5,3	4,9	4,9						
50,0		5,7	5,7	5,2	5,1	4,9	4,7	4,6						
52,0		5,3	5,3	4,8	4,8	4,5	4,4	4,3						
54,0		4,9	4,9	4,4	4,6	4,2	4,1	4,0						
56,0		4,5	4,5	4,0	4,2	3,9	3,9	3,7						
58,0		4,1	4,1	3,7	3,9	3,5	3,7	3,4						
60,0				3,3	3,6	3,3	3,4	3,2						
62,0				3,0	3,2	3,0	3,2	2,9						
64,0						2,7	3,0	2,7						
66,0						2,4	2,7	2,5						
68,0								2,2						
70,0								2,0						
72,0								1,8						
*** n ***	2	2	2	2	2	1	1	1						
1	0+	92+	46+	92+	46+	92+	46+	92+						
2	0+	92+	92+	92+	92+	92+	92+	92+						
3	0+	46+	92+	92+	92+	92+	92+	92+						
4	0+	46+	46+	46+	92+	92+	92+	92+						
5	0+	46+	46+	46+	46+	46+	92+	92+						
%														
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1521	1521	1521	1521	1521	1521	1521	1521						

	T	F 20° 14m	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 20° 21m

070983 21.20

m >< t CODE > 0503 < B131 0E71

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5
11,0	10,0							
12,0	9,6							
14,0	9,0							
16,0	8,5							
18,0	8,0							
20,0	7,6	8,7	9,2					
22,0	7,3	6,9	7,6	6,7	7,5			
24,0	6,9	5,4	6,1	5,2	6,1	5,1	6,0	
26,0	6,2	4,2	4,8	4,0	4,9	3,9	4,8	
28,0	5,3	3,1	3,7	3,0	3,8	2,9	3,8	
30,0	4,4		2,8		2,9		2,9	
32,0	3,6							
34,0	2,8							
*** n ***	1	1	1	1	1	1	1	0
1	0+	92+	46+	92+	46+	92+	46+	92+
2	0+	92+	92+	92+	92+	92+	92+	92+
3	0+	46+	92+	92+	92+	92+	92+	92+
4	0+	46+	46+	46+	92+	92+	92+	92+
5	0+	46+	46+	46+	46+	46+	92+	92+
%								
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1528	1528	1528	1528	1528	1528	1528	---

	T	F 20° 21m	10,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 20° 21m

070983 21.20

m >< t CODE > 0504 < B131 0F71

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5
11,0	10,0							
12,0	9,6							
14,0	9,0							
16,0	8,5							
18,0	8,0							
20,0	7,6	9,4	9,2					
22,0	7,3	9,1	9,0	8,6	8,4			
24,0	6,9	8,8	8,7	8,4	8,2	7,8	7,0	
26,0	6,2	8,3	8,4	8,1	8,0	7,6	6,7	6,3
28,0	5,3	6,9	7,6	6,8	7,6	6,7	6,4	6,1
30,0	4,4	5,7	6,4	5,6	6,4	5,5	6,2	5,5
32,0	3,6	4,7	5,4	4,6	5,4	4,5	5,5	4,6
34,0	2,8	3,7	4,4	3,7	4,5	3,6	4,6	3,7
36,0		2,9	3,6	2,8	3,7	2,8	3,8	2,9
38,0		2,2	2,9	2,1	3,0	2,1	3,1	2,2
40,0			2,2		2,3		2,4	
42,0							1,8	
*** n ***	1	1	1	1	1	1	1	1
1	0+	92+	46+	92+	46+	92+	46+	92+
2	0+	92+	92+	92+	92+	92+	92+	92+
3	0+	46+	92+	92+	92+	92+	92+	92+
4	0+	46+	46+	46+	92+	92+	92+	92+
5	0+	46+	46+	46+	46+	46+	92+	92+
%								
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1527	1527	1527	1527	1527	1527	1527	1527

	T	F 20° 21m	22,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 20° 21m

070983 21.20

m	m >< t													
	CODE > 0506 < B131 1171													
m	**15,5**	**51,9**	**51,9**	**57,1**	**57,1**	**62,3**	**62,3**	**67,5**						
11,0	10,0													
12,0	9,6													
14,0	9,0													
16,0	8,5													
18,0	8,0													
20,0	7,6	9,4	9,2											
22,0	7,3	9,1	9,0	8,6	8,4									
24,0	6,9	8,8	8,7	8,4	8,2	7,8	7,0							
26,0	6,2	8,6	8,4	8,2	8,0	7,6	6,7	6,3						
28,0	5,3	8,3	8,2	8,0	7,8	7,4	6,4	6,1						
30,0	4,4	8,1	8,0	7,8	7,5	7,2	6,2	5,9						
32,0	3,6	7,9	7,8	7,6	7,2	6,9	5,9	5,7						
34,0	2,8	7,7	7,7	7,5	6,9	6,7	5,7	5,5						
36,0		7,6	7,5	7,4	6,6	6,4	5,5	5,2						
38,0		7,4	7,3	7,2	6,3	6,1	5,2	5,1						
40,0		6,7	7,0	6,6	5,9	5,9	5,0	4,9						
42,0		5,8	6,5	5,8	5,7	5,6	4,8	4,7						
44,0		5,1	5,8	5,0	5,4	5,0	4,6	4,5						
46,0		4,4	5,1	4,3	5,1	4,3	4,4	4,4						
48,0		3,7	4,5	3,7	4,6	3,7	4,2	3,8						
50,0		3,2	3,9	3,1	4,0	3,1	4,0	3,3						
52,0		2,6	3,3	2,6	3,4	2,6	3,6	2,8						
54,0		2,1	2,8	2,1	2,9	2,1	3,1	2,3						
56,0		1,6	2,3	1,6	2,5	1,6	2,6	1,8						
58,0			1,8		2,1		2,2	1,4						
60,0			1,4		1,6		1,8							
62,0					1,2		1,4							
*** n ***	1	1	1	1	1	1	1	1						
1	0+	92+	46+	92+	46+	92+	46+	92+						
2	0+	92+	92+	92+	92+	92+	92+	92+						
3	0+	46+	92+	92+	92+	92+	92+	92+						
4	0+	46+	46+	46+	92+	92+	92+	92+						
5 %	0+	46+	46+	46+	46+	46+	92+	92+						
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1525	1525	1525	1525	1525	1525	1525	1525						

	T	F 20° 21m	47,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 20° 21m

070983 21.20

m >< t CODE > 0508 < B131 1371

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5						
11,0	10,0													
12,0	9,6													
14,0	9,0													
16,0	8,5													
18,0	8,0													
20,0	7,6	9,4	9,2											
22,0	7,3	9,1	9,0	8,6	8,4									
24,0	6,9	8,8	8,7	8,4	8,2	7,8	7,0							
26,0	6,2	8,6	8,4	8,2	8,0	7,6	6,7	6,3						
28,0	5,3	8,3	8,2	8,0	7,8	7,4	6,4	6,1						
30,0	4,4	8,1	8,0	7,8	7,5	7,2	6,2	5,9						
32,0	3,6	7,9	7,8	7,6	7,2	6,9	5,9	5,7						
34,0	2,8	7,7	7,7	7,5	6,9	6,7	5,7	5,5						
36,0		7,6	7,5	7,4	6,6	6,4	5,5	5,2						
38,0		7,4	7,3	7,2	6,3	6,1	5,2	5,1						
40,0		7,2	7,0	7,0	5,9	5,9	5,0	4,9						
42,0		7,1	6,7	6,7	5,7	5,6	4,8	4,7						
44,0		6,9	6,4	6,3	5,4	5,4	4,6	4,5						
46,0		6,6	6,1	5,9	5,1	5,1	4,4	4,4						
48,0		6,2	5,7	5,5	4,9	4,9	4,2	4,2						
50,0		5,8	5,4	5,1	4,7	4,7	4,0	4,0						
52,0		5,3	5,1	4,8	4,4	4,4	3,8	3,8						
54,0		4,9	4,8	4,4	4,2	4,0	3,6	3,6						
56,0		4,6	4,5	4,1	3,9	3,7	3,4	3,5						
58,0		4,2	4,2	3,8	3,7	3,5	3,2	3,3						
60,0		3,9	3,9	3,5	3,5	3,2	3,1	3,0						
62,0		3,4	3,6	3,2	3,2	3,0	2,9	2,8						
64,0		2,9	3,3	2,9	3,0	2,7	2,8	2,5						
66,0				2,5	2,8	2,5	2,6	2,4						
68,0				2,1	2,5	2,3	2,4	2,2						
70,0				1,7	2,3	1,9	2,3	2,0						
72,0						1,5	2,1	1,7						
74,0						1,2	1,9	1,5						
76,0								1,1						
*** n ***	1	1	1	1	1	1	1	1						
1	0+	92+	46+	92+	46+	92+	46+	92+						
2	0+	92+	92+	92+	92+	92+	92+	92+						
3	0+	46+	92+	92+	92+	92+	92+	92+						
4	0+	46+	46+	46+	92+	92+	92+	92+						
5 %	0+	46+	46+	46+	46+	46+	92+	92+						
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1523	1523	1523	1523	1523	1523	1523	1523						

	T	F 20° 21m	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 20° 21m

070983 21.20

m >< t CODE > 0509 < B131 1471

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5						
11,0	10,0													
12,0	9,6													
14,0	9,0													
16,0	8,5													
18,0	8,0													
20,0	7,6	9,4	9,2											
22,0	7,3	9,1	9,0	8,6	8,4									
24,0	6,9	8,8	8,7	8,4	8,2	7,8	7,0							
26,0	6,2	8,6	8,4	8,2	8,0	7,6	6,7	6,3						
28,0	5,3	8,3	8,2	8,0	7,8	7,4	6,4	6,1						
30,0	4,4	8,1	8,0	7,8	7,5	7,2	6,2	5,9						
32,0	3,6	7,9	7,8	7,6	7,2	6,9	5,9	5,7						
34,0	2,8	7,7	7,7	7,5	6,9	6,7	5,7	5,5						
36,0		7,6	7,5	7,4	6,6	6,4	5,5	5,2						
38,0		7,4	7,3	7,2	6,3	6,1	5,2	5,1						
40,0		7,2	7,0	7,0	5,9	5,9	5,0	4,9						
42,0		7,1	6,7	6,7	5,7	5,6	4,8	4,7						
44,0		6,9	6,4	6,3	5,4	5,4	4,6	4,5						
46,0		6,6	6,1	5,9	5,1	5,1	4,4	4,4						
48,0		6,2	5,7	5,5	4,9	4,9	4,2	4,2						
50,0		5,8	5,4	5,1	4,7	4,7	4,0	4,0						
52,0		5,3	5,1	4,8	4,4	4,4	3,8	3,8						
54,0		4,9	4,8	4,4	4,2	4,0	3,6	3,6						
56,0		4,6	4,5	4,1	3,9	3,7	3,4	3,5						
58,0		4,2	4,2	3,8	3,7	3,5	3,2	3,3						
60,0		3,9	3,9	3,5	3,5	3,2	3,1	3,0						
62,0		3,6	3,6	3,2	3,2	3,0	2,9	2,8						
64,0		3,2	3,3	2,9	3,0	2,7	2,8	2,5						
66,0				2,6	2,8	2,5	2,6	2,4						
68,0				2,4	2,5	2,3	2,4	2,2						
70,0				2,1	2,3	2,0	2,3	2,0						
72,0						1,8	2,1	1,7						
74,0						1,6	1,9	1,5						
76,0								1,3						
78,0								1,1						
*** n ***	1	1	1	1	1	1	1	1						
1	0+	92+	46+	92+	46+	92+	46+	92+						
2	0+	92+	92+	92+	92+	92+	92+	92+						
3	0+	46+	92+	92+	92+	92+	92+	92+						
4	0+	46+	46+	46+	92+	92+	92+	92+						
5 %	0+	46+	46+	46+	46+	46+	92+	92+						
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1522	1522	1522	1522	1522	1522	1522	1522						

	T	F 20° 21m	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 20° 21m

070983 21.20

m >< t CODE > 0510 < B131 1571

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5						
11,0	10,0													
12,0	9,6													
14,0	9,0													
16,0	8,5													
18,0	8,0													
20,0	7,6	9,4	9,2											
22,0	7,3	9,1	9,0	8,6	8,4									
24,0	6,9	8,8	8,7	8,4	8,2	7,8	7,0							
26,0	6,2	8,6	8,4	8,2	8,0	7,6	6,7	6,3						
28,0	5,3	8,3	8,2	8,0	7,8	7,4	6,4	6,1						
30,0	4,4	8,1	8,0	7,8	7,5	7,2	6,2	5,9						
32,0	3,6	7,9	7,8	7,6	7,2	6,9	5,9	5,7						
34,0	2,8	7,7	7,7	7,5	6,9	6,7	5,7	5,5						
36,0		7,6	7,5	7,4	6,6	6,4	5,5	5,2						
38,0		7,4	7,3	7,2	6,3	6,1	5,2	5,1						
40,0		7,2	7,0	7,0	5,9	5,9	5,0	4,9						
42,0		7,1	6,7	6,7	5,7	5,6	4,8	4,7						
44,0		6,9	6,4	6,3	5,4	5,4	4,6	4,5						
46,0		6,6	6,1	5,9	5,1	5,1	4,4	4,4						
48,0		6,2	5,7	5,5	4,9	4,9	4,2	4,2						
50,0		5,8	5,4	5,1	4,7	4,7	4,0	4,0						
52,0		5,3	5,1	4,8	4,4	4,4	3,8	3,8						
54,0		4,9	4,8	4,4	4,2	4,0	3,6	3,6						
56,0		4,6	4,5	4,1	3,9	3,7	3,4	3,5						
58,0		4,2	4,2	3,8	3,7	3,5	3,2	3,3						
60,0		3,9	3,9	3,5	3,5	3,2	3,1	3,0						
62,0		3,6	3,6	3,2	3,2	3,0	2,9	2,8						
64,0		3,2	3,3	2,9	3,0	2,7	2,8	2,5						
66,0				2,6	2,8	2,5	2,6	2,4						
68,0				2,4	2,5	2,3	2,4	2,2						
70,0				2,1	2,3	2,0	2,3	2,0						
72,0						1,8	2,1	1,7						
74,0						1,6	1,9	1,5						
76,0								1,3						
78,0								1,1						
*** n ***	1	1	1	1	1	1	1	1						
1	0+	92+	46+	92+	46+	92+	46+	92+						
2	0+	92+	92+	92+	92+	92+	92+	92+						
3	0+	46+	92+	92+	92+	92+	92+	92+						
4	0+	46+	46+	46+	92+	92+	92+	92+						
5 %	0+	46+	46+	46+	46+	46+	92+	92+						
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1521	1521	1521	1521	1521	1521	1521	1521						

	T	F 20° 21m	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 20° 28m

070983 21.20

m	m >< t				CODE > 0511 <		B131 0E72							
m	**15,5**	**51,9**	**51,9**	**57,1**	**57,1**	**62,3**	**62,3**	**67,5**						
16,0	6,2													
18,0	5,8													
20,0	5,4													
22,0	5,1													
24,0	4,8	6,0	6,0											
26,0	4,6	5,3	5,8	4,9	5,4									
28,0	4,4	4,2	4,7	3,8	4,5	3,7	4,5							
30,0	4,2	3,2	3,8	2,9	3,6	2,8	3,5							
32,0	4,0	2,3	2,9		2,7		2,7							
34,0	3,9													
36,0	3,6													
38,0	3,0													
40,0	2,4													
42,0	1,9													
*** n ***	1	1	1	1	1	1	1	0						
1	0+	92+	46+	92+	46+	92+	46+	92+						
2	0+	92+	92+	92+	92+	92+	92+	92+						
3	0+	46+	92+	92+	92+	92+	92+	92+						
4	0+	46+	46+	46+	92+	92+	92+	92+						
5	0+	46+	46+	46+	46+	46+	92+	92+						
%														
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1528	1528	1528	1528	1528	1528	1528	---						

	T	F 20° 28m	10,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 20° 28m

070983 21.20

m >< t CODE > 0512 < B131 0F72

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5						
16,0	6,2													
18,0	5,8													
20,0	5,4													
22,0	5,1													
24,0	4,8	6,0	6,0											
26,0	4,6	5,8	5,8	5,6	5,4									
28,0	4,4	5,6	5,6	5,4	5,3	5,1	4,9							
30,0	4,2	5,5	5,4	5,3	5,1	5,0	4,8	4,6						
32,0	4,0	5,3	5,2	5,1	5,0	4,8	4,7	4,5						
34,0	3,9	4,7	5,1	4,4	4,9	4,3	4,6	4,3						
36,0	3,6	3,9	4,5	3,6	4,3	3,5	4,3	3,5						
38,0	3,0	3,1	3,7	2,8	3,6	2,8	3,6	2,8						
40,0	2,4	2,4	3,0	2,2	2,9	2,1	2,9	2,2						
42,0	1,9		2,4		2,3		2,3							
44,0			1,8		1,7		1,8							
*** n ***	1	1	1	1	1	1	1	1						
1	0+	92+	46+	92+	46+	92+	46+	92+						
2	0+	92+	92+	92+	92+	92+	92+	92+						
3	0+	46+	92+	92+	92+	92+	92+	92+						
4	0+	46+	46+	46+	92+	92+	92+	92+						
5 %	0+	46+	46+	46+	46+	46+	92+	92+						
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1527	1527	1527	1527	1527	1527	1527	1527						

	T	F 20° 28m	22,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 20° 28m

070983 21.20

m >< t CODE > 0514 < B131 1172

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5
16,0	6,2							
18,0	5,8							
20,0	5,4							
22,0	5,1							
24,0	4,8	6,0	6,0					
26,0	4,6	5,8	5,8	5,6	5,4			
28,0	4,4	5,6	5,6	5,4	5,3	5,1	4,9	
30,0	4,2	5,5	5,4	5,3	5,1	5,0	4,8	4,6
32,0	4,0	5,3	5,2	5,1	5,0	4,8	4,7	4,5
34,0	3,9	5,1	5,1	5,0	4,9	4,7	4,6	4,4
36,0	3,6	5,0	4,9	4,8	4,7	4,6	4,5	4,3
38,0	3,0	4,9	4,8	4,7	4,6	4,5	4,3	4,1
40,0	2,4	4,7	4,7	4,6	4,5	4,4	4,1	4,0
42,0	1,9	4,6	4,6	4,5	4,4	4,3	4,0	3,8
44,0		4,5	4,5	4,4	4,4	4,3	3,8	3,7
46,0		4,4	4,4	4,3	4,3	4,2	3,7	3,5
48,0		4,3	4,3	4,2	4,2	4,1	3,5	3,4
50,0		3,9	4,2	3,7	4,0	3,6	3,4	3,3
52,0		3,4	4,0	3,1	3,9	3,1	3,2	3,2
54,0		2,8	3,5	2,6	3,4	2,6	3,1	2,7
56,0		2,4	3,0	2,1	2,9	2,1	3,0	2,2
58,0		1,9	2,5	1,7	2,5	1,7	2,6	1,8
60,0		1,5	2,1	1,3	2,1	1,3	2,2	1,4
62,0			1,7		1,7		1,8	
64,0			1,3		1,3		1,4	
*** n ***	1	1	1	1	1	1	1	1
% 1	0+	92+	46+	92+	46+	92+	46+	92+
% 2	0+	92+	92+	92+	92+	92+	92+	92+
% 3	0+	46+	92+	92+	92+	92+	92+	92+
% 4	0+	46+	46+	46+	92+	92+	92+	92+
% 5	0+	46+	46+	46+	46+	46+	92+	92+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1525	1525	1525	1525	1525	1525	1525	1525

	T	F 20° 28m	47,5 t	8,85 x 8,5 m	360°	

Courtesy of Crane.Market

ISO DIN

T	F 20° 28m

070983 21.20

m >< t CODE > 0516 < B131 1372

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5						
16,0	6,2													
18,0	5,8													
20,0	5,4													
22,0	5,1													
24,0	4,8	6,0	6,0											
26,0	4,6	5,8	5,8	5,6	5,4									
28,0	4,4	5,6	5,6	5,4	5,3	5,1	4,9							
30,0	4,2	5,5	5,4	5,3	5,1	5,0	4,8	4,6						
32,0	4,0	5,3	5,2	5,1	5,0	4,8	4,7	4,5						
34,0	3,9	5,1	5,1	5,0	4,9	4,7	4,6	4,4						
36,0	3,6	5,0	4,9	4,8	4,7	4,6	4,5	4,3						
38,0	3,0	4,9	4,8	4,7	4,6	4,5	4,3	4,1						
40,0	2,4	4,7	4,7	4,6	4,5	4,4	4,1	4,0						
42,0	1,9	4,6	4,6	4,5	4,4	4,3	4,0	3,8						
44,0		4,5	4,5	4,4	4,4	4,3	3,8	3,7						
46,0		4,4	4,4	4,3	4,3	4,2	3,7	3,5						
48,0		4,3	4,3	4,2	4,2	4,1	3,5	3,4						
50,0		4,2	4,2	4,2	4,0	4,0	3,4	3,3						
52,0		4,1	4,1	4,1	3,9	3,9	3,2	3,2						
54,0		4,0	4,0	4,0	3,7	3,7	3,1	3,0						
56,0		3,9	3,9	4,0	3,5	3,5	3,0	2,9						
58,0		3,9	3,8	3,7	3,3	3,4	2,8	2,8						
60,0		3,8	3,7	3,5	3,2	3,1	2,7	2,7						
62,0		3,6	3,5	3,2	3,0	2,9	2,5	2,6						
64,0		3,4	3,3	2,9	2,8	2,6	2,4	2,5						
66,0		3,1	3,1	2,7	2,6	2,4	2,3	2,3						
68,0		2,7	2,8	2,5	2,5	2,3	2,2	2,1						
70,0		2,3	2,6	2,3	2,3	2,1	2,1	1,9						
72,0		1,9	2,3	1,9	2,2	1,8	1,9	1,7						
74,0				1,5	2,0	1,6	1,8	1,5						
76,0				1,2	1,8	1,3	1,7	1,3						
78,0						1,0	1,6	1,1						
80,0							1,4							
*** n ***	1	1	1	1	1	1	1	1						
1	0+	92+	46+	92+	46+	92+	46+	92+						
2	0+	92+	92+	92+	92+	92+	92+	92+						
3	0+	46+	92+	92+	92+	92+	92+	92+						
4	0+	46+	46+	46+	92+	92+	92+	92+						
5 %	0+	46+	46+	46+	46+	46+	92+	92+						
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1523	1523	1523	1523	1523	1523	1523	1523						

	T	F 20° 28m	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 20° 28m

070983 21.20

m >< t CODE > 0518 < B131 1572

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5						
16,0	6,2													
18,0	5,8													
20,0	5,4													
22,0	5,1													
24,0	4,8	6,0	6,0											
26,0	4,6	5,8	5,8	5,6	5,4									
28,0	4,4	5,6	5,6	5,4	5,3	5,1	4,9							
30,0	4,2	5,5	5,4	5,3	5,1	5,0	4,8	4,6						
32,0	4,0	5,3	5,2	5,1	5,0	4,8	4,7	4,5						
34,0	3,9	5,1	5,1	5,0	4,9	4,7	4,6	4,4						
36,0	3,6	5,0	4,9	4,8	4,7	4,6	4,5	4,3						
38,0	3,0	4,9	4,8	4,7	4,6	4,5	4,3	4,1						
40,0	2,4	4,7	4,7	4,6	4,5	4,4	4,1	4,0						
42,0	1,9	4,6	4,6	4,5	4,4	4,3	4,0	3,8						
44,0		4,5	4,5	4,4	4,4	4,3	3,8	3,7						
46,0		4,4	4,4	4,3	4,3	4,2	3,7	3,5						
48,0		4,3	4,3	4,2	4,2	4,1	3,5	3,4						
50,0		4,2	4,2	4,2	4,0	4,0	3,4	3,3						
52,0		4,1	4,1	4,1	3,9	3,9	3,2	3,2						
54,0		4,0	4,0	4,0	3,7	3,7	3,1	3,0						
56,0		3,9	3,9	4,0	3,5	3,5	3,0	2,9						
58,0		3,9	3,8	3,7	3,3	3,4	2,8	2,8						
60,0		3,8	3,7	3,5	3,2	3,1	2,7	2,7						
62,0		3,6	3,5	3,2	3,0	2,9	2,5	2,6						
64,0		3,4	3,3	2,9	2,8	2,6	2,4	2,5						
66,0		3,1	3,1	2,7	2,6	2,4	2,3	2,3						
68,0		2,8	2,8	2,5	2,5	2,3	2,2	2,1						
70,0		2,5	2,6	2,3	2,3	2,1	2,1	1,9						
72,0		2,3	2,3	2,1	2,2	1,8	1,9	1,7						
74,0				1,8	2,0	1,6	1,8	1,5						
76,0				1,6	1,8	1,4	1,7	1,3						
78,0						1,2	1,6	1,1						
80,0						1,0	1,4							
*** n ***	1	1	1	1	1	1	1	1						
1	0+	92+	46+	92+	46+	92+	46+	92+						
2	0+	92+	92+	92+	92+	92+	92+	92+						
3	0+	46+	92+	92+	92+	92+	92+	92+						
4	0+	46+	46+	46+	92+	92+	92+	92+						
5 %	0+	46+	46+	46+	46+	46+	92+	92+						
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1521	1521	1521	1521	1521	1521	1521	1521						

	T	F 20° 28m	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 20° 35m

070983 21.20

m >< t CODE > 0519 < B131 0E73

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5	72,0	67,5	72,0			
20,0	4,1													
22,0	3,8													
24,0	3,5													
26,0	3,3													
28,0	3,1	4,0	4,0											
30,0	2,9	3,8	3,8	3,4	3,6									
32,0	2,7	2,9	3,4	2,6	3,2									
34,0	2,6	2,2	2,7		2,5									
36,0	2,5													
38,0	2,4													
40,0	2,3													
42,0	2,3													
44,0	2,2													
46,0	1,9													
48,0	1,5													
*** n ***	1	1	1	1	1	0	0	0	0	0	0			
% 1	0+	92+	46+	92+	46+	92+	46+	92+	100+	92-	100-			
% 2	0+	92+	92+	92+	92+	92+	92+	92+	100+	92-	100-			
% 3	0+	46+	92+	92+	92+	92+	92+	92+	100+	92-	100-			
% 4	0+	46+	46+	46+	92+	92+	92+	92+	100+	92-	100-			
% 5	0+	46+	46+	46+	46+	46+	92+	92+	100+	92-	100-			
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0			
TAB ***	1528	1528	1528	1528	1528	---	---	---	---	---	---			

	T	F 20° 35m	10,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 20° 35m

070983 21.20

m >< t CODE > 0520 < B131 0F73

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5	72,0					
20,0	4,1													
22,0	3,8													
24,0	3,5													
26,0	3,3													
28,0	3,1	4,0	4,0											
30,0	2,9	3,9	3,8	3,7	3,6									
32,0	2,7	3,7	3,7	3,6	3,5	3,3	3,2							
34,0	2,6	3,6	3,5	3,4	3,4	3,2	3,1	3,0						
36,0	2,5	3,4	3,4	3,3	3,3	3,1	3,0	2,9	2,7					
38,0	2,4	3,3	3,3	3,2	3,1	3,1	2,9	2,8	2,6					
40,0	2,3	2,9	3,2	2,6	3,1	2,5	2,9	2,5	2,3					
42,0	2,3	2,3	2,8	2,0	2,7	1,9	2,7	1,9						
44,0	2,2	1,7	2,2		2,1		2,1							
46,0	1,9		1,7											
48,0	1,5													
*** n ***	1	1	1	1	1	1	1	1	1					
1	0+	92+	46+	92+	46+	92+	46+	92+	100+					
2	0+	92+	92+	92+	92+	92+	92+	92+	100+					
3	0+	46+	92+	92+	92+	92+	92+	92+	100+					
4	0+	46+	46+	46+	92+	92+	92+	92+	100+					
5	0+	46+	46+	46+	46+	46+	92+	92+	100+					
%														
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					
TAB ***	1527	1527	1527	1527	1527	1527	1527	1527	1527					

	T	F 20° 35m	22,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 20° 35m

070983 21.20

m >< t CODE > 0522 < B131 1173

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5	72,0					
20,0	4,1													
22,0	3,8													
24,0	3,5													
26,0	3,3													
28,0	3,1	4,0	4,0											
30,0	2,9	3,9	3,8	3,7	3,6									
32,0	2,7	3,7	3,7	3,6	3,5	3,3	3,2							
34,0	2,6	3,6	3,5	3,4	3,4	3,2	3,1	3,0						
36,0	2,5	3,4	3,4	3,3	3,3	3,1	3,0	2,9	2,7					
38,0	2,4	3,3	3,3	3,2	3,1	3,1	2,9	2,8	2,6					
40,0	2,3	3,2	3,2	3,1	3,1	3,0	2,9	2,8	2,6					
42,0	2,3	3,1	3,1	3,0	3,0	2,9	2,8	2,7	2,5					
44,0	2,2	3,0	3,0	2,9	2,9	2,8	2,7	2,6	2,5					
46,0	1,9	2,9	2,9	2,9	2,8	2,8	2,7	2,6	2,4					
48,0	1,5	2,8	2,8	2,8	2,7	2,7	2,6	2,5	2,4					
50,0		2,7	2,7	2,7	2,6	2,6	2,6	2,5	2,3					
52,0		2,6	2,6	2,6	2,6	2,6	2,5	2,5	2,2					
54,0		2,6	2,5	2,5	2,5	2,5	2,4	2,4	2,1					
56,0		2,5	2,5	2,5	2,4	2,4	2,4	2,3	2,0					
58,0		2,3	2,4	2,1	2,4	2,0	2,3	2,0	1,8					
60,0		1,9	2,4	1,6	2,3	1,6	2,2	1,6	1,4					
62,0		1,5	2,0	1,2	1,9		2,0	1,3						
64,0			1,7		1,6		1,6							
66,0			1,3		1,2		1,3							
*** n ***	1	1	1	1	1	1	1	1	1					
1	0+	92+	46+	92+	46+	92+	46+	92+	100+					
2	0+	92+	92+	92+	92+	92+	92+	92+	100+					
3	0+	46+	92+	92+	92+	92+	92+	92+	100+					
4	0+	46+	46+	46+	92+	92+	92+	92+	100+					
5	0+	46+	46+	46+	46+	46+	92+	92+	100+					
%														
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					
TAB ***	1525	1525	1525	1525	1525	1525	1525	1525	1525					

	T	F 20° 35m	47,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 20° 35m

070983 21.20

m >< t CODE > 0524 < B131 1373

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5	72,0					
20,0	4,1													
22,0	3,8													
24,0	3,5													
26,0	3,3													
28,0	3,1	4,0	4,0											
30,0	2,9	3,9	3,8	3,7	3,6									
32,0	2,7	3,7	3,7	3,6	3,5	3,3	3,2							
34,0	2,6	3,6	3,5	3,4	3,4	3,2	3,1	3,0						
36,0	2,5	3,4	3,4	3,3	3,3	3,1	3,0	2,9	2,7					
38,0	2,4	3,3	3,3	3,2	3,1	3,1	2,9	2,8	2,6					
40,0	2,3	3,2	3,2	3,1	3,1	3,0	2,9	2,8	2,6					
42,0	2,3	3,1	3,1	3,0	3,0	2,9	2,8	2,7	2,5					
44,0	2,2	3,0	3,0	2,9	2,9	2,8	2,7	2,6	2,5					
46,0	1,9	2,9	2,9	2,9	2,8	2,8	2,7	2,6	2,4					
48,0	1,5	2,8	2,8	2,8	2,7	2,7	2,6	2,5	2,4					
50,0		2,7	2,7	2,7	2,6	2,6	2,6	2,5	2,3					
52,0		2,6	2,6	2,6	2,6	2,6	2,5	2,5	2,2					
54,0		2,6	2,5	2,5	2,5	2,5	2,4	2,4	2,1					
56,0		2,5	2,5	2,5	2,4	2,4	2,4	2,3	2,0					
58,0		2,5	2,4	2,4	2,4	2,4	2,3	2,2	2,0					
60,0		2,4	2,4	2,4	2,4	2,4	2,2	2,2	1,9					
62,0		2,3	2,3	2,4	2,3	2,3	2,1	2,1	1,8					
64,0		2,3	2,3	2,3	2,3	2,3	2,0	2,0	1,7					
66,0		2,3	2,3	2,3	2,2	2,3	1,9	1,9	1,6					
68,0		2,3	2,3	2,2	2,2	2,1	1,8	1,8	1,4					
70,0		2,3	2,2	2,2	2,1	1,9	1,7	1,7	1,2					
72,0		2,2	2,2	2,0	1,9	1,7	1,6	1,5	1,1					
74,0		2,0	2,2	1,8	1,8	1,5	1,5	1,4						
76,0		1,7	2,0	1,6	1,7	1,3	1,4	1,2						
78,0		1,3	1,8	1,3	1,6	1,1	1,3	1,0						
80,0					1,4	1,0	1,1							
82,0					1,2		1,0							
84,0					1,0									
*** n ***	1	1	1	1	1	1	1	1	1					
1	0+	92+	46+	92+	46+	92+	46+	92+	100+					
2	0+	92+	92+	92+	92+	92+	92+	92+	100+					
3	0+	46+	92+	92+	92+	92+	92+	92+	100+					
4	0+	46+	46+	46+	92+	92+	92+	92+	100+					
5	0+	46+	46+	46+	46+	46+	92+	92+	100+					
%														
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					
TAB ***	1523	1523	1523	1523	1523	1523	1523	1523	1523					

	T	F 20° 35m	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 20° 35m

070983 21.20

m	m >< t													
	CODE > 0525 < B131 1473													
m	**15,5**	**51,9**	**51,9**	**57,1**	**57,1**	**62,3**	**62,3**	**67,5**	**72,0**					
20,0	4,1													
22,0	3,8													
24,0	3,5													
26,0	3,3													
28,0	3,1	4,0	4,0											
30,0	2,9	3,9	3,8	3,7	3,6									
32,0	2,7	3,7	3,7	3,6	3,5	3,3	3,2							
34,0	2,6	3,6	3,5	3,4	3,4	3,2	3,1	3,0						
36,0	2,5	3,4	3,4	3,3	3,3	3,1	3,0	2,9	2,7					
38,0	2,4	3,3	3,3	3,2	3,1	3,1	2,9	2,8	2,6					
40,0	2,3	3,2	3,2	3,1	3,1	3,0	2,9	2,8	2,6					
42,0	2,3	3,1	3,1	3,0	3,0	2,9	2,8	2,7	2,5					
44,0	2,2	3,0	3,0	2,9	2,9	2,8	2,7	2,6	2,5					
46,0	1,9	2,9	2,9	2,9	2,8	2,8	2,7	2,6	2,4					
48,0	1,5	2,8	2,8	2,8	2,7	2,7	2,6	2,5	2,4					
50,0		2,7	2,7	2,7	2,6	2,6	2,6	2,5	2,3					
52,0		2,6	2,6	2,6	2,6	2,6	2,5	2,5	2,2					
54,0		2,6	2,5	2,5	2,5	2,5	2,4	2,4	2,1					
56,0		2,5	2,5	2,5	2,4	2,4	2,4	2,3	2,0					
58,0		2,5	2,4	2,4	2,4	2,4	2,3	2,2	2,0					
60,0		2,4	2,4	2,4	2,4	2,4	2,2	2,2	1,9					
62,0		2,3	2,3	2,4	2,3	2,3	2,1	2,1	1,8					
64,0		2,3	2,3	2,3	2,3	2,3	2,0	2,0	1,7					
66,0		2,3	2,3	2,3	2,2	2,3	1,9	1,9	1,6					
68,0		2,3	2,3	2,2	2,2	2,1	1,8	1,8	1,4					
70,0		2,3	2,2	2,2	2,1	1,9	1,7	1,7	1,2					
72,0		2,2	2,2	2,0	1,9	1,7	1,6	1,5	1,1					
74,0		2,2	2,2	1,8	1,8	1,5	1,5	1,4						
76,0		2,0	2,0	1,6	1,7	1,3	1,4	1,2						
78,0		1,8	1,8	1,4	1,6	1,1	1,3	1,0						
80,0				1,2	1,4	1,0	1,1							
82,0				1,0	1,2		1,0							
84,0					1,0									
*** n ***	1	1	1	1	1	1	1	1	1					
1	0+	92+	46+	92+	46+	92+	46+	92+	100+					
2	0+	92+	92+	92+	92+	92+	92+	92+	100+					
3	0+	46+	92+	92+	92+	92+	92+	92+	100+					
4	0+	46+	46+	46+	92+	92+	92+	92+	100+					
5 %	0+	46+	46+	46+	46+	46+	92+	92+	100+					
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					
TAB ***	1522	1522	1522	1522	1522	1522	1522	1522	1522					

	T	F 20° 35m	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 20° 35m

070983 21.20

m >< t CODE > 0526 < B131 1573

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5	72,0					
20,0	4,1													
22,0	3,8													
24,0	3,5													
26,0	3,3													
28,0	3,1	4,0	4,0											
30,0	2,9	3,9	3,8	3,7	3,6									
32,0	2,7	3,7	3,7	3,6	3,5	3,3	3,2							
34,0	2,6	3,6	3,5	3,4	3,4	3,2	3,1	3,0						
36,0	2,5	3,4	3,4	3,3	3,3	3,1	3,0	2,9	2,7					
38,0	2,4	3,3	3,3	3,2	3,1	3,1	2,9	2,8	2,6					
40,0	2,3	3,2	3,2	3,1	3,1	3,0	2,9	2,8	2,6					
42,0	2,3	3,1	3,1	3,0	3,0	2,9	2,8	2,7	2,5					
44,0	2,2	3,0	3,0	2,9	2,9	2,8	2,7	2,6	2,5					
46,0	1,9	2,9	2,9	2,9	2,8	2,8	2,7	2,6	2,4					
48,0	1,5	2,8	2,8	2,8	2,7	2,7	2,6	2,5	2,4					
50,0		2,7	2,7	2,7	2,6	2,6	2,6	2,5	2,3					
52,0		2,6	2,6	2,6	2,6	2,6	2,5	2,5	2,2					
54,0		2,6	2,5	2,5	2,5	2,5	2,4	2,4	2,1					
56,0		2,5	2,5	2,5	2,4	2,4	2,4	2,3	2,0					
58,0		2,5	2,4	2,4	2,4	2,4	2,3	2,2	2,0					
60,0		2,4	2,4	2,4	2,4	2,4	2,2	2,2	1,9					
62,0		2,3	2,3	2,4	2,3	2,3	2,1	2,1	1,8					
64,0		2,3	2,3	2,3	2,3	2,3	2,0	2,0	1,7					
66,0		2,3	2,3	2,3	2,2	2,3	1,9	1,9	1,6					
68,0		2,3	2,3	2,2	2,2	2,1	1,8	1,8	1,4					
70,0		2,3	2,2	2,2	2,1	1,9	1,7	1,7	1,2					
72,0		2,2	2,2	2,0	1,9	1,7	1,6	1,5	1,1					
74,0		2,2	2,2	1,8	1,8	1,5	1,5	1,4						
76,0		2,0	2,0	1,6	1,7	1,3	1,4	1,2						
78,0		1,8	1,8	1,4	1,6	1,1	1,3	1,0						
80,0				1,2	1,4	1,0	1,1							
82,0				1,0	1,2		1,0							
84,0					1,0									
*** n ***	1	1	1	1	1	1	1	1	1					
1	0+	92+	46+	92+	46+	92+	46+	92+	100+					
2	0+	92+	92+	92+	92+	92+	92+	92+	100+					
3	0+	46+	92+	92+	92+	92+	92+	92+	100+					
4	0+	46+	46+	46+	92+	92+	92+	92+	100+					
5 %	0+	46+	46+	46+	46+	46+	92+	92+	100+					
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					
TAB ***	1521	1521	1521	1521	1521	1521	1521	1521	1521					

	T	F 20° 35m	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 20° 42m

070983 21.20

m >< t CODE > 0528 < B131 0F74

m	15,5	51,9	51,9	57,1	57,1									
22,0	2,9													
24,0	2,7													
26,0	2,5													
28,0	2,3													
30,0	2,2													
32,0	2,0	2,6	2,6											
34,0	1,9	2,5	2,5	2,4	2,4									
36,0	1,8	2,4	2,4	2,3	2,3									
38,0	1,7	2,3	2,3	2,3	2,2									
40,0	1,6	2,2	2,2	2,2	2,1									
42,0	1,6	2,1	2,1	2,1	2,1									
44,0	1,5	2,1	2,0	1,9	2,0									
46,0	1,4	1,6	2,0		1,9									
48,0	1,4		1,6											
50,0	1,4													
52,0	1,3													
54,0	1,0													
*** n ***	1	1	1	1	1									
1	0+	92+	46+	92+	46+									
2	0+	92+	92+	92+	92+									
3	0+	46+	92+	92+	92+									
4	0+	46+	46+	46+	92+									
5	0+	46+	46+	46+	46+									
%														
m/s	9,0	9,0	9,0	9,0	9,0									
TAB ***	1527	1527	1527	1527	1527									

	T	F 20° 42m	22,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 20° 42m

070983 21.20

m >< t CODE > 0530 < B131 1174

m	15,5	51,9	51,9	57,1	57,1									
22,0	2,9													
24,0	2,7													
26,0	2,5													
28,0	2,3													
30,0	2,2													
32,0	2,0	2,6	2,6											
34,0	1,9	2,5	2,5	2,4	2,4									
36,0	1,8	2,4	2,4	2,3	2,3									
38,0	1,7	2,3	2,3	2,3	2,2									
40,0	1,6	2,2	2,2	2,2	2,1									
42,0	1,6	2,1	2,1	2,1	2,1									
44,0	1,5	2,1	2,0	2,0	2,0									
46,0	1,4	2,0	2,0	2,0	1,9									
48,0	1,4	1,9	1,9	1,9	1,9									
50,0	1,4	1,9	1,8	1,8	1,8									
52,0	1,3	1,8	1,8	1,8	1,8									
54,0	1,0	1,7	1,7	1,7	1,7									
56,0		1,7	1,7	1,7	1,7									
58,0		1,6	1,6	1,6	1,6									
60,0		1,6	1,6	1,6	1,6									
62,0		1,6	1,5	1,6	1,5									
64,0		1,5	1,5	1,2	1,5									
66,0			1,5		1,5									
68,0			1,3		1,2									
*** n ***	1	1	1	1	1									
% 1	0+	92+	46+	92+	46+									
% 2	0+	92+	92+	92+	92+									
% 3	0+	46+	92+	92+	92+									
% 4	0+	46+	46+	46+	92+									
% 5	0+	46+	46+	46+	46+									
m/s	9,0	9,0	9,0	9,0	9,0									
TAB ***	1525	1525	1525	1525	1525									

	T	F 20° 42m	47,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 20° 42m

070983 21.20

m	m >< t				CODE > 0532 < B131 1374									
	15,5	**51,9**	**51,9**	**57,1**	**57,1**									
22,0	2,9													
24,0	2,7													
26,0	2,5													
28,0	2,3													
30,0	2,2													
32,0	2,0	2,6	2,6											
34,0	1,9	2,5	2,5	2,4	2,4									
36,0	1,8	2,4	2,4	2,3	2,3									
38,0	1,7	2,3	2,3	2,3	2,2									
40,0	1,6	2,2	2,2	2,2	2,1									
42,0	1,6	2,1	2,1	2,1	2,1									
44,0	1,5	2,1	2,0	2,0	2,0									
46,0	1,4	2,0	2,0	2,0	1,9									
48,0	1,4	1,9	1,9	1,9	1,9									
50,0	1,4	1,9	1,8	1,8	1,8									
52,0	1,3	1,8	1,8	1,8	1,8									
54,0	1,0	1,7	1,7	1,7	1,7									
56,0		1,7	1,7	1,7	1,7									
58,0		1,6	1,6	1,6	1,6									
60,0		1,6	1,6	1,6	1,6									
62,0		1,6	1,5	1,6	1,5									
64,0		1,5	1,5	1,5	1,5									
66,0		1,5	1,5	1,5	1,5									
68,0		1,4	1,4	1,5	1,4									
70,0		1,4	1,4	1,4	1,4									
72,0		1,4	1,4	1,4	1,4									
74,0		1,4	1,4	1,4	1,3									
76,0		1,4	1,4	1,4	1,3									
78,0		1,4	1,4	1,3	1,3									
80,0		1,4	1,4	1,2	1,2									
82,0		1,1	1,3	1,0	1,1									
84,0			1,2											
86,0			1,0											
*** n ***	1	1	1	1	1									
1	0+	92+	46+	92+	46+									
2	0+	92+	92+	92+	92+									
3	0+	46+	92+	92+	92+									
4	0+	46+	46+	46+	92+									
5 %	0+	46+	46+	46+	46+									
m/s	9,0	9,0	9,0	9,0	9,0									
TAB ***	1523	1523	1523	1523	1523									

	T	F 20° 42m	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 20° 42m

070983 21.20

m	m >< t				CODE > 0533 < B131 1474									
	15,5	**51,9**	**51,9**	**57,1**	**57,1**									
22,0	2,9													
24,0	2,7													
26,0	2,5													
28,0	2,3													
30,0	2,2													
32,0	2,0	2,6	2,6											
34,0	1,9	2,5	2,5	2,4	2,4									
36,0	1,8	2,4	2,4	2,3	2,3									
38,0	1,7	2,3	2,3	2,3	2,2									
40,0	1,6	2,2	2,2	2,2	2,1									
42,0	1,6	2,1	2,1	2,1	2,1									
44,0	1,5	2,1	2,0	2,0	2,0									
46,0	1,4	2,0	2,0	2,0	1,9									
48,0	1,4	1,9	1,9	1,9	1,9									
50,0	1,4	1,9	1,8	1,8	1,8									
52,0	1,3	1,8	1,8	1,8	1,8									
54,0	1,0	1,7	1,7	1,7	1,7									
56,0		1,7	1,7	1,7	1,7									
58,0		1,6	1,6	1,6	1,6									
60,0		1,6	1,6	1,6	1,6									
62,0		1,6	1,5	1,6	1,5									
64,0		1,5	1,5	1,5	1,5									
66,0		1,5	1,5	1,5	1,5									
68,0		1,4	1,4	1,5	1,4									
70,0		1,4	1,4	1,4	1,4									
72,0		1,4	1,4	1,4	1,4									
74,0		1,4	1,4	1,4	1,3									
76,0		1,4	1,4	1,4	1,3									
78,0		1,4	1,4	1,3	1,3									
80,0		1,4	1,4	1,2	1,2									
82,0		1,3	1,3	1,0	1,1									
84,0		1,2	1,2											
86,0		1,0	1,0											
*** n ***	1	1	1	1	1									
1	0+	92+	46+	92+	46+									
2	0+	92+	92+	92+	92+									
3	0+	46+	92+	92+	92+									
4	0+	46+	46+	46+	92+									
5 %	0+	46+	46+	46+	46+									
m/s	9,0	9,0	9,0	9,0	9,0									
TAB ***	1522	1522	1522	1522	1522									

	T	F 20° 42m	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 20° 42m

070983 21.20

m >< t CODE > 0534 < B131 1574

m	15,5	51,9	51,9	57,1	57,1									
22,0	2,9													
24,0	2,7													
26,0	2,5													
28,0	2,3													
30,0	2,2													
32,0	2,0	2,6	2,6											
34,0	1,9	2,5	2,5	2,4	2,4									
36,0	1,8	2,4	2,4	2,3	2,3									
38,0	1,7	2,3	2,3	2,3	2,2									
40,0	1,6	2,2	2,2	2,2	2,1									
42,0	1,6	2,1	2,1	2,1	2,1									
44,0	1,5	2,1	2,0	2,0	2,0									
46,0	1,4	2,0	2,0	2,0	1,9									
48,0	1,4	1,9	1,9	1,9	1,9									
50,0	1,4	1,9	1,8	1,8	1,8									
52,0	1,3	1,8	1,8	1,8	1,8									
54,0	1,0	1,7	1,7	1,7	1,7									
56,0		1,7	1,7	1,7	1,7									
58,0		1,6	1,6	1,6	1,6									
60,0		1,6	1,6	1,6	1,6									
62,0		1,6	1,5	1,6	1,5									
64,0		1,5	1,5	1,5	1,5									
66,0		1,5	1,5	1,5	1,5									
68,0		1,4	1,4	1,5	1,4									
70,0		1,4	1,4	1,4	1,4									
72,0		1,4	1,4	1,4	1,4									
74,0		1,4	1,4	1,4	1,3									
76,0		1,4	1,4	1,4	1,3									
78,0		1,4	1,4	1,3	1,3									
80,0		1,4	1,4	1,2	1,2									
82,0		1,3	1,3	1,0	1,1									
84,0		1,2	1,2											
86,0		1,0	1,0											
*** n ***	1	1	1	1	1									
% 1	0+	92+	46+	92+	46+									
% 2	0+	92+	92+	92+	92+									
% 3	0+	46+	92+	92+	92+									
% 4	0+	46+	46+	46+	92+									
% 5	0+	46+	46+	46+	46+									
m/s	9,0	9,0	9,0	9,0	9,0									
TAB ***	1521	1521	1521	1521	1521									

	T	F 20° 42m	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 40° 14m

070983 21.20

m >< t CODE > 0535 < B131 0E80

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5
12,0	12,5							
14,0	11,7							
16,0	10,8							
18,0	10,1							
20,0	9,2	9,5	10,2					
22,0	7,6	7,6	8,3	7,2	8,0			
24,0	6,0	5,9	6,6	5,6	6,4	5,5	6,7	
26,0	5,4	4,5	5,2	4,2	5,1	4,2	5,4	4,5
28,0		3,3	4,0	3,1	3,9	3,1	4,2	3,4
30,0			3,0		2,9		3,3	2,4
32,0							2,4	
*** n ***	2	1	1	1	1	1	1	1
% 1	0+	92+	46+	92+	46+	92+	46+	92+
% 2	0+	92+	92+	92+	92+	92+	92+	92+
% 3	0+	46+	92+	92+	92+	92+	92+	92+
% 4	0+	46+	46+	46+	92+	92+	92+	92+
% 5	0+	46+	46+	46+	46+	46+	92+	92+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1548	1548	1548	1548	1548	1548	1548	1548

	T	F 40° 14m	10,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 40° 14m

070983 21.20

m	m >< t													
	CODE > 0536 < B131 0F80													
m	**15,5**	**51,9**	**51,9**	**57,1**	**57,1**	**62,3**	**62,3**	**67,5**						
12,0	12,5													
14,0	11,7													
16,0	10,8													
18,0	10,1													
20,0	9,2	12,2	12,1											
22,0	7,6	11,9	11,7	11,5	10,5									
24,0	6,0	10,5	11,2	10,1	10,1	9,7	8,5							
26,0	5,4	8,8	9,5	8,4	9,3	8,3	8,1	7,7						
28,0		7,3	8,0	7,0	7,9	6,9	7,8	7,2						
30,0		6,0	6,7	5,7	6,6	5,7	6,9	6,0						
32,0		4,8	5,6	4,6	5,5	4,6	5,8	4,9						
34,0		3,8	4,5	3,6	4,5	3,6	4,8	4,0						
36,0		2,9	3,6	2,7	3,6	2,8	4,0	3,2						
38,0		2,1	2,8		2,9	2,0	3,2	2,4						
40,0			2,1		2,1		2,5							
42,0							1,9							
*** n ***	2	2	2	2	1	1	1	1						
1	0+	92+	46+	92+	46+	92+	46+	92+						
2	0+	92+	92+	92+	92+	92+	92+	92+						
3	0+	46+	92+	92+	92+	92+	92+	92+						
4	0+	46+	46+	46+	92+	92+	92+	92+						
5 %	0+	46+	46+	46+	46+	46+	92+	92+						
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1547	1547	1547	1547	1547	1547	1547	1547						

	T	F 40° 14m	22,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 40° 14m

070983 21.20

m >< t CODE > 0538 < B131 1180

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5						
12,0	12,5													
14,0	11,7													
16,0	10,8													
18,0	10,1													
20,0	9,2	12,2	12,1											
22,0	7,6	11,9	11,7	11,5	10,5									
24,0	6,0	11,5	11,4	11,2	10,1	9,7	8,5							
26,0	5,4	11,2	11,0	10,9	9,7	9,4	8,1	7,7						
28,0		10,8	10,7	10,6	9,3	9,0	7,8	7,5						
30,0		10,5	10,4	10,3	8,8	8,6	7,5	7,2						
32,0		10,3	9,9	9,9	8,4	8,2	7,2	6,9						
34,0		9,9	9,5	9,4	8,0	7,8	6,9	6,7						
36,0		8,7	9,1	8,4	7,6	7,5	6,6	6,5						
38,0		7,6	8,4	7,4	7,2	7,2	6,3	6,2						
40,0		6,6	7,4	6,4	6,9	6,5	6,0	5,9						
42,0		5,7	6,5	5,6	6,5	5,6	5,7	5,7						
44,0		4,9	5,7	4,8	5,7	4,8	5,5	5,2						
46,0		4,2	4,9	4,0	5,0	4,1	5,2	4,5						
48,0				3,4	4,3	3,5	4,7	3,9						
50,0				2,8	3,7	2,9	4,1	3,3						
52,0						2,3	3,5	2,7						
54,0						1,8	3,0	2,2						
56,0								1,7						
*** n ***	2	2	2	2	1	1	1	1						
1	0+	92+	46+	92+	46+	92+	46+	92+						
2	0+	92+	92+	92+	92+	92+	92+	92+						
3	0+	46+	92+	92+	92+	92+	92+	92+						
4	0+	46+	46+	46+	92+	92+	92+	92+						
5 %	0+	46+	46+	46+	46+	46+	92+	92+						
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1545	1545	1545	1545	1545	1545	1545	1545						

	T	F 40° 14m	47,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 40° 14m

070983 21.20

m >< t CODE > 0540 < B131 1380

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5
12,0	12,5							
14,0	11,7							
16,0	10,8							
18,0	10,1							
20,0	9,2	12,2	12,1					
22,0	7,6	11,9	11,7	11,5	10,5			
24,0	6,0	11,5	11,4	11,2	10,1	9,7	8,5	
26,0	5,4	11,2	11,0	10,9	9,7	9,4	8,1	7,7
28,0		10,8	10,7	10,6	9,3	9,0	7,8	7,5
30,0		10,5	10,4	10,3	8,8	8,6	7,5	7,2
32,0		10,3	9,9	9,9	8,4	8,2	7,2	6,9
34,0		10,0	9,5	9,4	8,0	7,8	6,9	6,7
36,0		9,8	9,1	9,0	7,6	7,5	6,6	6,5
38,0		9,3	8,5	8,4	7,2	7,2	6,3	6,2
40,0		8,6	8,0	7,8	6,9	6,9	6,0	5,9
42,0		8,0	7,6	7,3	6,6	6,6	5,7	5,7
44,0		7,5	7,1	6,8	6,3	6,3	5,5	5,4
46,0		6,9	6,7	6,3	6,0	5,9	5,2	5,2
48,0				5,9	5,6	5,5	5,0	5,0
50,0				5,4	5,3	5,1	4,7	4,8
52,0						4,7	4,5	4,5
54,0						4,3	4,3	4,2
56,0								3,8
*** n ***	2	2	2	2	1	1	1	1
1	0+	92+	46+	92+	46+	92+	46+	92+
2	0+	92+	92+	92+	92+	92+	92+	92+
3	0+	46+	92+	92+	92+	92+	92+	92+
4	0+	46+	46+	46+	92+	92+	92+	92+
5 %	0+	46+	46+	46+	46+	46+	92+	92+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1543	1543	1543	1543	1543	1543	1543	1543

	T	F 40° 14m	72,5 t	8,85 x 8,5 m	360°	

Courtesy of Crane.Market

ISO DIN

T	F 40° 14m

070983 21.20

m >< t CODE > 0541 < B131 1480

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5
12,0	12,5							
14,0	11,7							
16,0	10,8							
18,0	10,1							
20,0	9,2	12,2	12,1					
22,0	7,6	11,9	11,7	11,5	10,5			
24,0	6,0	11,5	11,4	11,2	10,1	9,7	8,5	
26,0	5,4	11,2	11,0	10,9	9,7	9,4	8,1	7,7
28,0		10,8	10,7	10,6	9,3	9,0	7,8	7,5
30,0		10,5	10,4	10,3	8,8	8,6	7,5	7,2
32,0		10,3	9,9	9,9	8,4	8,2	7,2	6,9
34,0		10,0	9,5	9,4	8,0	7,8	6,9	6,7
36,0		9,8	9,1	9,0	7,6	7,5	6,6	6,5
38,0		9,3	8,5	8,4	7,2	7,2	6,3	6,2
40,0		8,6	8,0	7,8	6,9	6,9	6,0	5,9
42,0		8,0	7,6	7,3	6,6	6,6	5,7	5,7
44,0		7,5	7,1	6,8	6,3	6,3	5,5	5,4
46,0		6,9	6,7	6,3	6,0	5,9	5,2	5,2
48,0				5,9	5,6	5,5	5,0	5,0
50,0				5,4	5,3	5,1	4,7	4,8
52,0						4,7	4,5	4,5
54,0						4,3	4,3	4,2
56,0								3,8
*** n ***	2	2	2	2	1	1	1	1
1	0+	92+	46+	92+	46+	92+	46+	92+
2	0+	92+	92+	92+	92+	92+	92+	92+
3	0+	46+	92+	92+	92+	92+	92+	92+
4	0+	46+	46+	46+	92+	92+	92+	92+
5 %	0+	46+	46+	46+	46+	46+	92+	92+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1542	1542	1542	1542	1542	1542	1542	1542

	T	F 40° 14m	85,0 t	8,85 x 8,5 m	360°	

Courtesy of Crane.Market

ISO DIN

T	F 40° 14m

070983 21.20

m >< t CODE > 0542 < B131 1580

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5
12,0	12,5							
14,0	11,7							
16,0	10,8							
18,0	10,1							
20,0	9,2	12,2	12,1					
22,0	7,6	11,9	11,7	11,5	10,5			
24,0	6,0	11,5	11,4	11,2	10,1	9,7	8,5	
26,0	5,4	11,2	11,0	10,9	9,7	9,4	8,1	7,7
28,0		10,8	10,7	10,6	9,3	9,0	7,8	7,5
30,0		10,5	10,4	10,3	8,8	8,6	7,5	7,2
32,0		10,3	9,9	9,9	8,4	8,2	7,2	6,9
34,0		10,0	9,5	9,4	8,0	7,8	6,9	6,7
36,0		9,8	9,1	9,0	7,6	7,5	6,6	6,5
38,0		9,3	8,5	8,4	7,2	7,2	6,3	6,2
40,0		8,6	8,0	7,8	6,9	6,9	6,0	5,9
42,0		8,0	7,6	7,3	6,6	6,6	5,7	5,7
44,0		7,5	7,1	6,8	6,3	6,3	5,5	5,4
46,0		6,9	6,7	6,3	6,0	5,9	5,2	5,2
48,0				5,9	5,6	5,5	5,0	5,0
50,0				5,4	5,3	5,1	4,7	4,8
52,0						4,7	4,5	4,5
54,0						4,3	4,3	4,2
56,0								3,8
*** n ***	2	2	2	2	1	1	1	1
1	0+	92+	46+	92+	46+	92+	46+	92+
2	0+	92+	92+	92+	92+	92+	92+	92+
3	0+	46+	92+	92+	92+	92+	92+	92+
4	0+	46+	46+	46+	92+	92+	92+	92+
5 %	0+	46+	46+	46+	46+	46+	92+	92+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1541	1541	1541	1541	1541	1541	1541	1541

	T	F 40° 14m	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 40° 21m

070983 21.20

m	m >< t													
	CODE > 0543 < B131 0E81													
m	**15,5**	**51,9**	**51,9**	**57,1**	**57,1**	**62,3**	**62,3**	**67,5**						
18,0	7,3													
20,0	7,0													
22,0	6,8													
24,0	6,6													
26,0	6,4	6,3	6,8											
28,0	6,2	5,0	5,5	4,9	5,5									
30,0	5,2	3,8	4,4	3,8	4,5	3,7	4,5							
32,0	4,0	2,8	3,4	2,8	3,5	2,8	3,6							
34,0			2,6		2,7		2,7							
*** n ***	1	1	1	1	1	1	1	0						
1	0+	92+	46+	92+	46+	92+	46+	92+						
2	0+	92+	92+	92+	92+	92+	92+	92+						
3	0+	46+	92+	92+	92+	92+	92+	92+						
4	0+	46+	46+	46+	92+	92+	92+	92+						
5 %	0+	46+	46+	46+	46+	46+	92+	92+						
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1548	1548	1548	1548	1548	1548	1548	---						

	T	F 40° 21m	10,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 40° 21m

070983 21.20

m >< t CODE > 0544 < B131 0F81

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5
18,0	7,3							
20,0	7,0							
22,0	6,8							
24,0	6,6							
26,0	6,4	7,2	7,2					
28,0	6,2	7,1	7,0	6,9	6,8			
30,0	5,2	7,0	6,9	6,8	6,7	6,6	6,0	
32,0	4,0	6,3	6,8	6,2	6,7	6,1	5,8	5,6
34,0		5,2	5,8	5,1	5,9	5,1	5,6	5,1
36,0		4,2	4,8	4,2	4,9	4,2	5,0	4,2
38,0		3,4	4,0	3,3	4,1	3,3	4,2	3,4
40,0		2,6	3,2	2,6	3,3	2,6	3,4	2,7
42,0		1,9	2,5	1,9	2,7	1,9	2,8	2,1
44,0			1,9		2,0		2,2	
*** n ***	1	1	1	1	1	1	1	1
1	0+	92+	46+	92+	46+	92+	46+	92+
2	0+	92+	92+	92+	92+	92+	92+	92+
3	0+	46+	92+	92+	92+	92+	92+	92+
4	0+	46+	46+	46+	92+	92+	92+	92+
5 %	0+	46+	46+	46+	46+	46+	92+	92+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1547	1547	1547	1547	1547	1547	1547	1547

	T	F 40° 21m	22,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 40° 21m

070983 21.20

m >< t CODE > 0546 < B131 1181

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5						
18,0	7,3													
20,0	7,0													
22,0	6,8													
24,0	6,6													
26,0	6,4	7,2	7,2											
28,0	6,2	7,1	7,0	6,9	6,8									
30,0	5,2	7,0	6,9	6,8	6,7	6,6	6,0							
32,0	4,0	6,9	6,8	6,7	6,7	6,5	5,8	5,6						
34,0		6,8	6,7	6,7	6,6	6,4	5,6	5,4						
36,0		6,7	6,6	6,6	6,4	6,3	5,4	5,2						
38,0		6,6	6,5	6,5	6,2	6,1	5,2	5,0						
40,0		6,5	6,5	6,5	6,0	5,9	5,0	4,9						
42,0		6,5	6,4	6,4	5,7	5,6	4,8	4,7						
44,0		6,0	6,4	6,0	5,4	5,4	4,6	4,5						
46,0		5,2	5,9	5,2	5,2	5,2	4,5	4,4						
48,0		4,5	5,1	4,5	4,9	4,5	4,3	4,3						
50,0		3,8	4,5	3,8	4,6	3,9	4,1	4,0						
52,0		3,2	3,8	3,2	4,0	3,3	3,9	3,4						
54,0		2,6	3,2	2,6	3,5	2,7	3,6	2,9						
56,0				2,1	2,9	2,2	3,1	2,4						
58,0						1,7	2,6	1,9						
60,0						1,3	2,2	1,5						
*** n ***	1	1	1	1	1	1	1	1						
1	0+	92+	46+	92+	46+	92+	46+	92+						
2	0+	92+	92+	92+	92+	92+	92+	92+						
3	0+	46+	92+	92+	92+	92+	92+	92+						
4	0+	46+	46+	46+	92+	92+	92+	92+						
5 %	0+	46+	46+	46+	46+	46+	92+	92+						
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1545	1545	1545	1545	1545	1545	1545	1545						

	T	F 40° 21m	47,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 40° 21m

070983 21.20

m >< t CODE > 0548 < B131 1381

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5
18,0	7,3							
20,0	7,0							
22,0	6,8							
24,0	6,6							
26,0	6,4	7,2	7,2					
28,0	6,2	7,1	7,0	6,9	6,8			
30,0	5,2	7,0	6,9	6,8	6,7	6,6	6,0	
32,0	4,0	6,9	6,8	6,7	6,7	6,5	5,8	5,6
34,0		6,8	6,7	6,7	6,6	6,4	5,6	5,4
36,0		6,7	6,6	6,6	6,4	6,3	5,4	5,2
38,0		6,6	6,5	6,5	6,2	6,1	5,2	5,0
40,0		6,5	6,5	6,5	6,0	5,9	5,0	4,9
42,0		6,5	6,4	6,4	5,7	5,6	4,8	4,7
44,0		6,4	6,4	6,4	5,4	5,4	4,6	4,5
46,0		6,3	6,1	6,2	5,2	5,2	4,5	4,4
48,0		6,2	5,9	5,8	4,9	5,0	4,3	4,3
50,0		6,0	5,6	5,4	4,7	4,7	4,1	4,1
52,0		5,6	5,2	5,1	4,5	4,5	3,9	3,9
54,0		5,2	4,9	4,7	4,3	4,3	3,7	3,7
56,0				4,3	4,1	4,0	3,5	3,6
58,0						3,7	3,3	3,4
60,0						3,4	3,2	3,2
62,0								3,0
64,0								2,7
*** n ***	1	1	1	1	1	1	1	1
1	0+	92+	46+	92+	46+	92+	46+	92+
2	0+	92+	92+	92+	92+	92+	92+	92+
3	0+	46+	92+	92+	92+	92+	92+	92+
4	0+	46+	46+	46+	92+	92+	92+	92+
5 %	0+	46+	46+	46+	46+	46+	92+	92+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1543	1543	1543	1543	1543	1543	1543	1543

	T	F 40° 21m	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 40° 21m

070983 21.20

m >< t CODE > 0549 < B131 1481

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5
18,0	7,3							
20,0	7,0							
22,0	6,8							
24,0	6,6							
26,0	6,4	7,2	7,2					
28,0	6,2	7,1	7,0	6,9	6,8			
30,0	5,2	7,0	6,9	6,8	6,7	6,6	6,0	
32,0	4,0	6,9	6,8	6,7	6,7	6,5	5,8	5,6
34,0		6,8	6,7	6,7	6,6	6,4	5,6	5,4
36,0		6,7	6,6	6,6	6,4	6,3	5,4	5,2
38,0		6,6	6,5	6,5	6,2	6,1	5,2	5,0
40,0		6,5	6,5	6,5	6,0	5,9	5,0	4,9
42,0		6,5	6,4	6,4	5,7	5,6	4,8	4,7
44,0		6,4	6,4	6,4	5,4	5,4	4,6	4,5
46,0		6,3	6,1	6,2	5,2	5,2	4,5	4,4
48,0		6,2	5,9	5,8	4,9	5,0	4,3	4,3
50,0		6,0	5,6	5,4	4,7	4,7	4,1	4,1
52,0		5,6	5,2	5,1	4,5	4,5	3,9	3,9
54,0		5,2	4,9	4,7	4,3	4,3	3,7	3,7
56,0				4,3	4,1	4,0	3,5	3,6
58,0						3,7	3,3	3,4
60,0						3,4	3,2	3,2
62,0								3,0
64,0								2,7
*** n ***	1	1	1	1	1	1	1	1
1	0+	92+	46+	92+	46+	92+	46+	92+
2	0+	92+	92+	92+	92+	92+	92+	92+
3	0+	46+	92+	92+	92+	92+	92+	92+
4	0+	46+	46+	46+	92+	92+	92+	92+
5 %	0+	46+	46+	46+	46+	46+	92+	92+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1542	1542	1542	1542	1542	1542	1542	1542

	T	F 40° 21m	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 40° 21m

070983 21.20

m >< t CODE > 0550 < B131 1581

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5						
18,0	7,3													
20,0	7,0													
22,0	6,8													
24,0	6,6													
26,0	6,4	7,2	7,2											
28,0	6,2	7,1	7,0	6,9	6,8									
30,0	5,2	7,0	6,9	6,8	6,7	6,6	6,0							
32,0	4,0	6,9	6,8	6,7	6,7	6,5	5,8	5,6						
34,0		6,8	6,7	6,7	6,6	6,4	5,6	5,4						
36,0		6,7	6,6	6,6	6,4	6,3	5,4	5,2						
38,0		6,6	6,5	6,5	6,2	6,1	5,2	5,0						
40,0		6,5	6,5	6,5	6,0	5,9	5,0	4,9						
42,0		6,5	6,4	6,4	5,7	5,6	4,8	4,7						
44,0		6,4	6,4	6,4	5,4	5,4	4,6	4,5						
46,0		6,3	6,1	6,2	5,2	5,2	4,5	4,4						
48,0		6,2	5,9	5,8	4,9	5,0	4,3	4,3						
50,0		6,0	5,6	5,4	4,7	4,7	4,1	4,1						
52,0		5,6	5,2	5,1	4,5	4,5	3,9	3,9						
54,0		5,2	4,9	4,7	4,3	4,3	3,7	3,7						
56,0				4,3	4,1	4,0	3,5	3,6						
58,0						3,7	3,3	3,4						
60,0						3,4	3,2	3,2						
62,0								3,0						
64,0								2,7						
*** n ***	1	1	1	1	1	1	1	1						
1	0+	92+	46+	92+	46+	92+	46+	92+						
2	0+	92+	92+	92+	92+	92+	92+	92+						
3	0+	46+	92+	92+	92+	92+	92+	92+						
4	0+	46+	46+	46+	92+	92+	92+	92+						
5 %	0+	46+	46+	46+	46+	46+	92+	92+						
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1541	1541	1541	1541	1541	1541	1541	1541						

	T	F 40° 21m	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 40° 28m

070983 21.20

m >< t CODE > 0551 < B131 0E82

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5						
22,0	4,5													
24,0	4,3													
26,0	4,1													
28,0	3,9													
30,0	3,8	4,4												
32,0	3,7	4,3	4,2	4,1										
34,0	3,6	3,5	4,0	3,2	3,8									
36,0	3,6	2,7	3,1	2,4	3,0									
38,0	3,5		2,4		2,3									
40,0	3,5													
*** n ***	1	1	1	1	1	0	0	0						
% 1	0+	92+	46+	92+	46+	92+	46+	92+						
% 2	0+	92+	92+	92+	92+	92+	92+	92+						
% 3	0+	46+	92+	92+	92+	92+	92+	92+						
% 4	0+	46+	46+	46+	92+	92+	92+	92+						
% 5	0+	46+	46+	46+	46+	46+	92+	92+						
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1548	1548	1548	1548	1548	---	---	---						

	T	F 40° 28m	10,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 40° 28m

070983 21.20

m >< t CODE > 0552 < B131 0F82

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5						
22,0	4,5													
24,0	4,3													
26,0	4,1													
28,0	3,9													
30,0	3,8	4,4												
32,0	3,7	4,3	4,2	4,2										
34,0	3,6	4,2	4,1	4,1	4,1	4,0								
36,0	3,6	4,1	4,0	4,0	4,0	3,9	3,9							
38,0	3,5	4,0	4,0	3,9	3,9	3,9	3,8	3,8						
40,0	3,5	3,9	3,9	3,7	3,8	3,7	3,7	3,7						
42,0		3,2	3,7	3,0	3,6	2,9	3,6	3,0						
44,0		2,5	3,0	2,3	3,0	2,3	3,0	2,4						
46,0		1,9	2,4	1,7	2,4	1,7	2,4	1,8						
48,0			1,8		1,8		1,9							
*** n ***	1	1	1	1	1	1	1	1						
1	0+	92+	46+	92+	46+	92+	46+	92+						
2	0+	92+	92+	92+	92+	92+	92+	92+						
3	0+	46+	92+	92+	92+	92+	92+	92+						
4	0+	46+	46+	46+	92+	92+	92+	92+						
5 %	0+	46+	46+	46+	46+	46+	92+	92+						
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1547	1547	1547	1547	1547	1547	1547	1547						

	T	F 40° 28m	22,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 40° 28m

070983 21.20

m >< t CODE > 0554 < B131 1182

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5
22,0	4,5							
24,0	4,3							
26,0	4,1							
28,0	3,9							
30,0	3,8	4,4						
32,0	3,7	4,3	4,2	4,2				
34,0	3,6	4,2	4,1	4,1	4,1	4,0		
36,0	3,6	4,1	4,0	4,0	4,0	3,9	3,9	
38,0	3,5	4,0	4,0	3,9	3,9	3,9	3,8	3,8
40,0	3,5	3,9	3,9	3,9	3,8	3,8	3,7	3,7
42,0		3,8	3,8	3,8	3,8	3,8	3,7	3,7
44,0		3,8	3,8	3,8	3,7	3,7	3,7	3,6
46,0		3,7	3,7	3,7	3,7	3,7	3,6	3,6
48,0		3,7	3,7	3,7	3,6	3,6	3,5	3,5
50,0		3,7	3,6	3,6	3,6	3,6	3,4	3,3
52,0		3,6	3,6	3,6	3,6	3,6	3,3	3,2
54,0		3,6	3,6	3,5	3,6	3,5	3,2	3,1
56,0		3,1	3,6	3,0	3,6	3,0	3,0	3,0
58,0		2,6	3,2	2,4	3,2	2,5	2,9	2,6
60,0		2,1	2,6	1,9	2,7	2,0	2,8	2,1
62,0				1,5	2,2	1,5	2,4	1,7
64,0					1,8		2,0	1,3
66,0							1,6	
68,0							1,2	
*** n ***	1	1	1	1	1	1	1	1
1	0+	92+	46+	92+	46+	92+	46+	92+
2	0+	92+	92+	92+	92+	92+	92+	92+
3	0+	46+	92+	92+	92+	92+	92+	92+
4	0+	46+	46+	46+	92+	92+	92+	92+
5 %	0+	46+	46+	46+	46+	46+	92+	92+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1545	1545	1545	1545	1545	1545	1545	1545

	T	F 40° 28m	47,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 40° 28m

070983 21.20

m >< t CODE > 0556 < B131 1382

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5						
22,0	4,5													
24,0	4,3													
26,0	4,1													
28,0	3,9													
30,0	3,8	4,4												
32,0	3,7	4,3	4,2	4,2										
34,0	3,6	4,2	4,1	4,1	4,1	4,0								
36,0	3,6	4,1	4,0	4,0	4,0	3,9	3,9							
38,0	3,5	4,0	4,0	3,9	3,9	3,9	3,8	3,8						
40,0	3,5	3,9	3,9	3,9	3,8	3,8	3,7	3,7						
42,0		3,8	3,8	3,8	3,8	3,8	3,7	3,7						
44,0		3,8	3,8	3,8	3,7	3,7	3,7	3,6						
46,0		3,7	3,7	3,7	3,7	3,7	3,6	3,6						
48,0		3,7	3,7	3,7	3,6	3,6	3,5	3,5						
50,0		3,7	3,6	3,6	3,6	3,6	3,4	3,3						
52,0		3,6	3,6	3,6	3,6	3,6	3,3	3,2						
54,0		3,6	3,6	3,6	3,6	3,6	3,2	3,1						
56,0		3,6	3,6	3,6	3,6	3,5	3,0	3,0						
58,0		3,6	3,6	3,6	3,4	3,4	2,9	2,9						
60,0		3,6	3,6	3,6	3,3	3,3	2,8	2,8						
62,0				3,5	3,1	3,2	2,7	2,7						
64,0				3,2	3,0	2,9	2,5	2,6						
66,0						2,7	2,4	2,4						
68,0						2,5	2,3	2,3						
70,0								2,2						
*** n ***	1	1	1	1	1	1	1	1						
1	0+	92+	46+	92+	46+	92+	46+	92+						
2	0+	92+	92+	92+	92+	92+	92+	92+						
3	0+	46+	92+	92+	92+	92+	92+	92+						
4	0+	46+	46+	46+	92+	92+	92+	92+						
5 %	0+	46+	46+	46+	46+	46+	92+	92+						
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1543	1543	1543	1543	1543	1543	1543	1543						

	T	F 40° 28m	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 40° 28m

070983 21.20

m >< t CODE > 0558 < B131 1582

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5						
22,0	4,5													
24,0	4,3													
26,0	4,1													
28,0	3,9													
30,0	3,8	4,4												
32,0	3,7	4,3	4,2	4,2										
34,0	3,6	4,2	4,1	4,1	4,1	4,0								
36,0	3,6	4,1	4,0	4,0	4,0	3,9	3,9							
38,0	3,5	4,0	4,0	3,9	3,9	3,9	3,8	3,8						
40,0	3,5	3,9	3,9	3,9	3,8	3,8	3,7	3,7						
42,0		3,8	3,8	3,8	3,8	3,8	3,7	3,7						
44,0		3,8	3,8	3,8	3,7	3,7	3,7	3,6						
46,0		3,7	3,7	3,7	3,7	3,7	3,6	3,6						
48,0		3,7	3,7	3,7	3,6	3,6	3,5	3,5						
50,0		3,7	3,6	3,6	3,6	3,6	3,4	3,3						
52,0		3,6	3,6	3,6	3,6	3,6	3,3	3,2						
54,0		3,6	3,6	3,6	3,6	3,6	3,2	3,1						
56,0		3,6	3,6	3,6	3,6	3,5	3,0	3,0						
58,0		3,6	3,6	3,6	3,4	3,4	2,9	2,9						
60,0		3,6	3,6	3,6	3,3	3,3	2,8	2,8						
62,0				3,5	3,1	3,2	2,7	2,7						
64,0				3,2	3,0	2,9	2,5	2,6						
66,0						2,7	2,4	2,4						
68,0						2,5	2,3	2,3						
70,0								2,2						
*** n ***	1	1	1	1	1	1	1	1						
1	0+	92+	46+	92+	46+	92+	46+	92+						
2	0+	92+	92+	92+	92+	92+	92+	92+						
3	0+	46+	92+	92+	92+	92+	92+	92+						
4	0+	46+	46+	46+	92+	92+	92+	92+						
5 %	0+	46+	46+	46+	46+	46+	92+	92+						
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1541	1541	1541	1541	1541	1541	1541	1541						

	T	F 40° 28m	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 40° 35m

070983 21.20

m >< t CODE > 0559 < B131 0E83

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5	67,5					
28,0	2,7													
30,0	2,5													
32,0	2,4													
34,0	2,3													
36,0	2,2	2,6	2,6											
38,0	2,2	2,5	2,5	2,5	2,5									
40,0	2,1	2,2	2,5	2,0	2,4									
42,0	2,1		1,9		1,8									
44,0	2,1													
46,0	2,1													
*** n ***	1	1	1	1	1	0	0	0	0					
% 1	0+	92+	46+	92+	46+	92+	46+	92+	92-					
% 2	0+	92+	92+	92+	92+	92+	92+	92+	92-					
% 3	0+	46+	92+	92+	92+	92+	92+	92+	92-					
% 4	0+	46+	46+	46+	92+	92+	92+	92+	92-					
% 5	0+	46+	46+	46+	46+	46+	92+	92+	92-					
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					
TAB ***	1548	1548	1548	1548	1548	---	---	---	---					

	T	F 40° 35m	10,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 40° 35m

070983 21.20

m	m >< t													
	CODE > 0560 < B131 0F83													
m	**15,5**	**51,9**	**51,9**	**57,1**	**57,1**	**62,3**	**62,3**	**67,5**						
28,0	2,7													
30,0	2,5													
32,0	2,4													
34,0	2,3													
36,0	2,2	2,6	2,6											
38,0	2,2	2,5	2,5	2,5	2,5									
40,0	2,1	2,5	2,5	2,4	2,4	2,4								
42,0	2,1	2,4	2,4	2,4	2,4	2,3	2,3							
44,0	2,1	2,4	2,4	2,3	2,3	2,3	2,3	2,2						
46,0	2,1	2,3	2,3	2,3	2,3	2,3	2,2	2,2						
48,0		2,1	2,3	1,9	2,2	1,9	2,2	1,9						
50,0		1,6	2,0		2,0		2,0	1,4						
52,0			1,5		1,5		1,5							
*** n ***	1	1	1	1	1	1	1	1						
% 1	0+	92+	46+	92+	46+	92+	46+	92+						
% 2	0+	92+	92+	92+	92+	92+	92+	92+						
% 3	0+	46+	92+	92+	92+	92+	92+	92+						
% 4	0+	46+	46+	46+	92+	92+	92+	92+						
% 5	0+	46+	46+	46+	46+	46+	92+	92+						
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1547	1547	1547	1547	1547	1547	1547	1547						

	T	F 40° 35m	22,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 40° 35m

070983 21.20

m >< t CODE > 0562 < B131 1183

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5
28,0	2,7							
30,0	2,5							
32,0	2,4							
34,0	2,3							
36,0	2,2	2,6	2,6					
38,0	2,2	2,5	2,5	2,5	2,5			
40,0	2,1	2,5	2,5	2,4	2,4	2,4		
42,0	2,1	2,4	2,4	2,4	2,4	2,3	2,3	
44,0	2,1	2,4	2,4	2,3	2,3	2,3	2,3	2,2
46,0	2,1	2,3	2,3	2,3	2,3	2,3	2,2	2,2
48,0		2,3	2,3	2,3	2,2	2,2	2,2	2,2
50,0		2,2	2,2	2,2	2,2	2,2	2,2	2,1
52,0		2,2	2,2	2,2	2,2	2,2	2,1	2,1
54,0		2,2	2,2	2,2	2,2	2,1	2,1	2,1
56,0		2,2	2,2	2,2	2,1	2,1	2,1	2,1
58,0		2,1	2,1	2,1	2,1	2,1	2,1	2,1
60,0		2,1	2,1	2,1	2,1	2,1	2,1	2,1
62,0		2,1	2,1	2,1	2,1	2,1	2,1	2,1
64,0		1,8	2,1	1,7	2,1	1,7	2,1	1,8
66,0		1,4	1,9	1,3	1,9	1,3	2,0	1,4
68,0			1,5		1,5		1,6	1,0
70,0					1,1		1,3	
*** n ***	1	1	1	1	1	1	1	1
1	0+	92+	46+	92+	46+	92+	46+	92+
2	0+	92+	92+	92+	92+	92+	92+	92+
3	0+	46+	92+	92+	92+	92+	92+	92+
4	0+	46+	46+	46+	92+	92+	92+	92+
5 %	0+	46+	46+	46+	46+	46+	92+	92+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	1545	1545	1545	1545	1545	1545	1545	1545

	T	F 40° 35m	47,5 t	8,85 x 8,5 m	360°	

Courtesy of Crane.Market

ISO DIN

T	F 40° 35m

070983 21.20

m >< t CODE > 0564 < B131 1383

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5						
28,0	2,7													
30,0	2,5													
32,0	2,4													
34,0	2,3													
36,0	2,2	2,6	2,6											
38,0	2,2	2,5	2,5	2,5	2,5									
40,0	2,1	2,5	2,5	2,4	2,4	2,4								
42,0	2,1	2,4	2,4	2,4	2,4	2,3	2,3							
44,0	2,1	2,4	2,4	2,3	2,3	2,3	2,3	2,2						
46,0	2,1	2,3	2,3	2,3	2,3	2,3	2,2	2,2						
48,0		2,3	2,3	2,3	2,2	2,2	2,2	2,2						
50,0		2,2	2,2	2,2	2,2	2,2	2,2	2,1						
52,0		2,2	2,2	2,2	2,2	2,2	2,1	2,1						
54,0		2,2	2,2	2,2	2,2	2,1	2,1	2,1						
56,0		2,2	2,2	2,2	2,1	2,1	2,1	2,1						
58,0		2,1	2,1	2,1	2,1	2,1	2,1	2,1						
60,0		2,1	2,1	2,1	2,1	2,1	2,1	2,1						
62,0		2,1	2,1	2,1	2,1	2,1	2,1	2,1						
64,0		2,1	2,1	2,1	2,1	2,1	2,1	2,1						
66,0		2,1	2,1	2,1	2,1	2,1	2,0	2,0						
68,0		2,1	2,1	2,1	2,1	2,1	1,9	2,0						
70,0				2,1	2,1	2,1	1,8	1,9						
72,0						2,0	1,7	1,8						
74,0						1,8	1,6	1,7						
76,0								1,5						
78,0								1,3						
*** n ***	1	1	1	1	1	1	1	1						
1	0+	92+	46+	92+	46+	92+	46+	92+						
2	0+	92+	92+	92+	92+	92+	92+	92+						
3	0+	46+	92+	92+	92+	92+	92+	92+						
4	0+	46+	46+	46+	92+	92+	92+	92+						
5 %	0+	46+	46+	46+	46+	46+	92+	92+						
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1543	1543	1543	1543	1543	1543	1543	1543						

	T	F 40° 35m	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 40° 35m

070983 21.20

m >< t CODE > 0565 < B131 1483

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5						
28,0	2,7													
30,0	2,5													
32,0	2,4													
34,0	2,3													
36,0	2,2	2,6	2,6											
38,0	2,2	2,5	2,5	2,5	2,5									
40,0	2,1	2,5	2,5	2,4	2,4	2,4								
42,0	2,1	2,4	2,4	2,4	2,4	2,3	2,3							
44,0	2,1	2,4	2,4	2,3	2,3	2,3	2,3	2,2						
46,0	2,1	2,3	2,3	2,3	2,3	2,3	2,2	2,2						
48,0		2,3	2,3	2,3	2,2	2,2	2,2	2,2						
50,0		2,2	2,2	2,2	2,2	2,2	2,2	2,1						
52,0		2,2	2,2	2,2	2,2	2,2	2,1	2,1						
54,0		2,2	2,2	2,2	2,2	2,1	2,1	2,1						
56,0		2,2	2,2	2,2	2,1	2,1	2,1	2,1						
58,0		2,1	2,1	2,1	2,1	2,1	2,1	2,1						
60,0		2,1	2,1	2,1	2,1	2,1	2,1	2,1						
62,0		2,1	2,1	2,1	2,1	2,1	2,1	2,1						
64,0		2,1	2,1	2,1	2,1	2,1	2,1	2,1						
66,0		2,1	2,1	2,1	2,1	2,1	2,0	2,0						
68,0		2,1	2,1	2,1	2,1	2,1	1,9	2,0						
70,0				2,1	2,1	2,1	1,8	1,9						
72,0						2,0	1,7	1,8						
74,0						1,8	1,6	1,7						
76,0								1,5						
78,0								1,3						
*** n ***	1	1	1	1	1	1	1	1						
1	0+	92+	46+	92+	46+	92+	46+	92+						
2	0+	92+	92+	92+	92+	92+	92+	92+						
3	0+	46+	92+	92+	92+	92+	92+	92+						
4	0+	46+	46+	46+	92+	92+	92+	92+						
5 %	0+	46+	46+	46+	46+	46+	92+	92+						
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1542	1542	1542	1542	1542	1542	1542	1542						

	T	F 40° 35m	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 40° 35m

070983 21.20

m >< t CODE > 0566 < B131 1583

m	15,5	51,9	51,9	57,1	57,1	62,3	62,3	67,5						
28,0	2,7													
30,0	2,5													
32,0	2,4													
34,0	2,3													
36,0	2,2	2,6	2,6											
38,0	2,2	2,5	2,5	2,5	2,5									
40,0	2,1	2,5	2,5	2,4	2,4	2,4								
42,0	2,1	2,4	2,4	2,4	2,4	2,3	2,3							
44,0	2,1	2,4	2,4	2,3	2,3	2,3	2,3	2,2						
46,0	2,1	2,3	2,3	2,3	2,3	2,3	2,2	2,2						
48,0		2,3	2,3	2,3	2,2	2,2	2,2	2,2						
50,0		2,2	2,2	2,2	2,2	2,2	2,2	2,1						
52,0		2,2	2,2	2,2	2,2	2,2	2,1	2,1						
54,0		2,2	2,2	2,2	2,2	2,1	2,1	2,1						
56,0		2,2	2,2	2,2	2,1	2,1	2,1	2,1						
58,0		2,1	2,1	2,1	2,1	2,1	2,1	2,1						
60,0		2,1	2,1	2,1	2,1	2,1	2,1	2,1						
62,0		2,1	2,1	2,1	2,1	2,1	2,1	2,1						
64,0		2,1	2,1	2,1	2,1	2,1	2,1	2,1						
66,0		2,1	2,1	2,1	2,1	2,1	2,0	2,0						
68,0		2,1	2,1	2,1	2,1	2,1	1,9	2,0						
70,0				2,1	2,1	2,1	1,8	1,9						
72,0						2,0	1,7	1,8						
74,0						1,8	1,6	1,7						
76,0								1,5						
78,0								1,3						
*** n ***	1	1	1	1	1	1	1	1						
1	0+	92+	46+	92+	46+	92+	46+	92+						
2	0+	92+	92+	92+	92+	92+	92+	92+						
3	0+	46+	92+	92+	92+	92+	92+	92+						
4	0+	46+	46+	46+	92+	92+	92+	92+						
5 %	0+	46+	46+	46+	46+	46+	92+	92+						
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0						
TAB ***	1541	1541	1541	1541	1541	1541	1541	1541						

	T	F 40° 35m	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 40° 42m

070983 21.20

m >< t CODE > 0570 < B131 1184

m	15,5	51,9	51,9	57,1	57,1									
34,0	1,7													
36,0	1,6													
38,0	1,5													
40,0	1,4													
42,0	1,4													
44,0	1,3													
46,0	1,3													
48,0	1,3													
50,0	1,3													
52,0	1,3													
54,0	1,3													
56,0		1,4		1,4										
58,0		1,4		1,3	1,3									
60,0		1,3		1,3	1,3									
62,0		1,3		1,3	1,3									
64,0		1,3	1,3	1,3	1,3									
66,0		1,3	1,3	1,3	1,3									
68,0		1,3	1,3	1,3	1,3									
70,0		1,2	1,3	1,1	1,3									
72,0			1,3		1,3									
*** n ***	1	1	1	1	1									
1	0+	92+	46+	92+	46+									
2	0+	92+	92+	92+	92+									
3	0+	46+	92+	92+	92+									
4	0+	46+	46+	46+	92+									
5	0+	46+	46+	46+	46+									
%														
m/s	9,0	9,0	9,0	9,0	9,0									
TAB ***	1545	1545	1545	1545	1545									

	T	F 40° 42m	47,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 40° 42m

070983 21.20

m >< t CODE > 0572 < B131 1384

m	15,5	51,9	51,9	57,1	57,1									
34,0	1,7													
36,0	1,6													
38,0	1,5													
40,0	1,4													
42,0	1,4													
44,0	1,3													
46,0	1,3													
48,0	1,3													
50,0	1,3													
52,0	1,3													
54,0	1,3													
56,0		1,4		1,4										
58,0		1,4	1,3	1,3	1,3									
60,0		1,3	1,3	1,3	1,3									
62,0		1,3	1,3	1,3	1,3									
64,0		1,3	1,3	1,3	1,3									
66,0		1,3	1,3	1,3	1,3									
68,0		1,3	1,3	1,3	1,3									
70,0		1,3	1,3	1,3	1,3									
72,0		1,3	1,3	1,3	1,3									
74,0		1,3	1,3	1,3	1,3									
76,0				1,3	1,3									
78,0				1,3	1,3									
*** n ***	1	1	1	1	1									
1	0+	92+	46+	92+	46+									
2	0+	92+	92+	92+	92+									
3	0+	46+	92+	92+	92+									
4	0+	46+	46+	46+	92+									
5	0+	46+	46+	46+	46+									
%														
m/s	9,0	9,0	9,0	9,0	9,0									
TAB ***	1543	1543	1543	1543	1543									

	T	F 40° 42m	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 40° 42m

070983 21.20

m >< t CODE > 0573 < B131 1484

m	15,5	51,9	51,9	57,1	57,1									
34,0	1,7													
36,0	1,6													
38,0	1,5													
40,0	1,4													
42,0	1,4													
44,0	1,3													
46,0	1,3													
48,0	1,3													
50,0	1,3													
52,0	1,3													
54,0	1,3													
56,0		1,4		1,4										
58,0		1,4	1,3	1,3	1,3									
60,0		1,3	1,3	1,3	1,3									
62,0		1,3	1,3	1,3	1,3									
64,0		1,3	1,3	1,3	1,3									
66,0		1,3	1,3	1,3	1,3									
68,0		1,3	1,3	1,3	1,3									
70,0		1,3	1,3	1,3	1,3									
72,0		1,3	1,3	1,3	1,3									
74,0		1,3	1,3	1,3	1,3									
76,0				1,3	1,3									
78,0				1,3	1,3									
*** n ***	1	1	1	1	1									
1	0+	92+	46+	92+	46+									
2	0+	92+	92+	92+	92+									
3	0+	46+	92+	92+	92+									
4	0+	46+	46+	46+	92+									
5	0+	46+	46+	46+	46+									
%														
m/s	9,0	9,0	9,0	9,0	9,0									
TAB ***	1542	1542	1542	1542	1542									

	T	F 40° 42m	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	F 40° 42m

070983 21.20

m >< t CODE > 0574 < B131 1584

m	15,5	51,9	51,9	57,1	57,1									
34,0	1,7													
36,0	1,6													
38,0	1,5													
40,0	1,4													
42,0	1,4													
44,0	1,3													
46,0	1,3													
48,0	1,3													
50,0	1,3													
52,0	1,3													
54,0	1,3													
56,0		1,4		1,4										
58,0		1,4	1,3	1,3	1,3									
60,0		1,3	1,3	1,3	1,3									
62,0		1,3	1,3	1,3	1,3									
64,0		1,3	1,3	1,3	1,3									
66,0		1,3	1,3	1,3	1,3									
68,0		1,3	1,3	1,3	1,3									
70,0		1,3	1,3	1,3	1,3									
72,0		1,3	1,3	1,3	1,3									
74,0		1,3	1,3	1,3	1,3									
76,0				1,3	1,3									
78,0				1,3	1,3									
*** n ***	1	1	1	1	1									
1	0+	92+	46+	92+	46+									
2	0+	92+	92+	92+	92+									
3	0+	46+	92+	92+	92+									
4	0+	46+	46+	46+	92+									
5	0+	46+	46+	46+	46+									
%														
m/s	9,0	9,0	9,0	9,0	9,0									
TAB ***	1541	1541	1541	1541	1541									

	T	F 40° 42m	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 17.5m

070983 21.01

m >< t CODE > 0360 < B131 2150

m	15,5	25,9	36,3	46,7	57,1	62,3	67,5	15,5	25,9	36,3	46,7	57,1	62,3	67,5
7,0	50,0													
8,0	49,0													
9,0	47,5	39,5												
10,0	45,0	35,0												
11,0	40,5	31,5	24,5											
12,0	36,5	28,9	22,5					33,0						
14,0	31,0	24,6	19,2	15,8				27,6						
16,0	26,6	21,3	16,7	13,8	9,9	7,5		23,8	16,9					
18,0	22,9	18,8	14,7	12,1	9,0	7,4	5,4	20,9	14,7	9,2				
20,0			13,0	10,8	8,0	6,9	5,3	18,1	13,0	8,1				
22,0				9,7	7,2	6,2	5,3		11,6	7,2	4,6			
24,0					6,5	5,5	4,8			6,4	4,0			
26,0											3,6			
28,0											3,2			
*** n ***	5	4	3	2	1	1	1	4	2	1	1	0	0	0
xx	82.0	82.0	82.0	82.0	82.0	82.0	82.0	75.0	75.0	75.0	75.0	75.0	75.0	75.0
1	0+	46+	92+	92+	92+	92+	92+	0+	46+	92+	92+	92+	92+	92+
2	0+	46+	46+	46+	92+	92+	92+	0+	46+	46+	46+	92+	92+	92+
3	0+	0+	46+	46+	92+	92+	92+	0+	0+	46+	46+	92+	92+	92+
4	0+	0+	0+	46+	46+	92+	92+	0+	0+	0+	46+	46+	92+	92+
5 %	0+	0+	0+	46+	46+	46+	92+	0+	0+	0+	46+	46+	46+	92+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	318	318	318	318	318	318	318	348	348	348	348	---	---	---

	xx° T	N 17.5m	10,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 17.5m

070983 21.01

m >< t CODE > 0360 < B131 2150

m	15,5	25,9	36,3	46,7	57,1									
7,0 8,0														
9,0 10,0														
11,0 12,0														
14,0 16,0														
18,0 20,0														
22,0 24,0														
26,0 28,0														
* n *	0	0	0	0	0									
xx	68.0	68.0	68.0	68.0	68.0									
1	0+	46+	92+	92+	92+									
2	0+	46+	46+	46+	92+									
3	0+	0+	46+	46+	92+									
4	0+	0+	0+	46+	46+									
5 %	0+	0+	0+	46+	46+									
m/s	9,0	9,0	9,0	9,0	9,0									
TAB ***	---	---	---	---	---									

	xx° T	N 17.5m	10,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 17.5m

070983 21.01

m >< t CODE > 0361 < B131 2250

m	15,5	25,9	36,3	46,7	57,1	62,3	67,5	15,5	25,9	36,3	46,7	57,1	62,3	67,5
7,0	50,0													
8,0	49,0													
9,0	47,5	39,5												
10,0	46,5	39,5												
11,0	46,0	39,5	26,7											
12,0	45,5	37,5	26,7					42,5						
14,0	39,0	32,0	26,2	16,6				35,5						
16,0	33,5	27,8	22,9	16,5	9,9	7,5		30,5	23,4					
18,0	27,2	24,7	20,3	16,5	9,9	7,4	5,4	26,6	20,6	15,0				
20,0			18,3	15,9	9,8	7,3	5,3	23,0	18,4	13,4				
22,0				14,4	9,8	7,3	5,3		16,7	12,1	9,4			
24,0					9,8	7,3	5,3			11,0	8,5			
26,0											7,8			
28,0											7,1	4,2		
30,0												3,8	2,7	
32,0													2,4	
34,0														
*** n ***	5	4	3	2	1	1	1	5	3	2	1	1	1	0
xx	82.0	82.0	82.0	82.0	82.0	82.0	82.0	75.0	75.0	75.0	75.0	75.0	75.0	75.0
1	0+	46+	92+	92+	92+	92+	92+	0+	46+	92+	92+	92+	92+	92+
2	0+	46+	46+	46+	92+	92+	92+	0+	46+	46+	46+	92+	92+	92+
3	0+	0+	46+	46+	92+	92+	92+	0+	0+	46+	46+	92+	92+	92+
4	0+	0+	0+	46+	46+	92+	92+	0+	0+	0+	46+	46+	92+	92+
5 %	0+	0+	0+	46+	46+	46+	92+	0+	0+	0+	46+	46+	46+	92+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	317	317	317	317	317	317	317	347	347	347	347	347	347	---

	xx° T	N 17.5m	22,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 17.5m

070983 21.01

m >< t CODE > 0361 < B131 2250

m	15,5	25,9	36,3	46,7	57,1									
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
14,0														
16,0	28,2													
18,0	24,8													
20,0	21,4	15,2												
22,0	18,8	13,7												
24,0		12,4												
26,0		11,3	6,7											
28,0			6,1											
30,0			5,6	3,2										
32,0				2,9										
34,0				2,7										
*** n ***	3	2	1	1	0									
xx	68.0	68.0	68.0	68.0	68.0									
1	0+	46+	92+	92+	92+									
2	0+	46+	46+	46+	92+									
3	0+	0+	46+	46+	92+									
4	0+	0+	0+	46+	46+									
5	0+	0+	0+	46+	46+									
%														
m/s	9,0	9,0	9,0	9,0	9,0									
TAB ***	377	377	377	377	---									

	xx° T	N 17.5m	22,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 17.5m

070983 21.01

m >< t CODE > 0365 < B131 2450

m	15,5	25,9	36,3	46,7	57,1	62,3	67,5	15,5	25,9	36,3	46,7	57,1	62,3	67,5
7,0	50,0													
8,0	49,0													
9,0	47,5	39,5												
10,0	46,5	39,5												
11,0	46,0	39,5	26,7											
12,0	45,5	39,5	26,7					46,5						
14,0	43,5	39,5	26,7	16,6				45,0						
16,0	37,0	39,5	26,7	16,5	9,9	7,5		42,5	36,5					
18,0	27,2	36,5	26,7	16,5	9,9	7,4	5,4	37,5	32,5	25,9				
20,0			26,7	16,5	9,8	7,3	5,3	32,0	29,1	23,6				
22,0				16,5	9,8	7,3	5,3		26,4	21,4	16,2			
24,0					9,8	7,3	5,3			19,6	16,1			
26,0											15,4			
28,0											14,3	9,4		
30,0												9,1	7,0	
32,0													6,8	4,8
34,0														4,8
36,0														
38,0														
*** n ***	5	4	3	2	1	1	1	5	4	3	2	1	1	1
xx	82.0	82.0	82.0	82.0	82.0	82.0	82.0	75.0	75.0	75.0	75.0	75.0	75.0	75.0
1	0+	46+	92+	92+	92+	92+	92+	0+	46+	92+	92+	92+	92+	92+
2	0+	46+	46+	46+	92+	92+	92+	0+	46+	46+	46+	92+	92+	92+
3	0+	0+	46+	46+	92+	92+	92+	0+	0+	46+	46+	92+	92+	92+
4	0+	0+	0+	46+	46+	92+	92+	0+	0+	0+	46+	46+	92+	92+
5 %	0+	0+	0+	46+	46+	46+	92+	0+	0+	0+	46+	46+	46+	92+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	315	315	315	315	315	315	315	345	345	345	345	345	345	345

	xx° T	N 17.5m	47,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 17.5m

070983 21.01

m >< t CODE > 0365 < B131 2450

m	15,5	25,9	36,3	46,7	57,1
7,0					
8,0					
9,0					
10,0					
11,0					
12,0					
14,0					
16,0	38,5				
18,0	36,0				
20,0	31,5	25,8			
22,0	27,6	23,3			
24,0		21,3			
26,0		19,1	14,6		
28,0			13,4		
30,0			12,5	9,9	
32,0				9,3	
34,0				8,7	
36,0					5,2
38,0					4,9
* n *	4	3	2	1	1
xx	68.0	68.0	68.0	68.0	68.0
% 1	0+	46+	92+	92+	92+
% 2	0+	46+	46+	46+	92+
% 3	0+	0+	46+	46+	92+
% 4	0+	0+	0+	46+	46+
% 5	0+	0+	0+	46+	46+
m/s	9,0	9,0	9,0	9,0	9,0
TAB ***	375	375	375	375	375

xx° T	N 17.5m	47,5 t	8,85 x 8,5 m	360°

Courtesy of Crane.Market

ISO DIN

xx° T	N 17.5m

070983 21.01

m >< t CODE > 0367 < B131 2650

m	15,5	25,9	36,3	46,7	57,1	62,3	67,5	15,5	25,9	36,3	46,7	57,1	62,3	67,5
7,0	50,0													
8,0	49,0													
9,0	47,5	39,5												
10,0	46,5	39,5												
11,0	46,0	39,5	26,7											
12,0	45,5	39,5	26,7					46,5						
14,0	43,5	39,5	26,7	16,6				45,0						
16,0	37,0	39,5	26,7	16,5	9,9	7,5		42,5	38,0					
18,0	27,2	36,5	26,7	16,5	9,9	7,4	5,4	37,5	37,5	25,9				
20,0			26,7	16,5	9,8	7,3	5,3	32,0	35,5	25,9				
22,0				16,5	9,8	7,3	5,3		33,5	24,6	16,2			
24,0					9,8	7,3	5,3			23,3	16,1			
26,0											15,7			
28,0											15,2	9,4		
30,0												9,1	7,0	
32,0													6,8	4,8
34,0														4,8
36,0														
38,0														
*** n ***	5	4	3	2	1	1	1	5	4	3	2	1	1	1
xx	82.0	82.0	82.0	82.0	82.0	82.0	82.0	75.0	75.0	75.0	75.0	75.0	75.0	75.0
1	0+	46+	92+	92+	92+	92+	92+	0+	46+	92+	92+	92+	92+	92+
2	0+	46+	46+	46+	92+	92+	92+	0+	46+	46+	46+	92+	92+	92+
3	0+	0+	46+	46+	92+	92+	92+	0+	0+	46+	46+	92+	92+	92+
4	0+	0+	0+	46+	46+	92+	92+	0+	0+	0+	46+	46+	92+	92+
5 %	0+	0+	0+	46+	46+	46+	92+	0+	0+	0+	46+	46+	46+	92+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	313	313	313	313	313	313	313	343	343	343	343	343	343	343

	xx° T	N 17.5m	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 17.5m

070983 21.01

m >< t CODE > 0367 < B131 2650

m	15,5	25,9	36,3	46,7	57,1									
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
14,0														
16,0	38,5													
18,0	38,5													
20,0	36,5	33,5												
22,0	32,5	31,0												
24,0		28,9												
26,0		26,3	19,9											
28,0			18,7											
30,0			17,7	13,1										
32,0				12,4										
34,0				11,8										
36,0					7,0									
38,0					6,7									
*** n ***	4	4	2	2	1									
xx	68.0	68.0	68.0	68.0	68.0									
1	0+	46+	92+	92+	92+									
2	0+	46+	46+	46+	92+									
3	0+	0+	46+	46+	92+									
4	0+	0+	0+	46+	46+									
5	0+	0+	0+	46+	46+									
%														
m/s	9,0	9,0	9,0	9,0	9,0									
TAB ***	373	373	373	373	373									

	xx° T	N 17.5m	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 17.5m

070983 21.01

m >< t CODE > 0368 < B131 2750

m	15,5	25,9	36,3	46,7	57,1	62,3	67,5	15,5	25,9	36,3	46,7	57,1	62,3	67,5
7,0	50,0													
8,0	49,0													
9,0	47,5	39,5												
10,0	46,5	39,5												
11,0	46,0	39,5	26,7											
12,0	45,5	39,5	26,7					46,5						
14,0	43,5	39,5	26,7	16,6				45,0						
16,0	37,0	39,5	26,7	16,5	9,9	7,5		42,5	38,0					
18,0	27,2	36,5	26,7	16,5	9,9	7,4	5,4	37,5	37,5	25,9				
20,0			26,7	16,5	9,8	7,3	5,3	32,0	35,5	25,9				
22,0				16,5	9,8	7,3	5,3		33,5	24,6	16,2			
24,0					9,8	7,3	5,3			23,3	16,1			
26,0											15,7			
28,0											15,2	9,4		
30,0												9,1	7,0	
32,0													6,8	4,8
34,0														4,8
36,0														
38,0														
*** n ***	5	4	3	2	1	1	1	5	4	3	2	1	1	1
xx	82.0	82.0	82.0	82.0	82.0	82.0	82.0	75.0	75.0	75.0	75.0	75.0	75.0	75.0
1	0+	46+	92+	92+	92+	92+	92+	0+	46+	92+	92+	92+	92+	92+
2	0+	46+	46+	46+	92+	92+	92+	0+	46+	46+	46+	92+	92+	92+
3	0+	0+	46+	46+	92+	92+	92+	0+	0+	46+	46+	92+	92+	92+
4	0+	0+	0+	46+	46+	92+	92+	0+	0+	0+	46+	46+	92+	92+
5 %	0+	0+	0+	46+	46+	46+	92+	0+	0+	0+	46+	46+	46+	92+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	312	312	312	312	312	312	312	342	342	342	342	342	342	342

	xx° T	N 17.5m	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 17.5m

070983 21.01

m >< t CODE > 0368 < B131 2750

m	15,5	25,9	36,3	46,7	57,1									
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
14,0														
16,0	38,5													
18,0	38,5													
20,0	36,5	33,5												
22,0	32,5	31,0												
24,0		28,9												
26,0		27,5	19,9											
28,0			18,7											
30,0			17,7	13,1										
32,0				12,4										
34,0				11,8										
36,0					7,0									
38,0					6,7									
*** n ***	4	4	2	2	1									
xx	68.0	68.0	68.0	68.0	68.0									
1	0+	46+	92+	92+	92+									
2	0+	46+	46+	46+	92+									
3	0+	0+	46+	46+	92+									
4	0+	0+	0+	46+	46+									
5	0+	0+	0+	46+	46+									
%														
m/s	9,0	9,0	9,0	9,0	9,0									
TAB ***	372	372	372	372	372									

	xx° T	N 17.5m	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 17.5m

070983 21.01

m >< t CODE > 0369 < B131 2850

m	15,5	25,9	36,3	46,7	57,1	62,3	67,5	15,5	25,9	36,3	46,7	57,1	62,3	67,5
7,0	50,0													
8,0	49,0													
9,0	47,5	39,5												
10,0	46,5	39,5												
11,0	46,0	39,5	26,7											
12,0	45,5	39,5	26,7					46,5						
14,0	43,5	39,5	26,7	16,6				45,0						
16,0	37,0	39,5	26,7	16,5	9,9	7,5		42,5	38,0					
18,0	27,2	36,5	26,7	16,5	9,9	7,4	5,4	37,5	37,5	25,9				
20,0			26,7	16,5	9,8	7,3	5,3	32,0	35,5	25,9				
22,0				16,5	9,8	7,3	5,3		33,5	24,6	16,2			
24,0					9,8	7,3	5,3			23,3	16,1			
26,0											15,7			
28,0											15,2	9,4		
30,0												9,1	7,0	
32,0													6,8	4,8
34,0														4,8
36,0														
38,0														
*** n ***	5	4	3	2	1	1	1	5	4	3	2	1	1	1
xx	82.0	82.0	82.0	82.0	82.0	82.0	82.0	75.0	75.0	75.0	75.0	75.0	75.0	75.0
1	0+	46+	92+	92+	92+	92+	92+	0+	46+	92+	92+	92+	92+	92+
2	0+	46+	46+	46+	92+	92+	92+	0+	46+	46+	46+	92+	92+	92+
3	0+	0+	46+	46+	92+	92+	92+	0+	0+	46+	46+	92+	92+	92+
4	0+	0+	0+	46+	46+	92+	92+	0+	0+	0+	46+	46+	92+	92+
5 %	0+	0+	0+	46+	46+	46+	92+	0+	0+	0+	46+	46+	46+	92+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	311	311	311	311	311	311	311	341	341	341	341	341	341	341

	xx° T	N 17.5m	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 17.5m

070983 21.01

m >< t CODE > 0369 < B131 2850

m	15,5	25,9	36,3	46,7	57,1									
7,0														
8,0														
9,0														
10,0														
11,0														
12,0														
14,0														
16,0	38,5													
18,0	38,5													
20,0	36,5	33,5												
22,0	32,5	31,0												
24,0		28,9												
26,0		27,5	19,9											
28,0			18,7											
30,0			17,7	13,1										
32,0				12,4										
34,0				11,8										
36,0					7,0									
38,0					6,7									
*** n ***	4	4	2	2	1									
xx	68.0	68.0	68.0	68.0	68.0									
1	0+	46+	92+	92+	92+									
2	0+	46+	46+	46+	92+									
3	0+	0+	46+	46+	92+									
4	0+	0+	0+	46+	46+									
5	0+	0+	0+	46+	46+									
%														
m/s	9,0	9,0	9,0	9,0	9,0									
TAB ***	371	371	371	371	371									

	xx° T	N 17.5m	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 21m

070983 21.01

m >< t CODE > 0370 < B131 2151

m	15,5	25,9	36,3	46,7	57,1	62,3	67,5	15,5	25,9	36,3	46,7	57,1	62,3	67,5
8,0	48,0													
9,0	47,0													
10,0	43,0	33,5												
11,0	39,0	30,5												
12,0	35,0	27,9	21,6											
14,0	29,6	23,7	18,5	14,7				26,6						
16,0	25,6	20,5	16,1	13,2	8,8			22,9	16,2					
18,0	22,5	18,1	14,1	11,6	8,5	6,4		20,1	14,1					
20,0	19,8	16,1	12,5	10,3	7,6	6,4	4,6	17,9	12,5	7,6				
22,0		14,5	11,2	9,3	6,8	5,8	4,5	15,8	11,1	6,8				
24,0			10,2	8,4	6,1	5,2	4,4		10,0	6,0	3,7			
26,0				7,6	5,5	4,7	4,0		9,1	5,4	3,2			
28,0						4,2	3,6			4,9	2,9			
30,0											2,6			
32,0											2,3			
*** n ***	5	4	3	2	1	1	1	3	2	1	1	0	0	0
xx	82.0	82.0	82.0	82.0	82.0	82.0	82.0	75.0	75.0	75.0	75.0	75.0	75.0	75.0
1	0+	46+	92+	92+	92+	92+	92+	0+	46+	92+	92+	92+	92+	92+
2	0+	46+	46+	46+	92+	92+	92+	0+	46+	46+	46+	92+	92+	92+
3	0+	0+	46+	46+	92+	92+	92+	0+	0+	46+	46+	92+	92+	92+
4	0+	0+	0+	46+	46+	92+	92+	0+	0+	0+	46+	46+	92+	92+
5 %	0+	0+	0+	46+	46+	46+	92+	0+	0+	0+	46+	46+	46+	92+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	318	318	318	318	318	318	318	348	348	348	348	---	---	---

	xx° T	N 21m	10,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 21m

070983 21.01

m >< t CODE > 0370 < B131 2151

m	15,5	25,9	36,3	46,7	57,1									
8,0 9,0														
10,0 11,0														
12,0 14,0														
16,0 18,0														
20,0 22,0														
24,0 26,0														
28,0 30,0														
32,0														
* n *	0	0	0	0	0									
xx	68.0	68.0	68.0	68.0	68.0									
% 1	0+	46+	92+	92+	92+									
% 2	0+	46+	46+	46+	92+									
% 3	0+	0+	46+	46+	92+									
% 4	0+	0+	0+	46+	46+									
% 5	0+	0+	0+	46+	46+									
m/s	9,0	9,0	9,0	9,0	9,0									
TAB ***	---	---	---	---	---									

	xx° T	N 21m	10,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 21m

070983 21.01

m >< t CODE > 0371 < B131 2251

m	15,5	25,9	36,3	46,7	57,1	62,3	67,5	15,5	25,9	36,3	46,7	57,1	62,3	67,5
8,0	48,0													
9,0	47,0													
10,0	46,0	35,5												
11,0	45,0	35,5												
12,0	44,0	35,5	23,7											
14,0	37,5	31,0	23,6	14,7				34,5						
16,0	32,5	26,9	22,1	14,6	8,8			29,7	22,6					
18,0	28,5	23,8	19,6	14,5	8,7	6,4		26,1	19,9					
20,0	24,7	21,3	17,6	14,5	8,7	6,4	4,6	22,9	17,8	12,9				
22,0		19,4	16,0	13,9	8,6	6,4	4,5	20,1	16,0	11,6				
24,0			14,6	12,7	8,6	6,3	4,5		14,6	10,5	8,1			
26,0				11,7	8,6	6,3	4,5		13,4	9,6	7,4			
28,0						6,3	4,5			8,9	6,8	3,8		
30,0											6,2	3,5	2,3	
32,0											5,7	3,2	2,1	
34,0												2,9	1,9	
36,0													1,6	
*** n ***	5	4	3	2	1	1	1	4	3	2	1	1	1	0
xx	82.0	82.0	82.0	82.0	82.0	82.0	82.0	75.0	75.0	75.0	75.0	75.0	75.0	75.0
1	0+	46+	92+	92+	92+	92+	92+	0+	46+	92+	92+	92+	92+	92+
2	0+	46+	46+	46+	92+	92+	92+	0+	46+	46+	46+	92+	92+	92+
3	0+	0+	46+	46+	92+	92+	92+	0+	0+	46+	46+	92+	92+	92+
4	0+	0+	0+	46+	46+	92+	92+	0+	0+	0+	46+	46+	92+	92+
5 %	0+	0+	0+	46+	46+	46+	92+	0+	0+	0+	46+	46+	46+	92+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	317	317	317	317	317	317	317	347	347	347	347	347	347	---

	xx° T	N 21m	22,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 21m

070983 21.01

m >< t CODE > 0371 < B131 2251

m	15,5	25,9	36,3	46,7	57,1									
8,0														
9,0														
10,0														
11,0														
12,0														
14,0														
16,0														
18,0	23,9													
20,0	21,3													
22,0	18,7	13,1												
24,0	16,6	11,9												
26,0	14,8	10,8												
28,0		10,0	5,7											
30,0			5,2											
32,0			4,8	2,6										
34,0				2,3										
36,0				2,1										
*** n ***	3	2	1	1	0									
xx	68.0	68.0	68.0	68.0	68.0									
1	0+	46+	92+	92+	92+									
2	0+	46+	46+	46+	92+									
3	0+	0+	46+	46+	92+									
4	0+	0+	0+	46+	46+									
5	0+	0+	0+	46+	46+									
%														
m/s	9,0	9,0	9,0	9,0	9,0									
TAB ***	377	377	377	377	---									

	xx° T	N 21m	22,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 21m

070983 21.01

m >< t CODE > 0375 < B131 2451

m	15,5	25,9	36,3	46,7	57,1	62,3	67,5	15,5	25,9	36,3	46,7	57,1	62,3	67,5
8,0	48,0													
9,0	47,0													
10,0	46,0	35,5												
11,0	45,0	35,5												
12,0	44,0	35,5	23,7											
14,0	43,0	35,0	23,6	14,7				42,0						
16,0	42,0	35,0	23,6	14,6	8,8			40,0	34,5					
18,0	36,5	35,0	23,5	14,5	8,7	6,4		38,0	31,5					
20,0	29,3	32,0	23,5	14,5	8,7	6,4	4,6	33,0	28,2	22,8				
22,0		29,0	23,5	14,5	8,6	6,4	4,5	29,0	25,6	20,7				
24,0			23,2	14,5	8,6	6,3	4,5		23,4	18,9	14,2			
26,0				14,5	8,6	6,3	4,5		21,1	17,4	14,2			
28,0						6,3	4,5			16,2	13,8	8,4		
30,0											12,8	8,3	6,1	
32,0											12,0	8,2	6,1	
34,0												7,9	6,0	3,9
36,0													5,8	3,9
38,0														
40,0														
*** n ***	5	4	3	2	1	1	1	5	4	3	2	1	1	1
xx	82.0	82.0	82.0	82.0	82.0	82.0	82.0	75.0	75.0	75.0	75.0	75.0	75.0	75.0
1	0+	46+	92+	92+	92+	92+	92+	0+	46+	92+	92+	92+	92+	92+
2	0+	46+	46+	46+	92+	92+	92+	0+	46+	46+	46+	92+	92+	92+
3	0+	0+	46+	46+	92+	92+	92+	0+	0+	46+	46+	92+	92+	92+
4	0+	0+	0+	46+	46+	92+	92+	0+	0+	0+	46+	46+	92+	92+
5 %	0+	0+	0+	46+	46+	46+	92+	0+	0+	0+	46+	46+	46+	92+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	315	315	315	315	315	315	315	345	345	345	345	345	345	345

	xx° T	N 21m	47,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 21m

070983 21.01

m >< t CODE > 0375 < B131 2451

m	15,5	25,9	36,3	46,7	57,1									
8,0														
9,0														
10,0														
11,0														
12,0														
14,0														
16,0														
18,0	36,0													
20,0	31,5													
22,0	27,5	22,6												
24,0	24,6	20,6												
26,0	22,1	18,9												
28,0		17,2	12,9											
30,0			12,0											
32,0			11,2	8,8										
34,0				8,2										
36,0				7,7										
38,0					4,5									
40,0					4,2									
*** n ***	4	3	2	1	1									
xx	68.0	68.0	68.0	68.0	68.0									
1	0+	46+	92+	92+	92+									
2	0+	46+	46+	46+	92+									
3	0+	0+	46+	46+	92+									
4	0+	0+	0+	46+	46+									
5	0+	0+	0+	46+	46+									
%														
m/s	9,0	9,0	9,0	9,0	9,0									
TAB ***	375	375	375	375	375									

	xx° T	N 21m	47,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 21m

070983 21.01

m >< t CODE > 0374 < B131 2451

m	15,5	25,9	36,3	46,7	57,1	62,3	67,5	15,5	25,9	36,3	46,7	57,1	62,3	67,5
10,0		35,5												
11,0		35,5												
12,0		34,0	23,7											
14,0		29,6	23,6	14,7										
16,0	31,0	26,1	21,7	14,6	8,8									
18,0	27,4	23,3	19,5	14,5	8,7	6,4								
20,0	23,9	21,1	17,6	14,5	8,7	6,4	4,6							
22,0		19,2	16,1	14,1	8,6	6,4	4,5							
24,0			14,8	13,0	8,6	6,3	4,5							
26,0				12,0	8,6	6,3	4,5							
28,0						6,3	4,5							
*** n ***	3	4	3	2	1	1	1	0	0	0	0	0	0	0
xx	82.0	82.0	82.0	82.0	82.0	82.0	82.0	75.0	75.0	75.0	75.0	75.0	75.0	75.0
1	0+	46+	92+	92+	92+	92+	92+	0+	46+	92+	92+	92+	92+	92+
2	0+	46+	46+	46+	92+	92+	92+	0+	46+	46+	46+	92+	92+	92+
3	0+	0+	46+	46+	92+	92+	92+	0+	0+	46+	46+	92+	92+	92+
4	0+	0+	0+	46+	46+	92+	92+	0+	0+	0+	46+	46+	92+	92+
5 %	0+	0+	0+	46+	46+	46+	92+	0+	0+	0+	46+	46+	46+	92+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	325	325	325	325	325	325	325	---	---	---	---	---	---	---

	xx° T	N 21m	47,5 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 21m

070983 21.01

m >< t CODE > 0374 < B131 2451

m	15,5	25,9	36,3	46,7	57,1									
10,0 11,0														
12,0 14,0														
16,0 18,0														
20,0 22,0														
24,0 26,0														
28,0														
* n *	0	0	0	0	0									
xx	68.0	68.0	68.0	68.0	68.0									
% 1	0+	46+	92+	92+	92+									
% 2	0+	46+	46+	46+	92+									
% 3	0+	0+	46+	46+	92+									
% 4	0+	0+	0+	46+	46+									
% 5	0+	0+	0+	46+	46+									
m/s	9,0	9,0	9,0	9,0	9,0									
TAB ***	---	---	---	---	---									

	xx° T	N 21m	47,5 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 21m

070983 21.01

m >< t CODE > 0377 < B131 2651

m	15,5	25,9	36,3	46,7	57,1	62,3	67,5	15,5	25,9	36,3	46,7	57,1	62,3	67,5
8,0	48,0													
9,0	47,0													
10,0	46,0	35,5												
11,0	45,0	35,5												
12,0	44,0	35,5	23,7											
14,0	43,0	35,0	23,6	14,7				42,0						
16,0	42,0	35,0	23,6	14,6	8,8			40,0	34,5					
18,0	36,5	35,0	23,5	14,5	8,7	6,4		38,0	34,0					
20,0	29,3	35,0	23,5	14,5	8,7	6,4	4,6	36,5	33,5	23,1				
22,0		30,5	23,5	14,5	8,6	6,4	4,5	32,5	32,5	23,0				
24,0			23,5	14,5	8,6	6,3	4,5		30,5	22,4	14,2			
26,0				14,5	8,6	6,3	4,5		28,1	21,3	14,2			
28,0						6,3	4,5			20,3	14,1	8,4		
30,0											13,7	8,3	6,1	
32,0											13,4	8,2	6,1	
34,0												7,9	6,0	3,9
36,0													5,8	3,9
38,0														
40,0														
*** n ***	5	4	3	2	1	1	1	5	4	3	2	1	1	1
xx	82.0	82.0	82.0	82.0	82.0	82.0	82.0	75.0	75.0	75.0	75.0	75.0	75.0	75.0
1	0+	46+	92+	92+	92+	92+	92+	0+	46+	92+	92+	92+	92+	92+
2	0+	46+	46+	46+	92+	92+	92+	0+	46+	46+	46+	92+	92+	92+
3	0+	0+	46+	46+	92+	92+	92+	0+	0+	46+	46+	92+	92+	92+
4	0+	0+	0+	46+	46+	92+	92+	0+	0+	0+	46+	46+	92+	92+
5 %	0+	0+	0+	46+	46+	46+	92+	0+	0+	0+	46+	46+	46+	92+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	313	313	313	313	313	313	313	343	343	343	343	343	343	343

	xx° T	N 21m	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 21m

070983 21.01

m >< t CODE > 0377 < B131 2651

m	15,5	25,9	36,3	46,7	57,1									
8,0														
9,0														
10,0														
11,0														
12,0														
14,0														
16,0														
18,0	37,0													
20,0	34,5													
22,0	33,0	30,5												
24,0	32,0	28,4												
26,0	25,2	26,0												
28,0		23,9	18,4											
30,0			17,3											
32,0			16,4	12,0										
34,0				11,4										
36,0				10,8										
38,0					6,2									
40,0					6,0									
*** n ***	4	3	2	2	1									
xx	68.0	68.0	68.0	68.0	68.0									
1	0+	46+	92+	92+	92+									
2	0+	46+	46+	46+	92+									
3	0+	0+	46+	46+	92+									
4	0+	0+	0+	46+	46+									
5	0+	0+	0+	46+	46+									
%														
m/s	9,0	9,0	9,0	9,0	9,0									
TAB ***	373	373	373	373	373									

	xx° T	N 21m	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 21m

070983 21.01

m >< t CODE > 0378 < B131 2751

m	15,5	25,9	36,3	46,7	57,1	62,3	67,5	15,5	25,9	36,3	46,7	57,1	62,3	67,5
8,0	48,0													
9,0	47,0													
10,0	46,0	35,5												
11,0	45,0	35,5												
12,0	44,0	35,5	23,7											
14,0	43,0	35,0	23,6	14,7				42,0						
16,0	42,0	35,0	23,6	14,6	8,8			40,0	34,5					
18,0	36,5	35,0	23,5	14,5	8,7	6,4		38,0	34,0					
20,0	29,3	35,0	23,5	14,5	8,7	6,4	4,6	36,5	33,5	23,1				
22,0		30,5	23,5	14,5	8,6	6,4	4,5	32,5	32,5	23,0				
24,0			23,5	14,5	8,6	6,3	4,5		30,5	22,4	14,2			
26,0				14,5	8,6	6,3	4,5		29,4	21,3	14,2			
28,0						6,3	4,5			20,3	14,1	8,4		
30,0											13,7	8,3	6,1	
32,0											13,4	8,2	6,1	
34,0												7,9	6,0	3,9
36,0													5,8	3,9
38,0														
40,0														
*** n ***	5	4	3	2	1	1	1	5	4	3	2	1	1	1
xx	82.0	82.0	82.0	82.0	82.0	82.0	82.0	75.0	75.0	75.0	75.0	75.0	75.0	75.0
1	0+	46+	92+	92+	92+	92+	92+	0+	46+	92+	92+	92+	92+	92+
2	0+	46+	46+	46+	92+	92+	92+	0+	46+	46+	46+	92+	92+	92+
3	0+	0+	46+	46+	92+	92+	92+	0+	0+	46+	46+	92+	92+	92+
4	0+	0+	0+	46+	46+	92+	92+	0+	0+	0+	46+	46+	92+	92+
5 %	0+	0+	0+	46+	46+	46+	92+	0+	0+	0+	46+	46+	46+	92+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	312	312	312	312	312	312	312	342	342	342	342	342	342	342

	xx° T	N 21m	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

xx° T	N 21m

070983 21.01

m >< t CODE > 0378 < B131 2751

m	15,5	25,9	36,3	46,7	57,1									
8,0														
9,0														
10,0														
11,0														
12,0														
14,0														
16,0														
18,0	37,0													
20,0	34,5													
22,0	33,0	30,5												
24,0	32,0	28,4												
26,0	25,2	26,6												
28,0		25,1	18,4											
30,0			17,3											
32,0			16,4	12,0										
34,0				11,4										
36,0				10,8										
38,0					6,2									
40,0					6,0									
*** n ***	4	3	2	2	1									
xx	68.0	68.0	68.0	68.0	68.0									
1	0+	46+	92+	92+	92+									
2	0+	46+	46+	46+	92+									
3	0+	0+	46+	46+	92+									
4	0+	0+	0+	46+	46+									
5	0+	0+	0+	46+	46+									
%														
m/s	9,0	9,0	9,0	9,0	9,0									
TAB ***	372	372	372	372	372									

	xx° T	N 21m	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 21m

070983 21.01

m >< t CODE > 0379 < B131 2851

m	15,5	25,9	36,3	46,7	57,1	62,3	67,5	15,5	25,9	36,3	46,7	57,1	62,3	67,5
8,0	48,0													
9,0	47,0													
10,0	46,0	35,5												
11,0	45,0	35,5												
12,0	44,0	35,5	23,7											
14,0	43,0	35,0	23,6	14,7				42,0						
16,0	42,0	35,0	23,6	14,6	8,8			40,0	34,5					
18,0	36,5	35,0	23,5	14,5	8,7	6,4		38,0	34,0					
20,0	29,3	35,0	23,5	14,5	8,7	6,4	4,6	36,5	33,5	23,1				
22,0		30,5	23,5	14,5	8,6	6,4	4,5	32,5	32,5	23,0				
24,0			23,5	14,5	8,6	6,3	4,5		30,5	22,4	14,2			
26,0				14,5	8,6	6,3	4,5		29,4	21,3	14,2			
28,0						6,3	4,5			20,3	14,1	8,4		
30,0											13,7	8,3	6,1	
32,0											13,4	8,2	6,1	
34,0												7,9	6,0	3,9
36,0													5,8	3,9
38,0														
40,0														
*** n ***	5	4	3	2	1	1	1	5	4	3	2	1	1	1
xx	82.0	82.0	82.0	82.0	82.0	82.0	82.0	75.0	75.0	75.0	75.0	75.0	75.0	75.0
1	0+	46+	92+	92+	92+	92+	92+	0+	46+	92+	92+	92+	92+	92+
2	0+	46+	46+	46+	92+	92+	92+	0+	46+	46+	46+	92+	92+	92+
3	0+	0+	46+	46+	92+	92+	92+	0+	0+	46+	46+	92+	92+	92+
4	0+	0+	0+	46+	46+	92+	92+	0+	0+	0+	46+	46+	92+	92+
5 %	0+	0+	0+	46+	46+	46+	92+	0+	0+	0+	46+	46+	46+	92+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	311	311	311	311	311	311	311	341	341	341	341	341	341	341

	xx° T	N 21m	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 21m

070983 21.01

m >< t CODE > 0379 < B131 2851

m	15,5	25,9	36,3	46,7	57,1									
8,0														
9,0														
10,0														
11,0														
12,0														
14,0														
16,0														
18,0	37,0													
20,0	34,5													
22,0	33,0	30,5												
24,0	32,0	28,4												
26,0	25,2	26,6												
28,0		25,1	18,4											
30,0			17,3											
32,0			16,4	12,0										
34,0				11,4										
36,0				10,8										
38,0					6,2									
40,0					6,0									
*** n ***	4	3	2	2	1									
xx	68.0	68.0	68.0	68.0	68.0									
1	0+	46+	92+	92+	92+									
2	0+	46+	46+	46+	92+									
3	0+	0+	46+	46+	92+									
4	0+	0+	0+	46+	46+									
5	0+	0+	0+	46+	46+									
%														
m/s	9,0	9,0	9,0	9,0	9,0									
TAB ***	371	371	371	371	371									

	xx° T	N 21m	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 28m

070983 21.01

m >< t CODE > 0380 < B131 2152

m	15,5	25,9	36,3	46,7	57,1	62,3	67,5	15,5	25,9	36,3	46,7	57,1	62,3	67,5
11,0	35,5													
12,0	33,0	26,2												
14,0	27,8	22,3	17,4											
16,0	24,1	19,3	15,1	11,5				21,6						
18,0	21,1	17,0	13,2	10,7				18,9						
20,0	18,8	15,1	11,8	9,5	6,7	4,8		16,8	11,6					
22,0	16,9	13,6	10,5	8,5	6,0	4,7	2,8	15,0	10,4					
24,0	15,3	12,3	9,5	7,6	5,4	4,5	2,8	13,5	9,3	5,5				
26,0	13,7	11,2	8,6	6,9	4,9	4,0	2,8	12,3	8,4	4,9				
28,0	12,3	10,2	7,9	6,3	4,4	3,6	2,8	11,1	7,7	4,4	2,2			
30,0		9,5	7,2	5,7	4,0	3,3	2,6	10,0	7,0	3,9	1,9			
32,0				5,3	3,6	2,9	2,3		6,4	3,6	1,7			
34,0					3,3	2,6	2,1			3,2	1,4			
36,0										2,9	1,2			
38,0											1,0			
*** n ***	4	3	2	2	1	1	1	3	2	1	1	0	0	0
xx	82.0	82.0	82.0	82.0	82.0	82.0	82.0	75.0	75.0	75.0	75.0	75.0	75.0	75.0
1	0+	46+	92+	92+	92+	92+	92+	0+	46+	92+	92+	92+	92+	92+
2	0+	46+	46+	46+	92+	92+	92+	0+	46+	46+	46+	92+	92+	92+
3	0+	0+	46+	46+	92+	92+	92+	0+	0+	46+	46+	92+	92+	92+
4	0+	0+	0+	46+	46+	92+	92+	0+	0+	0+	46+	46+	92+	92+
5 %	0+	0+	0+	46+	46+	46+	92+	0+	0+	0+	46+	46+	46+	92+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	318	318	318	318	318	318	318	348	348	348	348	---	---	---

	xx° T	N 28m	10,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 28m

070983 21.01

m >< t CODE > 0380 < B131 2152

m	15,5	25,9	36,3	46,7	57,1	62,3	67,5							
11,0 12,0														
14,0 16,0														
18,0 20,0														
22,0 24,0														
26,0 28,0														
30,0 32,0														
34,0 36,0														
38,0														
* n *	0	0	0	0	0	0	0							
xx	68.0	68.0	68.0	68.0	68.0	68.0	68.0							
% 1	0+	46+	92+	92+	92+	92+	92+							
% 2	0+	46+	46+	46+	92+	92+	92+							
% 3	0+	0+	46+	46+	92+	92+	92+							
% 4	0+	0+	0+	46+	46+	92+	92+							
% 5	0+	0+	0+	46+	46+	46+	92+							
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0							
TAB ***	---	---	---	---	---	---	---							

	xx° T	N 28m	10,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 28m

070983 21.01

m >< t CODE > 0381 < B131 2252

m	15,5	25,9	36,3	46,7	57,1	62,3	67,5	15,5	25,9	36,3	46,7	57,1	62,3	67,5
11,0	35,5													
12,0	35,0	27,6												
14,0	34,0	27,3	18,4											
16,0	30,5	25,5	18,3	11,5				28,0						
18,0	26,9	22,5	18,3	11,4				24,7						
20,0	24,0	20,2	16,7	11,3	6,7	4,8		22,0	16,8					
22,0	21,6	18,2	15,1	11,3	6,6	4,7	2,8	19,8	15,1					
24,0	19,2	16,6	13,8	11,3	6,6	4,7	2,8	17,7	13,7	9,8				
26,0	17,2	15,2	12,6	10,8	6,6	4,7	2,8	15,9	12,6	9,0				
28,0	15,6	14,1	11,7	10,0	6,6	4,7	2,8	14,4	11,5	8,2	6,0			
30,0		13,1	10,8	9,2	6,6	4,6	2,8	13,1	10,7	7,6	5,5			
32,0				8,6	6,6	4,6	2,8		9,9	7,0	5,0	2,5		
34,0					6,4	4,6	2,8			6,5	4,6	2,2		
36,0										6,0	4,3	2,0		
38,0											3,9	1,8		
40,0												1,6		
*** n ***	4	3	2	2	1	1	1	3	2	1	1	1	0	0
xx	82.0	82.0	82.0	82.0	82.0	82.0	82.0	75.0	75.0	75.0	75.0	75.0	75.0	75.0
1	0+	46+	92+	92+	92+	92+	92+	0+	46+	92+	92+	92+	92+	92+
2	0+	46+	46+	46+	92+	92+	92+	0+	46+	46+	46+	92+	92+	92+
3	0+	0+	46+	46+	92+	92+	92+	0+	0+	46+	46+	92+	92+	92+
4	0+	0+	0+	46+	46+	92+	92+	0+	0+	0+	46+	46+	92+	92+
5 %	0+	0+	0+	46+	46+	46+	92+	0+	0+	0+	46+	46+	46+	92+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	317	317	317	317	317	317	317	347	347	347	347	347	---	---

	xx° T	N 28m	22,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 28m

070983 21.01

m >< t CODE > 0381 < B131 2252

m	15,5	25,9	36,3	46,7	57,1	62,3	67,5							
11,0														
12,0														
14,0														
16,0														
18,0														
20,0														
22,0	18,1													
24,0	16,4													
26,0	14,7	10,1												
28,0	13,3	9,2												
30,0	12,1	8,5												
32,0	11,1	7,9	4,2											
34,0		7,3	3,9											
36,0		6,8	3,5	1,4										
38,0			3,2	1,2										
40,0			2,9	1,1										
*** n ***	2	1	1	1	0	0	0							
xx	68.0	68.0	68.0	68.0	68.0	68.0	68.0							
1	0+	46+	92+	92+	92+	92+	92+							
2	0+	46+	46+	46+	92+	92+	92+							
3	0+	0+	46+	46+	92+	92+	92+							
4	0+	0+	0+	46+	46+	92+	92+							
5	0+	0+	0+	46+	46+	46+	92+							
%														
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0							
TAB ***	377	377	377	377	---	---	---							

	xx° T	N 28m	22,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 28m

070983 21.01

m >< t CODE > 0385 < B131 2452

m	15,5	25,9	36,3	46,7	57,1	62,3	67,5	15,5	25,9	36,3	46,7	57,1	62,3	67,5
11,0	35,5													
12,0	35,0	27,6												
14,0	34,0	27,3	18,4											
16,0	33,0	27,1	18,3	11,5				32,5						
18,0	32,5	26,9	18,3	11,4				31,5						
20,0	31,5	26,9	18,2	11,3	6,7	4,8		30,5	26,3					
22,0	29,7	26,9	18,2	11,3	6,6	4,7	2,8	28,8	24,4					
24,0	25,2	25,2	18,2	11,3	6,6	4,7	2,8	25,7	22,2	17,9				
26,0	20,6	23,2	18,2	11,3	6,6	4,7	2,8	23,2	20,5	16,6				
28,0	15,6	21,1	18,2	11,3	6,6	4,7	2,8	21,0	18,9	15,3	11,0			
30,0		15,5	17,6	11,3	6,6	4,6	2,8	17,8	17,4	14,2	11,0			
32,0				11,3	6,6	4,6	2,8		16,0	13,3	11,0	6,4		
34,0					6,6	4,6	2,8			12,5	10,4	6,4	4,1	
36,0										11,7	9,8	6,4	4,1	2,2
38,0											9,2	6,3	4,1	2,2
40,0												6,1	4,1	2,2
42,0													4,1	2,2
44,0														2,2
46,0														
48,0														
50,0														
*** n ***	4	3	2	2	1	1	1	4	3	2	2	1	1	1
xx	82.0	82.0	82.0	82.0	82.0	82.0	82.0	75.0	75.0	75.0	75.0	75.0	75.0	75.0
1	0+	46+	92+	92+	92+	92+	92+	0+	46+	92+	92+	92+	92+	92+
2	0+	46+	46+	46+	92+	92+	92+	0+	46+	46+	46+	92+	92+	92+
3	0+	0+	46+	46+	92+	92+	92+	0+	0+	46+	46+	92+	92+	92+
4	0+	0+	0+	46+	46+	92+	92+	0+	0+	0+	46+	46+	92+	92+
5 %	0+	0+	0+	46+	46+	46+	92+	0+	0+	0+	46+	46+	46+	92+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	315	315	315	315	315	315	315	345	345	345	345	345	345	345

	xx° T	N 28m	47,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

xx° T	N 28m

070983 21.01

m >< t CODE > 0385 < B131 2452

m	15,5	25,9	36,3	46,7	57,1	62,3	67,5							
11,0														
12,0														
14,0														
16,0														
18,0														
20,0														
22,0	27,3													
24,0	24,3													
26,0	21,9	18,0												
28,0	19,9	16,6												
30,0	18,2	15,4												
32,0	16,7	14,3	10,5											
34,0		13,2	9,8											
36,0		12,2	9,2	6,9										
38,0			8,6	6,5										
40,0			8,1	6,1										
42,0				5,7	3,3									
44,0				5,4	3,0									
46,0					2,8	1,9								
48,0					2,6	1,7								
50,0						1,6								
*** n ***	3	2	1	1	1	1	0							
xx	68.0	68.0	68.0	68.0	68.0	68.0	68.0							
1	0+	46+	92+	92+	92+	92+	92+							
2	0+	46+	46+	46+	92+	92+	92+							
3	0+	0+	46+	46+	92+	92+	92+							
4	0+	0+	0+	46+	46+	92+	92+							
5	0+	0+	0+	46+	46+	46+	92+							
%														
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0							
TAB ***	375	375	375	375	375	375	---							

	xx° T	N 28m	47,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 28m

070983 21.01

m >< t CODE > 0384 < B131 2452

m	15,5	25,9	36,3	46,7	57,1	62,3	67,5	15,5	25,9	36,3	46,7	57,1	62,3	67,5
11,0	35,5													
12,0	35,0	27,6												
14,0	33,5	27,3	18,4											
16,0	29,4	24,8	18,3	11,5										
18,0	26,1	22,1	18,3	11,4										
20,0	23,5	19,9	16,7	11,3	6,7	4,8								
22,0	21,1	18,1	15,2	11,3	6,6	4,7	2,8							
24,0	18,9	16,6	13,9	11,3	6,6	4,7	2,8							
26,0	17,1	15,3	12,8	11,1	6,6	4,7	2,8							
28,0	15,6	14,2	11,9	10,3	6,6	4,7	2,8							
30,0		13,3	11,1	9,6	6,6	4,6	2,8							
32,0				8,9	6,6	4,6	2,8							
34,0					6,6	4,6	2,8							
*** n ***	4	3	2	2	1	1	1	0	0	0	0	0	0	0
xx	82.0	82.0	82.0	82.0	82.0	82.0	82.0	75.0	75.0	75.0	75.0	75.0	75.0	75.0
1	0+	46+	92+	92+	92+	92+	92+	0+	46+	92+	92+	92+	92+	92+
2	0+	46+	46+	46+	92+	92+	92+	0+	46+	46+	46+	92+	92+	92+
3	0+	0+	46+	46+	92+	92+	92+	0+	0+	46+	46+	92+	92+	92+
4	0+	0+	0+	46+	46+	92+	92+	0+	0+	0+	46+	46+	92+	92+
5 %	0+	0+	0+	46+	46+	46+	92+	0+	0+	0+	46+	46+	46+	92+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	325	325	325	325	325	325	325	---	---	---	---	---	---	---

	xx° T	N 28m	47,5 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 28m

070983 21.01

m >< t CODE > 0384 < B131 2452

m	15,5	25,9	36,3	46,7	57,1	62,3	67,5							
11,0														
12,0														
14,0														
16,0														
18,0														
20,0														
22,0														
24,0														
26,0														
28,0														
30,0														
32,0														
34,0														
* n *	0	0	0	0	0	0	0							
xx	68.0	68.0	68.0	68.0	68.0	68.0	68.0							
% 1	0+	46+	92+	92+	92+	92+	92+							
% 2	0+	46+	46+	46+	92+	92+	92+							
% 3	0+	0+	46+	46+	92+	92+	92+							
% 4	0+	0+	0+	46+	46+	92+	92+							
% 5	0+	0+	0+	46+	46+	46+	92+							
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0							
TAB ***	---	---	---	---	---	---	---							

	xx° T	N 28m	47,5 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 28m

070983 21.01

m >< t CODE > 0387 < B131 2652

m	15,5	25,9	36,3	46,7	57,1	62,3	67,5	15,5	25,9	36,3	46,7	57,1	62,3	67,5
11,0	35,5													
12,0	35,0	27,6												
14,0	34,0	27,3	18,4											
16,0	33,0	27,1	18,3	11,5				32,5						
18,0	32,5	26,9	18,3	11,4				31,5						
20,0	31,5	26,9	18,2	11,3	6,7	4,8		30,5	26,3					
22,0	29,7	26,9	18,2	11,3	6,6	4,7	2,8	29,9	25,9					
24,0	25,2	26,7	18,2	11,3	6,6	4,7	2,8	29,5	25,6	17,9				
26,0	20,6	25,8	18,2	11,3	6,6	4,7	2,8	27,3	25,5	17,9				
28,0	15,6	22,4	18,2	11,3	6,6	4,7	2,8	23,0	25,3	17,8	11,0			
30,0		15,5	18,2	11,3	6,6	4,6	2,8	17,8	23,5	17,7	11,0			
32,0				11,3	6,6	4,6	2,8		21,7	17,1	11,0	6,4		
34,0					6,6	4,6	2,8			16,5	11,0	6,4	4,1	
36,0										16,2	10,8	6,4	4,1	2,2
38,0											10,6	6,3	4,1	2,2
40,0												6,1	4,1	2,2
42,0													4,1	2,2
44,0														2,2
46,0														
48,0														
50,0														
52,0														
*** n ***	4	3	2	2	1	1	1	4	3	2	2	1	1	1
xx	82.0	82.0	82.0	82.0	82.0	82.0	82.0	75.0	75.0	75.0	75.0	75.0	75.0	75.0
1	0+	46+	92+	92+	92+	92+	92+	0+	46+	92+	92+	92+	92+	92+
2	0+	46+	46+	46+	92+	92+	92+	0+	46+	46+	46+	92+	92+	92+
3	0+	0+	46+	46+	92+	92+	92+	0+	0+	46+	46+	92+	92+	92+
4	0+	0+	0+	46+	46+	92+	92+	0+	0+	0+	46+	46+	92+	92+
5 %	0+	0+	0+	46+	46+	46+	92+	0+	0+	0+	46+	46+	46+	92+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	313	313	313	313	313	313	313	343	343	343	343	343	343	343

	xx° T	N 28m	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 28m

070983 21.01

m >< t CODE > 0387 < B131 2652

m	15,5	25,9	36,3	46,7	57,1	62,3	67,5							
11,0														
12,0														
14,0														
16,0														
18,0														
20,0														
22,0	29,1													
24,0	28,0													
26,0	27,2	24,8												
28,0	26,5	23,5												
30,0	24,3	21,7												
32,0	20,4	20,0	15,6											
34,0		18,6	14,8											
36,0		17,3	14,1	9,8										
38,0			13,5	9,4										
40,0			12,9	9,1										
42,0				8,7	4,9									
44,0				8,3	4,7									
46,0					4,5	3,1								
48,0					4,3	2,9	1,8							
50,0						2,8	1,8							
52,0							1,8							
*** n ***	3	3	2	1	1	1	1							
xx	68.0	68.0	68.0	68.0	68.0	68.0	68.0							
1	0+	46+	92+	92+	92+	92+	92+							
2	0+	46+	46+	46+	92+	92+	92+							
3	0+	0+	46+	46+	92+	92+	92+							
4	0+	0+	0+	46+	46+	92+	92+							
5	0+	0+	0+	46+	46+	46+	92+							
%														
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0							
TAB ***	373	373	373	373	373	373	373							

	xx° T	N 28m	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 28m

070983 21.01

m >< t CODE > 0388 < B131 2752

m	15,5	25,9	36,3	46,7	57,1	62,3	67,5	15,5	25,9	36,3	46,7	57,1	62,3	67,5
11,0	35,5													
12,0	35,0	27,6												
14,0	34,0	27,3	18,4											
16,0	33,0	27,1	18,3	11,5				32,5						
18,0	32,5	26,9	18,3	11,4				31,5						
20,0	31,5	26,9	18,2	11,3	6,7	4,8		30,5	26,3					
22,0	29,7	26,9	18,2	11,3	6,6	4,7	2,8	29,9	25,9					
24,0	25,2	26,7	18,2	11,3	6,6	4,7	2,8	29,5	25,6	17,9				
26,0	20,6	25,8	18,2	11,3	6,6	4,7	2,8	27,3	25,5	17,9				
28,0	15,6	22,4	18,2	11,3	6,6	4,7	2,8	23,0	25,3	17,8	11,0			
30,0		15,5	18,2	11,3	6,6	4,6	2,8	17,8	24,7	17,7	11,0			
32,0				11,3	6,6	4,6	2,8		22,4	17,1	11,0	6,4		
34,0					6,6	4,6	2,8			16,5	11,0	6,4	4,1	
36,0										16,2	10,8	6,4	4,1	2,2
38,0											10,6	6,3	4,1	2,2
40,0												6,1	4,1	2,2
42,0													4,1	2,2
44,0														2,2
46,0														
48,0														
50,0														
52,0														
*** n ***	4	3	2	2	1	1	1	4	3	2	2	1	1	1
xx	82.0	82.0	82.0	82.0	82.0	82.0	82.0	75.0	75.0	75.0	75.0	75.0	75.0	75.0
1	0+	46+	92+	92+	92+	92+	92+	0+	46+	92+	92+	92+	92+	92+
2	0+	46+	46+	46+	92+	92+	92+	0+	46+	46+	46+	92+	92+	92+
3	0+	0+	46+	46+	92+	92+	92+	0+	0+	46+	46+	92+	92+	92+
4	0+	0+	0+	46+	46+	92+	92+	0+	0+	0+	46+	46+	92+	92+
5 %	0+	0+	0+	46+	46+	46+	92+	0+	0+	0+	46+	46+	46+	92+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	312	312	312	312	312	312	312	342	342	342	342	342	342	342

	xx° T	N 28m	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 28m

070983 21.01

m > < t CODE > 0388 < B131 2752

m	15,5	25,9	36,3	46,7	57,1	62,3	67,5							
11,0														
12,0														
14,0														
16,0														
18,0														
20,0														
22,0	29,1													
24,0	28,0													
26,0	27,2	24,8												
28,0	26,6	23,9												
30,0	24,8	22,8												
32,0	20,4	21,7	15,6											
34,0		20,5	14,8											
36,0		19,2	14,1	9,8										
38,0			13,5	9,4										
40,0			12,9	9,1										
42,0				8,7	4,9									
44,0				8,3	4,7									
46,0					4,5	3,1								
48,0					4,3	2,9	1,8							
50,0						2,8	1,8							
52,0							1,8							
*** n ***	3	3	2	1	1	1	1							
xx	68.0	68.0	68.0	68.0	68.0	68.0	68.0							
1	0+	46+	92+	92+	92+	92+	92+							
2	0+	46+	46+	46+	92+	92+	92+							
3	0+	0+	46+	46+	92+	92+	92+							
4	0+	0+	0+	46+	46+	92+	92+							
5	0+	0+	0+	46+	46+	46+	92+							
%														
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0							
TAB ***	372	372	372	372	372	372	372							

	xx° T	N 28m	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 28m

070983 21.01

m >< t CODE > 0389 < B131 2852

m	15,5	25,9	36,3	46,7	57,1	62,3	67,5	15,5	25,9	36,3	46,7	57,1	62,3	67,5
11,0	35,5													
12,0	35,0	27,6												
14,0	34,0	27,3	18,4											
16,0	33,0	27,1	18,3	11,5				32,5						
18,0	32,5	26,9	18,3	11,4				31,5						
20,0	31,5	26,9	18,2	11,3	6,7	4,8		30,5	26,3					
22,0	29,7	26,9	18,2	11,3	6,6	4,7	2,8	29,9	25,9					
24,0	25,2	26,7	18,2	11,3	6,6	4,7	2,8	29,5	25,6	17,9				
26,0	20,6	25,8	18,2	11,3	6,6	4,7	2,8	27,3	25,5	17,9				
28,0	15,6	22,4	18,2	11,3	6,6	4,7	2,8	23,0	25,3	17,8	11,0			
30,0		15,5	18,2	11,3	6,6	4,6	2,8	17,8	24,7	17,7	11,0			
32,0				11,3	6,6	4,6	2,8		22,4	17,1	11,0	6,4		
34,0					6,6	4,6	2,8			16,5	11,0	6,4	4,1	
36,0										16,2	10,8	6,4	4,1	2,2
38,0											10,6	6,3	4,1	2,2
40,0												6,1	4,1	2,2
42,0													4,1	2,2
44,0														2,2
46,0														
48,0														
50,0														
52,0														
*** n ***	4	3	2	2	1	1	1	4	3	2	2	1	1	1
xx	82.0	82.0	82.0	82.0	82.0	82.0	82.0	75.0	75.0	75.0	75.0	75.0	75.0	75.0
1	0+	46+	92+	92+	92+	92+	92+	0+	46+	92+	92+	92+	92+	92+
2	0+	46+	46+	46+	92+	92+	92+	0+	46+	46+	46+	92+	92+	92+
3	0+	0+	46+	46+	92+	92+	92+	0+	0+	46+	46+	92+	92+	92+
4	0+	0+	0+	46+	46+	92+	92+	0+	0+	0+	46+	46+	92+	92+
5 %	0+	0+	0+	46+	46+	46+	92+	0+	0+	0+	46+	46+	46+	92+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	311	311	311	311	311	311	311	341	341	341	341	341	341	341

	xx° T	N 28m	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 28m

070983 21.01

m >< t CODE > 0389 < B131 2852

m	15,5	25,9	36,3	46,7	57,1	62,3	67,5							
11,0														
12,0														
14,0														
16,0														
18,0														
20,0														
22,0	29,1													
24,0	28,0													
26,0	27,2	24,8												
28,0	26,6	23,9												
30,0	24,8	22,8												
32,0	20,4	21,7	15,6											
34,0		20,7	14,8											
36,0		20,1	14,1	9,8										
38,0			13,5	9,4										
40,0			12,9	9,1										
42,0				8,7	4,9									
44,0				8,3	4,7									
46,0					4,5	3,1								
48,0					4,3	2,9	1,8							
50,0						2,8	1,8							
52,0							1,8							
*** n ***	3	3	2	1	1	1	1							
xx	68.0	68.0	68.0	68.0	68.0	68.0	68.0							
1	0+	46+	92+	92+	92+	92+	92+							
2	0+	46+	46+	46+	92+	92+	92+							
3	0+	0+	46+	46+	92+	92+	92+							
4	0+	0+	0+	46+	46+	92+	92+							
5	0+	0+	0+	46+	46+	46+	92+							
%														
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0							
TAB ***	371	371	371	371	371	371	371							

	xx° T	N 28m	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 35m

070983 21.01

m >< t CODE > 0390 < B131 2153

m	15,5	25,9	36,3	46,7	57,1	62,3	15,5	25,9	36,3	46,7	57,1	62,3	15,5	25,9
14,0	26,4													
16,0	22,8	18,4												
18,0	20,1	16,2	12,3											
20,0	17,9	14,4	10,9	8,9			15,9							
22,0	16,1	12,9	9,7	8,0	5,1	3,1	14,2	9,7						
24,0	14,5	11,6	8,8	7,1	4,7	3,1	12,8	8,7						
26,0	13,2	10,6	7,9	6,5	4,2	3,1	11,6	7,9	4,2					
28,0	12,1	9,6	7,2	5,9	3,8	3,0	10,6	7,1	3,8					
30,0	11,1	8,9	6,6	5,3	3,4	2,7	9,7	6,5	3,3	1,5				
32,0	10,1	8,2	6,1	4,9	3,1	2,4	9,0	6,0	3,0	1,3				
34,0	9,2	7,6	5,6	4,5	2,8	2,1	8,2	5,5	2,7	1,1				
36,0		7,0	5,1	4,1	2,5	1,9	7,6	5,0	2,4					
38,0			4,8	3,8	2,2	1,6		4,6	2,1					
40,0				3,5	2,0	1,4		4,3	1,9					
42,0						1,3			1,7					
*** n ***	3	2	2	1	1	1	2	1	1	1	0	0	0	0
xx	82.0	82.0	82.0	82.0	82.0	82.0	75.0	75.0	75.0	75.0	75.0	75.0	68.0	68.0
1	0+	46+	92+	92+	92+	92+	0+	46+	92+	92+	92+	92+	0+	46+
2	0+	46+	46+	46+	92+	92+	0+	46+	46+	46+	92+	92+	0+	46+
3	0+	0+	46+	46+	92+	92+	0+	0+	46+	46+	92+	92+	0+	0+
4	0+	0+	0+	46+	46+	92+	0+	0+	0+	46+	46+	92+	0+	0+
5 %	0+	0+	0+	46+	46+	46+	0+	0+	0+	46+	46+	46+	0+	0+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	318	318	318	318	318	318	348	348	348	348	---	---	---	---

	xx° T	N 35m	10,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 35m

070983 21.01

m	m >< t				CODE > 0390 <				B131 2153					
m	**36,3**	**46,7**	**57,1**	**62,3**										
14,0 **16,0**														
18,0 **20,0**														
22,0 **24,0**														
26,0 **28,0**														
30,0 **32,0**														
34,0 **36,0**														
38,0 **40,0**														
42,0														
*** n ***	0	0	0	0										
xx	68.0	68.0	68.0	68.0										
1	92+	92+	92+	92+										
2	46+	46+	92+	92+										
3	46+	46+	92+	92+										
4	0+	46+	46+	92+										
5	0+	46+	46+	46+										
%														
m/s	9,0	9,0	9,0	9,0										
TAB ***	---	---	---	---										

	xx° T	N 35m	10,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 35m

070983 21.01

m >< t CODE > 0391 < B131 2253

m	15,5	25,9	36,3	46,7	57,1	62,3	15,5	25,9	36,3	46,7	57,1	62,3	15,5	25,9
14,0	27,1													
16,0	26,4	21,1												
18,0	25,6	20,9	14,7											
20,0	22,9	19,2	14,6	8,9			20,9							
22,0	20,7	17,4	14,2	8,8	5,1	3,1	18,8	14,3						
24,0	18,8	15,8	12,9	8,8	5,0	3,1	17,1	13,0						
26,0	17,1	14,5	11,8	8,7	5,0	3,1	15,6	11,9	8,2				14,2	
28,0	15,5	13,4	10,9	8,7	5,0	3,1	14,3	10,9	7,5				13,0	
30,0	14,1	12,4	10,1	8,7	4,9	3,1	13,0	10,1	6,9	5,0			11,9	7,9
32,0	12,9	11,5	9,3	8,1	4,9	3,1	11,9	9,3	6,3	4,6			10,9	7,3
34,0	11,9	10,8	8,7	7,5	4,9	3,1	10,9	8,7	5,8	4,2	1,6		10,0	6,8
36,0		10,1	8,1	7,0	4,9	3,1	10,1	8,1	5,4	3,9	1,4		9,2	6,3
38,0			7,6	6,6	4,9	3,1		7,6	5,0	3,5	1,2		8,6	5,8
40,0				6,2	4,7	3,1		7,1	4,7	3,3	1,0			5,4
42,0						3,1			4,3	3,0				5,1
44,0										2,8				
46,0														
*** n ***	3	3	2	1	1	1	2	2	1	1	1	0	2	1
xx	82.0	82.0	82.0	82.0	82.0	82.0	75.0	75.0	75.0	75.0	75.0	75.0	68.0	68.0
1	0+	46+	92+	92+	92+	92+	0+	46+	92+	92+	92+	92+	0+	46+
2	0+	46+	46+	46+	92+	92+	0+	46+	46+	46+	92+	92+	0+	46+
3	0+	0+	46+	46+	92+	92+	0+	0+	46+	46+	92+	92+	0+	0+
4	0+	0+	0+	46+	46+	92+	0+	0+	0+	46+	46+	92+	0+	0+
5 %	0+	0+	0+	46+	46+	46+	0+	0+	0+	46+	46+	46+	0+	0+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	317	317	317	317	317	317	347	347	347	347	347	---	377	377

	xx° T	N 35m	22,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 35m

070983 21.01

m >< t CODE > 0391 < B131 2253

m	36,3	46,7	57,1	62,3										
14,0														
16,0														
18,0														
20,0														
22,0														
24,0														
26,0														
28,0														
30,0														
32,0														
34,0														
36,0	2,9													
38,0	2,6													
40,0	2,4													
42,0	2,1													
44,0	1,9													
46,0	1,7													
*** n ***	1	0	0	0										
xx	68.0	68.0	68.0	68.0										
1	92+	92+	92+	92+										
2	46+	46+	92+	92+										
3	46+	46+	92+	92+										
4	0+	46+	46+	92+										
5	0+	46+	46+	46+										
%														
m/s	9,0	9,0	9,0	9,0										
TAB ***	377	---	---	---										

	xx° T	N 35m	22,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 35m

070983 21.01

m >< t CODE > 0395 < B131 2453

m	15,5	25,9	36,3	46,7	57,1	62,3	15,5	25,9	36,3	46,7	57,1	62,3	15,5	25,9
14,0	27,1													
16,0	26,4	21,1												
18,0	25,7	20,9	14,7											
20,0	25,2	20,7	14,6	8,9			24,8							
22,0	24,7	20,6	14,5	8,8	5,1	3,1	24,1	20,3						
24,0	24,4	20,6	14,5	8,8	5,0	3,1	23,5	20,2						
26,0	24,0	20,6	14,4	8,7	5,0	3,1	23,0	19,6	14,2				21,7	
28,0	22,1	20,6	14,4	8,7	5,0	3,1	20,9	18,1	14,2				19,7	
30,0	19,4	19,2	14,4	8,7	4,9	3,1	19,1	16,8	13,4	8,5			18,0	14,6
32,0	16,6	17,7	14,4	8,7	4,9	3,1	17,6	15,7	12,5	8,5			16,6	13,6
34,0	13,5	16,3	14,4	8,7	4,9	3,1	16,2	14,6	11,7	8,5	4,5		15,3	12,7
36,0		15,1	13,7	8,7	4,9	3,1	15,1	13,5	10,9	8,4	4,5		14,2	11,9
38,0			13,0	8,7	4,9	3,1		12,6	10,3	8,4	4,5	2,5	13,2	11,2
40,0				8,7	4,9	3,1		11,8	9,7	8,2	4,5	2,5		10,4
42,0						3,1			9,2	7,7	4,5	2,5		9,7
44,0										7,3	4,5	2,5		
46,0											4,5	2,5		
48,0											4,5	2,5		
50,0														
52,0														
54,0														
*** n ***	3	3	2	1	1	1	3	2	2	1	1	1	3	2
xx	82.0	82.0	82.0	82.0	82.0	82.0	75.0	75.0	75.0	75.0	75.0	75.0	68.0	68.0
% 1	0+	46+	92+	92+	92+	92+	0+	46+	92+	92+	92+	92+	0+	46+
% 2	0+	46+	46+	46+	92+	92+	0+	46+	46+	46+	92+	92+	0+	46+
% 3	0+	0+	46+	46+	92+	92+	0+	0+	46+	46+	92+	92+	0+	0+
% 4	0+	0+	0+	46+	46+	92+	0+	0+	0+	46+	46+	92+	0+	0+
% 5	0+	0+	0+	46+	46+	46+	0+	0+	0+	46+	46+	46+	0+	0+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	315	315	315	315	315	315	345	345	345	345	345	345	375	375

	xx° T	N 35m	47,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 35m

070983 21.01

m >< t CODE > 0395 < B131 2453

m	36,3	46,7	57,1	62,3										
14,0														
16,0														
18,0														
20,0														
22,0														
24,0														
26,0														
28,0														
30,0														
32,0														
34,0														
36,0	8,4													
38,0	7,9													
40,0	7,4	5,6												
42,0	7,0	5,2												
44,0	6,6	4,9												
46,0	6,2	4,6	2,2											
48,0		4,3	2,0											
50,0		4,1	1,8											
52,0			1,7											
54,0			1,5											
*** n ***	1	1	1	0										
xx	68.0	68.0	68.0	68.0										
1	92+	92+	92+	92+										
2	46+	46+	92+	92+										
3	46+	46+	92+	92+										
4	0+	46+	46+	92+										
5	0+	46+	46+	46+										
%														
m/s	9,0	9,0	9,0	9,0										
TAB ***	375	375	375	---										

	xx° T	N 35m	47,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 35m

070983 21.01

m >< t CODE > 0394 < B131 2453

m	15,5	25,9	36,3	46,7	57,1	62,3	15,5	25,9	36,3	46,7	57,1	62,3	15,5	25,9
14,0	27,1													
16,0	26,4	21,1												
18,0	24,9	20,9	14,7											
20,0	22,4	19,0	14,6	8,9										
22,0	20,4	17,3	14,3	8,8	5,1	3,1								
24,0	18,6	15,8	13,1	8,8	5,0	3,1								
26,0	17,0	14,6	12,0	8,7	5,0	3,1								
28,0	15,5	13,5	11,1	8,7	5,0	3,1								
30,0	14,2	12,6	10,3	8,7	4,9	3,1								
32,0	13,0	11,7	9,6	8,4	4,9	3,1								
34,0	12,0	11,0	9,0	7,9	4,9	3,1								
36,0		10,3	8,4	7,4	4,9	3,1								
38,0			7,9	6,9	4,9	3,1								
40,0				6,5	4,9	3,1								
42,0						3,1								
*** n ***	3	3	2	1	1	1	0	0	0	0	0	0	0	0
xx	82.0	82.0	82.0	82.0	82.0	82.0	75.0	75.0	75.0	75.0	75.0	75.0	68.0	68.0
% 1	0+	46+	92+	92+	92+	92+	0+	46+	92+	92+	92+	92+	0+	46+
% 2	0+	46+	46+	46+	92+	92+	0+	46+	46+	46+	92+	92+	0+	46+
% 3	0+	0+	46+	46+	92+	92+	0+	0+	46+	46+	92+	92+	0+	0+
% 4	0+	0+	0+	46+	46+	92+	0+	0+	0+	46+	46+	92+	0+	0+
% 5	0+	0+	0+	46+	46+	46+	0+	0+	0+	46+	46+	46+	0+	0+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	325	325	325	325	325	325	---	---	---	---	---	---	---	---

	xx° T	N 35m	47,5 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 35m

070983 21.01

m >< t CODE > 0394 < B131 2453

m	36,3	46,7	57,1	62,3										
14,0 16,0														
18,0 20,0														
22,0 24,0														
26,0 28,0														
30,0 32,0														
34,0 36,0														
38,0 40,0														
42,0														
* n *	0	0	0	0										
xx	68.0	68.0	68.0	68.0										
1	92+	92+	92+	92+										
2	46+	46+	92+	92+										
3	46+	46+	92+	92+										
4	0+	46+	46+	92+										
5 %	0+	46+	46+	46+										
m/s	9,0	9,0	9,0	9,0										
TAB ***	---	---	---	---										

	xx° T	N 35m	47,5 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 35m

070983 21.01

m >< t CODE > 0397 < B131 2653

m	15,5	25,9	36,3	46,7	57,1	62,3	15,5	25,9	36,3	46,7	57,1	62,3	15,5	25,9
14,0	27,1													
16,0	26,4	21,1												
18,0	25,7	20,9	14,7											
20,0	25,2	20,7	14,6	8,9			24,8							
22,0	24,7	20,6	14,5	8,8	5,1	3,1	24,1	20,3						
24,0	24,4	20,6	14,5	8,8	5,0	3,1	23,5	20,2						
26,0	24,0	20,6	14,4	8,7	5,0	3,1	23,1	20,1	14,2				22,7	
28,0	22,3	20,6	14,4	8,7	5,0	3,1	22,8	19,9	14,2				22,0	
30,0	19,4	20,5	14,4	8,7	4,9	3,1	22,6	19,8	14,1	8,5			21,6	19,3
32,0	16,6	20,1	14,4	8,7	4,9	3,1	21,0	19,8	14,1	8,5			21,4	19,0
34,0	13,5	18,1	14,4	8,7	4,9	3,1	18,3	19,8	14,1	8,5	4,5		20,7	18,3
36,0		15,3	14,4	8,7	4,9	3,1	15,3	18,6	14,1	8,4	4,5		19,2	17,1
38,0			14,4	8,7	4,9	3,1		17,4	13,9	8,4	4,5	2,5	16,9	16,0
40,0				8,7	4,9	3,1		15,4	13,5	8,4	4,5	2,5		15,0
42,0						3,1			13,3	8,4	4,5	2,5		14,1
44,0										8,4	4,5	2,5		
46,0											4,5	2,5		
48,0											4,5	2,5		
50,0														
52,0														
54,0														
56,0														
*** n ***	3	3	2	1	1	1	3	2	2	1	1	1	3	2
xx	82.0	82.0	82.0	82.0	82.0	82.0	75.0	75.0	75.0	75.0	75.0	75.0	68.0	68.0
1	0+	46+	92+	92+	92+	92+	0+	46+	92+	92+	92+	92+	0+	46+
2	0+	46+	46+	46+	92+	92+	0+	46+	46+	46+	92+	92+	0+	46+
3	0+	0+	46+	46+	92+	92+	0+	0+	46+	46+	92+	92+	0+	0+
4	0+	0+	0+	46+	46+	92+	0+	0+	0+	46+	46+	92+	0+	0+
5 %	0+	0+	0+	46+	46+	46+	0+	0+	0+	46+	46+	46+	0+	0+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	313	313	313	313	313	313	343	343	343	343	343	343	373	373

	xx° T	N 35m	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 35m

070983 21.01

m >< t CODE > 0397 < B131 2653

m	36,3	46,7	57,1	62,3										
14,0														
16,0														
18,0														
20,0														
22,0														
24,0														
26,0														
28,0														
30,0														
32,0														
34,0														
36,0	13,2													
38,0	12,6													
40,0	12,1	7,9												
42,0	11,6	7,7												
44,0	11,1	7,4												
46,0	10,7	7,2	3,7											
48,0		7,0	3,5											
50,0		6,8	3,4	2,1										
52,0			3,3	2,1										
54,0			3,2	2,0										
56,0				1,9										
*** n ***	2	1	1	1										
xx	68.0	68.0	68.0	68.0										
1	92+	92+	92+	92+										
2	46+	46+	92+	92+										
3	46+	46+	92+	92+										
4	0+	46+	46+	92+										
5	0+	46+	46+	46+										
%														
m/s	9,0	9,0	9,0	9,0										
TAB ***	373	373	373	373										

	xx° T	N 35m	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 35m

070983 21.01

m >< t CODE > 0398 < B131 2753

m	15,5	25,9	36,3	46,7	57,1	62,3	15,5	25,9	36,3	46,7	57,1	62,3	15,5	25,9
14,0	27,1													
16,0	26,4	21,1												
18,0	25,7	20,9	14,7											
20,0	25,2	20,7	14,6	8,9			24,8							
22,0	24,7	20,6	14,5	8,8	5,1	3,1	24,1	20,3						
24,0	24,4	20,6	14,5	8,8	5,0	3,1	23,5	20,2						
26,0	24,0	20,6	14,4	8,7	5,0	3,1	23,1	20,1	14,2				22,7	
28,0	22,3	20,6	14,4	8,7	5,0	3,1	22,8	19,9	14,2				22,0	
30,0	19,4	20,5	14,4	8,7	4,9	3,1	22,6	19,8	14,1	8,5			21,6	19,3
32,0	16,6	20,1	14,4	8,7	4,9	3,1	21,0	19,8	14,1	8,5			21,4	19,0
34,0	13,5	18,1	14,4	8,7	4,9	3,1	18,3	19,8	14,1	8,5	4,5		21,2	18,8
36,0		15,3	14,4	8,7	4,9	3,1	15,3	19,8	14,1	8,4	4,5		19,7	18,5
38,0			14,4	8,7	4,9	3,1		18,4	13,9	8,4	4,5	2,5	16,9	17,8
40,0				8,7	4,9	3,1		15,4	13,5	8,4	4,5	2,5		16,8
42,0						3,1			13,3	8,4	4,5	2,5		15,8
44,0										8,4	4,5	2,5		
46,0											4,5	2,5		
48,0											4,5	2,5		
50,0														
52,0														
54,0														
56,0														
*** n ***	3	3	2	1	1	1	3	2	2	1	1	1	3	2
xx	82.0	82.0	82.0	82.0	82.0	82.0	75.0	75.0	75.0	75.0	75.0	75.0	68.0	68.0
1	0+	46+	92+	92+	92+	92+	0+	46+	92+	92+	92+	92+	0+	46+
2	0+	46+	46+	46+	92+	92+	0+	46+	46+	46+	92+	92+	0+	46+
3	0+	0+	46+	46+	92+	92+	0+	0+	46+	46+	92+	92+	0+	0+
4	0+	0+	0+	46+	46+	92+	0+	0+	0+	46+	46+	92+	0+	0+
5 %	0+	0+	0+	46+	46+	46+	0+	0+	0+	46+	46+	46+	0+	0+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	312	312	312	312	312	312	342	342	342	342	342	342	372	372

	xx° T	N 35m	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 35m

070983 21.01

m >< t CODE > 0398 < B131 2753

m	36,3	46,7	57,1	62,3										
14,0														
16,0														
18,0														
20,0														
22,0														
24,0														
26,0														
28,0														
30,0														
32,0														
34,0														
36,0	13,2													
38,0	12,6													
40,0	12,1	7,9												
42,0	11,6	7,7												
44,0	11,1	7,4												
46,0	10,7	7,2	3,7											
48,0		7,0	3,5											
50,0		6,8	3,4	2,1										
52,0			3,3	2,1										
54,0			3,2	2,0										
56,0				1,9										
*** n ***	2	1	1	1										
xx	68.0	68.0	68.0	68.0										
1	92+	92+	92+	92+										
2	46+	46+	92+	92+										
3	46+	46+	92+	92+										
4	0+	46+	46+	92+										
5	0+	46+	46+	46+										
%														
m/s	9,0	9,0	9,0	9,0										
TAB ***	372	372	372	372										

	xx° T	N 35m	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 35m

070983 21.01

m >< t CODE > 0399 < B131 2853

m	15,5	25,9	36,3	46,7	57,1	62,3	15,5	25,9	36,3	46,7	57,1	62,3	15,5	25,9
14,0	27,1													
16,0	26,4	21,1												
18,0	25,7	20,9	14,7											
20,0	25,2	20,7	14,6	8,9			24,8							
22,0	24,7	20,6	14,5	8,8	5,1	3,1	24,1	20,3						
24,0	24,4	20,6	14,5	8,8	5,0	3,1	23,5	20,2						
26,0	24,0	20,6	14,4	8,7	5,0	3,1	23,1	20,1	14,2				22,7	
28,0	22,3	20,6	14,4	8,7	5,0	3,1	22,8	19,9	14,2				22,0	
30,0	19,4	20,5	14,4	8,7	4,9	3,1	22,6	19,8	14,1	8,5			21,6	19,3
32,0	16,6	20,1	14,4	8,7	4,9	3,1	21,0	19,8	14,1	8,5			21,4	19,0
34,0	13,5	18,1	14,4	8,7	4,9	3,1	18,3	19,8	14,1	8,5	4,5		21,2	18,8
36,0		15,3	14,4	8,7	4,9	3,1	15,3	19,8	14,1	8,4	4,5		19,7	18,5
38,0			14,4	8,7	4,9	3,1		18,4	13,9	8,4	4,5	2,5	16,9	17,9
40,0				8,7	4,9	3,1		15,4	13,5	8,4	4,5	2,5		17,2
42,0						3,1			13,3	8,4	4,5	2,5		16,7
44,0										8,4	4,5	2,5		
46,0											4,5	2,5		
48,0											4,5	2,5		
50,0														
52,0														
54,0														
56,0														
*** n ***	3	3	2	1	1	1	3	2	2	1	1	1	3	2
xx	82.0	82.0	82.0	82.0	82.0	82.0	75.0	75.0	75.0	75.0	75.0	75.0	68.0	68.0
1	0+	46+	92+	92+	92+	92+	0+	46+	92+	92+	92+	92+	0+	46+
2	0+	46+	46+	46+	92+	92+	0+	46+	46+	46+	92+	92+	0+	46+
3	0+	0+	46+	46+	92+	92+	0+	0+	46+	46+	92+	92+	0+	0+
4	0+	0+	0+	46+	46+	92+	0+	0+	0+	46+	46+	92+	0+	0+
5 %	0+	0+	0+	46+	46+	46+	0+	0+	0+	46+	46+	46+	0+	0+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	311	311	311	311	311	311	341	341	341	341	341	341	371	371

	xx° T	N 35m	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 35m

070983 21.01

m >< t CODE > 0399 < B131 2853

m	36,3	46,7	57,1	62,3										
14,0														
16,0														
18,0														
20,0														
22,0														
24,0														
26,0														
28,0														
30,0														
32,0														
34,0														
36,0	13,2													
38,0	12,6													
40,0	12,1	7,9												
42,0	11,6	7,7												
44,0	11,1	7,4												
46,0	10,7	7,2	3,7											
48,0		7,0	3,5											
50,0		6,8	3,4	2,1										
52,0			3,3	2,1										
54,0			3,2	2,0										
56,0				1,9										
*** n ***	2	1	1	1										
xx	68.0	68.0	68.0	68.0										
1	92+	92+	92+	92+										
2	46+	46+	92+	92+										
3	46+	46+	92+	92+										
4	0+	46+	46+	92+										
5	0+	46+	46+	46+										
%														
m/s	9,0	9,0	9,0	9,0										
TAB ***	371	371	371	371										

	xx° T	N 35m	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 42m

070983 21.01

m >< t CODE > 0400 < B131 2154

m	15,5	25,9	36,3	46,7	57,1	15,5	25,9	36,3	46,7	57,1	15,5	25,9	36,3	46,7
16,0	21,0													
18,0	19,2	15,3												
20,0	17,1	13,6	10,2											
22,0	15,4	12,1	9,1	7,1		13,6								
24,0	13,9	10,9	8,1	6,5	3,5	12,2								
26,0	12,6	9,9	7,3	5,9	3,5	11,1	7,3							
28,0	11,6	9,0	6,6	5,3	3,3	10,1	6,6							
30,0	10,6	8,3	6,0	4,8	2,9	9,2	5,9	2,8						
32,0	9,8	7,6	5,5	4,4	2,6	8,5	5,4	2,5						
34,0	9,1	7,0	5,1	4,0	2,3	7,8	4,9	2,2						
36,0	8,4	6,5	4,6	3,6	2,0	7,3	4,5	1,9						
38,0	7,8	6,0	4,3	3,3	1,8	6,8	4,2	1,7						
40,0	7,2	5,6	3,9	3,0	1,6	6,3	3,8	1,4						
42,0	6,6	5,2	3,6	2,8	1,4	5,9	3,5	1,2						
44,0		4,9	3,4	2,5	1,2	5,4	3,2	1,1						
46,0				2,3	1,0		3,0							
*** n ***	2	2	1	1	1	2	1	1	0	0	0	0	0	0
xx	82.0	82.0	82.0	82.0	82.0	75.0	75.0	75.0	75.0	75.0	68.0	68.0	68.0	68.0
1	0+	46+	92+	92+	92+	0+	46+	92+	92+	92+	0+	46+	92+	92+
2	0+	46+	46+	46+	92+	0+	46+	46+	46+	92+	0+	46+	46+	46+
3	0+	0+	46+	46+	92+	0+	0+	46+	46+	92+	0+	0+	46+	46+
4	0+	0+	0+	46+	46+	0+	0+	0+	46+	46+	0+	0+	0+	46+
5 %	0+	0+	0+	46+	46+	0+	0+	0+	46+	46+	0+	0+	0+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	318	318	318	318	318	348	348	348	---	---	---	---	---	---

	xx° T	N 42m	10,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 42m

070983 21.01

m >< t CODE > 0400 < B131 2154

m	57,1													
16,0 **18,0**														
20,0 **22,0**														
24,0 **26,0**														
28,0 **30,0**														
32,0 **34,0**														
36,0 **38,0**														
40,0 **42,0**														
44,0 **46,0**														
*** n ***	0													
xx	68.0													
1	92+													
2	92+													
3	92+													
4	46+													
5	46+													
%														
m/s	9,0													
TAB ***	---													

	xx° T	N 42m	10,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 42m

070983 21.01

m >< t CODE > 0401 < B131 2254

m	15,5	25,9	36,3	46,7	57,1	15,5	25,9	36,3	46,7	57,1	15,5	25,9	36,3	46,7
16,0	21,0													
18,0	20,7	16,6												
20,0	20,3	16,5	11,8											
22,0	19,9	16,4	11,7	7,1		18,1								
24,0	18,1	15,0	11,6	7,0	3,5	16,4								
26,0	16,5	13,8	11,1	7,0	3,5	15,0	11,2							
28,0	15,2	12,7	10,2	7,0	3,5	13,8	10,2							
30,0	14,0	11,7	9,4	6,9	3,5	12,7	9,4	6,3			11,5			
32,0	12,8	10,9	8,7	6,9	3,5	11,8	8,7	5,7			10,6			
34,0	11,8	10,1	8,1	6,9	3,5	10,8	8,1	5,3	3,7		9,9	6,2		
36,0	10,9	9,4	7,5	6,5	3,5	10,0	7,5	4,8	3,3		9,1	5,7		
38,0	10,1	8,9	7,0	6,1	3,5	9,3	7,0	4,5	3,0		8,4	5,3	2,1	
40,0	9,4	8,3	6,6	5,7	3,5	8,6	6,5	4,1	2,8		7,8	4,9	1,9	
42,0	8,5	7,9	6,2	5,3	3,5	8,0	6,1	3,8	2,5		7,3	4,5	1,6	
44,0		7,5	5,8	5,0	3,5	7,5	5,8	3,5	2,3		6,8	4,2	1,4	
46,0				4,7	3,3		5,4	3,3	2,1		6,3	3,9	1,3	
48,0					3,1			3,1	1,9			3,7	1,1	
50,0								2,8	1,7			3,5		
52,0									1,5					
*** n ***	2	2	2	1	1	2	2	1	1	0	2	1	1	0
xx	82.0	82.0	82.0	82.0	82.0	75.0	75.0	75.0	75.0	75.0	68.0	68.0	68.0	68.0
1	0+	46+	92+	92+	92+	0+	46+	92+	92+	92+	0+	46+	92+	92+
2	0+	46+	46+	46+	92+	0+	46+	46+	46+	92+	0+	46+	46+	46+
3	0+	0+	46+	46+	92+	0+	0+	46+	46+	92+	0+	0+	46+	46+
4	0+	0+	0+	46+	46+	0+	0+	0+	46+	46+	0+	0+	0+	46+
5 %	0+	0+	0+	46+	46+	0+	0+	0+	46+	46+	0+	0+	0+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	317	317	317	317	317	347	347	347	347	---	377	377	377	---

	xx° T	N 42m	22,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 42m

070983 21.01

m	m >< t	CODE > 0401 < B131 2254												
m	**57,1**													
16,0 **18,0**														
20,0 **22,0**														
24,0 **26,0**														
28,0 **30,0**														
32,0 **34,0**														
36,0 **38,0**														
40,0 **42,0**														
44,0 **46,0**														
48,0 **50,0**														
52,0														
*** n ***	0													
xx	68.0													
1	92+													
2	92+													
3	92+													
4	46+													
5	46+													
%														
m/s	9,0													
TAB ***	---													

	xx° T	N 42m	22,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 42m

070983 21.01

m >< t CODE > 0405 < B131 2454

m	15,5	25,9	36,3	46,7	57,1	15,5	25,9	36,3	46,7	57,1	15,5	25,9	36,3	46,7
16,0	21,0													
18,0	20,7	16,6												
20,0	20,3	16,5	11,8											
22,0	19,9	16,4	11,7	7,1		19,8								
24,0	19,5	16,2	11,6	7,0	3,5	19,3								
26,0	19,2	16,1	11,5	7,0	3,5	18,8	15,9							
28,0	19,0	16,1	11,5	7,0	3,5	18,4	15,8							
30,0	18,4	16,1	11,5	6,9	3,5	18,1	15,7	11,3			17,8			
32,0	17,6	16,1	11,5	6,9	3,5	17,5	14,9	11,3			16,4			
34,0	16,8	15,9	11,5	6,9	3,5	16,1	13,9	11,0	6,7		15,2	12,0		
36,0	15,4	15,0	11,5	6,9	3,5	15,0	13,1	10,3	6,7		14,1	11,3		
38,0	13,5	13,9	11,5	6,9	3,5	13,9	12,3	9,6	6,7	2,9	13,1	10,6	7,3	
40,0	11,4	13,0	11,5	6,9	3,5	13,0	11,6	9,1	6,7	2,9	12,2	9,9	6,8	
42,0	8,5	12,2	11,0	6,9	3,5	12,2	10,8	8,5	6,7	2,9	11,5	9,4	6,4	
44,0		9,0	10,4	6,9	3,5	10,7	10,2	8,1	6,7	2,9	10,8	8,9	6,0	4,4
46,0				6,9	3,5		9,6	7,6	6,3	2,9	10,1	8,3	5,6	4,1
48,0					3,5			7,3	6,0	2,9		7,8	5,3	3,8
50,0								6,9	5,7	2,9		7,4	5,0	3,6
52,0									5,4	2,9			4,7	3,3
54,0										2,9			4,5	3,1
56,0														2,9
58,0														2,7
*** n ***	2	2	2	1	1	2	2	2	1	1	2	2	1	1
xx	82.0	82.0	82.0	82.0	82.0	75.0	75.0	75.0	75.0	75.0	68.0	68.0	68.0	68.0
1	0+	46+	92+	92+	92+	0+	46+	92+	92+	92+	0+	46+	92+	92+
2	0+	46+	46+	46+	92+	0+	46+	46+	46+	92+	0+	46+	46+	46+
3	0+	0+	46+	46+	92+	0+	0+	46+	46+	92+	0+	0+	46+	46+
4	0+	0+	0+	46+	46+	0+	0+	0+	46+	46+	0+	0+	0+	46+
5 %	0+	0+	0+	46+	46+	0+	0+	0+	46+	46+	0+	0+	0+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	315	315	315	315	315	345	345	345	345	345	375	375	375	375

	xx° T	N 42m	47,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 42m

070983 21.01

m	m >< t	CODE > 0405 < B131 2454												
m	**57,1**													
16,0 **18,0**														
20,0 **22,0**														
24,0 **26,0**														
28,0 **30,0**														
32,0 **34,0**														
36,0 **38,0**														
40,0 **42,0**														
44,0 **46,0**														
48,0 **50,0**														
52,0 **54,0**														
56,0 **58,0**														
*** n ***	0													
xx	68.0													
1	92+													
2	92+													
3	92+													
4	46+													
5	46+													
%														
m/s	9,0													
TAB ***	---													

	xx° T	N 42m	47,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 42m

070983 21.01

m >< t CODE > 0404 < B131 2454

m	15,5	25,9	36,3	46,7	57,1	15,5	25,9	36,3	46,7	57,1	15,5	25,9	36,3	46,7
16,0	21,0													
18,0	20,7	16,6												
20,0	20,3	16,5	11,8											
22,0	19,6	16,4	11,7	7,1										
24,0	17,9	15,0	11,6	7,0	3,5									
26,0	16,5	13,8	11,3	7,0	3,5									
28,0	15,2	12,8	10,4	7,0	3,5									
30,0	14,1	11,9	9,7	6,9	3,5									
32,0	12,9	11,0	9,0	6,9	3,5									
34,0	12,0	10,3	8,4	6,9	3,5									
36,0	11,1	9,7	7,8	6,8	3,5									
38,0	10,3	9,1	7,3	6,4	3,5									
40,0	9,6	8,6	6,9	6,0	3,5									
42,0	8,5	8,1	6,5	5,6	3,5									
44,0		7,7	6,1	5,3	3,5									
46,0				5,0	3,5									
48,0					3,5									
*** n ***	2	2	2	1	1	0	0	0	0	0	0	0	0	0
xx	82.0	82.0	82.0	82.0	82.0	75.0	75.0	75.0	75.0	75.0	68.0	68.0	68.0	68.0
1	0+	46+	92+	92+	92+	0+	46+	92+	92+	92+	0+	46+	92+	92+
2	0+	46+	46+	46+	92+	0+	46+	46+	46+	92+	0+	46+	46+	46+
3	0+	0+	46+	46+	92+	0+	0+	46+	46+	92+	0+	0+	46+	46+
4	0+	0+	0+	46+	46+	0+	0+	0+	46+	46+	0+	0+	0+	46+
5	0+	0+	0+	46+	46+	0+	0+	0+	46+	46+	0+	0+	0+	46+
%														
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	325	325	325	325	325	---	---	---	---	---	---	---	---	---

	xx° T	N 42m	47,5 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 42m

070983 21.01

m	m >< t	CODE > 0404 < B131 2454												
m	**57,1**													
16,0 **18,0**														
20,0 **22,0**														
24,0 **26,0**														
28,0 **30,0**														
32,0 **34,0**														
36,0 **38,0**														
40,0 **42,0**														
44,0 **46,0**														
48,0														
*** n ***	0													
xx	68.0													
1	92+													
2	92+													
3	92+													
4	46+													
5	46+													
%														
m/s	9,0													
TAB ***	---													

	xx° T	N 42m	47,5 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 42m

070983 21.01

m >< t CODE > 0407 < B131 2654

m	15,5	25,9	36,3	46,7	57,1	15,5	25,9	36,3	46,7	57,1	15,5	25,9	36,3	46,7
16,0	21,0													
18,0	20,7	16,6												
20,0	20,3	16,5	11,8											
22,0	19,9	16,4	11,7	7,1		19,8								
24,0	19,5	16,2	11,6	7,0	3,5	19,3								
26,0	19,2	16,1	11,5	7,0	3,5	18,8	15,9							
28,0	19,0	16,1	11,5	7,0	3,5	18,4	15,8							
30,0	18,4	16,1	11,5	6,9	3,5	18,1	15,7	11,3			17,8			
32,0	17,6	16,1	11,5	6,9	3,5	17,9	15,6	11,3			17,4			
34,0	16,8	15,9	11,5	6,9	3,5	17,6	15,6	11,2	6,7		17,0	15,2		
36,0	15,4	15,6	11,5	6,9	3,5	16,9	15,6	11,2	6,7		16,8	15,1		
38,0	13,5	15,1	11,5	6,9	3,5	16,1	15,5	11,2	6,7	2,9	16,7	14,9	11,0	
40,0	11,4	14,1	11,5	6,9	3,5	14,9	15,3	11,2	6,7	2,9	16,1	14,7	10,9	
42,0	8,5	12,4	11,5	6,9	3,5	12,9	14,8	11,2	6,7	2,9	15,4	13,8	10,7	
44,0		9,0	11,5	6,9	3,5	10,7	14,2	11,2	6,7	2,9	14,1	13,0	10,3	6,3
46,0				6,9	3,5		13,1	11,2	6,7	2,9	12,2	12,3	10,0	6,3
48,0					3,5			11,1	6,7	2,9		11,6	9,6	6,1
50,0								10,9	6,7	2,9		11,0	9,2	6,0
52,0									6,7	2,9			8,8	5,9
54,0										2,9			8,3	5,7
56,0														5,5
58,0														5,3
60,0														
62,0														
*** n ***	2	2	2	1	1	2	2	2	1	1	2	2	2	1
xx	82.0	82.0	82.0	82.0	82.0	75.0	75.0	75.0	75.0	75.0	68.0	68.0	68.0	68.0
1	0+	46+	92+	92+	92+	0+	46+	92+	92+	92+	0+	46+	92+	92+
2	0+	46+	46+	46+	92+	0+	46+	46+	46+	92+	0+	46+	46+	46+
3	0+	0+	46+	46+	92+	0+	0+	46+	46+	92+	0+	0+	46+	46+
4	0+	0+	0+	46+	46+	0+	0+	0+	46+	46+	0+	0+	0+	46+
5 %	0+	0+	0+	46+	46+	0+	0+	0+	46+	46+	0+	0+	0+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	313	313	313	313	313	343	343	343	343	343	373	373	373	373

	xx° T	N 42m	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 42m

070983 21.01

m	m >< t													
	CODE > 0407 < B131 2654													
m	**57,1**													
16,0 **18,0**														
20,0 **22,0**														
24,0 **26,0**														
28,0 **30,0**														
32,0 **34,0**														
36,0 **38,0**														
40,0 **42,0**														
44,0 **46,0**														
48,0 **50,0**	 2,6													
52,0 **54,0**	2,6 2,5													
56,0 **58,0**	2,4 2,3													
60,0 **62,0**	2,3 2,2													
*** n ***	1													
xx	68.0													
1	92+													
2	92+													
3	92+													
4	46+													
5	46+													
%														
m/s	9,0													
TAB ***	373													

	xx° T	N 42m	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 42m

070983 21.01

m >< t CODE > 0408 < B131 2754

m	15,5	25,9	36,3	46,7	57,1	15,5	25,9	36,3	46,7	57,1	15,5	25,9	36,3	46,7
16,0	21,0													
18,0	20,7	16,6												
20,0	20,3	16,5	11,8											
22,0	19,9	16,4	11,7	7,1		19,8								
24,0	19,5	16,2	11,6	7,0	3,5	19,3								
26,0	19,2	16,1	11,5	7,0	3,5	18,8	15,9							
28,0	19,0	16,1	11,5	7,0	3,5	18,4	15,8							
30,0	18,4	16,1	11,5	6,9	3,5	18,1	15,7	11,3			17,8			
32,0	17,6	16,1	11,5	6,9	3,5	17,9	15,6	11,3			17,4			
34,0	16,8	15,9	11,5	6,9	3,5	17,6	15,6	11,2	6,7		17,0	15,2		
36,0	15,4	15,6	11,5	6,9	3,5	16,9	15,6	11,2	6,7		16,8	15,1		
38,0	13,5	15,1	11,5	6,9	3,5	16,1	15,5	11,2	6,7	2,9	16,7	14,9	11,0	
40,0	11,4	14,1	11,5	6,9	3,5	14,9	15,3	11,2	6,7	2,9	16,1	14,9	10,9	
42,0	8,5	12,4	11,5	6,9	3,5	12,9	14,8	11,2	6,7	2,9	15,4	14,9	10,7	
44,0		9,0	11,5	6,9	3,5	10,7	14,4	11,2	6,7	2,9	14,1	14,6	10,3	6,3
46,0				6,9	3,5		13,1	11,2	6,7	2,9	12,2	13,8	10,0	6,3
48,0					3,5			11,1	6,7	2,9		13,1	9,6	6,1
50,0								10,9	6,7	2,9		12,4	9,3	6,0
52,0									6,7	2,9			8,9	5,9
54,0										2,9			8,7	5,7
56,0														5,5
58,0														5,3
60,0														
62,0														
*** n ***	2	2	2	1	1	2	2	2	1	1	2	2	2	1
xx	82.0	82.0	82.0	82.0	82.0	75.0	75.0	75.0	75.0	75.0	68.0	68.0	68.0	68.0
1	0+	46+	92+	92+	92+	0+	46+	92+	92+	92+	0+	46+	92+	92+
2	0+	46+	46+	46+	92+	0+	46+	46+	46+	92+	0+	46+	46+	46+
3	0+	0+	46+	46+	92+	0+	0+	46+	46+	92+	0+	0+	46+	46+
4	0+	0+	0+	46+	46+	0+	0+	0+	46+	46+	0+	0+	0+	46+
5 %	0+	0+	0+	46+	46+	0+	0+	0+	46+	46+	0+	0+	0+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	312	312	312	312	312	342	342	342	342	342	372	372	372	372

	xx° T	N 42m	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 42m

070983 21.01

m	m >< t	CODE > 0408 < B131 2754												
m	**57,1**													
16,0														
18,0														
20,0														
22,0														
24,0														
26,0														
28,0														
30,0														
32,0														
34,0														
36,0														
38,0														
40,0														
42,0														
44,0														
46,0														
48,0														
50,0	2,6													
52,0	2,6													
54,0	2,5													
56,0	2,4													
58,0	2,3													
60,0	2,3													
62,0	2,2													
*** n ***	1													
xx	68.0													
1	92+													
2	92+													
3	92+													
4	46+													
5	46+													
%														
m/s	9,0													
TAB ***	372													

	xx° T	N 42m	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 42m

070983 21.01

m >< t CODE > 0409 < B131 2854

m	15,5	25,9	36,3	46,7	57,1	15,5	25,9	36,3	46,7	57,1	15,5	25,9	36,3	46,7
16,0	21,0													
18,0	20,7	16,6												
20,0	20,3	16,5	11,8											
22,0	19,9	16,4	11,7	7,1		19,8								
24,0	19,5	16,2	11,6	7,0	3,5	19,3								
26,0	19,2	16,1	11,5	7,0	3,5	18,8	15,9							
28,0	19,0	16,1	11,5	7,0	3,5	18,4	15,8							
30,0	18,4	16,1	11,5	6,9	3,5	18,1	15,7	11,3			17,8			
32,0	17,6	16,1	11,5	6,9	3,5	17,9	15,6	11,3			17,4			
34,0	16,8	15,9	11,5	6,9	3,5	17,6	15,6	11,2	6,7		17,0	15,2		
36,0	15,4	15,6	11,5	6,9	3,5	16,9	15,6	11,2	6,7		16,8	15,1		
38,0	13,5	15,1	11,5	6,9	3,5	16,1	15,5	11,2	6,7	2,9	16,7	14,9	11,0	
40,0	11,4	14,1	11,5	6,9	3,5	14,9	15,3	11,2	6,7	2,9	16,1	14,9	10,9	
42,0	8,5	12,4	11,5	6,9	3,5	12,9	14,8	11,2	6,7	2,9	15,4	14,9	10,7	
44,0		9,0	11,5	6,9	3,5	10,7	14,4	11,2	6,7	2,9	14,1	14,8	10,3	6,3
46,0				6,9	3,5		13,1	11,2	6,7	2,9	12,2	14,5	10,0	6,3
48,0					3,5			11,1	6,7	2,9		14,1	9,6	6,1
50,0								10,9	6,7	2,9		13,3	9,3	6,0
52,0									6,7	2,9			8,9	5,9
54,0										2,9			8,7	5,7
56,0														5,5
58,0														5,3
60,0														
62,0														
*** n ***	2	2	2	1	1	2	2	2	1	1	2	2	2	1
xx	82.0	82.0	82.0	82.0	82.0	75.0	75.0	75.0	75.0	75.0	68.0	68.0	68.0	68.0
1	0+	46+	92+	92+	92+	0+	46+	92+	92+	92+	0+	46+	92+	92+
2	0+	46+	46+	46+	92+	0+	46+	46+	46+	92+	0+	46+	46+	46+
3	0+	0+	46+	46+	92+	0+	0+	46+	46+	92+	0+	0+	46+	46+
4	0+	0+	0+	46+	46+	0+	0+	0+	46+	46+	0+	0+	0+	46+
5 %	0+	0+	0+	46+	46+	0+	0+	0+	46+	46+	0+	0+	0+	46+
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0
TAB ***	311	311	311	311	311	341	341	341	341	341	371	371	371	371

	xx° T	N 42m	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 42m

070983 21.01

m	m >< t	CODE > 0409 < B131 2854												
	57,1													
16,0 **18,0**														
20,0 **22,0**														
24,0 **26,0**														
28,0 **30,0**														
32,0 **34,0**														
36,0 **38,0**														
40,0 **42,0**														
44,0 **46,0**														
48,0 **50,0**	2,6													
52,0 **54,0**	2,6 2,5													
56,0 **58,0**	2,4 2,3													
60,0 **62,0**	2,3 2,2													
*** n ***	1													
xx	68.0													
1	92+													
2	92+													
3	92+													
4	46+													
5	46+													
%														
m/s	9,0													
TAB ***	371													

	xx° T	N 42m	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 49m

070983 21.01

m >< t CODE > 0410 < B131 2155

m	15,5	25,9	36,3	46,7	15,5	25,9	36,3	46,7	15,5	25,9	36,3	46,7		
18,0	16,4													
20,0	16,2	12,8												
22,0	14,6	11,4	8,6											
24,0	13,2	10,3	7,8	5,4										
26,0	12,0	9,3	7,0	5,3	10,4									
28,0	10,9	8,4	6,3	4,8	9,5	6,0								
30,0	10,0	7,7	5,7	4,3	8,6	5,4								
32,0	9,2	7,1	5,2	3,9	7,9	4,9	2,2							
34,0	8,5	6,5	4,8	3,5	7,3	4,4	1,9							
36,0	7,9	6,0	4,4	3,2	6,7	4,0	1,6							
38,0	7,3	5,5	4,0	2,9	6,2	3,7	1,4							
40,0	6,8	5,1	3,7	2,6	5,8	3,3	1,2							
42,0	6,4	4,7	3,4	2,3	5,4	3,0	1,0							
44,0	6,0	4,4	3,1	2,1	5,0	2,8								
46,0	5,6	4,1	2,8	1,9	4,7	2,5								
48,0	5,2	3,8	2,6	1,7	4,4	2,3								
50,0		3,6	2,4	1,5	4,1	2,1								
52,0			2,2	1,3		1,9								
54,0						1,8								
*** n ***	2	2	1	1	1	1	1	0	0	0	0	0		
xx	82.0	82.0	82.0	82.0	75.0	75.0	75.0	75.0	68.0	68.0	68.0	68.0		
1	0+	46+	92+	92+	0+	46+	92+	92+	0+	46+	92+	92+		
2	0+	46+	46+	46+	0+	46+	46+	46+	0+	46+	46+	46+		
3	0+	0+	46+	46+	0+	0+	46+	46+	0+	0+	46+	46+		
4	0+	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	46+		
5 %	0+	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	46+		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	318	318	318	318	348	348	348	---	---	---	---	---		

	xx° T	N 49m	10,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 49m

070983 21.01

m >< t CODE > 0411 < B131 2255

m	15,5	25,9	36,3	46,7	15,5	25,9	36,3	46,7	15,5	25,9	36,3	46,7		
18,0	16,4													
20,0	16,2	13,1												
22,0	16,0	13,0	9,3											
24,0	15,8	12,8	9,3	5,4										
26,0	15,5	12,7	9,2	5,4	14,2									
28,0	14,5	12,0	9,2	5,4	13,1	9,6								
30,0	13,4	11,0	9,0	5,3	12,1	8,8								
32,0	12,4	10,2	8,4	5,3	11,2	8,1	5,4		10,0					
34,0	11,6	9,5	7,8	5,3	10,4	7,5	4,9		9,3					
36,0	10,7	8,9	7,2	5,3	9,7	6,9	4,5	2,8	8,6					
38,0	10,0	8,3	6,7	5,3	9,0	6,4	4,2	2,5	8,0	4,7				
40,0	9,3	7,7	6,3	5,2	8,4	6,0	3,8	2,3	7,5	4,4				
42,0	8,6	7,3	5,9	4,8	7,8	5,6	3,5	2,0	7,0	4,0				
44,0	8,1	6,8	5,5	4,5	7,3	5,2	3,2	1,8	6,6	3,7				
46,0	7,6	6,5	5,2	4,2	6,8	4,9	3,0	1,6	6,1	3,4				
48,0	7,1	6,1	4,8	3,9	6,4	4,6	2,8	1,4	5,7	3,2				
50,0		5,8	4,6	3,7	6,0	4,3	2,5	1,2	5,3	3,0				
52,0			4,3	3,4		4,1	2,3	1,1	4,9	2,7				
54,0						3,8	2,1			2,5				
56,0							2,0			2,4				
*** n ***	2	2	1	1	2	1	1	1	1	1	0	0		
xx	82.0	82.0	82.0	82.0	75.0	75.0	75.0	75.0	68.0	68.0	68.0	68.0		
1	0+	46+	92+	92+	0+	46+	92+	92+	0+	46+	92+	92+		
2	0+	46+	46+	46+	0+	46+	46+	46+	0+	46+	46+	46+		
3	0+	0+	46+	46+	0+	0+	46+	46+	0+	0+	46+	46+		
4	0+	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	46+		
5 %	0+	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	46+		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	317	317	317	317	347	347	347	347	377	377	---	---		

	xx° T	N 49m	22,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 49m

070983 21.01

m >< t CODE > 0415 < B131 2455

m	15,5	25,9	36,3	46,7	15,5	25,9	36,3	46,7	15,5	25,9	36,3	46,7		
18,0	16,4													
20,0	16,2	13,1												
22,0	16,0	13,0	9,3											
24,0	15,8	12,8	9,3	5,4										
26,0	15,5	12,7	9,2	5,4	15,4									
28,0	15,3	12,6	9,2	5,4	15,1	12,5								
30,0	15,1	12,6	9,1	5,3	14,8	12,4								
32,0	14,9	12,5	9,1	5,3	14,5	12,3	9,0		14,4					
34,0	14,7	12,5	9,1	5,3	14,3	12,2	9,0		14,1					
36,0	14,6	12,5	9,1	5,3	14,2	12,2	8,9	4,9	13,8					
38,0	14,3	12,4	9,1	5,3	13,7	11,6	8,9	4,9	12,9	9,9				
40,0	13,7	12,4	9,1	5,3	12,8	11,0	8,7	4,9	12,0	9,3				
42,0	12,4	12,0	9,1	5,3	12,0	10,3	8,2	4,9	11,2	8,8	6,0			
44,0	10,9	11,3	9,1	5,3	11,3	9,8	7,7	4,9	10,5	8,3	5,6			
46,0	9,5	10,6	9,1	5,3	10,6	9,3	7,3	4,9	9,9	7,8	5,3			
48,0	7,9	10,0	9,0	5,3	10,0	8,8	6,9	4,9	9,3	7,4	4,9	3,3		
50,0		8,6	8,6	5,3	9,3	8,3	6,5	4,9	8,8	7,0	4,7	3,0		
52,0			8,2	5,3		7,8	6,2	4,9	8,3	6,6	4,4	2,8		
54,0						7,4	5,9	4,6		6,3	4,1	2,6		
56,0							5,6	4,4		5,9	3,9	2,4		
58,0								4,1			3,7	2,2		
60,0											3,5	2,1		
62,0												1,9		
64,0												1,8		
*** n ***	2	2	1	1	2	2	1	1	2	1	1	1		
xx	82.0	82.0	82.0	82.0	75.0	75.0	75.0	75.0	68.0	68.0	68.0	68.0		
1	0+	46+	92+	92+	0+	46+	92+	92+	0+	46+	92+	92+		
2	0+	46+	46+	46+	0+	46+	46+	46+	0+	46+	46+	46+		
3	0+	0+	46+	46+	0+	0+	46+	46+	0+	0+	46+	46+		
4	0+	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	46+		
5 %	0+	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	46+		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	315	315	315	315	345	345	345	345	375	375	375	375		

	xx° T	N 49m	47,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 49m

070983 21.01

m >< t CODE > 0414 < B131 2455

m	15,5	25,9	36,3	46,7	15,5	25,9	36,3	46,7	15,5	25,9	36,3	46,7		
18,0	16,4													
20,0	16,2	13,1												
22,0	16,0	13,0	9,3											
24,0	15,8	12,8	9,3	5,4										
26,0	15,5	12,7	9,2	5,4										
28,0	14,5	12,1	9,2	5,4										
30,0	13,5	11,2	9,1	5,3										
32,0	12,5	10,4	8,6	5,3										
34,0	11,7	9,7	8,0	5,3										
36,0	10,9	9,1	7,5	5,3										
38,0	10,1	8,5	7,0	5,3										
40,0	9,4	8,0	6,6	5,3										
42,0	8,8	7,5	6,2	5,1										
44,0	8,3	7,1	5,8	4,8										
46,0	7,8	6,7	5,4	4,5										
48,0	7,3	6,4	5,1	4,2										
50,0		6,1	4,9	4,0										
52,0			4,6	3,7										
*** n ***	2	2	1	1	0	0	0	0	0	0	0	0		
xx	82.0	82.0	82.0	82.0	75.0	75.0	75.0	75.0	68.0	68.0	68.0	68.0		
1	0+	46+	92+	92+	0+	46+	92+	92+	0+	46+	92+	92+		
2	0+	46+	46+	46+	0+	46+	46+	46+	0+	46+	46+	46+		
3	0+	0+	46+	46+	0+	0+	46+	46+	0+	0+	46+	46+		
4	0+	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	46+		
5	0+	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	46+		
%														
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	325	325	325	325	---	---	---	---	---	---	---	---		

	xx° T	N 49m	47,5 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 49m

070983 21.01

m >< t CODE > 0417 < B131 2655

m	15,5	25,9	36,3	46,7	15,5	25,9	36,3	46,7	15,5	25,9	36,3	46,7		
18,0	16,4													
20,0	16,2	13,1												
22,0	16,0	13,0	9,3											
24,0	15,8	12,8	9,3	5,4										
26,0	15,5	12,7	9,2	5,4	15,4									
28,0	15,3	12,6	9,2	5,4	15,1	12,5								
30,0	15,1	12,6	9,1	5,3	14,8	12,4								
32,0	14,9	12,5	9,1	5,3	14,5	12,3	9,0		14,4					
34,0	14,7	12,5	9,1	5,3	14,3	12,2	9,0		14,1					
36,0	14,6	12,5	9,1	5,3	14,2	12,2	8,9	4,9	13,8					
38,0	14,3	12,4	9,1	5,3	14,1	12,1	8,9	4,9	13,5	11,9				
40,0	13,8	12,4	9,1	5,3	14,0	12,1	8,8	4,9	13,4	11,9				
42,0	12,4	12,4	9,1	5,3	14,0	12,1	8,8	4,9	13,4	11,8	8,7			
44,0	10,9	12,4	9,1	5,3	13,5	12,1	8,8	4,9	13,4	11,8	8,7			
46,0	9,5	11,7	9,1	5,3	12,2	12,1	8,8	4,9	13,4	11,8	8,7			
48,0	7,9	10,3	9,1	5,3	10,7	12,1	8,8	4,9	13,0	11,3	8,7	4,5		
50,0		8,6	9,1	5,3	9,3	11,9	8,8	4,9	11,8	10,7	8,6	4,5		
52,0			9,1	5,3		10,9	8,8	4,9	10,3	10,2	8,3	4,5		
54,0						9,1	8,8	4,9		9,7	8,0	4,5		
56,0							8,8	4,9		9,2	7,6	4,5		
58,0								4,9			7,3	4,5		
60,0											6,9	4,5		
62,0												4,3		
64,0												4,2		
*** n ***	2	2	1	1	2	2	1	1	2	2	1	1		
xx	82.0	82.0	82.0	82.0	75.0	75.0	75.0	75.0	68.0	68.0	68.0	68.0		
1	0+	46+	92+	92+	0+	46+	92+	92+	0+	46+	92+	92+		
2	0+	46+	46+	46+	0+	46+	46+	46+	0+	46+	46+	46+		
3	0+	0+	46+	46+	0+	0+	46+	46+	0+	0+	46+	46+		
4	0+	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	46+		
5 %	0+	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	46+		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	313	313	313	313	343	343	343	343	373	373	373	373		

	xx° T	N 49m	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 49m

070983 21.01

m >< t CODE > 0418 < B131 2755

m	15,5	25,9	36,3	46,7	15,5	25,9	36,3	46,7	15,5	25,9	36,3	46,7		
18,0	16,4													
20,0	16,2	13,1												
22,0	16,0	13,0	9,3											
24,0	15,8	12,8	9,3	5,4										
26,0	15,5	12,7	9,2	5,4	15,4									
28,0	15,3	12,6	9,2	5,4	15,1	12,5								
30,0	15,1	12,6	9,1	5,3	14,8	12,4								
32,0	14,9	12,5	9,1	5,3	14,5	12,3	9,0		14,4					
34,0	14,7	12,5	9,1	5,3	14,3	12,2	9,0		14,1					
36,0	14,6	12,5	9,1	5,3	14,2	12,2	8,9	4,9	13,8					
38,0	14,3	12,4	9,1	5,3	14,1	12,1	8,9	4,9	13,5	11,9				
40,0	13,8	12,4	9,1	5,3	14,0	12,1	8,8	4,9	13,4	11,9				
42,0	12,4	12,4	9,1	5,3	14,0	12,1	8,8	4,9	13,4	11,8	8,7			
44,0	10,9	12,4	9,1	5,3	13,5	12,1	8,8	4,9	13,4	11,8	8,7			
46,0	9,5	11,7	9,1	5,3	12,2	12,1	8,8	4,9	13,4	11,8	8,7			
48,0	7,9	10,3	9,1	5,3	10,7	12,1	8,8	4,9	13,0	11,8	8,7	4,5		
50,0		8,6	9,1	5,3	9,3	12,1	8,8	4,9	11,8	11,8	8,6	4,5		
52,0			9,1	5,3		10,9	8,8	4,9	10,3	11,5	8,3	4,5		
54,0						9,1	8,8	4,9		10,9	8,0	4,5		
56,0							8,8	4,9		10,4	7,8	4,5		
58,0								4,9			7,5	4,5		
60,0											7,3	4,5		
62,0												4,3		
64,0												4,2		
*** n ***	2	2	1	1	2	2	1	1	2	2	1	1		
xx	82.0	82.0	82.0	82.0	75.0	75.0	75.0	75.0	68.0	68.0	68.0	68.0		
1	0+	46+	92+	92+	0+	46+	92+	92+	0+	46+	92+	92+		
2	0+	46+	46+	46+	0+	46+	46+	46+	0+	46+	46+	46+		
3	0+	0+	46+	46+	0+	0+	46+	46+	0+	0+	46+	46+		
4	0+	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	46+		
5 %	0+	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	46+		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	312	312	312	312	342	342	342	342	372	372	372	372		

	xx° T	N 49m	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 49m

070983 21.01

m >< t CODE > 0419 < B131 2855

m	15,5	25,9	36,3	46,7	15,5	25,9	36,3	46,7	15,5	25,9	36,3	46,7		
18,0	16,4													
20,0	16,2	13,1												
22,0	16,0	13,0	9,3											
24,0	15,8	12,8	9,3	5,4										
26,0	15,5	12,7	9,2	5,4	15,4									
28,0	15,3	12,6	9,2	5,4	15,1	12,5								
30,0	15,1	12,6	9,1	5,3	14,8	12,4								
32,0	14,9	12,5	9,1	5,3	14,5	12,3	9,0		14,4					
34,0	14,7	12,5	9,1	5,3	14,3	12,2	9,0		14,1					
36,0	14,6	12,5	9,1	5,3	14,2	12,2	8,9	4,9	13,8					
38,0	14,3	12,4	9,1	5,3	14,1	12,1	8,9	4,9	13,5	11,9				
40,0	13,8	12,4	9,1	5,3	14,0	12,1	8,8	4,9	13,4	11,9				
42,0	12,4	12,4	9,1	5,3	14,0	12,1	8,8	4,9	13,4	11,8	8,7			
44,0	10,9	12,4	9,1	5,3	13,5	12,1	8,8	4,9	13,4	11,8	8,7			
46,0	9,5	11,7	9,1	5,3	12,2	12,1	8,8	4,9	13,4	11,8	8,7			
48,0	7,9	10,3	9,1	5,3	10,7	12,1	8,8	4,9	13,0	11,8	8,7	4,5		
50,0		8,6	9,1	5,3	9,3	12,1	8,8	4,9	11,8	11,8	8,6	4,5		
52,0			9,1	5,3		10,9	8,8	4,9	10,3	11,8	8,3	4,5		
54,0						9,1	8,8	4,9		11,8	8,0	4,5		
56,0							8,8	4,9		11,3	7,8	4,5		
58,0								4,9			7,5	4,5		
60,0											7,3	4,5		
62,0												4,3		
64,0												4,2		
*** n ***	2	2	1	1	2	2	1	1	2	2	1	1		
xx	82.0	82.0	82.0	82.0	75.0	75.0	75.0	75.0	68.0	68.0	68.0	68.0		
1	0+	46+	92+	92+	0+	46+	92+	92+	0+	46+	92+	92+		
2	0+	46+	46+	46+	0+	46+	46+	46+	0+	46+	46+	46+		
3	0+	0+	46+	46+	0+	0+	46+	46+	0+	0+	46+	46+		
4	0+	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	46+		
5 %	0+	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	46+		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	311	311	311	311	341	341	341	341	371	371	371	371		

	xx° T	N 49m	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 56m

070983 21.01

m >< t CODE > 0420 < B131 2156

m	15,5	25,9	36,3	46,7	15,5	25,9	36,3	46,7	15,5	25,9	36,3	46,7		
20,0	12,8													
22,0	12,6	10,3												
24,0	12,5	9,8	7,2											
26,0	11,3	8,9	6,4	3,9										
28,0	10,3	8,1	5,8	3,9	8,9									
30,0	9,4	7,4	5,2	3,8	8,1									
32,0	8,6	6,7	4,7	3,4	7,4	4,6								
34,0	8,0	6,2	4,3	3,0	6,8	4,1								
36,0	7,4	5,7	3,9	2,7	6,2	3,7								
38,0	6,8	5,2	3,5	2,4	5,7	3,4								
40,0	6,3	4,8	3,2	2,1	5,3	3,1								
42,0	5,9	4,5	2,9	1,9	4,9	2,8								
44,0	5,5	4,1	2,6	1,7	4,5	2,5								
46,0	5,1	3,8	2,4	1,5	4,2	2,3								
48,0	4,8	3,5	2,2	1,3	3,9	2,0								
50,0	4,5	3,3	2,0	1,1	3,6	1,8								
52,0	4,2	3,0	1,8		3,4	1,6								
54,0	4,0	2,8	1,6		3,1	1,5								
56,0	3,7	2,6	1,4		2,9	1,3								
58,0			1,3		2,8	1,1								
60,0						1,0								
*** n ***	2	1	1	1	1	1	0	0	0	0	0	0		
xx	82.0	82.0	82.0	82.0	75.0	75.0	75.0	75.0	68.0	68.0	68.0	68.0		
1	0+	46+	92+	92+	0+	46+	92+	92+	0+	46+	92+	92+		
2	0+	46+	46+	46+	0+	46+	46+	46+	0+	46+	46+	46+		
3	0+	0+	46+	46+	0+	0+	46+	46+	0+	0+	46+	46+		
4	0+	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	46+		
5 %	0+	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	46+		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	318	318	318	318	348	348	---	---	---	---	---	---		

	xx° T	N 56m	10,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 56m

070983 21.01

m >< t CODE > 0421 < B131 2256

m	15,5	25,9	36,3	46,7	15,5	25,9	36,3	46,7	15,5	25,9	36,3	46,7		
20,0	12,8													
22,0	12,6	10,3												
24,0	12,5	10,2	7,4											
26,0	12,3	10,1	7,4	3,9										
28,0	12,1	10,0	7,3	3,9	12,1									
30,0	12,0	9,9	7,3	3,9	11,4									
32,0	11,8	9,8	7,2	3,9	10,5	7,7								
34,0	10,9	9,1	7,2	3,9	9,8	7,1								
36,0	10,2	8,5	6,7	3,9	9,1	6,6	4,0		8,0					
38,0	9,5	7,9	6,2	3,9	8,5	6,1	3,7		7,5					
40,0	8,9	7,4	5,8	3,9	7,9	5,7	3,3	1,8	7,0					
42,0	8,4	6,9	5,4	3,9	7,4	5,3	3,0	1,5	6,5	3,7				
44,0	7,9	6,5	5,0	3,9	6,9	4,9	2,8	1,3	6,1	3,4				
46,0	7,3	6,1	4,7	3,7	6,5	4,6	2,5	1,1	5,7	3,1				
48,0	6,9	5,8	4,4	3,4	6,1	4,3	2,3		5,3	2,9				
50,0	6,5	5,4	4,1	3,2	5,8	4,0	2,1		5,0	2,7				
52,0	6,1	5,1	3,8	3,0	5,4	3,7	1,9		4,7	2,4				
54,0	5,7	4,8	3,6	2,8	5,0	3,5	1,7		4,4	2,2				
56,0	4,9	4,6	3,4	2,6	4,7	3,3	1,5		4,1	2,0				
58,0			3,2	2,4	4,4	3,1	1,4		3,8	1,9				
60,0				2,2		2,9	1,2		3,5	1,7				
62,0							1,1			1,6				
64,0							1,0			1,4				
*** n ***	2	1	1	1	2	1	1	1	1	1	0	0		
xx	82.0	82.0	82.0	82.0	75.0	75.0	75.0	75.0	68.0	68.0	68.0	68.0		
1	0+	46+	92+	92+	0+	46+	92+	92+	0+	46+	92+	92+		
2	0+	46+	46+	46+	0+	46+	46+	46+	0+	46+	46+	46+		
3	0+	0+	46+	46+	0+	0+	46+	46+	0+	0+	46+	46+		
4	0+	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	46+		
5 %	0+	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	46+		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	317	317	317	317	347	347	347	347	377	377	---	---		

	xx° T	N 56m	22,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 56m

070983 21.01

m >< t CODE > 0425 < B131 2456

m	15,5	25,9	36,3	46,7	15,5	25,9	36,3	46,7	15,5	25,9	36,3	46,7		
20,0	12,8													
22,0	12,6	10,3												
24,0	12,5	10,2	7,4											
26,0	12,3	10,1	7,4	3,9										
28,0	12,1	10,0	7,3	3,9	12,1									
30,0	12,0	9,9	7,3	3,9	11,9									
32,0	11,9	9,8	7,2	3,9	11,8	9,7								
34,0	11,8	9,8	7,2	3,9	11,5	9,6								
36,0	11,5	9,7	7,2	3,9	11,3	9,5	7,1		11,3					
38,0	11,3	9,6	7,2	3,9	11,2	9,5	7,1		11,1					
40,0	11,0	9,4	7,2	3,9	11,1	9,4	7,1	3,3	10,9					
42,0	10,7	9,2	7,2	3,9	11,0	9,3	7,0	3,3	10,7	8,4				
44,0	10,4	9,0	7,2	3,9	10,7	9,2	7,0	3,3	10,3	7,9				
46,0	10,3	8,8	7,2	3,9	10,4	8,9	6,7	3,3	9,7	7,4	4,7			
48,0	9,9	8,7	7,2	3,9	9,8	8,4	6,4	3,3	9,1	7,0	4,4			
50,0	8,9	8,6	7,2	3,9	9,2	8,0	6,0	3,3	8,6	6,6	4,1			
52,0	7,9	8,5	7,2	3,9	8,7	7,6	5,7	3,3	8,1	6,3	3,9	2,3		
54,0	6,8	8,4	7,2	3,9	8,3	7,2	5,4	3,3	7,7	6,0	3,6	2,1		
56,0	4,9	7,8	7,0	3,9	7,8	6,9	5,1	3,3	7,3	5,6	3,4	1,9		
58,0			6,7	3,9	6,4	6,5	4,8	3,3	6,9	5,4	3,2	1,7		
60,0				3,9		6,1	4,6	3,3	6,6	5,1	3,0	1,6		
62,0							4,4	3,2		4,8	2,8	1,4		
64,0							4,2	3,0		4,5	2,6	1,3		
66,0								2,9			2,5	1,2		
68,0											2,3	1,0		
*** n ***	2	1	1	1	2	1	1	1	2	1	1	1		
xx	82.0	82.0	82.0	82.0	75.0	75.0	75.0	75.0	68.0	68.0	68.0	68.0		
1	0+	46+	92+	92+	0+	46+	92+	92+	0+	46+	92+	92+		
2	0+	46+	46+	46+	0+	46+	46+	46+	0+	46+	46+	46+		
3	0+	0+	46+	46+	0+	0+	46+	46+	0+	0+	46+	46+		
4	0+	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	46+		
5 %	0+	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	46+		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	315	315	315	315	345	345	345	345	375	375	375	375		

	xx° T	N 56m	47,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 56m

070983 21.01

m >< t CODE > 0424 < B131 2456

m	15,5	25,9	36,3	46,7	15,5	25,9	36,3	46,7	15,5	25,9	36,3	46,7		
20,0	12,8													
22,0	12,6	10,3												
24,0	12,5	10,2	7,4											
26,0	12,3	10,1	7,4	3,9										
28,0	12,1	10,0	7,3	3,9										
30,0	12,0	9,9	7,3	3,9										
32,0	11,9	9,8	7,2	3,9										
34,0	11,1	9,3	7,2	3,9										
36,0	10,4	8,7	6,9	3,9										
38,0	9,7	8,2	6,5	3,9										
40,0	9,1	7,6	6,0	3,9										
42,0	8,6	7,2	5,6	3,9										
44,0	8,1	6,8	5,3	3,9										
46,0	7,6	6,4	5,0	3,9										
48,0	7,1	6,0	4,6	3,7										
50,0	6,7	5,7	4,4	3,5										
52,0	6,3	5,4	4,1	3,2										
54,0	5,9	5,1	3,9	3,0										
56,0	4,9	4,8	3,6	2,8										
58,0			3,4	2,6										
60,0				2,5										
*** n ***	2	1	1	1	0	0	0	0	0	0	0	0		
xx	82.0	82.0	82.0	82.0	75.0	75.0	75.0	75.0	68.0	68.0	68.0	68.0		
1	0+	46+	92+	92+	0+	46+	92+	92+	0+	46+	92+	92+		
2	0+	46+	46+	46+	0+	46+	46+	46+	0+	46+	46+	46+		
3	0+	0+	46+	46+	0+	0+	46+	46+	0+	0+	46+	46+		
4	0+	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	46+		
5 %	0+	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	46+		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	325	325	325	325	---	---	---	---	---	---	---	---		

	xx° T	N 56m	47,5 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 56m

070983 21.01

m >< t CODE > 0427 < B131 2656

m	15,5	25,9	36,3	46,7	15,5	25,9	36,3	46,7	15,5	25,9	36,3	46,7		
20,0	12,8													
22,0	12,6	10,3												
24,0	12,5	10,2	7,4											
26,0	12,3	10,1	7,4	3,9										
28,0	12,1	10,0	7,3	3,9	12,1									
30,0	12,0	9,9	7,3	3,9	11,9									
32,0	11,9	9,8	7,2	3,9	11,8	9,7								
34,0	11,8	9,8	7,2	3,9	11,5	9,6								
36,0	11,5	9,7	7,2	3,9	11,3	9,5	7,1		11,3					
38,0	11,3	9,6	7,2	3,9	11,2	9,5	7,1		11,1					
40,0	11,0	9,4	7,2	3,9	11,1	9,4	7,1	3,3	10,9					
42,0	10,7	9,2	7,2	3,9	11,0	9,3	7,0	3,3	10,7	9,3				
44,0	10,4	9,0	7,2	3,9	10,7	9,2	7,0	3,3	10,6	9,3				
46,0	10,3	8,8	7,2	3,9	10,5	9,1	7,0	3,3	10,6	9,2	6,9			
48,0	9,9	8,7	7,2	3,9	10,3	8,9	7,0	3,3	10,5	9,1	6,9			
50,0	8,9	8,6	7,2	3,9	10,1	8,8	7,0	3,3	10,3	9,0	6,9			
52,0	7,9	8,5	7,2	3,9	9,8	8,6	7,0	3,3	10,1	8,9	6,9	3,1		
54,0	6,8	8,4	7,2	3,9	8,9	8,5	7,0	3,3	10,0	8,7	6,9	3,1		
56,0	4,9	7,8	7,2	3,9	7,8	8,4	7,0	3,3	9,6	8,6	6,9	3,1		
58,0			7,2	3,9	6,4	8,4	7,0	3,3	8,7	8,5	6,7	3,1		
60,0				3,9		8,2	7,0	3,3	7,4	8,1	6,4	3,1		
62,0							7,0	3,3		7,8	6,1	3,1		
64,0							7,0	3,3		7,4	5,9	3,1		
66,0								3,3			5,6	3,1		
68,0											5,3	3,1		
70,0												3,1		
72,0												3,1		
*** n ***	2	1	1	1	2	1	1	1	2	1	1	1		
xx	82.0	82.0	82.0	82.0	75.0	75.0	75.0	75.0	68.0	68.0	68.0	68.0		
1	0+	46+	92+	92+	0+	46+	92+	92+	0+	46+	92+	92+		
2	0+	46+	46+	46+	0+	46+	46+	46+	0+	46+	46+	46+		
3	0+	0+	46+	46+	0+	0+	46+	46+	0+	0+	46+	46+		
4	0+	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	46+		
5 %	0+	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	46+		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	313	313	313	313	343	343	343	343	373	373	373	373		

	xx° T	N 56m	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 56m

070983 21.01

m >< t CODE > 0428 < B131 2756

m	15,5	25,9	36,3	46,7	15,5	25,9	36,3	46,7	15,5	25,9	36,3	46,7		
20,0	12,8													
22,0	12,6	10,3												
24,0	12,5	10,2	7,4											
26,0	12,3	10,1	7,4	3,9										
28,0	12,1	10,0	7,3	3,9	12,1									
30,0	12,0	9,9	7,3	3,9	11,9									
32,0	11,9	9,8	7,2	3,9	11,8	9,7								
34,0	11,8	9,8	7,2	3,9	11,5	9,6								
36,0	11,5	9,7	7,2	3,9	11,3	9,5	7,1		11,3					
38,0	11,3	9,6	7,2	3,9	11,2	9,5	7,1		11,1					
40,0	11,0	9,4	7,2	3,9	11,1	9,4	7,1	3,3	10,9					
42,0	10,7	9,2	7,2	3,9	11,0	9,3	7,0	3,3	10,7	9,3				
44,0	10,4	9,0	7,2	3,9	10,7	9,2	7,0	3,3	10,6	9,3				
46,0	10,3	8,8	7,2	3,9	10,5	9,1	7,0	3,3	10,6	9,2	6,9			
48,0	9,9	8,7	7,2	3,9	10,3	8,9	7,0	3,3	10,5	9,1	6,9			
50,0	8,9	8,6	7,2	3,9	10,1	8,8	7,0	3,3	10,3	9,0	6,9			
52,0	7,9	8,5	7,2	3,9	9,8	8,6	7,0	3,3	10,1	8,9	6,9	3,1		
54,0	6,8	8,4	7,2	3,9	8,9	8,5	7,0	3,3	10,0	8,7	6,9	3,1		
56,0	4,9	7,8	7,2	3,9	7,8	8,4	7,0	3,3	9,6	8,6	6,9	3,1		
58,0			7,2	3,9	6,4	8,4	7,0	3,3	8,7	8,5	6,8	3,1		
60,0				3,9		8,2	7,0	3,3	7,4	8,4	6,6	3,1		
62,0							7,0	3,3		8,4	6,4	3,1		
64,0							7,0	3,3		8,3	6,2	3,1		
66,0								3,3			6,1	3,1		
68,0											6,0	3,1		
70,0												3,1		
72,0												3,1		
*** n ***	2	1	1	1	2	1	1	1	2	1	1	1		
xx	82.0	82.0	82.0	82.0	75.0	75.0	75.0	75.0	68.0	68.0	68.0	68.0		
1	0+	46+	92+	92+	0+	46+	92+	92+	0+	46+	92+	92+		
2	0+	46+	46+	46+	0+	46+	46+	46+	0+	46+	46+	46+		
3	0+	0+	46+	46+	0+	0+	46+	46+	0+	0+	46+	46+		
4	0+	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	46+		
5 %	0+	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	46+		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	312	312	312	312	342	342	342	342	372	372	372	372		

	xx° T	N 56m	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 56m

070983 21.01

m >< t CODE > 0429 < B131 2856

m	15,5	25,9	36,3	46,7	15,5	25,9	36,3	46,7	15,5	25,9	36,3	46,7		
20,0	12,8													
22,0	12,6	10,3												
24,0	12,5	10,2	7,4											
26,0	12,3	10,1	7,4	3,9										
28,0	12,1	10,0	7,3	3,9	12,1									
30,0	12,0	9,9	7,3	3,9	11,9									
32,0	11,9	9,8	7,2	3,9	11,8	9,7								
34,0	11,8	9,8	7,2	3,9	11,5	9,6								
36,0	11,5	9,7	7,2	3,9	11,3	9,5	7,1		11,3					
38,0	11,3	9,6	7,2	3,9	11,2	9,5	7,1		11,1					
40,0	11,0	9,4	7,2	3,9	11,1	9,4	7,1	3,3	10,9					
42,0	10,7	9,2	7,2	3,9	11,0	9,3	7,0	3,3	10,7	9,3				
44,0	10,4	9,0	7,2	3,9	10,7	9,2	7,0	3,3	10,6	9,3				
46,0	10,3	8,8	7,2	3,9	10,5	9,1	7,0	3,3	10,6	9,2	6,9			
48,0	9,9	8,7	7,2	3,9	10,3	8,9	7,0	3,3	10,5	9,1	6,9			
50,0	8,9	8,6	7,2	3,9	10,1	8,8	7,0	3,3	10,3	9,0	6,9			
52,0	7,9	8,5	7,2	3,9	9,8	8,6	7,0	3,3	10,1	8,9	6,9	3,1		
54,0	6,8	8,4	7,2	3,9	8,9	8,5	7,0	3,3	10,0	8,7	6,9	3,1		
56,0	4,9	7,8	7,2	3,9	7,8	8,4	7,0	3,3	9,6	8,6	6,9	3,1		
58,0			7,2	3,9	6,4	8,4	7,0	3,3	8,7	8,5	6,8	3,1		
60,0				3,9		8,2	7,0	3,3	7,4	8,4	6,6	3,1		
62,0							7,0	3,3		8,4	6,4	3,1		
64,0							7,0	3,3		8,3	6,2	3,1		
66,0								3,3			6,1	3,1		
68,0											6,0	3,1		
70,0												3,1		
72,0												3,1		
*** n ***	2	1	1	1	2	1	1	1	2	1	1	1		
xx	82.0	82.0	82.0	82.0	75.0	75.0	75.0	75.0	68.0	68.0	68.0	68.0		
1	0+	46+	92+	92+	0+	46+	92+	92+	0+	46+	92+	92+		
2	0+	46+	46+	46+	0+	46+	46+	46+	0+	46+	46+	46+		
3	0+	0+	46+	46+	0+	0+	46+	46+	0+	0+	46+	46+		
4	0+	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	46+		
5 %	0+	0+	0+	46+	0+	0+	0+	46+	0+	0+	0+	46+		
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0		
TAB ***	311	311	311	311	341	341	341	341	371	371	371	371		

	xx° T	N 56m	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 63m

070983 21.01

m >< t CODE > 0431 < B131 2257

m	15,5	25,9	36,3	15,5	25,9	36,3	15,5	25,9	36,3					
22,0	10,1													
24,0	10,0	8,2												
26,0	9,8	8,1	5,8											
28,0	9,7	8,0	5,8											
30,0	9,6	7,9	5,7											
32,0	9,4	7,9	5,7	9,4										
34,0	9,2	7,8	5,7	9,3	6,5									
36,0	9,0	7,7	5,7	8,7	6,0									
38,0	8,7	7,3	5,6	8,1	5,5	3,1								
40,0	8,5	6,8	5,2	7,5	5,1	2,8	6,6							
42,0	8,0	6,4	4,8	7,0	4,7	2,5	6,1							
44,0	7,5	6,0	4,5	6,6	4,4	2,2	5,7	2,9						
46,0	7,0	5,6	4,1	6,1	4,0	2,0	5,3	2,6						
48,0	6,6	5,2	3,8	5,8	3,7	1,8	4,9	2,4						
50,0	6,2	4,9	3,6	5,4	3,5	1,6	4,6	2,1						
52,0	5,9	4,6	3,3	5,1	3,2	1,4	4,3	1,9						
54,0	5,6	4,3	3,1	4,8	3,0	1,2	4,0	1,7						
56,0	5,2	4,0	2,9	4,5	2,7	1,0	3,8	1,5						
58,0	4,9	3,8	2,6	4,2	2,5		3,5	1,4						
60,0	4,6	3,6	2,5	3,9	2,3		3,3	1,2						
62,0	4,3	3,4	2,3	3,7	2,2		3,1	1,1						
64,0		3,2	2,1	3,4	2,0		2,8							
66,0			2,0		1,9		2,6							
68,0					1,7									
*** n ***	1	1	1	1	1	1	1	1	0					
xx	82.0	82.0	82.0	75.0	75.0	75.0	68.0	68.0	68.0					
1	0+	46+	92+	0+	46+	92+	0+	46+	92+					
2	0+	46+	46+	0+	46+	46+	0+	46+	46+					
3	0+	0+	46+	0+	0+	46+	0+	0+	46+					
4	0+	0+	0+	0+	0+	0+	0+	0+	0+					
5 %	0+	0+	0+	0+	0+	0+	0+	0+	0+					
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					
TAB ***	317	317	317	347	347	347	377	377	---					

	xx° T	N 63m	22,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 63m

070983 21.01

m >< t CODE > 0435 < B131 2457

m	15,5	25,9	36,3	15,5	25,9	36,3	15,5	25,9	36,3					
22,0	10,1													
24,0	10,0	8,2												
26,0	9,8	8,1	5,8											
28,0	9,7	8,0	5,8											
30,0	9,6	7,9	5,7											
32,0	9,4	7,9	5,7	9,4										
34,0	9,2	7,8	5,7	9,3	7,7									
36,0	9,0	7,7	5,7	9,1	7,7									
38,0	8,7	7,7	5,6	8,9	7,6	5,4								
40,0	8,5	7,6	5,6	8,6	7,6	5,4	8,8							
42,0	8,2	7,5	5,6	8,4	7,5	5,4	8,6							
44,0	8,0	7,4	5,6	8,2	7,5	5,4	8,4	7,3						
46,0	7,7	7,2	5,6	7,9	7,4	5,4	8,2	6,8						
48,0	7,5	7,0	5,6	7,7	7,3	5,4	8,0	6,4						
50,0	7,3	6,9	5,6	7,5	7,1	5,4	7,7	6,0	3,6					
52,0	7,1	6,7	5,6	7,3	7,0	5,1	7,5	5,7	3,3					
54,0	6,9	6,6	5,6	7,1	6,6	4,8	7,3	5,4	3,1					
56,0	6,7	6,5	5,6	6,9	6,3	4,5	7,1	5,1	2,8					
58,0	6,6	6,3	5,6	6,7	6,0	4,3	6,7	4,8	2,6					
60,0	5,8	6,2	5,6	6,6	5,7	4,0	6,3	4,5	2,4					
62,0	4,7	6,1	5,5	6,4	5,4	3,8	6,0	4,3	2,2					
64,0		5,2	5,3	5,8	5,2	3,6	5,6	4,1	2,1					
66,0			5,0		4,9	3,4	5,3	3,9	1,9					
68,0					4,6	3,2		3,7	1,8					
70,0						3,0		3,4	1,6					
72,0									1,5					
74,0									1,4					
*** n ***	1	1	1	1	1	1	1	1	1					
xx	82.0	82.0	82.0	75.0	75.0	75.0	68.0	68.0	68.0					
1	0+	46+	92+	0+	46+	92+	0+	46+	92+					
2	0+	46+	46+	0+	46+	46+	0+	46+	46+					
3	0+	0+	46+	0+	0+	46+	0+	0+	46+					
4	0+	0+	0+	0+	0+	0+	0+	0+	0+					
5 %	0+	0+	0+	0+	0+	0+	0+	0+	0+					
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					
TAB ***	315	315	315	345	345	345	375	375	375					

	xx° T	N 63m	47,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 63m

070983 21.01

m	m >< t													
	CODE > 0434 < B131 2457													
m	**15,5**	**25,9**	**36,3**	**15,5**	**25,9**	**36,3**	**15,5**	**25,9**	**36,3**					
22,0	10,1													
24,0	10,0	8,2												
26,0	9,8	8,1	5,8											
28,0	9,7	8,0	5,8											
30,0	9,6	7,9	5,7											
32,0	9,4	7,9	5,7											
34,0	9,2	7,8	5,7											
36,0	9,0	7,7	5,7											
38,0	8,7	7,6	5,6											
40,0	8,5	7,1	5,5											
42,0	8,2	6,6	5,1											
44,0	7,7	6,2	4,7											
46,0	7,2	5,8	4,4											
48,0	6,8	5,4	4,1											
50,0	6,5	5,1	3,8											
52,0	6,1	4,8	3,6											
54,0	5,8	4,5	3,3											
56,0	5,4	4,3	3,1											
58,0	5,1	4,0	2,9											
60,0	4,8	3,8	2,7											
62,0	4,5	3,6	2,5											
64,0		3,4	2,4											
66,0			2,2											
*** n ***	1	1	1	0	0	0	0	0	0					
xx	82.0	82.0	82.0	75.0	75.0	75.0	68.0	68.0	68.0					
1	0+	46+	92+	0+	46+	92+	0+	46+	92+					
2	0+	46+	46+	0+	46+	46+	0+	46+	46+					
3	0+	0+	46+	0+	0+	46+	0+	0+	46+					
4	0+	0+	0+	0+	0+	0+	0+	0+	0+					
5 %	0+	0+	0+	0+	0+	0+	0+	0+	0+					
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					
TAB ***	325	325	325	---	---	---	---	---	---					

	xx° T	N 63m	47,5 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 63m

070983 21.01

m >< t CODE > 0437 < B131 2657

m	15,5	25,9	36,3	15,5	25,9	36,3	15,5	25,9	36,3					
22,0	10,1													
24,0	10,0	8,2												
26,0	9,8	8,1	5,8											
28,0	9,7	8,0	5,8											
30,0	9,6	7,9	5,7											
32,0	9,4	7,9	5,7	9,4										
34,0	9,2	7,8	5,7	9,3	7,7									
36,0	9,0	7,7	5,7	9,1	7,7									
38,0	8,7	7,7	5,6	8,9	7,6	5,4								
40,0	8,5	7,6	5,6	8,6	7,6	5,4	8,8							
42,0	8,2	7,5	5,6	8,4	7,5	5,4	8,6							
44,0	8,0	7,4	5,6	8,2	7,5	5,4	8,4	7,3						
46,0	7,7	7,2	5,6	7,9	7,4	5,4	8,2	7,3						
48,0	7,5	7,0	5,6	7,7	7,3	5,4	8,0	7,3						
50,0	7,3	6,9	5,6	7,5	7,1	5,4	7,7	7,3	5,2					
52,0	7,1	6,7	5,6	7,3	7,0	5,4	7,5	7,2	5,2					
54,0	6,9	6,6	5,6	7,1	6,8	5,4	7,3	7,1	5,2					
56,0	6,7	6,5	5,6	6,9	6,7	5,4	7,1	6,9	5,2					
58,0	6,6	6,3	5,6	6,7	6,5	5,4	6,9	6,8	5,2					
60,0	5,8	6,2	5,6	6,6	6,4	5,4	6,7	6,6	5,2					
62,0	4,7	6,1	5,5	6,4	6,3	5,4	6,5	6,5	5,2					
64,0		5,2	5,5	5,8	6,2	5,4	6,4	6,3	5,2					
66,0			5,3		6,1	5,4	6,3	6,2	5,0					
68,0					5,6	5,4		6,1	4,8					
70,0						5,4		6,1	4,6					
72,0									4,4					
74,0									4,2					
*** n ***	1	1	1	1	1	1	1	1	1					
xx	82.0	82.0	82.0	75.0	75.0	75.0	68.0	68.0	68.0					
1	0+	46+	92+	0+	46+	92+	0+	46+	92+					
2	0+	46+	46+	0+	46+	46+	0+	46+	46+					
3	0+	0+	46+	0+	0+	46+	0+	0+	46+					
4	0+	0+	0+	0+	0+	0+	0+	0+	0+					
5 %	0+	0+	0+	0+	0+	0+	0+	0+	0+					
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					
TAB ***	313	313	313	343	343	343	373	373	373					

	xx° T	N 63m	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 63m

070983 21.01

m >< t CODE > 0438 < B131 2757

m	15,5	25,9	36,3	15,5	25,9	36,3	15,5	25,9	36,3					
22,0	10,1													
24,0	10,0	8,2												
26,0	9,8	8,1	5,8											
28,0	9,7	8,0	5,8											
30,0	9,6	7,9	5,7											
32,0	9,4	7,9	5,7	9,4										
34,0	9,2	7,8	5,7	9,3	7,7									
36,0	9,0	7,7	5,7	9,1	7,7									
38,0	8,7	7,7	5,6	8,9	7,6	5,4								
40,0	8,5	7,6	5,6	8,6	7,6	5,4	8,8							
42,0	8,2	7,5	5,6	8,4	7,5	5,4	8,6							
44,0	8,0	7,4	5,6	8,2	7,5	5,4	8,4	7,3						
46,0	7,7	7,2	5,6	7,9	7,4	5,4	8,2	7,3						
48,0	7,5	7,0	5,6	7,7	7,3	5,4	8,0	7,3						
50,0	7,3	6,9	5,6	7,5	7,1	5,4	7,7	7,3	5,2					
52,0	7,1	6,7	5,6	7,3	7,0	5,4	7,5	7,2	5,2					
54,0	6,9	6,6	5,6	7,1	6,8	5,4	7,3	7,1	5,2					
56,0	6,7	6,5	5,6	6,9	6,7	5,4	7,1	6,9	5,2					
58,0	6,6	6,3	5,6	6,7	6,5	5,4	6,9	6,8	5,2					
60,0	5,8	6,2	5,6	6,6	6,4	5,4	6,7	6,6	5,2					
62,0	4,7	6,1	5,5	6,4	6,3	5,4	6,5	6,5	5,2					
64,0		5,2	5,5	5,8	6,2	5,4	6,4	6,3	5,2					
66,0			5,3		6,1	5,4	6,3	6,2	5,2					
68,0					5,6	5,4		6,1	5,2					
70,0						5,4		6,1	5,0					
72,0									4,9					
74,0									4,8					
*** n ***	1	1	1	1	1	1	1	1	1					
xx	82.0	82.0	82.0	75.0	75.0	75.0	68.0	68.0	68.0					
1	0+	46+	92+	0+	46+	92+	0+	46+	92+					
2	0+	46+	46+	0+	46+	46+	0+	46+	46+					
3	0+	0+	46+	0+	0+	46+	0+	0+	46+					
4	0+	0+	0+	0+	0+	0+	0+	0+	0+					
5 %	0+	0+	0+	0+	0+	0+	0+	0+	0+					
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					
TAB ***	312	312	312	342	342	342	372	372	372					

	xx° T	N 63m	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 63m

070983 21.01

m >< t CODE > 0439 < B131 2857

m	15,5	25,9	36,3	15,5	25,9	36,3	15,5	25,9	36,3					
22,0	10,1													
24,0	10,0	8,2												
26,0	9,8	8,1	5,8											
28,0	9,7	8,0	5,8											
30,0	9,6	7,9	5,7											
32,0	9,4	7,9	5,7	9,4										
34,0	9,2	7,8	5,7	9,3	7,7									
36,0	9,0	7,7	5,7	9,1	7,7									
38,0	8,7	7,7	5,6	8,9	7,6	5,4								
40,0	8,5	7,6	5,6	8,6	7,6	5,4	8,8							
42,0	8,2	7,5	5,6	8,4	7,5	5,4	8,6							
44,0	8,0	7,4	5,6	8,2	7,5	5,4	8,4	7,3						
46,0	7,7	7,2	5,6	7,9	7,4	5,4	8,2	7,3						
48,0	7,5	7,0	5,6	7,7	7,3	5,4	8,0	7,3						
50,0	7,3	6,9	5,6	7,5	7,1	5,4	7,7	7,3	5,2					
52,0	7,1	6,7	5,6	7,3	7,0	5,4	7,5	7,2	5,2					
54,0	6,9	6,6	5,6	7,1	6,8	5,4	7,3	7,1	5,2					
56,0	6,7	6,5	5,6	6,9	6,7	5,4	7,1	6,9	5,2					
58,0	6,6	6,3	5,6	6,7	6,5	5,4	6,9	6,8	5,2					
60,0	5,8	6,2	5,6	6,6	6,4	5,4	6,7	6,6	5,2					
62,0	4,7	6,1	5,5	6,4	6,3	5,4	6,5	6,5	5,2					
64,0		5,2	5,5	5,8	6,2	5,4	6,4	6,3	5,2					
66,0			5,3		6,1	5,4	6,3	6,2	5,2					
68,0					5,6	5,4		6,1	5,2					
70,0						5,4		6,1	5,0					
72,0									4,9					
74,0									4,8					
*** n ***	1	1	1	1	1	1	1	1	1					
xx	82.0	82.0	82.0	75.0	75.0	75.0	68.0	68.0	68.0					
1	0+	46+	92+	0+	46+	92+	0+	46+	92+					
2	0+	46+	46+	0+	46+	46+	0+	46+	46+					
3	0+	0+	46+	0+	0+	46+	0+	0+	46+					
4	0+	0+	0+	0+	0+	0+	0+	0+	0+					
5 %	0+	0+	0+	0+	0+	0+	0+	0+	0+					
m/s	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0	9,0					
TAB ***	311	311	311	341	341	341	371	371	371					

	xx° T	N 63m	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 70m

070983 21.01

m >< t CODE > 0441 < B131 2258

m	15,5	25,9	15,5	25,9	15,5	25,9								
24,0	7,5													
26,0	7,1	6,4												
28,0	6,7	6,2												
30,0	6,4	5,9												
32,0	6,1	5,6												
34,0	5,8	5,4	6,1											
36,0	5,5	5,2	5,8											
38,0	5,2	4,9	5,5	5,0										
40,0	5,0	4,7	5,2	4,6										
42,0	4,7	4,5	4,9	4,2										
44,0	4,4	4,2	4,7	3,8	4,9									
46,0	4,2	4,0	4,4	3,5	4,7									
48,0	3,9	3,8	4,2	3,2	4,4	1,8								
50,0	3,7	3,6	3,9	2,9	4,1	1,6								
52,0	3,5	3,4	3,7	2,7	3,8	1,4								
54,0	3,3	3,2	3,5	2,5	3,5	1,2								
56,0	3,1	3,1	3,3	2,2	3,3	1,0								
58,0	2,9	2,9	3,1	2,0	3,0									
60,0	2,8	2,7	2,9	1,9	2,8									
62,0	2,6	2,6	2,7	1,7	2,6									
64,0	2,4	2,5	2,5	1,5	2,4									
66,0	2,3	2,3	2,4	1,4	2,2									
68,0	2,2	2,2	2,3	1,2	2,1									
70,0	2,2	2,1	2,2	1,1	1,9									
72,0			2,1		1,8									
74,0					1,6									
*** n ***	1	1	1	1	1	1								
xx	82.0	82.0	75.0	75.0	68.0	68.0								
1	0+	46+	0+	46+	0+	46+								
2	0+	46+	0+	46+	0+	46+								
3	0+	0+	0+	0+	0+	0+								
4	0+	0+	0+	0+	0+	0+								
5 %	0+	0+	0+	0+	0+	0+								
m/s	9,0	9,0	9,0	9,0	9,0	9,0								
TAB ***	317	317	347	347	377	377								

	xx° T	N 70m	22,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 70m

070983 21.01

m >< t CODE > 0445 < B131 2458

m	15,5	25,9	15,5	25,9	15,5	25,9								
24,0	7,5													
26,0	7,1	6,4												
28,0	6,7	6,2												
30,0	6,4	5,9												
32,0	6,1	5,6												
34,0	5,8	5,4	6,1											
36,0	5,5	5,2	5,8											
38,0	5,2	4,9	5,5	5,3										
40,0	5,0	4,7	5,2	5,1										
42,0	4,7	4,5	4,9	4,8										
44,0	4,4	4,2	4,7	4,6	4,9									
46,0	4,2	4,0	4,4	4,4	4,7									
48,0	3,9	3,8	4,2	4,2	4,4	4,5								
50,0	3,7	3,6	3,9	4,0	4,2	4,3								
52,0	3,5	3,4	3,7	3,8	4,0	4,1								
54,0	3,3	3,2	3,5	3,6	3,7	3,9								
56,0	3,1	3,1	3,3	3,4	3,5	3,7								
58,0	2,9	2,9	3,1	3,2	3,3	3,5								
60,0	2,8	2,7	2,9	3,0	3,1	3,3								
62,0	2,6	2,6	2,7	2,8	2,9	3,1								
64,0	2,4	2,5	2,5	2,7	2,7	3,0								
66,0	2,3	2,3	2,4	2,5	2,6	2,8								
68,0	2,2	2,2	2,3	2,4	2,4	2,6								
70,0	2,2	2,1	2,2	2,3	2,3	2,5								
72,0			2,1	2,2	2,2	2,3								
74,0				2,1	2,1	2,2								
76,0						2,1								
78,0						2,1								
*** n ***	1	1	1	1	1	1								
xx	82.0	82.0	75.0	75.0	68.0	68.0								
1	0+	46+	0+	46+	0+	46+								
2	0+	46+	0+	46+	0+	46+								
3	0+	0+	0+	0+	0+	0+								
4	0+	0+	0+	0+	0+	0+								
5 %	0+	0+	0+	0+	0+	0+								
m/s	9,0	9,0	9,0	9,0	9,0	9,0								
TAB ***	315	315	345	345	375	375								

	xx° T	N 70m	47,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 70m

070983 21.01

m >< t CODE > 0444 < B131 2458

m	15,5	25,9	15,5	25,9	15,5	25,9								
24,0	7,5													
26,0	7,1	6,4												
28,0	6,7	6,2												
30,0	6,4	5,9												
32,0	6,1	5,6												
34,0	5,8	5,4												
36,0	5,5	5,2												
38,0	5,2	4,9												
40,0	5,0	4,7												
42,0	4,7	4,5												
44,0	4,4	4,2												
46,0	4,2	4,0												
48,0	3,9	3,8												
50,0	3,7	3,6												
52,0	3,5	3,4												
54,0	3,3	3,2												
56,0	3,1	3,1												
58,0	2,9	2,9												
60,0	2,8	2,7												
62,0	2,6	2,6												
64,0	2,4	2,5												
66,0	2,3	2,3												
68,0	2,2	2,2												
70,0	2,2	2,1												
*** n ***	1	1	0	0	0	0								
xx	82.0	82.0	75.0	75.0	68.0	68.0								
1	0+	46+	0+	46+	0+	46+								
2	0+	46+	0+	46+	0+	46+								
3	0+	0+	0+	0+	0+	0+								
4	0+	0+	0+	0+	0+	0+								
5 %	0+	0+	0+	0+	0+	0+								
m/s	9,0	9,0	9,0	9,0	9,0	9,0								
TAB ***	325	325	---	---	---	---								

	xx° T	N 70m	47,5 t	8,85 x 5,59 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 70m

070983 21.01

m >< t CODE > 0447 < B131 2658

m	15,5	25,9	15,5	25,9	15,5	25,9								
24,0	7,5													
26,0	7,1	6,4												
28,0	6,7	6,2												
30,0	6,4	5,9												
32,0	6,1	5,6												
34,0	5,8	5,4	6,1											
36,0	5,5	5,2	5,8											
38,0	5,2	4,9	5,5	5,3										
40,0	5,0	4,7	5,2	5,1										
42,0	4,7	4,5	4,9	4,8										
44,0	4,4	4,2	4,7	4,6	4,9									
46,0	4,2	4,0	4,4	4,4	4,7									
48,0	3,9	3,8	4,2	4,2	4,4	4,5								
50,0	3,7	3,6	3,9	4,0	4,2	4,3								
52,0	3,5	3,4	3,7	3,8	4,0	4,1								
54,0	3,3	3,2	3,5	3,6	3,7	3,9								
56,0	3,1	3,1	3,3	3,4	3,5	3,7								
58,0	2,9	2,9	3,1	3,2	3,3	3,5								
60,0	2,8	2,7	2,9	3,0	3,1	3,3								
62,0	2,6	2,6	2,7	2,8	2,9	3,1								
64,0	2,4	2,5	2,5	2,7	2,7	3,0								
66,0	2,3	2,3	2,4	2,5	2,6	2,8								
68,0	2,2	2,2	2,3	2,4	2,4	2,6								
70,0	2,2	2,1	2,2	2,3	2,3	2,5								
72,0			2,1	2,2	2,2	2,3								
74,0				2,1	2,1	2,2								
76,0						2,1								
78,0						2,1								
*** n ***	1	1	1	1	1	1								
xx	82.0	82.0	75.0	75.0	68.0	68.0								
1	0+	46+	0+	46+	0+	46+								
2	0+	46+	0+	46+	0+	46+								
3	0+	0+	0+	0+	0+	0+								
4	0+	0+	0+	0+	0+	0+								
5	0+	0+	0+	0+	0+	0+								
%														
m/s	9,0	9,0	9,0	9,0	9,0	9,0								
TAB ***	313	313	343	343	373	373								

	xx° T	N 70m	72,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 70m

070983 21.01

m >< t CODE > 0448 < B131 2758

m	15,5	25,9	15,5	25,9	15,5	25,9								
24,0	7,5													
26,0	7,1	6,4												
28,0	6,7	6,2												
30,0	6,4	5,9												
32,0	6,1	5,6												
34,0	5,8	5,4	6,1											
36,0	5,5	5,2	5,8											
38,0	5,2	4,9	5,5	5,3										
40,0	5,0	4,7	5,2	5,1										
42,0	4,7	4,5	4,9	4,8										
44,0	4,4	4,2	4,7	4,6	4,9									
46,0	4,2	4,0	4,4	4,4	4,7									
48,0	3,9	3,8	4,2	4,2	4,4	4,5								
50,0	3,7	3,6	3,9	4,0	4,2	4,3								
52,0	3,5	3,4	3,7	3,8	4,0	4,1								
54,0	3,3	3,2	3,5	3,6	3,7	3,9								
56,0	3,1	3,1	3,3	3,4	3,5	3,7								
58,0	2,9	2,9	3,1	3,2	3,3	3,5								
60,0	2,8	2,7	2,9	3,0	3,1	3,3								
62,0	2,6	2,6	2,7	2,8	2,9	3,1								
64,0	2,4	2,5	2,5	2,7	2,7	3,0								
66,0	2,3	2,3	2,4	2,5	2,6	2,8								
68,0	2,2	2,2	2,3	2,4	2,4	2,6								
70,0	2,2	2,1	2,2	2,3	2,3	2,5								
72,0			2,1	2,2	2,2	2,3								
74,0				2,1	2,1	2,2								
76,0						2,1								
78,0						2,1								
*** n ***	1	1	1	1	1	1								
xx	82.0	82.0	75.0	75.0	68.0	68.0								
1	0+	46+	0+	46+	0+	46+								
2	0+	46+	0+	46+	0+	46+								
3	0+	0+	0+	0+	0+	0+								
4	0+	0+	0+	0+	0+	0+								
5 %	0+	0+	0+	0+	0+	0+								
m/s	9,0	9,0	9,0	9,0	9,0	9,0								
TAB ***	312	312	342	342	372	372								

	xx° T	N 70m	85,0 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

xx° T	N 70m

070983 21.01

m >< t CODE > 0449 < B131 2858

m	15,5	25,9	15,5	25,9	15,5	25,9								
24,0	7,5													
26,0	7,1	6,4												
28,0	6,7	6,2												
30,0	6,4	5,9												
32,0	6,1	5,6												
34,0	5,8	5,4	6,1											
36,0	5,5	5,2	5,8											
38,0	5,2	4,9	5,5	5,3										
40,0	5,0	4,7	5,2	5,1										
42,0	4,7	4,5	4,9	4,8										
44,0	4,4	4,2	4,7	4,6	4,9									
46,0	4,2	4,0	4,4	4,4	4,7									
48,0	3,9	3,8	4,2	4,2	4,4	4,5								
50,0	3,7	3,6	3,9	4,0	4,2	4,3								
52,0	3,5	3,4	3,7	3,8	4,0	4,1								
54,0	3,3	3,2	3,5	3,6	3,7	3,9								
56,0	3,1	3,1	3,3	3,4	3,5	3,7								
58,0	2,9	2,9	3,1	3,2	3,3	3,5								
60,0	2,8	2,7	2,9	3,0	3,1	3,3								
62,0	2,6	2,6	2,7	2,8	2,9	3,1								
64,0	2,4	2,5	2,5	2,7	2,7	3,0								
66,0	2,3	2,3	2,4	2,5	2,6	2,8								
68,0	2,2	2,2	2,3	2,4	2,4	2,6								
70,0	2,2	2,1	2,2	2,3	2,3	2,5								
72,0			2,1	2,2	2,2	2,3								
74,0				2,1	2,1	2,2								
76,0						2,1								
78,0						2,1								
*** n ***	1	1	1	1	1	1								
xx	82.0	82.0	75.0	75.0	68.0	68.0								
1	0+	46+	0+	46+	0+	46+								
2	0+	46+	0+	46+	0+	46+								
3	0+	0+	0+	0+	0+	0+								
4	0+	0+	0+	0+	0+	0+								
5	0+	0+	0+	0+	0+	0+								
%														
m/s	9,0	9,0	9,0	9,0	9,0	9,0								
TAB ***	311	311	341	341	371	371								

	xx° T	N 70m	97,5 t	8,85 x 8,5 m	360°		

Courtesy of Crane.Market

ISO DIN

T	--
250t *	)

070983 TAB *** 1003 21.21

m >< t CODE > 9999 < B131 9999

m	15,5
3,0	250,0
3,5	173,0
4,0	157,0
4,5	144,0
5,0	136,0
6,0	123,0
7,0	112,0
8,0	102,0
9,0	93,0
10,0	84,0
11,0	74,0
12,0	63,0
*** n ***	1!
1	0+
2	0+
3	0+
4	0+
5	0+
%	
m/s	14,3

T	--
250t *	)

97,5 t

8,85 x 8,5 m

0 °

Courtesy of Crane.Market

Courtesy of Crane.Market