

FORKLIFT RANGE



TRUCK MOUNTED FORKLIFTS - A PERFECT COMBINATION OF EFFICIENCY & FLEXIBILITY



EXCEPTIONAL POWER, SPEED & MANEUVERABILITY

Whichever materials you need to handle, PALFINGER has the right equipment for the job. Our Truck-Mounted Forklifts are a great partner for a variety of building materials, including wallboard, lumber, brick, block, roofing supplies and palletized materials. With excellent visibility, low center gravity, high ground clearance and a powerful drive system, these innovative machines perform large ground-drop applications with speed. Truck-Mounted Forklifts are also excellent for staging materials at commercial job sites and other building developments.

Lifting up to 5500 lbs., PALFINGER offers two styles of Truck-Mounted Forklifts to meet your material handling needs: **GT 55 model series and CR 55 4-Way.**

Offering unique benefits from the scissor mechanism and the 4-way feature, count on PALFINGER to have the right machine for you.





MODEL	LIFT HEIGHT	CAPACITY @ 24" LOAD CENTER	OPERATING WEIGHT	OVERHANG FROM VEHICLE	ENGINE	DRIVE SYSTEM TYPE	GROUND SPEED	THEORETICAL GRADABILITY
GT 55	120"	5500 lbs	6300 lbs	57"	Kubota 50 HP	Hydrostatic Anti-Stall	7.5 MPH	30%
GT 55	144"	5500 lbs	6400 lbs	57"	Kubota 50 HP	Hydrostatic Anti-Stall	7.5 MPH	30%
GT 55 PALreach	120"	5500 lbs	7200 lbs	61"	Kubota 50 HP	Hydrostatic Anti-Stall	7.5 MPH	30%
GT 55 PALreach	144"	5500 lbs	7300 lbs	61"	Kubota 50 HP	Hydrostatic Anti-Stall	7.5 MPH	30%
GT 55e	120"	5500 lbs	6425 lbs	57"	Perkins 50 HP	Hydrostatic Anti-Stall	7.5 MPH	30%
GT 55e	144"	5500 lbs	6525 lbs	57"	Perkins 50 HP	Hydrostatic Anti-Stall	7.5 MPH	30%
GT 55e PALreach	120"	5500 lbs	7325 lbs	61"	Perkins 50 HP	Hydrostatic Anti-Stall	7.5 MPH	30%
GT 55e PALreach	144"	5500 lbs	7425 lbs	61"	Perkins 50 HP	Hydrostatic Anti-Stall	7.5 MPH	30%
CR 55 4-Way	120"	5500 lbs	6380 lbs	57"	Deutz 64 HP	Hydrostatic Anti-Stall	7 MPH	30%
CR 55 4-Way	144"	5500 lbs	6480 lbs	57"	Deutz 64 HP	Hydrostatic Anti-Stall	7 MPH	30%



Palfinger North America

7942 Dorchester Road | Niagara Falls, ON | L2G 7W7 | Canada

Mailing: PO Box 846 | Niagara Falls, ON | L2E 6V6 | Canada

T +1 800 567 1554

Products shown in the leaflet are partially optional equipped and do not always correspond to the standard version. Country-specific regulations must be observed. Dimensions may vary. Subject to technical changes, errors and translation mistakes.